

#### Alarms and Professional Monitoring

Secure your sites with cloud-managed intrusion detection and 24/7 professional monitoring



#### Overview

Built on Verkada's cloud-based Command platform, Alarms provides organizations with tools to detect and respond to threats across their physical spaces.

Verkada Alarms leverages data captured across Verkada devices including cameras, doors, environmental sensors, alarm panels, and intrusion sensors to identify important events and provide visibility as incidents unfold.

Included with Alarms is 24/7 professional monitoring with optional video verification and emergency dispatch capabilities. While your site is armed, trained operators at U.S.-based central stations are standing by to assess and help respond to incidents. Organizations have the ability to provide operators with controlled access to event-based video feeds to reduce false alarms and provide essential context during emergencies.

Alarms can be managed from anywhere with Verkada's web-based Command platform and Verkada Alarms mobile app. Additionally, organizations can deploy Verkada's Alarm Console for onsite arming/disarming with an integrated camera and talk-down functionality.

#### Key Features

- Intrusion detection that utilizes
   Verkada cameras, doors and sensors
- 32-input / 2-output Alarm Panel to integrate wired devices (optional)
- 24/7 professional monitoring provided by trained operators
- Alarm Console with keypad, integrated camera, and talk-down (optional)
- Cloud-managed with easy configuration of alarm triggers and responses
- 10-year warranty on all hardware



#### Verkada's Cloud-Managed Alarms Platform



#### Integrated Intrusion

Leverage data captured across Verkada's physical security ecosystem

#### **Easy to Scale**

No keypad programming, complex panel configuration, or third-party monitoring to manage

#### **Centralized Management**

Modern platform enables secure access on any device from anywhere in the world

#### Benefits

#### **Simple Setup**

- Enable Alarms using any Verkada device as an alarm trigger
- Optional Alarm Panel and Alarm Console configure in minutes
- No additional software or complicated setup

#### Easy to Use

- Customizable alarm triggers and responses with intuitive interface
- Arm/disarm sites from anywhere via Command or Alarms App
- One-click setup of 24/7 professional monitoring<sup>1</sup>

#### Advantages of Cloud-Managed Solution

- Secure remote access from any device anywhere
- SAML-based integration with single-sign on (SSO) solutions
- Continuous updates with new features

#### Seamlessly Integrated

- Instantly connect Verkada cameras, doors, environmental sensors, and alarm panel inputs / outputs
- Complete security ecosystem managed under a single dashboard
- Shared user administration across alarms and other Verkada products

#### **Professional Monitoring**

- 3 U.S.-based, fully redundant, UL listed, TMA 5 Diamond rated monitoring centers<sup>1</sup> with team of trained security professionals
- Reduced false alarms with video verification and optional emergency dispatch
- Customizable rules for escalation of alarm response

#### No Hidden Costs

- Hardware includes an industry-leading 10-year warranty
- Automatic firmware updates keep systems secure and up-to-date
- New features and enhancements are added at no additional cost

#### Compliance & Availability

Verkada is committed to ensuring its services and systems comply with applicable regulations. The Verkada Alarms service is currently available in the United States, in the states indicated on our compliance page at www.verkada.com/alarms/compliance-and-availability/ Please note there may be local or state requirements surrounding sales and installation; please consult with your local Verkada reseller for additional information.

Monitoring is provided by Verkada's independent monitoring center partners.



#### Professional Monitoring Overview

Incidents are unpredictable. Ensure your sites are protected 24/7 with our professional monitoring service. Monitoring is provided by three fully redundant, U.S.-based, UL listed central stations with Five Diamond Certification from The Monitoring Association.

#### **Assess the Situation**


- With built-in video verification, agents can assess possible threats and screen out false alarms.
- If video verification is enabled, users will not be contacted unless incidents are confirmed as real alarms by an agent.

#### **Make Contact**

- When an alarm is raised, agents immediately call and send SMS messages to the predetermined contact list.
- If an agent is unable to reach any contacts, they can contact local emergency services to respond.

#### **Take Action**

- Once a threat is confirmed, agents will dispatch local first responders to the site address.
- All events can be reviewed, archived and accessed from Command for incident investigation.



#### Alarm License Pricing

Product Name	Description	Cost (MSRP) USD
LIC-BA-1Y	1-Year Alarm License	\$1,499
LIC-BA-3Y	3-Year Alarm License	\$3,999
LIC-BA-5Y	5-Year Alarm License	\$5,999
LIC-BA-10Y	10-Year Alarm License	\$11,999

The Alarm License includes access to the cloud-managed Verkada Alarms platform and integrated professional monitoring. One Alarm License is required for each unique site address, with up to 32 monitored devices covered per license. Any Verkada cameras, doors, environmental sensors, and panel inputs that have been configured as alarm triggers will count as devices towards the 32-device limit.


An Alarm License is required for the BP41 Alarm Panel and BC51 Alarm Console.

<sup>&</sup>lt;sup>1</sup> Monitoring is provided by Verkada's independent monitoring center partners.



#### Alarms Platform Overview

Seamlessly manage sites, configure alarm triggers, and customize alarm responses.



Alarms is powered by Verkada's Command Platform. This cloud-based management solution delivers secure remote access with an intuitive interface for ease of use.

#### Site Management

- See overview of current status and recent events from all sites.
- Schedule arming/disarming and configure keycodes for on-site management.
- Instantly view incidents and play back event footage with integrated Verkada video surveillance.
- Control access to your Alarm sites' settings with role-based permissions.

#### **Device Management**

- Configure wired sensors and outputs on your Alarm Panel from Command with just a few clicks.
- Create alarm triggers based on events from any Verkada device.
- Manage fleet of devices from single dashboard.

#### **Professional Monitoring Configuration**

- Enable video verification of alarms by trained security professionals.
- Enable dispatch of emergency services.
- Configure an ordered list of contacts for monitoring agents to call and text when an alarm is raised.


#### Alarm Console Talk-Down

- From Command, initiate two-way video calls down to Alarm Consoles at any of your sites, from anywhere in the world.
- Make calls to Alarm Console to address staff, guests, or potential intruders.



#### Verkada Alarms App

Arm / disarm sites and raise panic alarms from your mobile device with the Verkada Alarms app.



The Verkada Alarms app makes it easy to arm and disarm sites and raise panic alarms in the event of an emergency. Administrators grant users access to the app through Command and can restrict which sites can be managed by which users.

The Verkada Alarms app is available on iOS and Android.



#### **BP41 — Alarm Panel**

Configure wired inputs and outputs for enhanced building security.

#### Overview

#### **Complete Coverage**

- 32 inputs for connecting wired sensors.
- 12V AUX for powered sensors.
- Two programmable 12V power outputs for sirens, strobes, and other alarm signaling devices.

#### Easy Install and Management

- Cloud-managed from Command for easy device configuration.
- Wire the Alarm Panel in minutes with ergonomic, easy to access 45° offset screw terminals.
- Supports nearly all N.O. / N.C. sensors and 12V output devices.
- Alarm Panels receive automatic software updates for the latest feature updates and security enhancements.

#### 10-Year Warranty

 Verkada's Alarm Panel and sensors are covered by our 10-year warranty.



#### Alarm Panel Pricing

Product Name	Description	Cost (MSRP) USD
BP41-HW	32-Input Alarm Panel	\$999

#### Wired Motion Sensor Pricing

BR11-HW	Wired Motion Sensor	\$99

#### Wired Door Contact Pricing

BR12-HW	Wired Surface Mount Door Contacts – 5 Pack	\$99
BR13-HW	Wired Recessed Mount Door Contacts – 5 Pack	\$99

Alarm Panel requires Alarms License (LIC-BA)



# BP41 Tech Specs

Power Consumption (at 10–14V)	60W		
Inputs	32 inputs for normally open or normally closed sensors $ \text{Optional 1 k} \Omega \text{ single or double EOLR supervision} $		
Outputs	2x 12V programmable outputs 1A each	12V AUX power 2A total/combined	
Dimensions	415.6 mm / 16.36 in (H) x 319.6 mm / 12.58 in	415.6 mm / 16.36 in (H) x 319.6 mm / 12.58 in (W) x 111.74 mm / 4.4 in" (D)	
Weight	8.19 kg / 18.06 lbs		
Operating Temperature	0°C - 50°C (32°F - 122°F)		
Compliance	FCC, CE		
Connectivity	Ethernet: 100/1000Mbps RJ-45 cable connector for network connection, USB 2.0		
Included Accessories	Setup guide, screw pack, torx screwdriver, AC cord, 32x 1k $\Omega$ end-of-line resistors		
Mounting Options	Dry wall anchors (M8) and screws (M5)		

#### BC51 — Alarm Console

Easily arm/disarm sites, review events, initiate panic alarms, and talk down to intruders.

#### Overview

#### Site Management and Visibility


- · Arm and disarm your site with integrated digital keypad.
- See a feed of recent alarms and key events that have occurred at your facility.
- Initiate panic alarm in an emergency.

#### Video Calls from Command

- Using the built-in camera, microphone, and speaker, instantly communicate with staff or talk down to intruders.
- Users can initiate a call to the Alarm Console from any computer without plugins or additional software.

#### 10-Year Warranty

• Verkada's Alarm Console is covered by our 10-year warranty.



#### Alarm Console Pricing

Product Name	Description	Cost (MSRP) USD
BC51-HW	Alarm Console	\$999
LIC-BC-1Y	1-year Console License	\$249
LIC-BC-3Y	3-Year Console License	\$599
LIC-BC-5Y	5-Year Console License	\$999
LIC-BC-10Y	10-Year Console License	\$1,999

Alarm Console requires Alarm License (LIC-BA)




# BC51 Tech Specs

Power Consumption (at 10–14V)	10W	
Dimensions	Tablet 250.6 mm (L) x 174.1 mm (W) x 7.5 mm (H) 9.8 in (L) x 6.8 in (W) x .29 in (H)	Mount 299.7 mm (L) x 205.7 mm (W) x 38.1 mm (H) 11.8 in (L) x 8.1 in (W) x 1.5 in (H)
Display	10.2-inch diagonal LED-backlit Multi-Touch 2160 x 1620 resolution 500 nits brightness	
Camera	720p HD video	
Weight	Tablet 490 grams / 1.09 lbs	Mount 1360 grams / 3 lbs
Operating Temperature	0°C – 35°C (32°F – 95°F)	
Processor	A12 Bionic chip with 64-bit architecture	
Connectivity	Ethernet: 10/100Mbps (through Lightning ac	dapter)
Audio	Stereo speakers, 3.5 mm jack for external spe	eakers, dual microphones
Battery	32.4 watt-hour rechargeable lithium-polymer battery, estimated 10 hours battery backup	
Included Accessories	Setup guide, gray steel mount with powdercoat finish, assembly tool, screw pack, PoE adapter	
Mounting Options	Dry wall anchors and screws, self-tapping scr	rews for mullion installation



## BR11 Wired Motion Sensor



Power Supply	8–16VDC; 15mA at 12VDC
Dimensions	94 mm (H) x 50 mm (W) x 42 mm (D)
Field of View	90°, 15 m maximum
Sensitivity	Selectable: Standard (3–5 steps) or High (2–4 steps)
Operating Temperature	-40°C - 55°C
Tamper Switch	Normally Closed. 50mA at 30VDC
Temperature Compensation	Bi-Directional
Included Accessories	Setup guide, wall screws, wall anchors

## BR12 / BR13 Wired Door Contact

	BR12	BR13 =
Mount Style	Surface mount	Recessed mount
Switch Style	Normally closed	Normally closed
Switch Rating	30VDC max, .5A max	30VDC max, .5A max
Resistance	$100 m\Omega$ initial contact resistance	$100 m\Omega$ initial contact resistance
Sensor Dimensions	9.5 mm (H) x 50.8 mm (W) x 8.3 mm (D)	Diameter: 9.5-11 mm, Length: 23.3 mm
Magnet Dimensions	9.5 mm (H) x 50.8 mm (W) x 8.3 mm (D)	Diameter: 9.5-11 mm, Length: 14.8 mm
Gap Width	6.5–31.75 mm	6.5–15.24 mm
Operating Temperature	-40° C - 60° C	-40° C - 60° C
Included Accessories	Wall screws	
Compliance	CE, UL, RoHS	CE, UL, RoHS



## Ordering Information

#### Alarm License Pricing

Product Name	Description	Cost (MSRP) USD
LIC-BA-1Y	1 Year Alarm License	\$1,499
LIC-BA-3Y	3 Year Alarm License	\$3,999
LIC-BA-5Y	5 Year Alarm License	\$5,999
LIC-BA-10Y	10 Year Alarm License	\$11,999

#### Alarm Panel Pricing

BP41-HW	32 Input Alarm Panel	\$999

### Wired Motion Sensor Pricing

BR11-HW	Wired Motion Sensor	\$99

### Wired Door Contact Pricing

BR12-HW	Wired Surface Mount Door Contacts - 5 Pack	\$99
BR13-HW	Wired Recess Mount Door Contacts -	\$99
	5 Pack	

#### Alarm Console Pricing

BC51-HW	Alarm Console	\$999
LIC-BC-1Y	1 Year Console License	\$249
LIC-BC-3Y	3 Year Console License	\$599
LIC-BC-5Y	5 Year Console License	\$999
LIC-BC-10Y	10 Year Console License	\$1,999