



STORAGE AND CHARGING SOLUTIONS

Safety and Health in Learning and Working



GAM GROUP


Ningbo Gam Smart Technology Co.,Ltd.
Ningbo Gam Electronics Co.,Ltd.

Headquater Add: FL.9, Angel Industrial Park, No.55 Fuye Rd,
Zhenhai District, Ningbo. China

Phone: 0086-574-81877287

E-mail: info@jama-net.com

Web: www.jama-net.com



2020 Catalogue



CE RoHS



SAA FDA

About us




Located in Ningbo, China, Jamanet is the Manufacturer invested by Gam Global Group, mainly produce smart electronics and steel products, including: laptop charging cabinets, tablet charging carts, automatic standing desks, audio and video products, power distribution units and other educational products. Jamanet owns multiple machines imported from Germany. We obtained the ISO9001-2001 factory management system certificate. Products get CE, GS, ETL, UL, CCC certificates.

After years of development, Jamanet has cooperated with more than 200 customers around the world. We have a professional R&D team graduated from the University of Electronic Science and Technology of China (UESTC) which is also Jamanet Strategy Partner. Our Marketing and sales team support customers win from the competition.

Smart charging solution for better life.


Height Fixed Gaming Desk
with LED Light
P37-P38




PDU series
P24-P29




Smart IP PDU
P21-P22



Desktop USB
Charging Cabinet
P13-P18




Standing Desk for Leaning
and Working
P31-P32



Smart Pop Up
Desk Socket
P19-P20



Standing Desk Converter
P30-P36



AC / USB
Power Floor Charging Carts
for Laptop
P01-P12

Smart Laptops/Tablets/Phones
Charging Locker
P39

Accessories of Charging Carts
P40

Type-C Charging Cabinet

JM-CCWM-TYPEC-8/16



USB-C
Fast Charging at
the Same Time

8/16 Port Type-C charging
cabinet for wall / desk.
Stackable in Use.

Max power can be
60W / port.

Features and Benefits

- Simultaneously charges up to 8 devices, including iPads , laptops and any type-c connector devices up to 15.7".
- Locking steel doors and side panels prevent theft and tampering.
- Each type-c charging port delivers up to 3 Amps of charging current. Each port volt can be automatically delivered by identifying what the device need max.
- Rear wall-mounted slots make the cabinet easy to mount on the wall, and the bottom rubber feet makes it easy to put on the desk or floor.
- Doors open at least 180 degree for improved access to devices, and can be installed reversely.
- Child-safe design with smooth, rounded corners and edges to safeguard students.
- Stack up to charge 16 or 32 devices.
- USB / Type-C to Type-C cable is optional .
- Type-C charging system with fan included. Fan's ON/OFF mode according to its temperature automatically.

Built to Last

- 3" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Stack Kit



Charging Cable



Pad Lock



3" Castors




Charge Cord Management



Plastic Dividers



Power Cable Wrap



- 1 USB Type-C Charging System
- 2 Handle Swing Lock
- 3 Castors and Handle for Stacking as Moving Cart
- 4 Type-C to Type-C Cable Optional
- 5 Door can be PC Glass or Perforated Optional

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCWM-TYPEC-8	8	50X47.2X52	49X46.2X51	2.9X32X25.4	21.4	24
JM-CCWM-TYPEC-16	16	62.5X47.2X57	61.5X46.2X56	2.9X32X25.4	29.7	33

Function Specification

Wallmount Slot&Desk Feet	Castors & Stack Kit	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
included	optional	USB Type-C	60W / port	C13 to Country plug (2m in lenth)	110V-250V, 50/60Hz	swing lock system	powder-coated steel

USB 3.0 -5V 16 ports Charging Cabinet

JM-CCWM-USB-16



Simultaneously Charge up to 16 Tablets with USB 3.0

Max 5V@2.4A each port,
Stack up to become a 32 ports charging cart.

Features and Benefits

- Simultaneously charges up to 16 devices, including iPads and tablets up to 9.7".
- Each USB port charge power can be Max. 5V @2.4A.
- Locking steel doors and side panels prevent theft and tampering.
- Rear wall-mounted slots make the cabinet easy to mount on the wall, and the bottom rubber feet makes it easy to put on the desk or floor.
- Doors open at least 180 degree for improved access to devices, and can be installed reversely.
- Child-safe design with smooth, rounded corners and edges to safeguard students.
- Stack up to charge 32 devices.
- USB to IOS or Android connector or Type-C cable is optional.

Built to Last

- 3" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Stack Kit



Charging Cable



Pad Lock



3" Castors



USB Charge Light Color



Plastic Dividers



Power Cable Wrap



- 1 USB Charging System can be Taken Out Seperately
- 2 Dividers Slot
- 3 Castors and Handle for Stacking as Moving Cart
- 4 Handle Swing Lock
- 5 Door can be PC Glass or Perforated as Optional

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCWM-USB-16	16	56x43.9x47.7	55x42.9x46.7	2.54x27.5x24.1	29	33

Function Specification

Wallmount Slot&Desk Feet	Castors & Stack Kit	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
included	optional	USB	5V@2.4A / port	C13 to Country plug (2m in lenth)	110V-250V, 50/60Hz	swing lock system	powder-coated steel



USB 5V@2.4A Floor Charging Cart For ipads, Tablets

Different USB LED light color indicates different charge conditions.

Features and Benefits

- Simultaneously charges up to 32/48/64 devices, including iPads and tablets up to 9.7".
- Each USB port charge power can be Max. 5V @2.4A.
- Locking steel doors and side panels prevent theft and tampering.
- Doors open at least 180 degree for improved access to devices, and can be installed reversely.
- Child-safe design with smooth, rounded corners and edges to safeguard students.
- USB to IOS or Android connector or Type-C cable is optional.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Built to Last

- 5" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Optional Accessories



Power Cable



Charging Cable



Pad Lock



5" Castors



USB Charge Light Color



Plastic Dividers



Power Cable Wrap



- 1 USB Charging System can be Taken Out Separately
- 2 Dividers Slot
- 3 Smart Cooling Fan Included
- 4 3-Point Lock
- 5 Door can be PC glass, or Perforated or Double Split Door as Optional

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCWM-USB-32	32	56x43.9x88	55x42.9x77.7	2.54x27.5x24.1	50.3	56
JM-CCWM-USB-48	48	56x43.9x119	55x42.9x109	2.54x27.5x24.1	70.5	77
JM-CCWM-USB-64	64	56x43.9x149.7	55x42.9x139.7	2.54x27.5x24.1	90.6	98

Function Specification

Wallmount Slot&Desk Feet	Castors & Handle	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
no	included	USB	5V@2.4A / port	C13 to Country plug (2m in lenth)	110V-250V, 50/60Hz	3-point lock system	powder-coated steel



AC Charging Cabinet For 16 Devices

Stack up as 32 ports charging cart.

Features and Benefits

- Charge, store, secure and organize any combination of laptops, tablets or chromebooks up to 16.
- Devices are easily cabled and fully charged free of any program setup or circuit overload.
- Built-in cord management tray reduce cable clutter.
- Durable steel doors include a 3-point locking mechanism with separate key lock. Door can be installed reversely. It can swing 180 degree for easy mounting devices.
- Custom country-specific outlet strips included, with plenty space to fit oversized wall plug or buick-style AC adapters.
- Rear wall-mounted slots make it easy to mount the cabinet to the wall. Bottom rubber feet well protecte the cabinet when put on desk or floor.
- Optional swivel casters make it easier to transport devices smoothly.
- Child-safe design with smooth, rounded corners and edges to safeguard students.

Built to Last

- 3" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Stack Kit




Adapter




Pad Lock



3" Castors



Adapter Tray



Rear Door



Power Cable Wrap



- 1 Dividers Slot, Easily Taken Out for Wider Space
- 2 Castors and Handle for Stacking as Moving Cart
- 3 Handle Swing Lock
- 4 Door can be PC Glass or Perforated as Optional

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCWM-AC-16	16	63x57x51.3	62x56x50.3	2.9x32x26.9	30.3	33

Function Specification

Wallmount Slot&Desk Feet	Castors & Stack Kit	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
included	optional	Adapter	65W / port	16 port PDU	110V-250V, 50/60Hz	swing lock system	powder-coated steel



AC Power Charging Cabinet For 32/48 Devices

Smart power charging system used only in the countries which power is less than 125 volt.

Features and Benefits

- Charge, store, secure and organize any combination of laptops, tablets, or chrombooks up to 32/48.
- Built - in cord management tray reduce cable clutter.
- Durable steel doors include a 3-point locking mechanism with separate key lock. Padlock can be added for even more security.
- Custom country-specific outlet strips included, with plenty space to fit oversized wall plug or buick-style AC adapters.
- Swivel casters make it easier to transport devices smoothly.
- Child-safe design with smooth, rounded corners and edges to safeguard students.
- Intelligent charging system included (No maximum power limited, it can identify devices and distribute power at one time).

Built to Last

- 5" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Power Cable




Adapter




Pad Lock



5" Castors



Adapter Tray



Rear Door



Cable Management



- 1 Dividers Slot, Easily Taken Out for Wider Space
- 2 Smart Fan for Keeping Stable Cooling Temperature
- 3 3-Point Lock
- 4 Door can be PC Glass or Perforated as Optional

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCF-SMT-AC-32	32	63x57x96.3	62x56x86.3	2.9x32x26.9	50.5	55
JM-CCF-SMT-AC-48	48	63x57x122.7	62x56x112.7	2.9x32x26.9	63	70

Function Specification

Intelligent Systems	Castors & Handle	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
Included	included	Adapter	65W / port	PDU	110V-250V, 50/60Hz	3-point lock system	powder-coated steel



AC Charging Cart For 32/48 Devices

Smart power charging system NOT included. PDU provides the power in the rear.

Features and Benefits

- Charge, store, secure and organize any combination of laptops, tablets or chrombooks up to 32/48.
- Built - in cord management tray reduce cable clutter.
- Durable steel doors include a 3-point locking mechanism with separate key lock. Padlock can be added for even more security.
- Custom country-specific outlet strips included, with plenty space to fit oversized wall plug or buick-style AC adapters.
- Swivel casters make it easier to transport devices smoothly.
- Child-safe design with smooth, rounded corners and edges to safeguard students.
- Power (220-250V@10A-15A@15A/250V@15A).

Built to Last


- 5" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Power Cable




Adapter




Pad Lock



5" Castors



Adapter Tray



Rear Door



Cable Management



- 1 Dividers Slot, Easily Taken Out for Wider Space
- 2 Smart Fan for Keeping Stable Cooling Temperature
- 3 3-Point Lock
- 4 Door can be PC Glass or Perforated as Optional

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCF-AC-32	32	63x57x96.3	62x56x86.3	2.9x32x26.9	50.5	55
JM-CCF-AC-48	48	63x57x122.7	62x56x112.7	2.9x32x26.9	62	70

Function Specification

Intelligent Systems	Castors & Handle	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
Not Included	included	Adapter	65W / port	PDU	200V-250V, 50/60Hz	3-point lock system.	powder-coated steel



Desktop USB
Port Charging,
5V@2.1A

16 Ports or 20 Ports
optional. Casters can be
mounted as a cart.

Features and Benefits

- Simultaneously charges up to 16 or 20 devices, including iPads, tablets up to 9.7".
- Each USB port charge power can be Max. 5V @2.1A.
- Double steel doors and side panels prevent theft and tampering.
- The bottom rubber feet make it easy to put on the desk or floor.
- Doors open at least 90 degree for improved access to devices.
- Child-safe design with smooth, rounded corners and edges to safeguard students.
- Stack up to charge 32 devices.
- USB to IOS or Android connector or Type-C cable is optional.

Built to Last

- 3" Heavy-duty castors for easy movement, and can hold 50KG each castor (optional).
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Power Cable



Charging Cable



Pad Lock



Rubber Feet



USB Charge
Light Color



Plastic Dividers



Smart Fan for
Temperature Control



- 1 USB Charging System with LED Light
- 2 Dividers Slot
- 3 3-Point Lock
- 4 Double Split Doors

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCWMTL-USB-16	16	52x35.5x38	51x34.5x37	2.54x27.5x24.1	18	20
JM-CCWMTL-USB-20	20	62x35.5x38	61x34.5x37	2.54x27.5x24.1	21	22.5

Function Specification

Wallmount Slot	Castors	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
No	optional	USB	5V@2.1A / port	C13 to Country plug (2m in lenth)	110V-250V, 50/60Hz	3-point lock system	powder-coated steel

Multiple Doors Floor USB Charging Cart

JM-CCFTL-USB-20/40/60



Multiple Front Doors for Seperate Space

Max 5V@2.1A each port, digital code lock keeps key away.

Features and Benefits

- Simultaneously charges up to 60 devices including iPads, tablets up to 9.7".
- Each USB port charge power can be Max. 5V @2.1A.
- Locking steel doors and side panels prevent theft and tampering.
- Doors open at least 180 degree for improved access to devices.
- Child-safe design with cornet bumper to safeguard students.
- USB to IOS or Android connector or Type-C cable is optional.

Built to Last

- 5" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Optional Accessories



Power Cable



Charging Cable



Pad Lock



5" Castors



USB Charge Light Color



Plastic Dividers



Smart Fan for Temperature Control



- 1 USB Charging System with LED Light
- 2 Dividers Slot
- 3 Castors and Handle Included, Packing in Spare Parts Box
- 4 3-Point Lock or Digital Code Lock
- 5 Door can be PC Glass or Perforated as Optional
- 6 Switch Included

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCFTL-USB-20	20	67x38.5x49	66x37.5x39	2.54x27.5x24.1	22	25
JM-CCFTL-USB-40	40	67x38.5x66	66x37.5x56.5	2.54x27.5x24.1	40	44
JM-CCFTL-USB-60	60	67x38.5x94	66x37.5x84	2.54x27.5x24.1	55	59

Function Specification

Wallmount Slot&Desk Feet	Castors & Handle	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
No	included	USB	5V@2.1A / port	C13 to Country plug (2m in lenth)	110V-250V, 50/60Hz	3-point lock system	powder-coated steel



Aluminum & Plastic Construction

Max 5V@2.1A each port, Modern Aesthetic Design, Advanced Ergonomic features, Each USB port is controlled by independent chip.



5" Castors



USB Charge Light Color



Plastic Dividers



Smart Fan for Temperature Control



- 1 USB Charging System with LED Light
- 2 Dividers Slot
- 3 Castors and Handle Included
- 4 3-Point Lock
- 5 Steel Door with Film Covered

Features and Benefits

- Simultaneously charges up to 48 devices including iPads, tablets up to 9.7".
- Each USB port charge power can be Max. 5V @2.1A.
- Locking steel doors and side panels prevent theft and tampering.
- USB LED light can be seen through the door.
- Doors open at least 90 degree for improved access to devices.
- Child-safe design with plastic rounded corners and edges to safeguard students.
- USB to IOS or Android connector or Type-C cable is optional.

Colors



Cart comes standard in white and orange with steel fixture. Jamanet expressions full line of colors available on orders of 50 or more.

Warranty



Built to Last

- 5" Heavy-duty castors for easy movement, and can hold 50KG each castor.
- Power-coated, heavy-gauge steel construction for durability and long wear.
- Smart cooling system with air flow ventilation keeps the devices longer lifetime in use.
- ETL, CE, Rohs, CCC certificate listed.

Optional Accessories



Power Cable



Charging Cable



Pad Lock

Dimension

Model	Charging Devices Quantity	Packing Size (W*D*H) (cm)	Product Size (W*D*H) (cm)	Max.Slot Size For Device (W*D*H) (cm)	Product Weight (KG)	Packing Weight (KG)
JM-CCFTLA-USB-32	32	60x39x93	58.9x38.1x82.2	2.54x27.5x24.1	46	50
JM-CCFTLA-USB-48	48	60x39x93	58.9x38.1x82.2	2.54x27.5x24.1	52	55


Function Specification

Wallmount Slot&Desk Feet	Castors & Handle	Charging Port Type	Charging Output Capacity	Input Cord Type	AC Input	Security	Construction
No	included	USB	5V@2.1A / port	C13 to Country plug (2m in lenth)	110V-250V, 50/60Hz	3-point lock system	powder-coated steel


Smart Pop Up Desk Socket



Wireless Charging



USB / Type-C Charging Port



Automatic Up and Down



Bluetooth Speaker



Anti-Clip



Height Adjustable

Specifications




Product Diameter
Φ111mm



Installation Diameter
Φ91mm



Max Height 280 mm
Min Height 15 mm



Height Hidden Under the Desktop
490mm

Data Details

Input Power	Sockets Type	USB or Type-C Power	Power Cable in Length	Switch Button or Surge	Body	Packing Size L*W*H(cm)	Packing Weight (KG)
110-250V	custom by different country	2.4A@5V	3G*1.5m2*2m	touch ON/OFF panel	Aluminum	59x19x17	2.7



Application Scenarios

Product Data Details

Model	Country	Sockets QTY	USB	Type-C	Bluetooth Speaker	Surge	ON/OFF Button	Wireless Charging
JM-POP-GER-S2	GERMANY	2	2	/	1	/	/	yes
JM-POP-USA-S2	USA	2	1	1	1	/	/	yes
JM-POP-USA-S3	USA	3	/	/	1	/	/	YES
JM-POP-UK-S2	UK	2	2	/	1	/	/	/
JM-POP-UK-S3	UK	3	2	/	/	/	/	YES
JM-POP-AU-S3	AUSTRALIA	3	/	/	1	/	/	YES



Note: If you don't find what you want above, please contact us with your requirements for the custom model.


Why choose PDU not power strip ?

PDU is the short name for power distribution unit. It features many functions and safety protection. Its interior copper or cable connecting with good quality and high requirements, the flexible added protection function like surge, overload, anti-fire, volt and amp meter, circuit breaker etc, which makes PDU power more stable and safe in quality. That is why PDU is used more and more in data center as well as charging carts.

- Green Power Solution
- Safety and Energy Consumption Saving and Calculation
- Internet Control the Power, Environment Monitoring
- Max 16 Sockets Design



► Smart Network Power Deployment Diagram



► Intelligent PDU Function Types

	Metered	Metered-by-Outlet	Metered-by-Outlet with Switching	Metered with Switching
Brief Desc	monitor the whole PDU	monitor each socket of the PDU	monitor and control each socket of the PDU	monitor and control the whole PDU

► Functional Description

- Power control over remote IT assets from anywhere on earth: When temperature and humidity at racks or data center changed, the PDU will automatically shut down. When temperature is normal, the PDU will work again. During the unused time, the PDU will automatically turn off and turn on when it needs.
- Outlet level power meter, including Current / Voltage / Apparent Power / Active Power / Power Factor / Frequency / Consumption with 1% precision.
- External environment sensor of temperature and humidity.
- Configurable thresholds, and send fault notification via email, SNMP trap and SYSLOG.
- Outlet level power cost, carbon emission and power saving calculation.
- Users privilege management.
- Ethernet console CLI management.
- Support HTTP, HTTPS, TELNET, SSH, SNMP, and service enable / disable.
- Support DHCP, NTP, SYSLOG, FTP, SMTP, ACL, LDAP, etc.
- Support NMS (Network Management Server) with topology, alerts, logs, privilege management and dashboards.
- Safely upgrade without interrupting power output.
- APP monitoring.




► Functional Description

	Working Range	Meter Range	Precise	Distinguish Ability
Temperature(°C)	0~45	0~70	±0.2°C	0.1
Humidity(%RH)	20~90	1~99	±2%RH	0.1
Current(A)	0~Rated	0.01~Rated	±0.5%	0.001
Voltage(V)	100~240VAC	50~265VAC	±0.5%	0.1
Power(VA)	0~3.5k	0~10k	±1%	0.1
Active Power(W)	0~3.5k	0~10k	±1%	0.1
Power Factor	0~1	0~1	±1%	0.001
Frequency(Hz)	50/60	47-63		
Power Consumption(kWh)			±1%	0.001

► Smart PDU Ordering Datasheet


Item No.	Smart Function	Outputs Type	Outputs QTY	Input Type	Cable Type	Protection Module	Control Module	(A-V)
Example A	Meterd	ICE14	16	C13	2m/ 3Gx1.5mm ²	Surge Protection	RJ45/USB	16A-250V
Example B	Meterd-by-outlets	C14	8	C13	2m/ 3Gx1.5mm ²	Surge Protection	RJ45/USB	16A-250V
		C19	8					
Example C	Meterd-by-outlets	U.K.	16	U.K.	2m/ 3Gx1.5mm ²	Surge Protection	RJ45/USB	16A-250V



Basic Industrial Power Distribution Unit

Compared with the Ordinary Power Strips, PDU has many advantages such as better safety, high load-bearing power, multiple kinds of sockets type, flexible protection module and power management. Most of them are used in the two fields mentioned above.

IEC PDU



1 SOCKETS TYPE

IEC13 or IEC19 are used in same PDU, The sockets quantity can be different according to actual needs. The safety lock button can be optional.

2 SURGE PROTECTION

Protection module can be optional, like circuit breaker(1P,2P), overload protection, meter, ON/OFF button.

3 POWER PLUG TYPE

Different country custom made.

4 POWER CABLE

Custom made according to the usage, 14AWG/16AWG/18 AWG optional.

5 MOUNTING BRACKET

The two brackets are used to mount to the racks. In network cabinet, it is 465mm standard. In charging cabinet, the size is adjustable according to the sockets quantity.

6 BODY COVER

Aluminum.


7 SAFETY CERTIFICATE

CE, ETL, CCC, FDA sticker on the rear body.


8 LOGO PRINTED AREA

It's good for brands and well-known.


Mounting & Accessories



HORIZONTAL



VERTICAL



CAGE NUT SCREW

Model	Country Plug	Power Cable Size	Sockets Type+QTY	Surge	Overload	Circuit Breaker	ON/OFF Button	Logo Print	Distance Between Two Sockets
JM-PDU-12C19	NEMA-15	3G*1.5m ² *2m	12*C19	yes	/	/	/	yes	standard
JM-PDU-5C13	NEMA-15	5G*1.5m ² *2m	5*C13+5*Din49440	yes	/	yes	/	yes	standard
JM-PDU-13C19	NEMA-15	3G*1.5m ² *2m	13*C19	/	yes	/	yes	yes	standard



Note: If you don't find what you want above, please contact us with your requirements for the custom model.

USA PDU



1 SOCKETS TYPE

Nema5-15R are used in the PDU, The sockets quantity is adjustable according to actual needs.

2 SURGE PROTECTION

Protection module can be optional, like circuit breaker(1P ,2P), overload protection, meter, ON/OFF button.

3 POWER PLUG TYPE

Different country custom made.

4 POWER CABLE

Custom made according to the usage, 14AWG/16AWG/18 AWG optional.

5 MOUNTING BRACKET

The two brackets are used to mount to the racks. In network cabinet, it is 465mm standard. In charging cabinet, the size is adjustable according to the sockets quantity.

6 BODY COVER

Aluminum


7 SAFETY CERTIFICATE

CE, ETL, CCC, FDA sticker on the rear body.


8 LOGO PRINTED AREA

It's good for brands and well-known.


Mounting & Accessories



HORIZONTAL



VERTICAL



CAGE NUT SCREW

Model	Country Plug	Power Cable Size	Sockets Type+QTY	Surge	Overload	Circuit Breaker	ON/OFF Button	Logo Print	Distance Between Two Sockets
JM-PDU-S8-US	NEMA-15P	3G*1.5m ² *2m	8*NEMA5-15R	yes	/	/	/	yes	standard
JM-PDU-S16-US	NEMA-15P	3G*1.5m ² *2m	16*NEMA5-15R	/	/	/	yes	yes	standard
JM-PDU-S9-US	NEMA-15P	3G*1.5m ² *2m	9*NEMA5-15R	/	/	/	yes	yes	standard

Germany PDU



1 SOCKETS TYPE

DIN49440 and IEC19 are used in same PDU, The sockets quantity can be different according to actual needs. The safety lock button can be optional.

2 SURGE PROTECTION

Protection module can be optional, like circuit breaker(1P ,2P), overload protection, meter, ON/OFF button.

3 POWER PLUG TYPE

Different country custom made.

4 POWER CABLE

Custom made according to the usage, 14AWG/16AWG/18 AWG optional.

5 MOUNTING BRACKET

The two brackets are used to mount to the racks. In network cabinet, it is 465mm standard. In charging cabinet, the size is adjustable according to the sockets quantity.

6 BODY COVER

Aluminum


7 SAFETY CERTIFICATE

CE, ETL, CCC, FDA sticker on the rear body.


8 LOGO PRINTED AREA

It's good for brands and well-known.


Mounting & Accessories



HORIZONTAL



VERTICAL



CAGE NUT SCREW

Model	Country Plug	Power Cable Size	Sockets Type+QTY	Surge	Overload	Circuit Breaker	ON/OFF Button	Logo Print	Distance Between Two Sockets
JM-PDU-5C19-EU	DIN49441	3G*1.5m ² *2m	5C19+5DIN9440	yes	/	/	/	yes	standard
JM-PDU-S9-EU	DIN49441	3G*1.5m ² *2m	9DIN49440	/	yes	/	yes	yes	standard
JM-PDU-S6-EU	DIN49441	3G*1.5m ² *2m	6DIN49440	yes	yes	/	yes	yes	standard



Note: If you don't find what you want above, please contact us with your requirements for the custom model.



Note: If you don't find what you want above, please contact us with your requirements for the custom model.

UK PDU



1 SOCKETS TYPE

BS16363 Sockets are used in the PDU, The sockets quantity can be different according to actual needs.

2 SURGE PROTECTION

Protection module can be optional, like circuit breaker (1P ,2P), overload protection, meter, ON/OFF button.

3 POWER PLUG TYPE

Different country custom made.

4 POWER CABLE

Custom made according to the usage, 14AWG/16AWG/18 AWG optional.

5 MOUNTING BRACKET

The two brackets are used to mount to the racks. In network cabinet, it is 465mm standard. In charging cabinet, the size is adjustable according to the sockets quantity.

6 BODY COVER

Aluminum


7 SAFETY CERTIFICATE

CE, ETL, CCC, FDA sticker on the rear body.


8 LOGO PRINTED AREA

It's good for brands and well-known.


Mounting & Accessories



HORIZONTAL



VERTICAL



CAGE NUT SCREW

Model	Country Plug	Power Cable Size	Sockets Type+QTY	Surge	Overload	Circuit Breaker	ON/OFF Button	Logo Print	Distance Between Two Sockets
JM-PDU-S9-UK	BS1363	3G*1.5M ² *2M	9*BS1363	yes	/	/	yes	yes	standard
JM-PDU-S6-UK	BS1363	3G*1.5M ² *2M	6*BS1363	/	/	yes	yes	yes	standard
JM-PDU-S8-UK	BS1363	3G*1.5M ² *2M	8*BS1363	/	yes	/	yes	yes	standard

Australia PDU



1 SOCKETS TYPE

AU/NZS3112 Sockets are used in the PDU, The sockets quantity can be different according to actual needs.

2 SURGE PROTECTION

Protection module can be optional, like circuit breaker (1P ,2P), overload protection, meter, ON/OFF button.

3 POWER PLUG TYPE

Different country custom made.

4 POWER CABLE

Custom made according to the usage, 14AWG/16AWG/18 AWG optional.

5 MOUNTING BRACKET

The two brackets are used to mount to the racks. In network cabinet, it is 465mm standard. In charging cabinet, the size is adjustable according to the sockets quantity.

6 BODY COVER

Aluminum


7 SAFETY CERTIFICATE

CE, SAA, CCC, FDA sticker on the rear body.


8 LOGO PRINTED AREA

It's good for brands and well-known.


Mounting & Accessories



HORIZONTAL



VERTICAL



CAGE NUT SCREW


Model	Country Plug	Power Cable Size	Sockets Type+QTY	Surge	Overload	Circuit Breaker	ON/OFF Button	Logo Print	Distance Between Two Sockets
JM-PDU-S9-AU	AS3112	3G*1.5m ² *2m	9*AU/NZS3112	yes	/	/	/	yes	standard
JM-PDU-S6-AU	AS3112	3G*1.5m ² *2m	6*AU/NZS3112	/	yes	yes	yes	yes	standard
JM-PDU-S8-AU	AS3112	3G*1.5m ² *2m	8*AU/NZS3112	/	yes	/	yes	yes	standard



Note: If you don't find what you want above, please contact us with your requirements for the custom model.



Note: If you don't find what you want above, please contact us with your requirements for the custom model.



1 SOCKETS TYPE

Most of them are used in South Africa and India. The sockets quantity can be different according to actual needs.

2 SURGE PROTECTION

Protection module can be optional, like circuit breaker (1P,2P), overload protection, meter, ON/OFF button.

3 POWER PLUG TYPE

Different country custom made.

4 POWER CABLE

Custom made according to the usage, 14AWG/16AWG/18 AWG optional.

5 MOUNTING BRACKET

The two brackets are used to mount to the racks. In network cabinet, it is 465mm standard. In charging cabinet, the size is adjustable according to the sockets quantity.

6 BODY COVER

Aluminum


7 SAFETY CERTIFICATE

CE


8 LOGO PRINTED AREA

It's good for brands and well-known.


Mounting & Accessories



HORIZONTAL



VERTICAL



CAGE NUT SCREW



STANDING DESK
FOR LEANING AND
WORKING

Model	Country Plug	Power Cable Size	Sockets Type+QTY	Surge	Overload	Circuit Breaker	ON/OFF Button	Logo Print	Distance Between Two Sockets
JM-PDU-S9-SA	South Arica	3G*1.5m2*2m	9*SA	/	/	/	/	yes	standard
JM-PDU-S8-SA	South Arica	3G*1.5m2*2m	8*SA	yes	yes	/	yes	yes	standard
JM-PDU-S6-SA	South Arica	3G*1.5m2*2m	6*SA	/	/	yes	yes	yes	standard



Note: If you don't find what you want above, please contact us with your requirements for the custom model.



JM-VMCD01

STANDING DESK
FOR LEARNING AND WORK

Transform classrooms, conference rooms or common areas into active spaces with flexible seating using the mobile desk. It works as a standing desk for students ages nine through adults and pairs with a chair(optional)for quick rest breaks.

Features and Benefits

- **Easy Adjustment**
Find the most comfortable, ergonomic height
- **Flexible Learning**
Choose when to sit or stand with a counter-height stool
- **Premium Casters**
Quickly move to wherever you learn or work
- **More Productivity**
Helps harness focus and boost creativity
- **Extra Features**
Backpack hook, cup holder, tablet slot and pencil tray for a no-mess experience
- **No Sweat Set-up**
Assembles in less than 5 minutes—no tools needed
- **Close Storage**
Deepen cup trough design, meet the needs of students to place cups. Special requirements: hooks for bags, tablet and pencil slots.

► Data Specification

Item	Material	Desk Top Size (cm)	Leg Size (cm)	Height Adjustable Range (cm)	Castors	Load Capacity	Color	MOQ	Packing Size(cm)	Gross Weight (KG)
JM-VMCD01	MDF & Steel	70x48	70x48.6	71.5~113.5	1.5"/360°	10KG	Silver & grey	50	80x62x24	16

Mobile Standing Desk


JM-VMFD01



PC table with height adjustment.
Lockable wheels to move around.
Surface can be tilt for best viewing angle.

Features and Benefits

- Robust and easy to clean, made of high quality MDF for extended life.
- Anti-collision desk corner, silent universal wheel, easy to move.
- Easy to tilt the large table top for reading etc. Swivel castors allow easy positioning and moving.
- Suitable for breakfast tables, kitchenettes, computer tables, etc.
- Safety loading:15KG.
- Deepen cup trough design, meet the needs of students to place cups.
- Special requirements: hooks for bags, tablet and pencil slots.



► Data Specification

Item	Material	Castors	Load Capacity	Color	MOQ	Packing Size (cm)	Gross Weight (KG)
JM-VMFD01	MDF & Steel	1.5"/360°	15KG	Black/White	50	81x63x25.5	17.25

Desktop Standing Desk Converter

JM-VMGLD02-A1



1
Dual Squeeze Handles



2
8 Locking Positions



3
Keyboard Tray Knob



4
Durable Gas Spring



HEIGHT ADJUSTABLE
DESIGNED FOR ERGONOMIC WORKING ENVIRONMENT



► Data Specification


Item	Material	Desktop Size (cm)	Load Capacity (KG)	Color	MOQ	Packingsize (cm)	Gross Weight (KG)
JM-VMGLD02-A1	MDF&Steel	92x56	15	black/white	100	105x67.5x23	24.7

Economic Design Standing Desk Converter

JM-DZCD-01



1
Dual Squeeze Handles



2
Any Position



3
Keyboard Tray Fixed By Screw



4
Durable Gas Spring

HEIGHT ADJUSTABLE
DESIGNED FOR ERGONOMIC WORKING ENVIRONMENT



► Data Specification

Item	Material	Desktop Size (cm)	Height (cm)	Load Capacity (KG)	Color	MOQ	Packing Size (cm)	Gross Weight (KG)
JM-DZCD-01	MDF & Steel	950x400	110~510	15	black/white	100	108x47x15	23
JM-DZCD-02	MDF & Steel	800x400	110~510	15	black/white	100	90x47x15	20

Steel Construction Laptop Standing Desk Converter

JM-VMSD-01




Stepless Height Adjustment allows a comfortable standing or sitting position as you want.
Sturdy construction keeps stable and solid even fully extended.

Safety Loading: 7kg



Aluminum Construction Laptop Standing Desk

JM-VMSD-04





Stepless Height Adjustment allows a comfortable standing or sitting position as you want.
Sturdy construction keeps stable and solid even fully extended.

No assembly Required. Ready to Use.
Safety Loading: 7kg



► Data Specification

Item	Material	Load Capacity	Color	MOQ	Packing Size (cm)	QTY/CTN	Gross Weight (KG)
JM-VMSD-01	MDF & Steel	7KG	black/white	100	87x58x10.7	1	15.5



► Data Specification

Item	Material	Load Capacity	Color	MOQ	Packing Size (cm)	QTY/CTN	Gross Weight (KG)
JM-VMSD-04	MDF/Aluminum	10kg	black/white	100	85.5x51.5x10.7	1	11



Height Fixed Gaming Desk with LED Light

- "Z" Letter designed Legs, carbon fiberboard desktop.
- 5 minutes assembly from the packing. No screws needed.
- Cable management underneath the desktop, front PVC shield with tailor-made printed Logo.
- Single color (Red, gold or blue optional).



► Data Specification

Item	Material	Desk Top Size (cm)	Leg Size (cm)	Height (cm)	Castors	Load Capacity	Color	MOQ	Packing Size (cm)	Gross Weight (KG)
JM-VMGD	MDF Carbon Fibre & Steel	120x60	550	73.3	optional	80KG	black/red	50	127x71x18	21



Electronic Motor Controls the Height Adjustment

- 2 section smart designed Legs, MDF carbon fiberboard desktop.
- Dual electronic motor guarantee the legs stable up and down.
- 5 minutes assembly from the Package.
- Anti-flip and automatic stop when meet obstacle.
- Single color light (red, gold or blue optional).
- Noise : Less than 55db.
- Power: 110V-240V.
- 2 pieces desktop panels for smaller package, good for transportation, safe and cost-saving.
- 4 recording button for best position memory.
- Manual electronic button can adjust the height and stop at any position .



► Data Specification

Item	Material	Desk Top Size (cm)	Leg Size (cm)	Height Adjustable Range (cm)	Castors	Load Capacity	Color	MOQ	Packing Size (cm)	Gross Weight (KG)
JM-VMGDE	MDF Carbon Fibre & Steel	120x60	55	72~1140	optional	80KG	black/red/blue	50	128x38x23	30.5

Intelligent Remote Management

The Tailor-made Charging Locker are connected to the local network, via Ethernet or Wi-Fi, designated admins can view, access and manage locker from different locations through the local management portal.

RFID Ready


The Charging Locker supports almost every RFID standard on the market including HID and MiFare: (MIFARE® Classic, MIFARE DESFire® 0.6, MIFARE DESFire EV1, HID: iCLASS® Standard/SE/SR/Seos; PIV II, Secure Identity Object® (SIO®)).

Physical and Digital Security

In addition to physical security, the Locker's embedded computer automatically applies security software updates as they become available. This feature ensures that for the Locker connected to a network, security software is up to date and more prepared against Cyber Attacks.

Compatible & Efficient Charging

Each compartment is equipped with a power outlet and a 2.4 amp USB port(USB-C port can be tailor-made), so you can charge almost any device, including iPads, tablets, laptops, mobile phones, Chromebooks and more.



Jamanet offers accessories of charging carts as following:

1. Charging Cable : USB-C to USB-C/ IOS/Micro USB
2. Stack Kit for Charging Cabinet
3. Power Cord
4. Charging Cable: USB to USB-C/ IOS/ Micro USB
5. Laptop Charging Adapter
6. Padlock

