

2020

 GARANTIA®

Rainwater Harvesting in Style



MODERN line



EXCLUSIVE line



CLASSIC line



BASIC line



20
YEARS

There's a stylish tank to suit all tastes

Make some serious savings

Mains water is a valuable commodity – much too precious to be used for watering plants. Rainwater Harvesting is a perfectly available alternative. GARANTIA offers a range of stylish Rainwater Harvesting tanks for your garden which are both kind on your purse and extremely pleasing to the eye.


This is how environmentalism starts

Collecting even little quantities of rainwater is saving the groundwater storages.

Smart people water their garden with rainwater

For plants, there's no better water than rainwater. It's clean, soft, free and falls from the sky on a regular basis. It's much better than tap water and groundwater, which are cold and often hard. Rainwater tanks are therefore becoming an increasingly common feature in gardens.

A special filter, which filters the precious resources and prevents the tank from overflowing, makes the ideal connection to the downpipe.



TIP
Online product advisors
www.garantia.co.uk/product-advisor



Choose your tank from different shapes and colours

MODERN line

>> page 6



EXCLUSIVE line

>> page 14



CLASSIC line

>> page 22



BASIC line

>> page 40



MODERN line

EXCLUSIVE line

CLASSIC line

BASIC line

Accessories

Guaranteed GARANTIA quality



The integrated plant cup with eased withdrawal and a depth of 20cm (7.9") grants for all 2in1 water tanks an individual design.



DOWNPIPE FILTER AND ACCESSORIES
page 45

100 % RECYCLABLE

The tank material is 100 % recyclable. We attach great importance to durable product design, right from the product development stage. Manufacture is carried out using state-of-the-art production facilities, which ensures that the environmental impact is minimised in the long run.

CHILD-PROOF

With their closed tank shapes or integrated covers, GARANTIA decorative tanks are child-proof.

INCL. MOUNTING ACCESSORIES

Each tank is supplied together with suitable assembly accessories. These may include an inlet seal, a plant mat for plantable tanks, and wind protection for tanks installed against walls.



WEATHER-RESISTANT

A rainwater tank is exposed to weather conditions and extreme temperature fluctuations. Materials adapted to these conditions ensure a long-lasting attractive appearance.

THREADED CONNECTION

A standard 19 mm (3/4") thread connection makes the tap (accessories) easy to install without drilling. Using a tap or the GARANTIA Universal Hose Kit (accessories), water extraction couldn't be easier.

COMFORT-CONNECTION

An additional lead-out for the water withdrawal with the hose connection and a cleanout before the freezing season.






NATURA 2IN1 WATER TANK
beach, order no. 326151



PURE NATURE!

The tank with wavelike surface texture presents itself in ever new facets depending on the incidence of light. The Natura 2in1 water tank sets a lively trend on your terrace.



Natura 2in1 water tank



Natura 2in1 water tank
350 l (92.5 US gal.)

Height 150 cm (4' 11")

Ø above 62 cm (24.5")

Ø below 50 cm (20")

Weight 15 kg (33 lbs)

arctic Order no. 326150

beach Order no. 326151

sahara Order no. 326152

ocean Order no. 326153



arctic



beach



sahara



ocean



TIP
Design Chrome tap
Order no. 330254
» Details see page 50



The water tank includes two high-quality brass threads



Color 2in1 water tank



COLOR 2IN1 WATER TANK
tomato, Order no. 326102


TIP
Design Chrome tap
Order no. 330254
» Details see page 50



Color 2in1 water tank
350 l (92.5 US gal.)

Height 150 cm (4' 11")
ø above 62 cm (24.5")
ø below 50 cm (20")
Weight 15 kg (33 lbs)

- apple Order no. 326100
- tomato Order no. 326102
- coco Order no. 326105




COLOR 2IN1 WATER TANK
apple, Order no. 326100



The water tank includes two high-quality brass threads



Stone 2in1 water tank



STONE 2IN1 WATER TANK
silver, Order no. 326140

TIP
Design Chrome tap
Order no. 330254
» Details see page 50



Stone 2in1 water tank 350 l (92.5 US gal.)

Height 150 cm (4' 11")
ø above 62 cm (24.5")
ø below 50 cm (20")
Weight 15 kg (33 lbs)

silver Order no. 326140
lava Order no. 326141



STONE 2IN1 WATER TANK
lava, Order no. 326141



The water tank includes two high-quality brass threads

Antique Amphora



ANTIQUe AMPHORA 360 L
terracotta, Order no. 211602

TIP
Rain collector Speedy
order no. 503040
» Details see page 46



**Antique amphora
250 l (66 US gal.)**

Ø max. 70 cm (27.5")
Width above handles 79 cm (31")
Height 108 cm (42.5")
Weight 15 kg (33 lbs)
Depth integrated plant cup 15 cm (6")

terracotta Order no. 211601
darkgranite Order no. 211609

**Antique amphora
360 l (95 US gal.)**

Ø max. 78 cm (31")
Width above handles 88 cm (34.5")
Height 120 cm (47")
Weight 20 kg (44 lbs)
Depth integrated plant cup 17 cm (6.5")

terracotta Order no. 211602
darkgranite Order no. 211610

**Antique amphora
600 l (158.5 US gal.)**

Ø max. 92 cm (36")
Width above handles 104 cm (41")
Height 142 cm (56")
Weight 30 kg (66 lbs)
Depth integrated plant cup 20 cm (8")

terracotta Order no. 211612
darkgranite Order no. 211614

**Antique wall amphora
260 l (69 US gal.)**

Depth 54 cm (21")
Width above handles 88 cm (34.5")
Height 120 cm (47")
Weight 20 kg (44 lbs)
Depth integrated plant cup 17 cm (6.5")

terracotta Order no. 211603
darkgranite Order no. 211611

The water tank includes
two high-quality brass
threads



Each tank is unique
due to the special
production process

ANTIQUe PLANT AMPHORA
terracotta, Order no. 211600



Antique plant amphora

Can be used for decoration or simply
as a planter

Ø max. 52 cm (20.5")
Width above handles 59 cm (23")
Height 80 cm (31.5") Weight 9 kg (20 lbs)
Depth integrated plant cup 27 cm (10.5")

terracotta Order no. 211600
darkgranite Order no. 211608



Woody wall tank



WOODY WALL TANK
darkwood, Order no. 212200



TIP
Brass drain tap
Order no. 220011
» Details see page 50




WOODY WALL TANK
lightwood, Order no. 212201

Woody wall tank
350 l (92.5 US gal.)

Width 124 cm (49")
Depth 40 cm (16")
Height 100 cm (39.5")
Weight 35 kg (77 lbs)

darkwood Order no. 212200
lightwood Order no. 212201

darkwood



The water tank includes three high-quality brass threads



lightwood



Each tank is unique due to the special production process



Rocky Junior wall tank



Rocky Junior wall tank
300 l (79 US gal.)


Width 80 cm (31.5")
Depth 40 cm (16")
Height 118 cm (46.5")
Weight 28 kg (62 lbs)

darkgranite Order no. 326135

Each tank is unique due to the special production process



The water tank includes two high-quality brass threads



Sunda wall tank



TIP
Rain collector Speedy order no. 503040
» Details see page 46



Sunda wall tank
300 l (79 US gal.)

Width 80 cm (31.5")
Depth 40 cm (16")
Height 118 cm (46.5")
Weight 16 kg (35 lbs)

mocca Order no. 212100



Rocky wall tank



ROCKY WALL TANK
darkgranite, Order no. 326130



ROCKY WALL TANK
sandstone, Order no. 326132

Rocky wall tank 400 l (105.5 US gal.)

Width 120 cm (47")
Depth 40 cm (16")
Height 100 cm (35.5")
Weight 35 kg (77 lbs)

darkgranite Order no. 326130
sandstone Order no. 326132
redstone Order no. 326131

Each tank is unique due to the special production process

The water tank includes two high-quality brass threads



darkgranite



sandstone



redstone

TIP
Chrome drain tap
Order no. 330282



» Details see page 50

2in1 water tank



2IN1 WATER TANK
taupe, Order no. 326116

2in1 water tank
300 l (79 US gal.)
Ø max. 62 cm (24.5")
Height 145 cm (57")
Weight 12 kg (26.5 lbs)

- taupe Order no. 326116
- mocca Order no. 326109
- zink grey Order no. 326111



2IN1 WATER TANK
zink grey, Order no. 326111



TIP
Design Chrome tap
Order no. 330254
» Details see page 50



MODERNline
EXCLUSIVEline
CLASSICline
BASICline
Accessories

Barrica rain water barrel

BARRICA RAIN WATER BARREL
260 l (69 US gal.), Order no. 212130



TIP
Rain collector Speedy
order no. 503040
» Details see page 46



Barrica rain water barrel
260 l (69 US gal.)

Ø max. 65 cm (25.5")
Height 93 cm (36.5")
Weight 10 kg (22 lbs)

Order no. 212130

Barrica rain water barrel
420 l (111 US gal.)

Ø max. 78 cm (31")
Height 105 cm (3' 5")
Weight 16 kg (35 lbs)

Order no. 212132



Removable lid with
child-proof lock

Linus 2in1 water tank



Linus 2in1 water tank
220 l (58 US gal.)

Height 120 cm (3' 11")
Ø above 58 cm (23")
Ø below 40 cm (16")
Weight 8 kg (17.5 lbs)

zink grey Order no. 326170



TIP
Design Chrome tap
Order no. 330254
» For details please see page 50



Muro water tank



Muro water tank
260 l (68.5 US gal.)

Ø 60 cm (23.5")
Height 93 cm (36.5")
Weight 10 kg (22 lbs)

graphite grey Order no. 326160



Removable lid with
child-proof lock

Column tank



COLUMN TANK 550 L (145 US GAL.)
sand beige, Order no. 326521



COLUMN TANK 330 L (87 US GAL.)
stone grey, Order no. 326531

Column tank 330 l (87 US gal.)

Ø max. 59 cm (23")
Height 161 cm (5' 3")
Ø Cover opening 18 cm (7")
Weight 14 kg (31 lbs)

sand beige Order no. 326530
stone grey Order no. 326531

Column tank 500 l (132 US gal.)

Ø max. 73 cm (29")
Height 193 cm (6' 4")
Ø Cover opening 18 cm (7")
Weight 25 kg (55 lbs)

sand beige Order no. 326510
stone grey Order no. 326512

Column tank 1.000 l (264 US gal.)

Ø max. 91 cm (35.8")
Height 222 cm (7' 3")
Ø Cover opening 18 cm (7")
Weight 44 kg (97 lbs)

sand beige Order no. 326505
stone grey Order no. 326506

Column tank 2.000 l (528 US gal.)

Ø max. 118 cm (46.5")
Height 223 cm (7' 4")
Ø Cover opening 18 cm (7")
Weight 75 kg (165 lbs)

sand beige Order no. 326540

Column wall tank 350 l (92.5 US gal.)

Width 73 cm (29")
Depth 48 cm (19")
Height 193 cm (6' 4")
Ø Cover opening 18 cm (7")
Weight 25 kg (55 lbs)

sand beige Order no. 326526

Column wall tank 550 l (145 US gal.)

Width 88 cm (34.5")
Depth 52 cm (20.5")
Height 212 cm (6' 11.5")
Ø Cover opening 18 cm (7")
Weight 32 kg (70.5 lbs)

sand beige Order no. 326521
stone grey Order no. 326520



TIP
Regendieb Pro grey,
order no. 344202
» Details see page 49

Rainwater Amphora

Rainwater Amphora 300 l (79 US gal.)

Ø max. 68 cm (27")
Height 129 cm (51")
Ø Cover opening 18 cm (7")
Weight 10 kg (22 lbs)

terracotta Order no. 211701

Rainwater Amphora 500 l (132 US gal.)

Ø max. 79 cm (31")
Height 150 cm (4' 11")
Ø Cover opening 18 cm (7")
Weight 14 kg (31 lbs)

terracotta Order no. 211702



RAINWATER AMPHORA 500 L (132 US GAL.)
terracotta, Order no. 211702

TIP
Brass drain tap
Order no. 220011
» Details see page 50



Elegance wall tank



ELEGANCE WALL TANK
sand beige, Order no. 212302



ELEGANCE WALL TANK
stone grey, Order no. 212301

Elegance wall tank 400 l (106 US gal.)

Width 60 cm (23.5")
Depth 60 cm (23.5")
Height 180 cm (5' 11")
Weight 18 kg (40 lbs)

sand beige Order no. 212302
stone grey Order no. 212301



TIP
Design Chrome tap
Order no. 330254
» Details see page 50



Terranova wall tank



TIP
Rain collector Speedy
order no. 503040
» Details see page 46



Terranova wall tank
275 l (72.5 US gal.)

Width 80 cm (31.5")
Depth 40 cm (15.5")
Height 105 cm (3' 5")
Weight 11 kg (24 lbs)

graphite grey Order no. 212120



Wall tank



Wall tank
300 l (79 US gal.)

Width 120 cm (3' 11")
Depth 40 cm (15.5")
Height 100 cm (3' 3")
Weight 37 kg (81.5 lbs)

sand beige Order no. 326121



Water extraction

Granit water extraction unit

Height 100 cm (39.5")
Column 13 x 13 cm (5" x 5")
Base 25 x 25 cm (10" x 10")
Weight 5 kg (11 lbs)

darkgranite Order no. 356025
lightgranite Order no. 356026

Wood water extraction unit

Height 100 cm (39.5")
Column 13 x 13 cm (5" x 5")
Base 25 x 25 cm (10" x 10")
Weight 5 kg (11 lbs)

darkwood Order no. 356030
lightwood Order no. 356031

Rondo water extraction unit

Height 90 cm (35.5")
Ø Column 12 cm (4.5")
Base 19 cm (7.5")
Weight 3 kg (6.5 lbs)

stone grey Order no. 356021

Including Chrome tap
 19 mm (¾")

Deceptively aut-
 hentic – made out
 of high quality and
 weather resistant
 plastic material

Simple installation –
 holes are already in
 base

Option of connecting
 from below using 19 mm
 (¾") hose connection



GRANIT WATER EXTRACTION UNIT
 darkgranite, Order no. 356025



WOOD WATER EXTRACTION UNIT
 lightwood, Order no. 356031

! Ideal as an additional extraction point
 for Rainwater Harvesting systems.

Stone fountain



STONE FOUNTAIN VENEZIA
redstone, Order no. 356102

! Ideal as an additional extraction point for Rainwater Harvesting systems.

Stone fountain Venezia

Height 90 cm (35.5")
Width 44 cm (17")
Depth 52 cm (20.5")
Height Basin 15 cm (6")
Weight 7 kg (15.5 lbs)

lightgranite Order no. 356100
redstone Order no. 356102

Stone fountain Roma

Height 100 cm (39.5")
Width 54 cm (21")
Depth 58 cm (23")
Height Basin 25 cm (10")
Weight 8 kg (17.5 lbs)

lightgranite Order no. 356101
redstone Order no. 356103

Includes 19 mm (¾") nostalgic tap for conveniently accessing water

Deceptively authentic – made out of high quality and weather-proof plastic material

Pre-assembled and ready for connection

Option of connecting from below using 19 mm (¾") hose connection



STONE FOUNTAIN ROMA
lightgranite, Order no. 356101

Garden tank Classico



GARDEN TANK CLASSICO 650 L (172 US GAL.)
dark green, Order no. 326030

**Garden tank Classico
650 l (172 US gal.)**

Width 80 cm (31.5")
Depth 60 cm (23.5")
Height 192 cm (6' 3.5")
Ø Cover opening 18 cm (7")
Weight 28 kg (61.5 lbs)
dark green Order no. 326030

**Garden tank Classico
1.300 l (343.5 US gal.)**

Set consists of 2 x 650 l (172 US gal.) tanks, including connection kit

Width 165 cm (5' 5")
Depth 60 cm (23.5")
Height 192 cm (6' 4")
Ø Cover opening 18 cm (7")
Weight 56 kg (123.5 lbs)
dark green Order no. 326035

**Garden tank Classico
2.600 l (687 US gal.)**

Set consists of 4 x 650 l (172 US gal.) tanks, including connection kit (drill, seal, connecting piece)

Width 335 cm (10' 12")
Depth 60 cm (23.5")
Height 192 cm (6' 4")
Ø Cover opening 18 cm (7")
Weight 112 kg (247 lbs)
dark green Order no. 326036

- Suited for garden and cellar installation
- Can be extended in any way
- 19 mm (¾") inner thread for simple fitting of the tap



Garden tank | Top-Tank



GARDEN TANK 750 L (198 US GAL.)
dark green, Order no. 326010

Garden tank 500 l (132 US gal.)

Width 88 cm (34.5")
Depth 72 cm (28")
Height 108 cm (3' 6.5")
Ø Cover opening 38 cm (15")
Weight 23 kg (50.5 lbs)
dark green Order no. 326022

Garden tank 750 l (198 US gal.)

Width 88 cm (34.5")
Depth 72 cm (28")
Height 161 cm (5' 3")
Ø Cover opening 38 cm (15")
Weight 39 kg (86 lbs)
dark green Order no. 326010

- Suited for garden and cellar installation
- Can be extended in any way
- Convenient cleaning thanks to large cover 38 cm (15")
- Cover with child-proof lock
- Transparent Universal Hose Kit, can also be used as level indicator


Garden tank 1.000 l (264 US gal.)

Width 105 cm (3' 5")
Depth 77 cm (30")
Height 174 cm (5' 8.5")
Ø Cover opening 38 cm (15")
Weight 52 kg (114.5 lbs)
dark green Order no. 326011

Garden tank 2.000 l (528 US gal.)

Set consists of 2 x 1,000 l (264 US gal.) tanks, including connection kit (drilling on site)
dark green Order no. 326015

- Reasonably priced solution for above-ground Rainwater Harvesting
- Extremely stable
- Can be extended in any way
- Preformed connections: 2 x DN 70, 2 x DN 100 and 1 x DN 200 suitable for standard high-temperature wastewater pipes



TOP-TANK 1.300 L (343.5 US GAL.)
dark green, Order no. 323001

Top-Tank 1.300 l (343.5 US gal.)

Ø max. 118 cm (3' 10.5")
Depth 156 cm (5' 1.5")
Weight 30 kg (66 lbs)
dark green Order no. 323001

Accessory Top-tank

Extention set DN 70
Consisting of 2 special seals (without drill and connecting pipe)
order no. 322010

Suction fitting 25 mm (1")
Without hose | floating
order no. 330054

Drill DN 70
With mounting shank
order no. 202002

Water butt



WATER BUTT LANZAROTE
graphite grey, Order no. 500222



ROUND WATER BUTT
green, Order no. 500212



TIP
Rain collector Rapido
Order no. 503073
» Details see page 46



Water butt Lanzarote
graphite grey, including lid, drain tap and child protection

Volume	Height ¹⁾	Ø max.	Order No.
300 l (79 US gal.)	86 cm (34")	82 cm (32.5")	500222



Water butt Toskana
terracotta, including lid, drain tap and child protection

Volume	Height ¹⁾	Ø max.	Order no.
300 l (79 US gal.)	86 cm (34")	82 cm (32.5")	500216



Water butt Sahara
brown, including lid, drain tap and child protection

Volume	Width	Depth	Height	Order no.
300 l (79 US gal.)	80 cm (31.5")	66 cm (26")	91 cm (36.2")	501209
520 l (137 US gal.)	125 cm (48.8")	80 cm (31.5")	93 cm (36.6")	501208



Round water butt
Including lid and drain tap

Volume	Ø max.	Height ¹⁾	Order no.
210 l (55 US gal.)	77 cm (30.5")	80 cm (31.5")	500212
310 l (81 US gal.)	80 cm (31.5")	94 cm (37")	500213
510 l (134 US gal.)	100 cm (39.5")	110 cm (43.5")	500214



Square water butt
Including lid and drain tap

Volume	Width	Depth	Height ¹⁾	Order no.
203 l (53 US gal.)	70 cm (27.5")	70 cm (27.5")	82 cm (32.5")	501205
300 l* (79 US gal.)	80 cm (31.5")	66 cm (26")	92 cm (36")	501206
520 l* (137 US gal.)	124 cm (49")	80 cm (31.5")	93 cm (36.5")	501207



Square water butt heavy version
Including lid and drain tap

Volume	Width	Depth	Height ¹⁾	Order no.
210 l (55 US gal.)	81 cm (32")	63 cm (25")	69 cm (27")	501201
400 l (105.5 US gal.)	96 cm (38")	75 cm (29.5")	84 cm (33")	501202

Lanzarote water butt stand

Height	Colour	Order no.
33 cm (13")	graphite grey	502015

Toskana water butt stand

Height	Colour	Order no.
33 cm (13")	terracotta	502010

Sahara water butt stand

suitable for water butt Sahara	Height	Order no.
300 l (79 US gal.)	33 cm (13")	502008
520 l (137 US gal.)	33 cm (13")	502009

Water butt stand

suitable for round water butt	Height	Order no.
210 l (55 US gal.)	33 cm (13")	502001
310 l (81 US gal.)	33 cm (13")	502002
510 l (134 US gal.)	33 cm (13")	502003

Water butt stand


suitable for square water butt	Height	Order no.
203 l (53 US gal.)	33 cm (13")	502001
300 l (79 US gal.)	33 cm (13")	502004
520 l (137 US gal.)	33 cm (13")	502005

¹⁾Height incl. lid

Connection made easy

DOWNPIPE FILTER >> Page 46

Downpipe filters reliably filter dirt from rainwater, thus ensuring optimal water quality. The water butt cannot overflow due to an overflow stop. The excess water simply flows back into the downpipe. In winter, the inlet to the rainwater tank is easy to stop.



UNIVERSAL HOSE KIT >> Page 50

The GARANTIA Universal Hose Kit (accessories) provides an additional extraction option. It is used to leverage the tank's full volume, and also as a fill level indicator. The hose kit (accessories) is either screwed into the tank's convenient connection or mounted onto the tank using a drill and a seal.



INSTALLATION AND CONNECTION OF A DECORATIVE TANK

This video shows how easy it is to set up an above ground tank, what you should consider and how the connection to the downpipe is made.



www.garantia.co.uk/v209



DRAIN TAP >> Page 50

Water extraction is made extremely convenient by the GARANTIA tap (accessories). It is screwed into the tank's standard thread connection without the need for drilling.

Rain collector

Rain collector	Speedy	Rapido	Rapido Quattro	Quattro	Avanti
Downpipe sizes	70 100 mm (2.8 4")	70 100 mm (2.8 4")	50x75 mm (2x3")	max. 70 x 110 mm (2.7 x 4.3")	max. 70 x 110 mm (2.7 x 4.3")
Overflow stop function	•	•	•	•	•
Max. roof area	80 m² (861 ft²)	80 m² (861 ft²)	80 m² (861 ft²)	80 m² (861 ft²)	80 m² (861 ft²)
Rainwater butt connection	32 mm (1 ¼")	32 mm (1 ¼")	32 mm (1 ¼")	25 mm (1")	32 mm (1 ¼")
Required distance between downpipe and wall	-	-	-	10 mm (0,4")	-
Switch for summer / winter operation	•	•	•	•	•
Filter insert	plastic sieve	-	-	plastic sieve	plastic sieve
Dimensions	Height 9 cm (3.5") Width 6.5 cm (2.6") Length 16 cm (6")	Height 5.5 cm (2") Width 5.5 cm (2") Length 9 cm (3.5")	Height 5.5 cm (2") Width 5.5 cm (2") Length 9 cm (3.5")	Height 12 cm (4.5") Width 10.5 cm (4") Depth 13.5 cm (5.5")	Height 8 cm (3") Width 5.6 cm (2") Length 6.5 cm (2.6")
Colour Order no.	503040	503073	503071	grey 503060 beige 503062	503076

THE WORLD CHAMPIONS OF MONTAGE

Installed in 5 minutes

Drill



Plug in



Done



Filter insert







- No removal of the downpipe for the installation
- Including core drill, connecting hose, connection seal 40 cm (16")
- Flexible connection (360° turnable)

EUROPA PATENT 2400065





- No removal of the downpipe for the installation
- Including core drill, connecting hose, connection seal 40 cm (16")
- Flexible connection (360° turnable)

- No removal of the downpipe for the installation
- Including core drill, connecting hose, connection seal 40 cm (16")
- Flexible connection (360° turnable)

- Suitable for oval and square downpipes
- High water yield (approx. 90 %)

- No removal of the downpipe for the installation
- Including core drill, connecting hose, connection seal 40 cm (16")

VIDEO TIP

montage of the water butt connection
www.garantia.co.uk/v210




Downpipe filters


Downpipe filters	Filling device de luxe	Filling device	Filling device Mini	Regendieb Pro	Regendieb	Foliage guard
Downpipe sizes	70 80 100 mm (2.8 3 4")	700-100 mm (2.80-4")	50-60 mm (2-2.4")	70 80 100 mm (2.8 3 4")	70 100 mm (2.8 4")	70 100 mm (2.8 4")
Overflow stop function	•	•	•	•	•	-
Max. roof area	80 m ² (861 ft ²)	50 m ² (538 ft ²)	50 m ² (538 ft ²)	200 m ² (2152 ft ²)	200 m ² (2152 ft ²)	80 m ² (861 ft ²)
Rainwater butt connection	32 mm (1 1/4")	25 mm (1")	25 mm (1")	DN 50, 32 mm (1 1/4")	DN 70 DN 50, 32 mm (1 1/4")	-
Required distance between downpipe and wall	25 mm (1")	16 mm (0.6")	17 mm (0.7")	16 mm (0.6")	25 mm (1")	5 mm (0.2")
Switch for summer / winter operation	•	•	•	•	•	•
Filter insert	plastic sieve	plastic sieve	plastic sieve	stainless steel sieve	stainless steel sieve	plastic sieve
Dimensions	Height 15 cm (6") Ø 15 cm (6")	Height 11.5 cm (4.5") Ø 13 cm (5")	Height 9.5 cm (4") Ø 8 cm (3")	Height 25.5 cm (10") Ø 13 cm (5")	Height 25 cm (9.5") Width 15 cm (6") Depth 20 cm (8")	Height 35 cm (14") Width 11 cm (4") Depth 18 cm (7")
Colour Order no.	grey 503015 brown 503014	grey 503011 brown 503010	grey 503006 brown 503005	grey 344202 brown 344203	grey 343011 brown 343010	grey 346013



- With . 25 cm (10") hose and screw connection



- New filter principle with greater filter area
- Turnable filter body for flexible connection
- Including connection seal



- Including connection seal



- Reliably traps leaves and large contaminants, preventing the downpipe from getting blocked
- Ideal in areas with a lot of leaves e.g. as pre-filter
- Self-cleaning and low-maintenance
- Convenient removal of screen area without having to dismantle the filter for cleaning or before frost period

THE SLIM PROFESSIONAL FOR LARGE ROOFS

For roof surfaces up to 200 m² (2153 ft²)



Accessories – overground water tanks



Design Chrome tap

This stylish chrome tap is suitable for all modern tanks. Chrome polished, size 19 mm (3/4"), incl. teflon sealing tape.
order no. 330254



Tap

A must for all stylish tanks! Suitable for all products of Classic and Exclusive Line, size 19 mm (3/4"), incl. teflon sealing tape.
brass order no. 220011
chrome order no. 330282



Tap for water butts

Water butt tap with sealing ring and lock nut, size 19 mm (3/4").
order no. 504011



Aqua-Quick plastic tap

With brass finish, suited to all above-ground tanks and water butts, size 19 mm (3/4").
order no. 504040



Aqua-Quick 4-part plastic tap kit

So that water can run faster! Plastic tap with brass finish in complete kit consisting of: tap with seal and screw connection, connecting pieces for standard hose fitting, hose 13 mm (1/2") and hose 19 mm (3/4"), union nuts and seals.
order no. 504044



Universal Hose Kit

Kit for complete water extraction and water level display for above-ground rainwater storage tanks. Consisting of 215 cm (7' 1") flexible hose, extraction tap and various connection options. Suited to all storage tanks.
order no. 220015



Tap connection

With inside thread 19 mm (3/4") and outside thread 25 mm (1"), made of plastic. Suitable for all GARANTIA taps.
order no. 504025



Tap with tank screw

Connection for Top and Garden tank, size 19 mm (3/4"), incl. teflon sealing tape.
order no. 330044



Water butt connection kit

Consisting of two hose connections with lock nut and 25 cm (9.8") hose.

19 mm (3/4")
Order no. 504017

19 mm (3/4") with drill
Order no. 504018

32 mm (1 1/4")
Order no. 330031

51 mm (2")
Order no. 330040



Connection set Flex-Comfort


Extra-long and extremely flexible connection kit 40 cm (16") to connect rainwater tanks as well as Regendieb and Regendieb Pro. Includes extensive installation accessories.

Scope of supply:
Flexible 40 cm (16") connection hose, core drill and hose connector; with 2 x connection fittings, inlet seals and hose clips.
grey order no. 220019
brown order no. 220020



Child-proof lock | wind protection

For water butt cover (reusable), 4 items
order no. 504016



Hose barb 1"

for hose 32 mm (1 1/4"), incl. seal and lock nut
Order no. 220021



Overflow bend

With hose connection

Size 32 mm (1 1/4")
order no. 330041

Size 51 mm (2")
order no. 330043

High quality products for your house and garden



You'll find rainwater tanks in our GARANTIA catalogue, "Rainwater Harvesting underground tanks".



You'll find garden products in our GARANTIA catalogue, "The garden range".

Prices:

A price list with our export conditions is available on request.

Warranty clause:

The warranty mentioned in this brochure only refers to the tank in question and not to the accessories. Within the warranty period we grant free replacement of the material. Further benefits are excluded. Pre-condition for warranty benefits are proper handling, assembly and installation according to the mounting guidelines.

N.B.

Protect tanks from frost when installed aboveground! In case of groundwater installation, please contact us for further information previous to the purchase!

For all indications of measurements in this brochure we reserve a tolerance of +/- 3%. The useful volume of the tanks may be up to 10% lower than the tank capacity, according to the connecting option.

Technical modifications and further development of the different products are subject to change. Errors excepted.

For all our offers and conclusions of contract are only valid our General Terms and Conditions of Business dated 01/10/2012 which we will send to you on request.

GARANTIA®
is a trademark of

Otto Graf GmbH
Kunststofferzeugnisse
Carl-Zeiss-Straße 2 – 6
DE-79331 Teningen

Tel.: +49 7641 589-0
Fax: +49 7641 589-50
info@garantia.eu

www.garantia.eu

Foto-Urheberrechte:
stock.adobe.com: © Alexander Rath

© Otto Graf GmbH/Order no. 960394/EN



Recommended by: