FISKARS®

The gardening by the second se



Over 365 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

The gardening catalogue contents















6 Plant Care

 Pruners
 PowerGear[™]X · Quantum[™]

 SmartFit[™] · PowerLever[™]

 Fingerloop · SingleStep[™] · Solid[™]

 Other

 Loppers
 PowerGear[™]X

 PowerGear[™] · Quantum[™]

SmartFit[™] · SingleStep[™] · Light Solid[™]

Hedge shears Quantum[™] PowerGear[™]X · PowerGear[™] SmartFit[™] · PowerLever[™] SingleStep[™] · Solid[™] Tree pruners PowerGear[™]X Other tree pruners & accessories

Scissors Classic · Heavy-duty

34 Lawn Care

Rakes Xact[™] · Classic · Light · Solid[™] Grass shears Servo-System[™] · SmartFit[™] · Light Solid[™] · Long handled Weed pullers

Xact[™] · Light · Solid[™] Solid[™] Lawn edger Solid[™] PopUp Garden bags



46 Soil Care

Shovels, spades & forks
Xact[™] · Light · Solid[™] · Foldable
QuikDrill[™]
Cultivating tools
Xact[™] · Light · Solid[™]
Hand tools
Xact[™] · Premium Planters[™] · Ergo[™]
Light · Solid[™]

68 Fiskars QuikFit[™]

Click & Reach · Click & Clean Click & Grow

81 Wood Preparation

Norden Axes · X-series axes Solid[™] · WoodXpert[™] wood handling tools · Xtract saws Fixed blade saws · Bow saws Splitting tools · Knives

102 Yard Cleaning Light · Solid[™]

106 Kids tools

108 Maintenance

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

We be the world to sh

elieve is yours ape.

Plant care

0

FISKARS

Pruners p.8 Loppers p.17 Hedge shears p.24 Tree pruners p.28 Scissors p.31

Pick the right pruner





- Patented PowerGear[™] mechanism makes cutting 3,5 times easier compared to standard mechanisms.
- Blades made from extra hard, corrosion resistant steel (CrMoV) ensures that they stay sharper longer.
- Unique rotating handle movement ensures that all fingers are used simultaneously and exert an equal but reduced pressure for maximum power and less effort on every cut.



SMARTFIT™

- Optimal reach thanks to adjustable length of the handles
- Lightweight product, comfortable to use.
 Ergonomic design
- Optimally shaped to fit
- the hand.
 Fits your need multi-purpose usage with adjustability of
- cutting capacity.Fits small to large hands.





- Lightweight FiberComp[™] handles designed for small and medium-sized hands.
- Reduced cutting effort and ability to use all fingers simultaneously thanks to patented PowerLever[™] mechanism.
- Easier cutting and cleaning due to non-stick PTFE PowerLever Pruners coating on the upper blade to reduce friction.
- Ambidextrous locking mechanism.



FINGERLOOP

- Lightweight and strong FiberComp[™] handles with SoftGrip[™] for added comfort and safety.
- Fingers are protected by the loop in the lower handle.
- Corrosion resistant, stainless steel blades.



SINGLESTEP™

- Lightweight and durable handles made from polypropylene
- Comfortable grip due to sturdy handles.
- Steady cutting action due to well-balanced design.



QUANTUM™

- High-quality aluminium body balanced by comfortable cork TruGrip[™] handles.
- Clean, accurate cutting thanks to TruEdge[™] blade technology including precision ground hardened steel and anti-friction coating.



SOLID™

- Optimised for quick snipping of plants and thinner branches.
- Ultra durable construction
- Comfortable SoftGrip[™] handles.

POWER

PowerGear[™]X pruners

Fiskars PowerGear[™] is a versatile family of tools that include pruners, loppers and hedge shears to cover most of the cutting needs in the garden. The ingenious gear mechanism which boosts the power of the cut is complemented by sharp, quality steel blades and lightweight, durable FiberComp[™] handles.

PowerGe	ar™X Prune	er bypass F	PX94 (L)		Art. no. 1023628
Height: 4 cm	Length: 28 cm	Width: 9cm	Weight: 0.24 kg	Retail box: 4	Old art. no
			GUARANTEE 25 VEARS	reddot award 2017 best of the best	 For heavy cutting of fresh branches up to Ø 26 mm. Unique PowerGear[™] mechanism makes cutting up to 3 times easier vs standard mechanisms. Lightweight and durable FiberComp[™] constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance. Conformed SoftGrip[™] handles for optimum comfort and balance. Optimised for medium and large hand sizes.
PowerGe	ar™X Prune	er anvil PXS	93 (L)		Art. no. 1023629
Height: 4 cm	Length: 27.5 cm	Width: 9 cm	Weight: 0.24 kg	Retail box: 4	Oldart.no
			GUARANTEE 25 VEARS	reddot award 2017 best of the best	 For heavy cutting of hard branches up to Ø 26 mm. Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms. Lightweight and durable FiberComp™ constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance. Conformed SoftGrip™ handles for optimum comfort and balance. Optimised for medium and large hand sizes.
PowerGe	ear™X Prune	er bypass F	PX92 (M)		Art. no. 1023630
Height: 4 cm	Length: 21.5 cm	Width: 6,8 cm	Weight: 0.24 kg	Retail box: 4	Oldart.no
			GUARANTEE 255 VEARS	reddot award 2017 best of the best	 For cutting of fresh branches up to Ø 20 mm. Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms. Lightweight and durable FiberComp™ constuction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance. Conformed SoftGrip™ handles for optimum comfort and balance.

• Optimised for small and medium hand sizes.

Quantum[™] pruner


Quantum	M Pruner b	ypass P100)		Art. no. 1001434	2
Height: 2.5 cm	Length: 24.7 cm	Width: 13.5 cm	Weight: 0.32 kg	Retail box: 4	Old art. no. 111970	5 6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 1 9 7 0 4 ¹
-0			fenniaprize soci design grows global HONORARY MENTION	reddot design award best of the best 2012	 Optimised for cutting fresh Ø 26 mm. The blade adjustment mec loosening thus lengthening Natural cork handles for ult 	hanism prevents the blades from the lifetime of the pruner.

SmartFit[™] pruner

SmartFit™	Pruner by	pass P68			Art. no.	1001424	EAN
Height: 2.5 cm	Length: 23.8 cm	Width: 10.8 cm	Weight: 0.23 kg	Retail box: 4	Old art. no.		5
0			ri	eddot design award inner 2013	branche Ø 24 mm • Safety in mechani	s as well as cutting o	

PowerLever[™] pruners

There are a multitude of different plants and tasks in the modern gardens and consequently also gardeners with day-to-day varying needs. Fiskars PowerLever[™] range of two pruners and one hedge shear offers a neat ergonomic package of cutting power. Lightweight FiberComp[™] bodies are complemented by sharp cutting blades.







BYPASS

Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.




ANVIL

Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

Fingerloop pruners

Fiskars Fingerloop range of two pruners and one snip offer a neat and ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers in the cut while the SoftGrip[™] inlays give an extra level of comfort for extended work in the garden when pruning.



Fingerloo	p Universa	snip SP45			Art. no.	1001533	3
Height: 3 cm	Length: 26.5 cm	Width: 9 cm	Weight: 0.20 kg	Retail box: 4	Old art. no.	111450	6 ¹ 411501 964502
					• Designed	d for multiple cuttin	a tasks like cutting steel, plastics.

 \bullet Designed for multiple cutting tasks like cutting steel, plastics tubes, ropes or hoses up to Ø 20 mm.

• The Fingerloop protects fingers and keeps the pruner in hand comfortably.

NOTE! Not for cutting branches in garden.

SingleStep[™] pruners

SingleSt	ep™ Pruner	bypass P2	6		Art. no. 1000567	2
Height: 2 cm	Length: 21 cm	Width: 7,.5 cm	Weight: 0.18 kg	Retail box: 4	Old art. no. 111260	6 ¹ 411501 ¹ 112606
			·	reddot design award winner 2011	 For cutting fresh wood up t Easier cutting and cleaning upper blade. Carbon steel blades. 	o Ø 20 mm. due to non-stick coating on the

SingleSte	p™ Pruner	anvil P25			Art. no. 1000564	2
Height: 2 cm	Length: 21 cm	Width: 7.5 cm	Weight: 0.18 kg	Retail box: 4	Old art. no. 111250	6 4 1 1 5 0 1 1 1 2 5 0 7
	0			reddot design award winner 2011	 For cutting dry and hard we Increased durability and staconfiguration. Easier cutting and cleaning upper blade. Carbon steel blades. 	

SingleSte	p™ Snip SF	P27			Art. no.	1000570	6 ⁶ 4 1 1 5 0 1 ¹¹ 1 1 2 7 0 5 ¹
Height: 2.5 cm	Length: 21 cm	Width: 7.6 cm	Weight: 0.18 kg	Retail box: 4	Old art. no.	111270	6 4 1 1 5 0 1 1 1 2 7 0 5
				2		t for multiple outting t	aske like outting steel, plastice



reddot design award winner 2011

 \bullet Designed for multiple cutting tasks like cutting steel, plastics, tubes, ropes or hoses up to 0 20 mm.

Narrow blades for better reach and precise cutting

NOTE! Not recommended for pruning.

Solid[™] pruners

Solid [™] S	nip Pruner k	oypas	s P32					Art. no.	1020191	z
Height: 2 cm	Length: 25.8 cm	Width:	7.5 cm	Weight:	0.18 kg	Retail box:	4	Old art. no.	111180	6 ⁶ 411501 ¹¹ 111807 ¹
								OptimiseUltra dura	ing branches up te d for quick snippir able construction. able SoftGrip™ ha	ng of plants and thinner branches.

Solid [™] Sr	nip pruning	microtip SI	P13		Art. no.	1051600	
Height: 1.9 cm	Length: 14 cm	Width: 4.45 cm	Weight: 0.04 kg	Retail box: 4	Old art. no.	-	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 1 0 8 1 7 ¹¹
New					flowers. • The prec and intrid	cision blades ideal for s cate snips in tight plac s steel, precision blade	

Solid [™] Sr	nip pruning	floral SP14			Art. no.	1051601	EAN	6 4 1 1 5 0 1 1 1 0 8 2 4
Height: 2.05 cm	Length: 18.5 cm	Width: 5.6 cm	Weight: 0.13 kg	Retail box: 4	Old art. no.	-	EA	6 4 1 1 5 0 1 1 1 0 8 2 4
	-							



 \bullet Ideal for working with cut flowers, as well as tasks essential to encouraging healthy growth. • For cutting up to Ø 10 mm.

• Stem stripper and wire cutter.

Height: 1.9 cm Length: 18.2 cm Width: 9.9 cm Weight: 0.08 kg Retail box: 4 Old art. no 6 6 4 110.831 1	Solid [™] Sr	nip pri	uning	shea	irs SP 1	5				Art. no.	1051602	z	
	Height: 1.9 cm	Length:	18.2 cm	Width:	9.9 cm	Weight:	0.08 kg	Retail box:	4	Old art. no.	-	EA	6 ¹ 4 1 1 5 0 1 ¹ 1 1 0 8 3 1 ¹



• Ideal for intricate cuts on plants and flowers while trimming Addation intribute cuts on plants and and shaping.
Stainless steeel, precision blades.
Sof touch handles.

Other pruners

Light Pru	ner bypass	P57	Art. no. 1026916	z		
Height: 2.5 cm	Length: 24 cm	Width: 9.2 cm	Weight: 0.14 kg	Retail box: 4	Old art. no	6 ¹¹ 411501 ¹¹ 150189
					White colour that makes	eration due to the FiberComp™ werLever™ mechanism. and sizes.

Inspiratio	n Pruner		Art. no. 1027495			
Height: 2.5 cm	Length: 21 cm	Width: 7.5 cm	Weight: 0.23 kg	Retail box: 4	Old art. no	6 4 1 5 1 5 3 2
					 For cutting fresh wood up Easier cutting and cleani upper blade. Carbon steel blades. 	p to Ø 20 mm. ing due to non-stick coating on the

Inspiratio	n Pruner				Art. no. 1027494	3
Height: 2.5 cm	Length: 21 cm	Width: 7.5 cm	Weight: 0.23 kg	Retail box: 4	Old art. no	6 ¹ 411501 ¹ 150325 ¹



and all all and all all

1.00

For cutting fresh wood up to Ø 20 mm.
Easier cutting and cleaning due to non-stick coating on the upper blade.
Carbon steel blades.



Choose the right lopper

Fiskars loppers are suitable for all kinds of garden cutting tasks with a capacity of up to \emptyset 55 mm. Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



Different heads for different purposes

Bypass head

The bypass head is for frequent cutting of fresh wood.

2 Anvil head

The anvil head is for cutting dry and/or hard wood.

3 Hook head

The hook head is best suited for heavy cutting of fresh wood.



PowerGe	ear™ X Lo	pper by	ypass	LX98 (L)			Art. no.	1020188	EAN	
Height: 3 cm	Length: 85 c	m Width:	25.5 cm	Weight: 1.34 kg	Retail box:	4	Old art. no.	112490	EA	6 4 1 1 5 0 1 1 2 4 9 0 6
		8	0		GUARANTEE 25 VEARS	GN	Bypass bDurable a	lades for easy	catching dle due t	up to Ø 55 mm. _I of branches and clean cut o aluminium shafts and
					E Sec				_	
PowerGe	ear™ X Lo	pper ai	nvil LX	99 (L)	SPEC	IAL	Art. no.	1020189	AN	
PowerGe	ear TM X Lo			99 (L) Weight: 1.36 kg	E 20	16 16	Art. no. Old art. no.		EAN	6 ^{°°} 4 1 1 5 0 1 ^{°°} 1 2 4 4 0 1
	Length: 85 c				E 20	16 16	Old art. no. • For heavy • Anvil blad cuts. • Durable a	112440 r cutting of hard e configuration	d and dry n for add dle due t	6 4 1 1 5 0 1 1 2 4 4 0 7 y wood up to Ø 55 mm. ed durability and effective to aluminium shafts and
Height: 3 cm	Length: 85 c	m Width:	25.5 cm	Weight: 1.36 kg	Retail box:	16 16	Old art. no. • For heavy • Anvil blad cuts. • Durable a	112440 r cutting of hard e configuration nd light to han	d and dry n for add dle due t	ed durability and effective





For frequent cutting of fresh wood up to Ø 50 mm.
Bypass blades for easy catching of branches and clean cuts.
Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

PowerGe	ar™ X Lopp	per bypass	LX92 (S)		Art. no. 1020186	EAN
Height: 2.5 cm	Length: 62 cm	Width: 23 cm	Weight: 0.83 kg	Retail box: 4	Old art. no. 112260	6 4 1 1 5 0 1 1 2 2 6 0 5
	The second s			OUARANTEE 25 TEARS	 Bypass blades for eas 	f fresh wood up to Ø 38mm. ey catching of branches and clean cuts. andle due to aluminium shafts and M handle.



PowerGear[™] Loppers

PowerGe	ar™ Loppe	er bypass, h	ook head L	.78 (L)	Art. no. 1000584	z
Height: 3.4 cm	Length: 75 cm	Width: 22.5 cm	Weight: 0.94 kg	Retail box: 4	Old art. no. 112590	6 ¹ 411501 ¹ 125903 ¹
	Pesiz	Ares L78			 Very lightweight due t 	resh wood up to Ø 50 mm. to FiberComp™ construction. sy catching of branches and a clean
PowerGe	ar™ Loppe	er anvil L77 (L)		Art. no. 1000583	

1 01101 00			-/		1000000	EAN
Height: 3.5 cm	Length: 74.5 cm	Width: 24.5 cm	Weight: 1.12 kg	Retail box: 4	Old art. no. 112580	6 4 1 1 5 0 1 1 2 5 8 0 4
	Freid	Avis: L77			 For heavy cutting of hard ar Very lightweight due to Fibe Anvil blade configuration for cuts. 	
0						_

PowerGe	ar™ Loppe	r <mark>bypass, h</mark> o	Art. no. 1000582	B 6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 2 2 9 0 2 ¹¹		
Height: 3 cm	Length: 60.7 cm	Width: 18.3 cm	Weight: 0.50 kg	Retail box: 4	Old art. no. 112290	6 4 1 1 5 0 1 1 2 2 9 0 2
		-	-	-	 For cutting of fresh wood u 	 up to Ø 38 mm.



- Very lightweight due to FiberComp[™] construction.
 Bypass blades for easy catching of branches and a clean
- cuts.

Power	iear™ Loppe	r anvil L71	Art. no. 1001556	z				
Height: 3 cm	Length: 51 cm	Width: 17 cm	Weight:	0.52 kg	Retail box:	4	Old art. no. 112180	a 6 4 1 1 5 0 1 1 2 1 8 0 6
	nouves by						 For cutting of hard, dry v Very lightweight due to F 	wood up to Ø 40 mm. FiberComp™ construction.

Pow	erGea	ar™ L	oppei	r byp	ass, ho	ook h	ead L	70 (S)		Art. no.	1002104	z	
Height:	2.4 cm	Length:	50.5 cm	Width:	15.4 cm	Weight:	0.43 kg	Retail box:	4	Old art. no.	112190	EAI	6 4 1 1 5 0 1 1 2 1 9 0 5
		PERCARS L								 Very light 	weight due to Fil bypass blades fo	berCo	od up to Ø 38 mm. mp™ construction. ′ catching of branches and a

PowerGea	ar™ Loppe	r anvil L31 (S)		Art. no.	1000581	B 6 4 1 1 5 0 3 9 6 1 7 0 7
Height: 2.4 cm	Length: 43.2 cm	Width: 18 cm	Weight: 0.40 kg	Retail box: 4	Old art. no.	112170	6 4 1 1 5 0 3 9 6 1 7 0 7



For cutting of hard, dry wood up to Ø 35 mm.
Very lightweight due to FiberComp[™] construction.

Quantum[™] loppers

Quantum	[™] Lopper b	ypass L108	3 (L)		Art. no. 1001435	z
Height: 3.1 cm	Length: 85 cm	Width: 24.5 cm	Weight: 1.48 kg	Retail box: 4	Old art. no. 112630	B 6 4 1 1 5 0 1 1 2 6 3 0 6
			6	reddot design award best of the best 2012 fennia prize good design grows global HONORARY MENTION	 Lightweight yet durable 	ting of fresh wood up to Ø 50 mm. with aluminium shaft. with natural cork handles.
Quantum	™ Lopper b	ypass L104	- (M)		Art. no. 1001438	z
Quantum	TM Lopper b	ypass L104 Width: 19.1 cm	Weight: 1.36 kg	Retail box: 4	Art. no. 1001438 Old art. no. 112330	6 ¹ 4 1 1 5 0 1 ¹¹ 1 2 3 3 0 5 ¹¹

SmartFit[™] Lopper

SmartFit ^T	M Lopper by	pass L86	Art. no. 1013564	z		
Height: 4.2 cm	Length: 70.6 cm	Width: 24.9 cm	Weight: 1.28 kg	Retail box: 4	Old art. no. 112500	6"411501" 125002"
•				Contraction ward winner 2014	 Optimal working pos between 665 - 915m Hooked bypass blad clean cuts. 	up to Ø 40 mm both far and near. itlion due to adjustable shaft length m. les for easy catching of branches and a ue to SoftGrip™ covered handles.

SingleStep[™] Loppers

SingleSte	ep™ Lopper	bypass ho	Art. no. 1001426		
Height: 2.5 cm	Length: 88.6 cm	Width: 34.6 cm	Weight: 1.16 kg	Retail box: 4	Old art. no. 112460
			•		 For heavy cutting of fresh wood. Cutting capacity: Ø 40 mm. Blade material: hardened steel, non-stick coating.
SingleSte	ep™ Lopper	bypass ho	ok head L2	.8 (S)	Art. no. 1001432



- For cutting fresh wood.
- Cutting capacity: Ø 35 mm.
- Blade material: hardened steel, non-stick coating.

Light Lopper

Light Lopp	per L32		Art. no. 1026930	¥		
Height: 2.4 cm	Length: 43.2 cm	Width: 18 cm	Weight: 0.37 kg	Retail box: 4	Old art. no	6"411501"150196
		-				y wood up to Ø 35 mm. æs the lopper more visible. o FiberComp™ construction.

Solid[™] Loppers

Solid™ Lopper telescopic L13						1027528	z	
Height: 4cm	Length: 74 cm	ength: 74 cm Width: 15 cm Weight: 1.65 kg Retail box: 4 Old art. no						
	FISKARS				 Telescophigh, har 		esh wood up to Ø 45 mm. ndles with non-slip grips make kward cuts easy.	

Solid™ L	opper bypa	ass L12	Art. no. 1027540	6 4 1 1 5 0 1 1 5 0 3 9 4				
Height: 3.5 cm	Length: 79 cm	Width: 19 cm	Weight: 1.35 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 5 0 3 9 4		
					Ideal for cutting thicker brai	nches up to Ø 44 mm		

0.0

• Ideal for cutting thicker branches up to Ø 44 mm.

• Softgrip handle provides comfort and control.



Hedge shears

Fiskars has a full range of shears whether your interest is topiary, annual growth control, or simply a nice straight line in your hedge. From robust SingleStep action hedge shears to adjustable telescopic shears. For the toughest jobs, we have shears featuring our unique PowerGear[™] technology, which can triple your cutting power right up to the tip.















QUANTUM™

Ultimate usage comfort due to natural corck handles.

POWEGEAR[™] X Very durable and saving effort up to 3x with PowerGear[™] cutting mechanism.

POWEGEAR™ Up to 3x with PowerGear[™] cutting mechanism.

SMARTFIT[™] Optimal working position due to adjustable shaft length.

POWERLEVER™

Lightweight and saving effort up to 2x with PowerLever[™] cutting mechanism.

SINGLESTEP™ Sturdy and comfortable.

Solid™ Sturdy and comfortable with hardened steel blades.

PowerGear[™] Hedge shears

PowerGe	ar™ X Hedg	ge shear HS	Art. no. 1023631	z					
Height: 7.5 cm	Length: 66.5 cm	Width: 16.5 cm	Weight: 1.10 kg	Retail box: 4	ox: 4 Old art. no				
•	1			GUARANTEE 25 VEARS	 Unique PowerGear™ times easier vs stanc Lightweight and dura blades. 	ng of hedges and bushes. ^d mechanism makes cutting up to 3 lard mechanisms. able with PTFE coated precision ground nd balance with SoftGrip™ handle			

PowerGear™ Hedge shear HS72					Art. no.	1000596	6 ¹ 411501 ¹ 147905 ¹
Height: 4.5 cm	Length: 61.2 cm	Width: 17 cm	Weight: 0.72 kg	Retail box: 4	Old art. no.	114790	6 4 1 1 5 0 1 1 4 7 9 0 5



- For easy trimming of hedges and bushes.
 Saving effort up to 3x with PowerGear[™] cutting mechanism.
 Very lightweight due to FiberComp[™] shaft.

Quantum[™] Hedge shears

Quantum	[™] Hedge sł	near HS102	Art. no. 1001449	z		
Height: 7.5 cm	Length: 66.5 cm	Width: 16.5 cm	Old art. no. 114820	6 411501 148209		
			<u></u>	reddot design award best of the best 2012		edges and bushes. with PowerGear™ cutting mechanism. 't with natural cork handles and
			Ő	fennia prize good design grows global HONORARY MENTION		

SmartFit[™] Hedge shears

SmartFit™ Hedge shear HS86						1013565	z
Height: 7.6 cm	Length: 73.5 cm	Width: 21.5 cm	Weight: 1.25 kg	Retail box: 4	Old art. no.	114800	6"411501" 148001"
			-	reddot design award winner 2014	 Optimal v between 		ushes both far and near. to adjustable shaft length ip™ handles.

PowerLever[™] Hedge shears

PowerLev	ver™ Hedge	e shear HS	Art. no. 1001564	z			
Height: 7.2 cm	Length: 58.8 cm Width: 14.8 cm Weight: 0.61 kg Retail box: 4 Old art. no. 114750						
Pikat	3			reddot design award winner 2002 fenniaprize good design grows global HONORARY MENTION	 For easy trimming of he Saving effort up to 2x w mechanism. Lightweight due to Fibe 	vith PowerLever™ cutting	

SingleStep[™] Hedge shears

SingleSte	ep™ Hedge	shear wav	Art. no. 1001433	z		
Height: 13 cm	Length: 58 cm	Width: 19 cm	Weight: 0.71 kg	Retail box: 4	Old art. no. 114730	6 4 1 1 5 0 1 1 4 7 3 0 1
					 For trimming hedges an Sturdy and comfortable polypropene (PPGF). Hardened steel blades w 	handles of glassfibre reinforced

Other hedge shears

Light Hedge shear HS53						1026931	EAN
Height: 7.2 cm	Length: 58.8 cm	Width: 14.8 cm	Weight: 0.61 kg	Retail box: 4	Old art. no.	-	6 ¹ 4 1 1 5 0 1 ¹¹ 1 5 0 2 0 2 ¹¹
					 White control Saving end mechan 	effort up to 2x with I	e grass shear more visible. PowerLever™ cutting

Solid [™] He	edge shear	HS21	Art. no. 1026827	₹ 6 ¹ 4 1 1 5 0 1 ¹¹ 1 5 0 2 7 1 ¹		
Height: 4.5 cm	Length: 59 cm	Width: 15 cm	Weight: 0.32 kg	Retail box: 4	Old art. no	6"411501"150271"
_						



- For trimming hedges and bushes.
 Sturdy and comfortable handles with soft-touch grip.
 Hardened steel blades.

Solid™ t	elescopic H	ledge shea	Art. no. 1027527	z		
Height: 5cm	Length: 74 cm	Width: 17 cm	Weight: 1.55 kg	Retail box: 4	Old art. no	6 ¹¹ 411501 ¹¹ 150363 ¹
Park					shrubs.	naping hedges and decorative handles with non-slip grips make wkward cuts easy.

high, hard-to-reach or awkward cuts easy
 Length: 63 cm - 83 cm.

Solid™ t	rimming He	edge shear	Art. no. 1027529	6 4 1 1 5 0 1 1 5 0 3 8 7				
Height: 4.2 cm	Length: 55 cm	Width: 13 cm	Weight: 0.85 kg	Retail box: 4	Old art. no			
					Ideal for trimming & sculptin	ig bushes and hedges.		

Ideal for trimming & sculpting bushes and hedg
Non-slip handle provides comfort and control.

PowerGear[™]X Tree pruners




Improved strength and maintenance of cutting head

Soft-grip strengthened for better grip

PowerGear[™]X Tree pruners

Fiskars Tree pruners are multi-use tools that allow access to tree crowns and dense bushes, enabling the gardener to trim overhead without needing a ladder, or at ground level without bending or kneeling.



Branch sa	aw for Tree	pruners UP	Art. no. 1023633	B 6 4 1 1 5 0 1 1 5 0 1 6 5		
Height: 47 cm	Length: 7 cm	Width: 8 cm	Weight: 0,20 kg	Retail box:	Old art. no	6 4 1 1 5 0 1 1 5 0 1 6 5
					• For sawing up to Ø 80 m	mbranches

For sawing up to Ø 80 mm branches.

- Impulse hardened, quality steel blade.
- The hollow-grind blade enables easier sawing

Adjustable sawing angle.

• Sturdy fastening mechanism to shaft, fits UPX82 & UPX86.

Tree Prune	r Telescopic	UPX86 + Bra	Art. no. 1023634	E 6 [°] 4 11 5 0 1 [°] 1 5 0 17 2 [°]		
Height: 9cm	Length: 230 cm	Width: 19 cm	Weight: 2.21 kg	Retail box: -	Old art. no	6 ¹⁴ 4 1 1 5 0 1 ¹¹ 1 5 0 1 7 2

Tool set components:

- 1 x Tree Pruner bypass telescopic UPX86 (EAN 6411501150127)
- 1 x Branch Saw UPX80 Plus Part (EAN 6411501150165)

Other tree pruners & accessories


Light Pruning snip UP69						3626 z	
Height: 7,1 cm	Length: 175,5 cm	Width: 11,2 c	n Weight: 0,9 kg	Retail box: 4	Old art. no	EAN	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 5 0 1 4 1
l.					 Cutting reach a 	oranches high and approx. 3,5 m. ndle 270° for easy	
				Survey.			

Tree Prune	Tree Pruner anvil UP53					3
Height: 7,4 cm	Length: 165 cm	Width: 13,8 cm	Weight: 0,85 kg	Retail box: 4	Old art. no. 115350	6 ⁶ 411501 ⁹ 963505
					A 11 111 11	

- \bullet Anvil cutting action especially for dry and hard wood up to $\ensuremath{\mathcal{O}}$ 32 mm thickness.
- Cutting reach vertically about 3,5 meters.
- Adjustable cutting angle up to 260°.
- Can be used with fruit picker (art. No 1001562).



Fruit picker UP80						1001562	3
Height: 7,5 cm	Length: 33,4 cm	Width: 16 cm	Weight: 0,25 kg	Retail box: 4	Old art. no.	110970	6 ¹ 411501 969705





CUTTING ADJUSTING Activate the great cutting power with a The adjustable head and the lightweight slide of the orange handle, or when used cutting mechanism helps to ensure fast, at maximum height, with a pull of the and safe pruning from afar. orange end knob.

The icon



The iconic Classic scissors are a symbol of Fiskars and of our Finnish design heritage



Features & benefits

Sharp blades

Specially developed blade grinding ensures high-precision cutting and keeps the blades sharp longer.

2 Easy cleaning

Handles are injection molded onto the blades insuring easy and hygenical cleaning.

Supreme ergonomics

Handles are designed under strong consideration of the natural movement of the hand resulting in enhanced comfort and cutting control.

Best materials

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability.


5 Quality control

Each product is manually tested before leaving the factory ensuring you get only the first class scissors.

> Made in Finland

Classic scissors

Fiskars orange handled scissors are design classics that have been popular for more than four decades. Our selection of garden scissors are excellent for precise cutting and trimming tasks. The stainless steel blades easily cut through materials from fine wire to flower stems.



Universal	garden sci	ssors 21 cr	Art. no. 1001539	g 6 ¹ 4 1 1 5 0 1 ¹ 1 1 0 4 0 4					
Height: 28 cm	Length: 2 cm	Width: 8,6 cm	Weight: 0,08 kg	Retail box: 5	5 Old art. no. 111040A 6 4 1 1 5 0 1				
	-			GUARANTEE 25 YEARS	 Superior comfort and period 	ng tasks in the garden and at home.			



• For right-handed. • Handles made from impact-resistant PBT.

Universal	Universal garden scissors 18 cm S92					1000555	z	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 1 0 3 0 5 ¹¹	
Height: 28 cm	Length: 2,1 cm	Width: 8,6 cm	Weight: 0,07 kg	Retail box: 5	Old art. no. 111030				



- One billion scissors sold.
- Serrated blades ensures good grip and are ideal for cutting flowers and herbs.
- Superior comfort and performance.
- Made in Finland with premium and durable materials.
- For right-handed.
- Handles made from impact-resistant PBT.

Heavy-duty scissors

Hardware scissors 25cm						1020478	A A
Height: 2 cm	Length: 32 cm	Width: 9 cm	Weight: 156 g	Old art. no.	-	₫ 3 ¹ 3 5 9 9 0 0 ¹ 6 9 9 6 3 8	
8	0				cutting r	ality stainless steel lotch. nic and durable des	

PowerArc	c™ Heavy-c	luty scisso	Art. no.	1027204			
Height: 26 cm	Height: 26 cm Length: 10 cm Width: 22 cm Weight: 200 g Retail box: 6 Old art. no						
					wool or po • Ergonomi	utting insulating mate Jysterene. cally designed handl tainless steel.	erials such as mineral e with finger guard.

PowerArc™ Heavy-duty scissors 26cm					Art. no. 1027205	E 6 ¹¹ 411501 ¹¹ 701237 ¹¹
Height: 29.5 cm	Length: 10 cm	Width: 26 cm	Weight: 264 g	Retail box: 6	Old art. no	6 4 1 1 5 0 1 7 0 1 2 3 7
Ideal for cutting a range of materials, including insulation, duct take, cardboard, rope tar paper						



 Ideal for cutting a range of materials, including insulation, duct tape, cardboard, rope, tar paper, Tyvek, hose and more.

 Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust.

• Bigger loops optimised for large gloved hands.



Lawn care

Rakes p.36 Grass shears p.40 Weed pullers p.43

Lawn edger **p.45** PopUp garden bags **p.45**



Fiskars rakes are designed for comfortable raking, cleaning and gathering. The three different ranges offer a wide selection of rakes from leaf rakes to soil rakes.



XACT™

Premium quality materials and ergonomic aluminium shafts for ultimate performance.



LIGHT Beautiful, white rakes, perfect for your garden.



SOLID[™] A versatile selection of rakes from lawn to soil care.

Xact[™] Rakes

Xact [™] Le	af rake 620	mm (XXL)		Art. no. 1027036		
Height: 4.6 cm	Length: 176.5 cm	Width: 61.5 cm	Weight: 0.91 kg	Retail box: 4	Old art. no	3 5 0 8 1 7
				GUARANTEE 25 VEARS	 Extremely durable 3D leaf rake tines and XX-larg perfectly designed for covering X-large areas an leaves efficiently. Hardened aluminum and unique shaft profile rec without sacrificing strength that makes every strength of the second strength that makes every strength that second second strength and exceptional handle end shape gives good strength use. Convenient hanging hole on handle for easy stores and second strength of the second strength of the second strength of the second strength that makes every strength that makes every	d gathering uces weight oke nd positions upport
Xact™ La	wn rake 490) mm (L)			Art. no. 1027037	
Height: 4.4 cm	Length: 176 cm	Width: 49 cm	Weight: 0.80 kg	Retail box: 4	Old art. no	3 5 0 8 2 4
1			·	QUARANTEE 25 VEARS	 Supremely functional 3D lawn rake tines and larg perfectly designed for covering large areas and g lawn clippings and debris easily. Hardened aluminum and unique shaft profile rec without sacrificing strength that makes every streeffortless. The Softgrip™ handle design allows multiple har and exceptional handle end shape gives good st during use. Comparison thanging help on handle for accurate 	gathering uces weight oke nd positions upport

• Convenient hanging hole on handle for easy storage.

Classic rakes

Classic Leaf rake (XL)							1001584	EAN	
Height: 4.2 cm	Length: 173.5 cm	Width: 64.6 cm	Weight: 0,90 kg	Retail box:	5	Old art. no	135591	EA	3 ¹¹ 1 5 7 3 3 1 ¹¹ 3 5 5 9 1 4
						 Flat, rigit up and b 	locking the head.	c tine	ooden shaft. es prevent leaves from sliding e for all types of terrain.

Light rakes

Light Leaf	rake		Art. no. 1019606	z		
Height: 5.2 cm	Length: 172 cm	Width: 52 cm	Weight: 0.55 kg	Retail box: 4	Old art. no. 135563	E 6 411501 355638
			_			ake for cleaning the lawn and yard. nes prevent twigs and leaves from



Solid[™] rakes

Solid™ Leaf rake (L)						1003465	z
Height: 5cm	Length: 175 cm	Width: 52 cm	Weight: 0.50 kg	Retail box: 5	Old art. no.	135016	
					 Sturdy ar twigs and 	nd flexible tines d leaves from ge	n large lawn areas. with specific geometry prevent etting caught. aluminium handle.

Solid™ Le	af rake (M)		Art. no. 1003464	z		
Height: 3.5 cm	Length: 172 cm	Width: 44 cm	Weight: 0.52 kg	Retail box: 5	Old art. no. 135026	6 ¹⁴ 4 1 1 5 0 1 ¹¹ 3 5 0 2 6 8
					 Medium-sized all-purpose like around trees or under Sturdy tines work well on Lightweight but durable a 	rooty and uneven surfaces.

Solid [™] Ur	niversal gar	den rake	Art. no.	1003466	5 6 ¹ 411501 ¹ 350664		
Height: 11 cm	Length: 167 cm	Width: 41 cm	Weight: 0,44 kg	Retail box: 5	Old art. no.	135066	6 4 1 1 5 0 1 3 5 0 6 6 4

• For raking long, loose grass or branches and for preparing planting beds.

• Levelling function to even the soil bed.

• Lightweight but durable aluminium handle.

Solid rakes

Solid Leaf and lawn rake features an impressively lightweight design that makes every stroke effortless. Durable plastic tines are great for raking up and yard cleaning in general - season after season. If raking the lawn is your goal, these garden hand tools will not let you down.



SOLID L

- Wide rake for working on large lawn areas.
- Sturdy and flexible tines prevent twigs and leaves from getting caught.

SOLID M

- Medium-sized all-purpose rake for working around trees or under bushes.
- Sturdy tines work well on rooty and uneven surfaces.

SOLID UNIVERSAL

- For raking loose grass and branches.
- Great for preparing planting beds.
- Lightweight durable aluminium handle.

Grass shears

Fiskars Grass Shears are ergonomically designed with unique user friendly features. The ingenious Servo-System[™] technology prevents the blades from jamming. The blades are made from hardened stainless steel for long durability.



SERVO-SYSTEM[™] Cutting head adjusts up to 360°



0

- 194AFE GAR

SERVO-SYSTEM[™] Cutting head adjusts up to 360°

Grass shears

Servo-Sy	vstem™ Gra	ss shear, lo		Art. no. 1000590			
Height: 8cm	Length: 105 cm	Width: 25 cm	Weight: 0.74 kg	Retail box: 4	Oldart.no. 113690		
		Panjar	0	reddot design award winner 2006	 For trimming lawn edges standing up. Cutting angle adjustable 360°. Ergonomic handle with finger protection. Servo-System[™] technology prevents the blades from jamming. 		
Servo-Sy	vstem™ Gra	ss shear G	S42		Art. no. 1000589		
Height: 4.5 cm	Length: 34.4 cm	Width: 12 cm	Weight: 0.31 kg	Retail box: 4	Oldart.no. 113680		
					6 4 1 1 5 0 1 9 8 8 8 5 5		

SmartFit™ Grass shear GS40					Art. no. 1023632	z
Height: 3cm	Length: 38 cm	Width: 13 cm	Weight: 0.35 kg	Retail box: 5	Old art. no	6 4 1 1 5 0 1 1 2 0 1 0 6
New	6				 For trimming lawn edge Cutting angle adjustab Ergonomic handle with 	le 180°.

Light Gras	s shear GS	641	Art. no. 1026917	3		
Height: 3.2 cm	Length: 43 cm	Width: 13 cm	Weight: 0.28 kg	Retail box: 5	Old art. no	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 5 0 2 8 8 ¹¹



For trimming lawn edges and hedges.
White colour that makes the grass shear more visible.
Cutting angle adjustable 180°.
Ergonomic handle with finger protection.

Solid™ Gr	ass shear G	GS21	Art. no. 1026826	Ş		
Height: 4.5 cm	Length: 31.5 cm	Width: 8.5 cm	Weight: 0.32 kg	Retail box: 4	Old art. no	6" 4 1 1 5 0 1" 1 5 0 2 6 4"
	ALC: NO				For trimming lawn edges : Soft-touch handles for co	

Long handled edging shears							1000587	z	
Height: - cm	Length: 99 cm	Width: 24 cm	Weight: 1.69 kg	Retail box:	4	Old art. no.	113310	EAN	64115011331065
	+ CARAN					 Heat treat 		eel blade	es for added strength s for extra grip
l ong har	ndled lawn s	hears				Art no	1000588		

Long nan	alea lawn s	nears	Art. no. 1000588			
Height: -cm	Length: 110 cm	Width: 31 cm	Weight: 1.93 kg	Retail box: 4	Old art. no. 113320	6 411501133205
Re-					 For cutting grass, hedg Heat treated carbon ste Comfortable SoftGrip™ 	eel blades for added strength

The improved Weed pullers

Fiskars has three weed puller models to choose from. The sturdy Xact[™] with ergonomic handle design and the beautifully designed Light and Solid[™] weed pullers with ease of use and light aluminium construction.



Weed pullers

Xact [™] Weed puller					Art. no. 1020126	E 6 ¹¹ 411501 399502
Height: 10 cm	Length: 100 cm	Width: 30 cm	Weight: 0.95 kg	Retail box: 4	Old art. no. 139950	6 4 1 1 5 0 1 3 9 9 5 0 2
F	Personal Tor				 For removing any root (Ergonomically designed) 	

Light Wee	Light Weed puller					1020127	z	
Height: 9 cm	Length: 93 cm	Width: 30 cm	Weight: 0.90 kg	Retail box: 4	Old art. no.	139940	Ē	6" 4 1 1 5 0 1" 3 9 9 4 0 3
-								

• Light weed puller for removing any root weeds ergonomically and effortlessly.

Solid [™] W	eed puller		Art. no. 1026652	8 6 4 1 1 5 0 1 3 1 0 4 8 4		
Height: 9cm	Length: 93 cm	Width: 30 cm	Weight: 0.90 kg	Retail box: 4	Old art. no	6 4 1 5 1 3 1 4 4

Weed puller for removing any root weeds ergonomically and effortlessly.

Solid[™] Lawn edger

Solid™ L	awn edger		Art. no. 1011617	EAN		
Height: 3cm	Length: 110 cm	Width: 30.5 cm	Weight: 1.85 kg	Retail box: 3	Old art. no. 5371	⁵ 7 ¹¹ 3 1 7 7 9 7 ¹¹ 0 3 5 0 0 3 ¹
4		_ PRANY	-		 Durable all steel. Optimal for cutting straig beds. 	tht edges on lawn and planting

Solid[™] PopUp garden bags

Solid [™] PopUp garden bag 56 l					Art. no.	1015646	g 6 ¹ 411501 350411
Height: 3cm	Length: 40 cm	Width: 40 cm	Weight: 0.60 kg	Retail box: 6	Old art. no.	135041	
Û		·	·	·	leaves or g	grass clipping.	l and garden waste like damp ght open: 460 mm.

Solid [™] P	opUp garde	en bag 172	Art. no. 1015647	Ve alle alle alle alle alle alle alle al		
Height: 3 cm	Length: 56 cm	Width: 56 cm	Weight: 1.25 kg	Retail box: 6	Old art. no. 135042	6 4 1 1 5 0 1 3 5 0 4 2 8
					yard waste or even toys • Folds to 10 cm for spac • Internal spring pops it u	up for use. tant construction provides durability

Solid [™] Poj	pUp Garden	Bag 56L DS	Art. no. 1	1016627	B 6 4 1 1 5 0 1 3 5 0 4 3 5		
Height: 59 cm	Length: 62 cm	Width: 41 cm	Weight: 13.2 kg	Retail box: 1	Old art. no. 1	135043	6 4 1 1 5 0 1 3 5 0 4 3 5



Display fill: 16 x Small Garden Pop-Up Bag 56 L (1015646) (EAN 6411501350411)

Solid [™] Po	pUp Garden	Bag 172L D	Art. no. 1016628	3		
Height: 60 cm	Length: 60 cm	Width: 40 cm	Weight: 23.47 kg	Retail box: 1	Old art. no. 135044	6 ¹¹ 411501 ¹¹ 350442 ¹



Display fill: 16 x Large Garden Pop-Up Bag 172 L (1015647) (EAN 6411501350128)



Soil care

Spades, shovels & forks <mark>p.48</mark> QuikDrill[™] p.53 Cultivating tools p.54 Hand tools p.60

Digging

To make digging as easy as possible you need a reliable spade suitable for the task. That is why we have developed a variety of spades and shovels. We have spades for digging in hard soil, for edging and planting. We also have light spades for soft soil. We have shovels for ideal for moving sand, soil and snow. In short, we have a shedload of shovels and spades.



XACT™

Gardening is a demanding pastime. Fiskars Xact[™] digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you - combining the right length with lightweight material and durability.

LIGHT

The new beautiful Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

Xact[™] Spades & shovels

Xact [™] Dig	gging spade	e (M)			Art. no. 1003684	EAN
Height: 8.7 cm	Length: 108 cm	Width: 19 cm	Weight: 1.82 kg	Retail box: 4	Old art. no. 131482	6 4 1 1 5 0 1 3 1 4 8 2 6
			Ø	reddot design award best of the best 2014	 For digging in hard and rocky Pointed sharpened blade wit through soil layers and roots. For height of users 160 - 175 	h step board cuts easily
Xact [™] Dig	gging spade	e (L)			Art. no. 1003683	z
Height: 7 cm	Length: 120 cm	Width: 19 cm	Weight: 1.80 kg	Retail box: 4	Old art. no. 131483	6"411501"314833"
			-0	reddot design award best of the best 2014	 Best tool for digging in hard a Pointed sharpened blade wit through soil layers and roots. For height of users 175 - 195 	h step board cuts easily
				25 VEARS		
Xact [™] Ed	ging & plan	ting spade	(M)		Art. no. 1003682	EAN
Height: 7.5 cm	Length: 108 cm	Width: 19 cm	Weight: 1.87 kg	Retail box: 4	Old art. no. 131480	6 ¹¹ 411501 ¹¹ 314802 ¹¹
			Ø	reddot design award best of the best 2014	 For normal garden soil (grass Sharpened blade with step b planting holes, edging beds a soil. For height of users 160 - 175 	board is perfect for digging and removing small amounts of
Xact™ Ed	ging & plan	ting spade	(L)		Art. no. 1003681	z
Height: 10.5 cm	Length: 120 cm	Width: 19 cm	Weight: 2.06 kg	Retail box: 4	Old art. no. 131481	6"411501" 314819
				reddot design award best of the best 2014	 For normal garden soil (grass Sharpened blade with step b planting holes, edging beds soil. For height of users 175 - 195 	board is perfect for digging and removing small amounts of
Xact [™] Sh	ovel (L)				Art. no. 1003688	EBA
Height: 16.7 cm	Length: 130 cm	Width: 22.4 cm	Weight: 1.95 kg	Retail box: 4	Old art. no. 132480	6 4 1 1 5 0 1 3 2 4 8 0 1
			C	reddot design award best of the best 2014	 The shovel with broad scoop bulk materials, such as soil, Easier shovelling due to uprig 	sand or snow.

Xact[™] Forks

Xact [™] So	il Work fork	(M)			Art. no. 1003686
Height: 7.5 cm	Length: 108 cm	Width: 19 cm	Weight: 1.54 kg	Retail box: 4	Old art. no. 133480
				reddot design award best of the best 2014	 For loosening and turning over compacted soil. Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds. For height of users 160 - 175 cm. The tines can be pushed easily into the ground not stopped by stones, weed or roots.
Xact [™] So	il Work fork	: (L)	Art. no. 1003685		
Height: 7.5 cm	Length: 120 cm	Width: 19 cm	Weight: 1.64 kg	Retail box: 4	Old art. no. 133481
				reddot design award best of the best 2014	 For loosening and turning over compacted soil. Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds. For height of users 175 - 195 cm. The tines can be pushed easily into the ground not stopped by stones, weed or roots.
Xact [™] Co	mposting f	ork (L)			Art. no. 1003687
Height: 11.4 cm	Length: 120 cm	Width: 18.4 cm	Weight: 1.57 kg	Retail box: 4	Old art. no. 133482
	3		_¢	Reddot design award best of the best 2014	 For lifting, turning and spreading loose material like grass, hay, weeds, leafs, compost and other garden waste. The thin and sharp tines that are more widely spaced and curved than in a garden fork can be pushed easily into the compost and chunky material doesn't get stuck in the tines. Upright shaft helps the composting task. Suitable for all heights of users.



Light Spades & Forks

Light Digg	ing spade		Art. no. 1019605	z		
Height: 90 cm	Length: 105 cm	Width: 16.5 cm	Weight: 1.07 kg	Retail box: 4	Old art. no. 131513	8 ⁶ 4 11501 3 15 137
(;;=		PERMIS	-0		 Light digging spade with penetration to soil. For light digging in normal 	pointed cutting edge for easier al to loose garden soil.

Light Plan	ting spade		Art. no. 1019601	3		
Height: 10 cm	Length: 105 cm	Width: 16.5 cm	Weight: 1.10 kg	Retail box: 4	Old art. no. 131503	B 6 4 1 1 5 0 1 3 1 5 0 3 8
			-		Light planting spade for di	gging planting holes, edging beds



 Light planting spade for digging planting holes, edging bec 	ls
and removing small amounts of soil.	

• Ideal for light digging in normal to loose garden soil.

Light Show	vel		Art. no.	1019602	EAN		
Height: 16.5 cm	Length: 120 cm	Width: 23.3 cm	Weight: 1.43 kg	Retail box: 4	Old art. no.		6 ¹ 4 1 1 5 0 1 ¹¹ 3 2 5 0 3 7 ¹¹



• Light shovel with broad scoop is an easy to handle tool for lifting and moving soil, mulch or snow.

Height: 9.8 cm Length: 105 cm Width: 18 cm Weight: 1.13 kg Retail box: 4 Old art. no. 133503 6 4 1.5 0 1" 3.5 0.3 6"	Light Digg	ing fork				Art. no. 1019603	z
	Height: 9.8 cm	Length: 105 cm	Width: 18 cm	Weight: 1.13 kg	Retail box: 4	Old art. no. 133503	6 4 1 1 5 0 1 3 3 5 0 3 6


• Light fork for loosening and turning over soil, harvesting and composting.

Light Digging tools

(1

The Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

- The oval-shaped aluminium shaft is lightweight
- Optimal anti-shock surface structure ensures a comfortable, firm grip
- Plastic sleeve maximises the grip and insulates from cold



Solid[™] Spades & S hovels

Solid [™] Sp	oade pointe	d	Art. no. 1003455			
Height: 13.5 cm	Length: 117 cm	Width: 18 cm	Weight: 1.64 kg	Retail box: 4	Old art. no. 131413	₩ 6 ¹¹ 411501 ¹¹ 314130
e		t-sat	-0		 All-purpose digging sp cutting edge. 	pade with pointed and sharpened

Solid [™] S	pade round	led	Art. no. 1003456	z		
Height: 14 cm	Length: 117 cm	Width: 18 cm	Weight: 1.94 kg	Retail box: 4	Old art. no. 131403	4 1 5 3 1 4 1 5 1
			PEHANS'		 Straight and sharpened moving and mixing soil. 	d cutting edge for cutting grass and

Solid [™] Sh	novel		Art. no. 1003457	E 6 4 1 1 5 0 1 3 2 4 0 3 0		
Height: 18.7 cm	Length: 127 cm	Width: 23.5 cm	Weight: 2.13 kg	Retail box: 4	Old art. no. 132403	6 4 1 1 5 0 1 3 2 4 0 3 0



• For moving sand, gravel and other bulky materials.

Solid [™] Fo	ork		Art. no. 1003458	z		
Height: 8.5 cm	Length: 120.5 cm	Width: 18 cm	Weight: 1.66 kg	Retail box: 4	Old art. no. 133423	B 6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 3 4 2 3 7 ¹¹
					 For loosening and turning Use also for aerating the l 	g over compacted soil. Jawn or raking out stones and

 Use also for aerating the lawn or raking out stones an weeds.



Easy to transport and carry.

Foldable spade

Foldable Spade								Art. no.	1000621	z	
Height: 6.5 cm	Length: 24.5 cm	Width:	16.5 cm	Weight:	1.04 kg	Retail box:	4	Old art. no.	131320	EAN	6 4 1 1 5 0 3 2 7 5 0 1 9
	7					iF		practical • Canvas s • Durable s aluminiur	for camping, heath for safe pade of hard n and plastic.	sports, e storage ened bor	rks as spade and hoe, is tc. and protection. on steel, hardened in length. by stones, weed or


QuikDrill™

Fiskars QuikDrill[™] makes many garden tasks simpler, easier and more precise. It is a handy tool for many uses when planting flowers or bushes or when aerating and fertilising the ground.

QuikDrill™ Garden drill (M)							1000638	z	
Height: 15 cm	Length: 111 cm	Width: 51 cm	Weight: 2.15 kg	Retail box:	2	Old art. no.	134720	EAI	5 9 0 5 5 6 8 3 4 7 2 0 6
						installing	nnial planting, aera medium sized pos ole width 150mm.	sts.	and mixing compost and

Cultivating tools


Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.





Perfect tools covering all cultivating tasks with ultimate performance.

A beautiful, versatile range of light tools.



Xact[™] Soil care tools

Xact [™] Cu	ıltivator 3-p	rongs 150	mm		Art. no. 1027040	z
Height: 11.6 cm	Length: 172 cm	Width: 14.8 cm	Weight: 0.88 kg	Retail box: 4	Old art. no	6"411501" 350855
			reddot award 2019 winner	GUARANTEE 25 VEARS	soil efficiently. • Rigid and sturdy stainless precisely when tilling and • Hardened aluminum and without sacrificing streng • The Softgrip™ handle des and exceptional handle en use.	cultivator for loosening compacted s-steel prongs penetrate soil cultivating the soil. unique shaft profile reduces weight th that makes every stroke effortless. sign allows multiple hand positions nd shape gives good support during on handle for easy storage.
Xact™ Du	itch hoe 12	5 mm			Art. no. 1027041	EAN
Height: 4 cm	Length: 170 cm	Width: 12.4 cm	Weight: 0.80 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 8 6 2
]			reddot award 2019 winner	OUARANTEE 25 VEARS	below the soil surface ext Sharp stainless steel blad weeding and cultivating tf Hardened aluminum and without sacrificing streng The Softgrip™ handle des and exceptional handle en use.	les penetrate soil precisely when
Xact™ Pu	ish-Pull we	eder 135 m	m		Art. no. 1027042	EA
Height: 11.6 cm	Length: 167.5 cm	Width: 13.5 cm	Weight: 0.76 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 8 7 9
[}-			reddot award 2019 winner	QUARANTEE 25 YEARS	vegetables without dama • Stainless steel and mobile pull and push stroke belov • Hardened aluminum and without sacrificing streng • The Softgrip™ handle des and exceptional handle en use.	e blade cut through weeds on the
Xact [™] We	eeding knife	e 30 mm			Art. no. 1027112	z
Height: 2.9 cm	Length: 173 cm	Width: 9.5 cm	Weight: 0.73 kg	Retail box: 4	Old art. no	6"411501" 350886"
			reddot award 2019 winner	GUARANTEE 25 VEARS	between paving stones au Precisely finished stainles performance and control. Hardened aluminum and without sacrificing streng • The Softgrip™ handle des	s steel blades provide ultimate unique shaft profile reduces weight th that makes every stroke effortless. sign allows multiple hand positions nd shape gives good support during

• Convenient hanging hole on handle for easy storage.

Xact [™] Ro	ose rake 250) mm (S)	Art. no. 1027038		
Height: 7.1 cm	Length: 165.5 cm	Width: 23.3 cm	Weight: 0.79 kg	Retail box: 4	Oldart. no
				CUARANTEE 25 VEARS	 Durable stainless steel head with 10-prongs for raking in narrow areas. Efficient rake for cleaning and spreading soil in small spaces around, between and under plants. Hardened aluminium and unique shaft profile reduces weight without sacrificing strength that makes every stroke effortless The Softgrip™ handle design allows multiple hand positions and exceptional handle end shape gives good support during use. Convenient hanging hole on handle for easy storage
Xact [™] So	oil rake 400 ı	mm (M)			Art. no. 1027039
Height: 8.5 cm	Length: 164 cm	Width: 37.3 cm	Weight: 1.04 kg	Retail box: 4	Oldart.no
				CUARANTEE 25 VEARS	 Expressly durable stainless steel head with 13-prongs for raking in larger areas. Perfect rake for preparing planting bends, levelling soil, cleaning and spreading. Hardened aluminium and unique shaft profile reduces weight without sacrificing strength that makes every stroke effortless The Softgrip™ handle design allows multiple hand positions and exceptional handle end shape gives good support during use

during use. • Convenient hanging hole on handle for easy storage

Light Soil care tools

This beautiful range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks.



Light Wee	der		Art. no. 1019610	₩		
Height: 4.5 cm	Length: 164.5 cm	Width: 14.5 cm	Old art. no. 136563	[™] 6" 4 1 1 5 0 1" 3 6 5 6 3 7"		
1000					• Light weeder for removing	weeds from vegetable bed and

Light weeder for removing weeds from vegetable bed and
larger areas.
 Sharp steel blade to remove weeds.

Height: 11 cm Length: 164 cm Width: 9.5 cm Weight: 0.55 kg Retail box: 4 Old art. no. 136573	Light Culti	vator				Art. no. 1019611	۲ 6 ¹ 411501 ¹ 365736
	Height: 11 cm	Length: 164 cm	Width: 9.5 cm	Weight: 0.55 kg	Retail box: 4	Old art. no. 136573	6"411501"365736

• Light cultivator for loosening compacted soil.

• Sharp hardened steel prongs to penetrate soil easily when cultivating.

Light Hoe					Art. no.	1019609	EAN
Height: 9 cm	Length: 158 cm	Width: 19.5 cm	Weight: 0.48 kg	Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 6 5 5 3 8
1							

• Light hoe for removing weeds and loosening soil in vegetable bed and under plants.

Steel blade with sharp edges to reach under plants.

Light Soil rake							1019608	z	
Height: 6.5 cm	Length: 158 cm	Width: 36 cr	Weight: 0.6	4 kg Retail box:	4	Old art. no.	135523	EAN	6 4 1 1 5 0 1 3 5 5 2 3 2
					•	cleaning	and spreading.		nting bends, levelling soil, prongs for raking in larger

Light Ros	e rake						Art. no.	1019607	z	
Height: 6.5 cm	Length: 158 cm	Width: 24.5 cm	Weight:	0.52 kg	Retail box:	4	Old art. no.	135503	Ē	6"411501"355034
(• Light ros	e rake for cleaning	hand	spreading soil in small

Light rose rake for cleaning and spreading soil in small spaces around salad and under plants.
Special rake form of hardened steel to rake between and

under plants.



Solid[™] soil care tools

Solid™ C	ultivator		Art. no. 1016034	EAN		
Height: 12 cm	Length: 167 cm	Width: 13 cm	Weight: 0.59 kg	Retail box: 4	Old art. no. 135714	₫ 6 [°] 4 1 1 5 0 1 [°] 3 5 7 1 4 4 [°]
4				_	 Easy to use tool for loose planting. Hardened carbon steel b Aluminium handle. 	ning and tiling the soil before lade.

Solid™ H	oe				Art. no.	1016035	6 ¹¹ 411501 ¹¹ 357137 ¹¹
Height: 14 cm	Length: 164 cm	Width: 16 cm	Weight: 0.52 kg	Retail box: 4	Old art. no.		6"411501"357137"
					• Efficient i	-	de between rewe of plants or

• Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation.

Hardened carbon steel blade.

Solid [™] So	oil rake		Art. no. 1016036	E 6 ⁶ 4 11 50 1 ¹⁰ 3 57 1 5 1 ¹⁰		
Height: 7 cm	Length: 156.5 cm	Width: 36 cm	Weight: 0.62 kg	Retail box: 4	Old art. no. 135715	6 4 1 1 5 0 1 3 5 7 1 5 1

All purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch.
Hardened carbon steel blade.
Aluminium handle.

Hand tools

Fiskars hand tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.







PREMIUM PLANTERS Ergonomically designed for comfortable planting



ERGO[™] PLANTERS Robust nursery tools for demanding cultivating tasks



LIGHT PLANTE Lightweight and rust-free nursery tools



FISKA


SOLID[™] Lightweight and rust-free nursery tools

Xact[™] Hand tools

						-
Xact [™] Tro	owel	1			Art. no. 1027043	EAN
Height: 5cm	Length: 37.5 cm	Width: 8.3 cm	Weight: 0.28 kg	Retail box: 4	Old art. no	6 ¹¹ 411501 ¹¹ 350893 ¹
			reddot award 2019 winner	GUARANTEE 25 VEARS	 and turning up the soil. Large stainless steel hear more soil faster and cuts in Comfortable handle design handle positions during un balance and extra power 	gn with Softgrip™ allows multiple se, longer handle brings perfect
Xact™ Ha	and rake				Art. no. 1027044	z
Height: 4cm	Length: 44.3 cm	Width: 12.3 cm	Weight: 0.20 kg	Retail box: 4	Old art. no	6 ⁶ 4 1 1 5 0 1 ¹⁰ 3 5 1 0 1 2 ¹⁰
M	1		reddot award 2019 winner	OUARANTEE 25 VEARS	weeds and grass cuttings reach areas. • Perfectly finished stainles ultimate precision and co • Comfortable handle desig handle positions during u balance and extra power	gn with Softgrip™ allows multiple se, longer handle brings perfect
Xact [™] Sn	nall weeding	g knife			Art. no. 1027045	EAN
Height: 3cm	Length: 33.8 cm	Width: 9.4 cm	Weight: 0.27 kg	Retail box: 4	Old art. no	6"411501" 351029
2-19			Contemporation with the second	CUARANTEE 25 VEARS	 between paving stones a Precisely finished stainles performance and control Comfortable handle desig handle positions during u balance and extra power 	s steel blades provide ultimate gn with Softgrip™ allows multiple se, longer handle brings perfect
Xact™ Ex	tractor				Art. no. 1027046	z
Height: 3.6 cm	Length: 39.6 cm	Width: 4.3 cm	Weight: 0.26 kg	Retail box: 4	Old art. no	6 ¹ 4 1 1 5 0 1 ¹ 3 5 1 0 3 6
			reddot award 2019 winner	UURRANTEE 225 YEARS	 with minimal soil adhesion Sharp and long stainless efficiency. Comfortable handle desig handle positions during u balance and extra power 	steel blade provide precision and gn with Softgrip™ allows multiple se, longer handle brings perfect
Xact™ Cι	Iltivator				Art. no. 1027047	EAN
Height: 6.2 cm	Length: 32.3 cm	Width: 9.2 cm	Weight: 0.26 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 1 0 4 3
7			reddot award 2019	OUARANTEE 225 VEARS	 weeds and aerating soil. Large and sharp stainless contact to speed work. Comfortable handle desig handle positions during u balance and extra power 	Iltivator for loosening soil, removing s steel tines provide maximum soil gn with Softgrip™ allows multiple se, longer handle brings perfect when needed (lever). on handle for easy storage.

Premium Planters[™] Hand tools

Fiskars hand tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.









For planting and weeding in hard ground.Perfect for use in narrow bed layouts and on balconies.

Premium	Planters™	Cultivator	Art. no. 1000728	EAN			
Height: 5cm	Length: 25 cm	Width: 8cm	Old art. no. 137220	6 ⁶ 411501 ⁶ 372208 ⁶			
			9	• For aerating and loosening soil in hard ground.			
-				reddot design award winner 2011			

Premium	Planters [™] \	Weed fork	Art. no. 1000729	2		
Height: 4.9 cm	Length: 31.2 cm	Width: 7.8 cm	Weight: 0.12 kg	Retail box: 4	Old art. no. 137230	8 6 411501 372307
				reddot design award winner 2011	• For planting and weedin	ig whilst protecting roots.

Ergo[™] Hand tools

Ergo Trov	wel		Art. no. 1027017	z		
Height: 2.5 cm	Length: 30 cm	Width: 7.5 cm	Weight: 0.17 kg	Retail box: 6	Old art. no	6 ¹¹ 411501 350718
					clods. • Lightweight, ergonon your hand and helps i	ak while digging in dense soil.

Ergo Trar	splanter		Art. no. 1027018	K 6 ¹ 4 1 1 5 0 1 ¹ 3 5 0 7 2 5 ¹		
Height: 2.5 cm	Length: 30 cm	Width: 5.5 cm	Weight: 0.14 kg	Retail box: 6	Old art. no	6 ¹¹ 411501 ¹¹ 350725 ¹
					your hand and helps red • Steel head won't break	cally shaped handle feels natural in duce fatigue. while digging in dense soil. blade make it easy to measure

Ergo Culti	vator			Art. no. 1027019	E 6 ⁶ 4 11 5 0 1 ¹⁰ 3 5 0 7 3 2 ¹⁰	
Height: 4.5 cm	Length: 30.5 cm	Width: 8.5 cm	Weight: 0.25 kg	Retail box: 6	Old art. no	6"411501"350732"



Ideal for digging in tough soil and breaking up hardened dirt
clods.
 Lightweight, ergonomically shaped handle feels natural in

- Steel head won't break while digging in dense soil.
 Large tines provide maximum soil contact to speed up work.

Ergo Cult	ivator hoe		Art. no. 1027030	EAN		
Height: 7.5 cm	Length: 30.5 cm	Width: 18 cm	Weight: 0.25 kg	Retail box: 6	Old art. no	6 4 1 1 5 0 1 3 5 0 7 4 9
Y					 Lightweight, ergonomi your hand and helps re Sharpened hoe blade blade	breaks up hard soil easily. provide maximum soil contact to

Ergo Wee	ding knife		Art. no. 1027031	z		
Height: 2.5 cm	Length: 31 cm	Width: 2.5 cm	Weight: 0.13 kg	Retail box: 6	Old art. no	8 4 1 1 5 0 1" 3 5 0 7 5 6
					plants. • Lightweight, ergonor your hand and helps • Steel head won't breat	andelions, thistles and other invasive mically shaped handle feels natural in reduce fatigue. ak while digging in dense soil. b helps you remove weeds by the roots.

Erg	Ergo Hand tools set									Art. no. 1027681				
Heigl	nt:	36 cm	Length:	5.8 cm	Width:	12.5 cm	Weight:	0.58 kg	Retail box:	4	Old art. no.	-	Å.	6 4 1 1 5 0 1 3 5 1 0 7 4
													-	

Light Hand tools

Light Trov	vel		Art. no. 1027032	z		
Height: 4.7 cm	Length: 29.1 cm	Width: 8.3 cm	Weight: 0.08 kg	Retail box: 16	Oldart.no	6 4 1 1 5 0 1 3 5 0 7 6 3
C	-	n: •			 Ideal for planting and tr Lightweight and durab Rust-proof. Hanging hole for easy s Can lift up to 35 kg. 	le FiberComp™ material.

Light Tran	splanter		Art. no. 1027033	EAN		
Height: 4.2 cm	Length: 29.1 cm	Width: 5.8 cm	Weight: 0.07 kg	Retail box: 16	Old art. no	6 4 1 1 5 0 1 3 5 0 7 7 0
		WEE :			 Ideal for planting and w Perfect for use in narrow Lightweight and durable Rust-proof. Hanging hole for easy s Can lift up to 35 kg. 	v bed layouts and on balconies. e FiberComp™ material.

Light Fork			Art. no. 1027034			
Height: 4cm	Length: 26.3 cm	Width: 7.8 cm	Weight: 0.09 kg	Retail box: 16	Old art. no	6 4 1 1 5 0 1 3 5 0 7 8 7
3	Part	ARES			 Ideal for planting and we Lightweight and durable Rust-proof. Hanging hole for easy st Can lift up to 35 kg. 	

•	Can lift	up	to 35	kg.	

Light Culti	ivator hoe			Art. no. 1027035	z	
Height: 5cm	Length: 27.6 cm	Width: 7.6 cm	Weight: 0.09 kg	Retail box: 16	Old art. no	6 ¹ 4 1 1 5 0 1 ¹ 3 5 0 7 9 4 ¹

Ideal for multiple planting and weeding tasks.
Lightweight and durable FiberComp™ material.
Rust-proof.
Hanging hole for easy storage.
Can lift up to 35 kg.


Light Han	d tools set		Art. no. 1027682	EAN		
Height: 33.6 cm	Length: 4.5 cm	Width: 24 cm	Weight: 0.42 kg	Retail box: TB	Cld art. no	6 4 1 1 5 0 1 3 5 1 0 9 8
					Set includes: 1 x Trowel (1027032) 1 x Transplanter (1027033) 1 x Fork (1027034)	

Solid[™] Hand tools

Solid [™] P	lanters Trov	vel	Art. no. 1000694			
Height: 4.7 cm	Length: 29.1 cm	Width: 8.3 cm	Weight: 0.08 kg	Retail box: 16	Old art. no. 137000	0 1
		une D		iŀ	 Ideal for planting and transplanting. Lightweight and durable FiberComp[™] material. Rust-proof. Hanging hole for easy storage. Can lift up to 35 kg. 	
Solid™ P	lanters Trar	nsplanter			Art. no. 1000695	
Height: 4.2 cm	Length: 29.1 cm	Width: 5.8 cm	Weight: 0.07 kg	Retail box: 16	Old art. no. 137010	0 0
		uur 🚺		il	 Ideal for planting and weeding. Perfect for use in narrow bed layouts and on balconies. Lightweight and durable FiberComp[™] material. Rust-proof. 	

Hanging hole for easy storage.Can lift up to 35 kg.

Solid [™] Planters cultivator					Art. no. 1001600	EAN
Height: 5 cm	Length: 27.6 cm	Width: 7.6 cm	Old art. no. 137020	6 ¹ 4 1 1 5 0 3 ¹ 4 6 0 3 0 9		
	-			il	 Ideal for aerating and loose Lightweight and durable Fil Rust-proof. Hanging hole for easy stora Can lift up to 35 kg. 	berComp™ material.



Solid [™] P	lanters hoe		Art. no. 1001601	2		
Height: 7.5 cm	Length: 32.2 cm	Width: 19.9 cm	Weight: 0.15 kg	Retail box: 16	Old art. no. 137040	6" 4 1 1 5 0 2" 4 6 0 5 0 8"
		D		iF	 Ideal for multiple plant Lightweight and durab Rust-proof. Hanging hole for easy Can lift up to 35 kg. 	ble FiberComp™ material.

Solid [™] Pla	anters tool	set			Art. no.	1001671	3
Height: 26 cm	Length: 7 cm	Width: 39 cm	Weight: 0.4 kg	Retail box: 5	Old art. no.	-	6 ¹ 411501 ¹ 702197 ¹



- Tool set components 1 x Solid Trowel (EAN 6411503460101) 1 x Solid Cultivator (EAN 6411503460309) 1 x Solid Transplanter (EAN 6411503460200)



QuikFit™

and in the second

Click & Reach p Click & Clean p.73 Click & Grow p.76

.

the side

Carrier Collinger

255

0

PISVA Fis

Smart and safe solution

reddot design award

winner 2010

Fiskars QuikFit[™] is a range of garden products with interchangeable heads and handles for a variety of garden tasks. In particular, Fiskars QuikFit[™] offers safe and smart solutions for those high reach jobs, enables effective lawn and yard cleaning and offers neat and transportable solutions for cultivating work.

Shaft L + saw


↑ 6m reach

Shaft M + saw ↑ **3.5 m**

Easy compatibility



QUIKFIT™ SHAFT QUIKFIT[™] UNIVERSAL ADAPTER



QuikFit[™] Click & reach



QuikFit[™] Tree cutter Art. no. 1001410 EAN Height: 7.5 cm Length: 44 cm Width: 12.5 cm Weight: 0.57 kg Retail box: 6 Old art. no. 136525 Enhanced cutting power (x12) with PowerReel[™] mechanism. • No external ropes on the cutting head allows to easily reach any branch. Anvil cutting action for dry and hard wood. • Cutting capacity: Ø 32 mm. Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit™	Curved sav	v	Art. no. 1000691	z		
Height: 6cm	Length: 65 cm	Width: 7 cm	Weight: 0.32 kg	Retail box: 6	Old art. no. 136527	B 5 9 0 5 5 6 8 3 6 5 2 7 9
-	f an ensuing				 Top-hook ensures non Bottom knife ensures a below the branch. 	d steel blade with a length of 360mm. -slip stediness while pulling. a clean and precise finishing cut from elescopic Shaft L and Telescopic

QuikFit™	Fruit picker	r	Art. no. 1000693	EAN		
Height: 8.5 cm	Length: 41 cm	Width: 16.8 cm	Weight: 0.23 kg	Retail box: 6	Old art. no. 136950	5 905568 369505
						ranch due to broad opening, cts the fruit to the end of the tips.

optimal design which directs the fruit to the end of the tips. • Cotton bag, which can be removed for washing. • Added durability due to FiberComp™ lightweight design. Recommended Shaft: Telescopic Shaft L, Telescopic Shaft M and Shaft L.

QuikFit™	⁴ Gutter clea	aner			Art. no. 1001414	z
Height: 7 cm	Length: 26 cm	Width: 34 cm	Weight: 0.34 kg	Retail box: 6	Old art. no. 135542	5 ¹ 9 0 5 5 6 8 ¹¹ 3 5 5 4 2 3
		77.	ί.		gutter cleaning capabiliti • Adjustable angle ensures from the ground.	nd scraper offers full complement ies. es optimal positioning of tool safely

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit™ Telescopic shaft (M)					Art. no.	1000666	EAN	
Height: 4.5 cm Lengt	th: 140 cm	Width: 7.5 cm	Weight: 1.01 kg	Retail box: 6	Old art. no.	136042	ш	5 ¹¹ 9 0 5 5 6 8 ¹¹ 3 6 0 4 2 7 ¹¹

• Especially designed for hard to reach tasks in the garden with a reach of up to 4 metres, it fits conveniently into most cars.

- Dual locking system for maximum safety.
- Lightweight aluminium.
 Adjustable shaft length from 1
- Adjustable shaft length from 1400 2400 mm.

QuikFit[™] Click & reach



QuikFit[™] Telescopic shaft (L)

QuikFit™	QuikFit™ Telescopic shaft (L)						1000665	z	z
Height: 4cm	Length: 228.5 cm	Width: 9.5 cm	Weight: 1.55 kg	Retail box:	4	Old art. no.	136032	EAN	5 9 0 5 5 6 8 3 6 0 3 2 8
						with a rea • Dual lock • Lightweig	y designed for h ach of up to 6 m king system for r ght aluminium. le shaft length f	naximu	,
					New-		-		

QuikFit[™] Click & clean



QuikFit[™] Leaf rake (L)

QuikFit™	^r Leaf rake (l	_)	Art. no. 1000642	z		
Height: 6cm	Length: 41.5 cm	Width: 51 cm	Retail box: 6	Old art. no. 135013	E 6 ¹ 4 1 1 5 0 1 ¹ 3 5 0 1 3 8	
					 More comfort with less direction. 	fallen leaves and grass cuttings. effort due to tines working in a pulling s of high-quality PBT plastic that naft L

QuikFit™	Leaf rake r	netal	Art. no. 1000644	E 6 ¹ 411501 352019				
Height: 7.5 cm	Length: 59 cm	Width: 45 cm	Weight: 0.50 kg Retail box: 6 Old art. no. 135201 6 4 1 1 5 0 1					
					 For removing loose moss 22 flexible steel prongs. 	and grass cuttings from the lawn.		

Recommended Shaft: Shaft L

QuikFit™	Gather rake	9	Art. no. 1000656	EA		
Height: 12 cm	Length: 26 cm	Width: 56.7 cm	Weight: 0.93 kg	Retail box: 2	Old art. no. 135514	5 9 0 5 5 6 8 5 4 0 3 3 1


	-		
	77 👕	[]
		1 1	
111111111			

- Wide rake for gathering leaves and cutting waste from lawn areas.
- Hardened carbon steel head.
- Recommended Shaft: Shaft L

QuikFit™	Aerator rak	e	Art. no. 1000655	B 5 9 0 5 5 6 8 5 4 0 3 2 4		
Height: 8.2 cm	Length: 36 cm	Width: 35.5 cm	Weight: 0.99 kg	Retail box: 2	Old art. no. 135513	5 ¹ 905568 ¹ 540324

• For removing moss and thatch from lawn areas. • Hardened carbon steel head. Recommended Shaft: Shaft L

QuikFit [™] Leaf rake (S)						1000659	EAN	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 5 5 1 5 ¹¹
Height: 4.2 cm	Length: 41 cm	Width: 22 cm	Weight: 0.17 kg	Retail box: 6	Old art. no	135551	Ш Ш	6 4 1 1 5 0 1 3 5 5 5 1 5



 More comfort with less effort due to tines working in a pulling direction.

 11 soft and flexible tines of high-quality PBT plastic that withstand bending. Recommended shaft: Shaft M and L

73

QuikFit[™] Click & clean



QuikFit™	Flower rake	9	Art. no. 1001412			
Height: 4 cm	Length: 48.5 cm	Width: 12.5 cm	Retail box: 6	Old art. no. 135552	E 6 4 1 1 5 0 1 3 5 5 5 2 2	
	M					⁴ frame and 7 steel tines construction. - ideal for nursery spaces and narrow Handle S and Shaft M

QuikFit™	Lawn edge	er	Art. no. 1000690	B 5 905568 540454		
Height: 4cm	Length: 35 cm	Width: 19.7 cm	Retail box: 6	Old art. no. 136526	5 9 0 5 5 6 8 5 4 0 4 5 4	

QuikFit™	n	Art. no. 1001417	z	5" 9 0 5 5 6 8" 3 5 5 3 2 4"			
Height: 10 cm	Length: 29 cm	Width: 26 cm	Weight: 0.33 kg	Retail box: 6	Old art. no. 135532	Ē	5 9 0 5 5 6 8 3 5 5 3 2 4
					 All-purpose yard broom. Featuring Fiskars PowerC bristles for efficient sweep Recommended shaft: Shaf 	oing.	0

QuikFit™l	n	Art. no. 1001416	z	5 9 0 5 5 6 8 3 5 5 3 3 1			
Height: 9.5 cm	Length: 31 cm	Width: 38 cm	Weight: 0.34 kg	Retail box: 6	Old art. no. 135533	EA	5 ¹¹ 9 0 5 5 6 8 ¹¹ 3 5 5 3 3 1 ¹¹



For sweeping smooth surfaces like patios, wooden decks and polished concrete floors.
Fast efficient sweeping due to the wide brush head and soft bristles.

Recommended shaft: Shaft M and L

QuikFit™	proom	Art. no. 1001415	z				
Height: 7 cm	Length: 39.5 cm	Width: 26 cm	Weight: 0.39 kg	Retail box: 6	Old art. no. 135534	E	5 9 0 5 5 6 8 3 5 5 3 4 8

• A modern take on the traditional sweeping broom.

Robust construction and long bristles ideal for coarser

debris, leaves etc..

Recommended shaft: Shaft M and L



QuikFit[™] Click & clean

HISKARS



QuikFit[™] Paving brush

QuikFit™	Paving brus	sh	Art. no. 1000657	z		
Height: 4.5 cm	Length: 32.5 cm	Width: 14.5 cm	Weight: 0.19 kg	Old art. no. 135522	B 5 9 0 5 5 6 8 3 5 5 2 2 5	
					 Hardened steel front Steel bristles to scrul 	sistant to moisture due to lightweight uction.

QuikFit™	Patio knife				Art. no. 1000687	z
Height: 7 cm	Length: 33.5 cm	Width: 7.5 cm	Weight: 0.16 kg	Retail box: 6	Old art. no. 136521	₹ 5 ¹ 905568 ¹ 540393

Recommended shaft: Shaft M and L

QuikFit™S	Straight sav	N			Art. no. 1000692	EAN	5 ¹ 9 0 5 5 6 8 ¹ 3 6 5 2 8 6 ¹
Height: 10 cm	Length: 62 cm	Width: 10 cm	Weight: 0.20 kg	Retail box: 6	Old art. no. 136528	Ē	

and a second

For sawing tasks in the garden.
FiberComp[™] slider and adaptor.
Hardened steel blade with a length of 345 mm.
Recommended shaft: Shaft M and L

QuikFit[™] Click & grow



QuikFitTM Soil rake 14 prongs Art. no. 1000653 Height: 9 cm Length: 27 cm Width: 38 cm Weight: 0.44 kg Retail box: 6 Old art. no. 135511 Image: state of the s

QuikFit [™] Soil rake 16 prongs					Art. no. 100065	4 z	
Height: 8cm	Length: 26.5 cm	Width: 61.4 cm	Weight: 0.45 kg	Retail box: 6	Old art. no. 135512	ĒA	5 9 0 5 5 6 8 5 4 0 3 1 7
					 For raking, levelli wider area. 16 tines of hardel Recommended sh 	ned carbon ste	ng seed beds that cover a

QuikFit™	Universal I	rake	Art. no. 1000643	z		
Height: 11 cm	Length: 26 cm	Width: 41 cm	Weight: 0.28 kg	Retail box: 6	Old art. no. 135051	6 ¹ 411501 350510
11111					sand and packing dow	g beds by levelling the ground and in the soil. designed at a specific angle to help e. ren the soil bed.

QuikFit™	Rose rake				Art. no. 1000651	z
Height: 7.5 cm	Length: 29.5 cm	Width: 24.3 cm	Weight: 0.22 kg	Retail box: 6	Old art. no. 135501	5 905568 540355
k					Unique head shape allows plants and stems without	the gardener to work between



QuikFit™	Cultivator				Art. no. 1000680	z	
Height: 12 cm	Length: 40 cm	Width: 12 cm	Weight: 0.40 kg	Retail box: 6	Old art. no. 136511	EA	5 9 0 5 5 6 8 5 4 0 4 2 3
0							

• For cultivating, scarifying, aerating and breaking up soil.

• Suitable for seed bed preparation and maintenance.

Blade of hardened carbon steel.

Recommended shaft: Shaft L

77

QuikFit[™] Click & grow

QuikFit[™] Cultiweeder Art. no. 1000681 EAN Height: 17.5 cm Length: 41.5 cm Width: 12.5 cm Weight: 0.51 kg Retail box: 6 Old art. no. 136512 6 • For cultivating, scarifying, aerating and breaking up soil. • Suitable for seed bed preparation and maintenance. • Blade of hardened carbon steel. Recommended shaft: Shaft L

QuikFit™	Grubber				Art. no. 1000685	z
Height: 10 cm	Length: 36.5 cm	Width: 9cm	Weight: 0.36 kg	Retail box: 6	Old art. no. 136517	B 5 905568 365170
1					• For cultivating and aeratir	ng garden flower beds.

QuikFit™	Ное				Art. no.	1000677	EAN
Height: 9.5 cm	Length: 32.5 cm	Width: 19.5 cm	Weight: 0.27 kg	Retail box: 6	Old art. no	. 136503	N 5 ¹¹ 905568 ¹¹ 540379 ¹¹
7						tool for removing w 1 up the soil.	eeds between rows of plants or

QuikFit™	Push-Pull v	veeder			Art. no.	1000738	z	
Height: 4.5 cm	Length: 37.5 cm	Width: 15.5 cm	Weight: 0.39 kg	Retail box: 6	Old art. no	. 139970	E/	5 905568 540409
						or weeding as it loo ng back and forth.		ne soil simply by pushing

• Hardened boron steel head.

 Blade of stainless steel. Recommended shaft: Shaft L

Recommended shaft: Shaft L

QuikFit™	Hoe 3-func	tions			Art. no. 1000682		z	
Height: 4cm	Length: 42 cm	Width: 13 cm	Weight: 0.27 kg	Retail box: 6	Old art. no	. 136513	EA	5 905568 540430

• For working around stems and in narrow spaces. • Blade is sharpened on 3 sides to assist cultivating at

Recommended shaft: Shaft L

different angles. • Blade of hardened boron steel.



QuikFit™	Hoe			
Height: 9.5 cm	Length: 32.5 cm	Width: 19.5 cm	Weight: 0.27 kg	Retail box: 6



V



• Blade of hardened carbon steel.

Recommended shaft: Shaft M and L



Ľ

reddot design award winner 2010

QuikFit[™] Click & grow



QuikFit™	¹ Dutch hoe				Art. no. 1000676	z
Height: 4cm	Length: 38.5 cm	Width: 12.5 cm	Weight: 0.23 kg	Retail box: 6	Old art. no. 136502	E 5 905568 540362
a la	>					

QuikFit™	' Spiker		Art. no.	1000689	z		
Height: 10 cm	Length: 39.5 cm	Width: 81 cm	Weight: 0.91 kg	Retail box: 2	Old art. no.	136524	6 4 1 1 5 0 1 3 6 5 2 4 8
5					 Allows n fertiliser, Hardene 		ate the surface and helps seed, t to reach the roots.

Height: 8 cm Length: 40.5 cm Width: 9 cm Weight: 0.34 kg Retail box: 6 Old art. no. 136515 Image: 10 cm Image: 10 cm <tht< th=""><th>QuikFit™</th><th>Cultivator a</th><th>Ingled</th><th></th><th></th><th>Art. no.</th><th>1000683</th><th>z</th><th>5 9 0 5 5 6 8 3 6 5 1 5 6</th></tht<>	QuikFit™	Cultivator a	Ingled			Art. no.	1000683	z	5 9 0 5 5 6 8 3 6 5 1 5 6
	Height: 8cm	Length: 40.5 cm	Width: 9cm	Weight: 0.34 kg	Retail box: 6	Old art. no.	136515	Ē	5 ¹¹ 9 0 5 5 6 8 ¹¹ 3 6 5 1 5 6 ¹¹



0	Old art. No. 130313	2 902208 202120
	 For loosening and aerating plar distribution. Tool design protects plants roo Carbon steel head. 	


Recommended shaft: Handle S and Shaft M

QuikFit™	Double scr	aper hoe			Art. no. 100073	³⁴ z	
Height: 14.7 cm	Length: 28.2 cm	Width: 7.5 cm	Weight: 0.20 kg	Retail box: 6	Old art. no. 137562	2	5 9 0 5 5 6 8 3 7 5 6 2 9



• Versatile use on patios and for removing grass, moss and weeds from between tiles and slabs. • Can also be used to cultivate plant beds. • Boron steel blades with carbon steel thong. Recommended shaft: Handle S and Shaft M

QuikFit [™] Double hoe						1000735	z	
Height: 14.3 cm	Length: 28.2 cm	Width: 7.5 cm	Weight: 0.19 kg	Retail box: 6	Old art. no.	137572	Ē	5 9 0 5 5 6 8 3 7 5 7 2 8



- For breaking up soil, cultivating plant beds and weeding.
 Boron steel blades with carbon steel thong.
- Recommended shaft: Handle S and Shaft M



QUIKFIT

QuikFit[™] Click & grow

Width: 7.7 cm

QuikFit[™] Weed fork

Length: 36.5 cm

Height: 4.5 cm

red<mark>dot</mark> design award winner 2010

905568 375520

Y

Art. no.

Retail box: 6

Weight: 0.22 kg

1000733

Old art. no. 137552

EAN

5

Height 4 cm Length: 42.5 cm Width: 7.5 cm Weight: 0.23 kg Retail box: 6 Old art. no. 137522 ■ 5 ⁹ 05568 375223 ■ 6 ¹ 005568 375223 ■ 6 ¹ 0000661 ■ 6 ¹ 000661 ■ 6 ¹ 0000661 ■ 6 ¹ 0000661 ■ 6 ¹ 0000661 ■ 6 ¹ 0000661 ■ 6 ¹ 000000 ■ 6 ¹ 0000000 ■ 6 ¹ 000000000000000000000000000000000000	-	U				 For transplanting, cultiva Boron steel head. Recommended shaft: Har 	
Height 5.5 cm Langth 41 cm Vietht 7.5 cm Vieight 0.29 kg Retailboc 6 Oldart. no. 137512	Q uikFit™	Trowel				Art. no. 1000730	
 Boron steel head. Recommended shaft: Handie S and Shaft M QuikFitTM Weed extractor At no. 1000731 Lingth: 42.5 cm Width: 7.5 cm Weight: 0.23 kg Retailbox: 6 Cidart. no. 137522 Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Staft for allowed shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Staft for allowed shaft: Handie S and Shaft M Staft for allowed shaft: Handie S and Shaft M Coron steel head. Becommended shaft: Handie S and Shaft M Staft for allowed shaft with SoftGorp Handie. Becommended shaft: Handie S and Shaft M Coron steel head. Staft for allowed shaft with SoftGorp Handie. Staft for allowed shaft with Can be used with nursery tooks. Staft for allowed shaft with Can be used with nursery tooks. Staft for allowed shaft with Can be used with nursery tooks. Staft for allowed shaft with Can an be used with nursery t			Width: 7.5 cm	Weight: 0.29 kg	Retail box: 6		5 905568 375124
Height: 4 cm Length: 42.5 cm Width: 7.5 cm Weight: 0.23 kg Retailbox: 6 Oldart. no. 137522 Image: Comparison of the comparis						 Boron steel head. 	-
Height: 4 cm Length: 42.5 cm Width: 7.5 cm Weight: 0.23 kg Petal box: 6 Old art.no. 137522 5"9 0 5 5 6 8" 5 7 5 2 2 3" For planting and transplanting. Boron steel head. Recommended shaft: Handle S and Shaft M QuikFFit TM Shaft (L) Height: 3.5 cm Length: 157 cm Width: 7.5 cm Weight: 0.49 kg Retai box: 6 Old art. no. 136001 Juige Juige Ju	QuikFit™	Weed extra	actor			Art. no. 1000731	
 Boron steel head. Recommended shaft: Handle S and Shaft M QuikFitTM Shaft (L) Height: 3.5 cm Length: 157 cm Width: 7.5 cm Weight: 0.49 kg Retailbox: 6 Old art. no. 136001 Source of the state of th	Height: 4 cm	Length: 42.5 cm	Width: 7.5 cm	Weight: 0.23 kg	Retail box: 6	Old art. no. 137522	5 905568 375223
Height: 3.5 cm Length: 157 cm Width: 7.5 cm Weight: 0.49 kg Retail box: 6 Old art. no. 136001 • Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip TM handle. • Hanging hole for easy storage. • Shaft for allround use in garden. • Annique automatic lock makes the tool ready for use in seconds. • Medjum: length: 87.5 cm Width: 7.5 cm Weight: 0.31 kg Retail box: 6 Old art. no. 1300264 • Medjum-length shaft which can be used with nursery tools, cultivators and hoes. • Optimum comfort due to teardrop profile hardened aluminium shaft which can be used with nursery tools, cultivators and hoes. • Optimum comfort due to teardrop profile hardened aluminium shaft which can be used with nursery tools, cultivators and hoes. • Optimum comfort due to teardrop profile hardened aluminium shaft which can be used with nursery tools, cultivators and hoes. • And unique automatic lock makes the tool ready for use in seconds.							dle S and Shaft M
Height: 3.5 cm Length: 157 cm Width: 7.5 cm Weight: 0.49 kg Retail box: 6 Old art. no. 136001 5" 9 0 5 5 6 8" 5 4 0 4 6 1" • Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle. • Hanging hole for easy storage. • Shaft for allround use in garden. • Hanging hole for easy storage. • Hanging hole for easy storage. • Shaft for allround use in garden. • A unique automatic lock makes the tool ready for use in seconds. QuikFit™ Shaft (M) Art. no. 1000664 The seconds. • Height: 4 cm Length: 87.5 cm Width: 7.5 cm Weight: 0.31 kg Retail box: 6 Old art. no. 136022 • Medium-length shaft which can be used with nursery tools, cultivators and hoes. • Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle. • Aunique automatic lock makes the tool ready for use in seconds.							_
aluminium shaft with SoftGrip™ handle. Hanging hole for easy storage. Shaft for allround use in garden. A unique automatic lock makes the tool ready for use in seconds. QuikFit™ Shaft (M) Height: 4 cm Length: 87.5 cm Width: 7.5 cm Weight: 0.31 kg Retail box: 6 Old art. no. 136022 Method and hold art. no. 136022 Method hold art. no. 136022 Method hold art. no. 136022 Method hold hold art. no. 136022 Method hold hold hold art. no. 136022 Method hold hold hold hold hold hold hold h	QuikFit™	Shaft (L)				Art. no. 1000661	AN
QuikFit [™] Shaft (M) Art. no. 1000664 Image: start text of text			Width: 7.5 cm	Weight: 0.49 kg	Retail box: 6		Ng 5 905568 540461
Height: 4 cm Length: 87.5 cm Width: 7.5 cm Weight: 0.31 kg Retail box: 6 Old art. no. 136022 5 9 0 5 5 6 8 3 6 0 2 2 9 • Medium-length shaft which can be used with nursery tools, cultivators and hoes. • Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle. • A unique automatic lock makes the tool ready for use in seconds.			Width: 7.5 cm	Weight: 0.49 kg	Retailbox: 6	Old art. no. 136001 Optimum comfort due to aluminium shaft with Sof Hanging hole for easy ste Shaft for allround use in g A unique automatic lock 	teardrop profile hardened tGrip™ handle. orage. garden.
Height: 4 cm Length: 87.5 cm Width: 7.5 cm Weight: 0.31 kg Retail box: 6 Old art. no. 136022 5" 9 0 5 5 6 8" 3 6 0 2 2 9" • Medium-length shaft which can be used with nursery tools, cultivators and hoes. • Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle. • A unique automatic lock makes the tool ready for use in seconds.			Width: 7.5 cm	Weight: 0.49 kg	Retail box: 6	Old art. no. 136001 Optimum comfort due to aluminium shaft with Sof Hanging hole for easy ste Shaft for allround use in g A unique automatic lock 	teardrop profile hardened tGrip™ handle. orage. jarden. makes the tool ready for use in
 cultivators and hoes. Optimum comfort due to teardrop profile hardened aluminium shaft with SoftGrip™ handle. A unique automatic lock makes the tool ready for use in seconds. 	Height: 3.5 cm	Length: 157 cm	Width: 7.5 cm	Weight: 0.49 kg	Retail box: 6	Old art. no. 136001 Optimum comfort due to aluminium shaft with Sof Hanging hole for easy str Shaft for allround use in g A unique automatic lock seconds. 	5"905568" 540461" teardrop profile hardened tGrip™ handle. orage. jarden. makes the tool ready for use in
	Height: 3.5 cm	Length: 157 cm				Old art. no. 136001	5" 9 0 5 5 6 8" 5 4 0 4 6 1" teardrop profile hardened tGrip™ handle. orage. garden. makes the tool ready for use in
	Height: 3.5 cm QuikFit™	Length: 157 cm				Old art. no. 136001 • Optimum comfort due to aluminium shaft with Sof • Hanging hole for easy str • Shaft for allround use in g • A unique automatic lock seconds. Art. no. 1000664 Old art. no. 136022 • Medium-length shaft wh cultivators and hoes. • Optimum comfort due to aluminium shaft with Sof • A unique automatic lock seconds. • Optimum comfort due to aluminium shaft with Sof	5" 9 0 5 5 6 8" 5 4 0 4 6 1" teardrop profile hardened tGrip TM handle. orage. garden. makes the tool ready for use in 5" 9 0 5 5 6 8" 3 6 0 2 2 9 ich can be used with nursery tools, teardrop profile hardened tGrip TM handle. makes the tool ready for use in
	Height: 3.5 cm	Length: 157 cm				Old art. no. 136001 • Optimum comfort due to aluminium shaft with Sof • Hanging hole for easy str • Shaft for allround use in g • A unique automatic lock seconds. Art. no. 1000664 Old art. no. 136022 • Medium-length shaft wh cultivators and hoes. • Optimum comfort due to aluminium shaft with Sof • A unique automatic lock seconds. • Optimum comfort due to aluminium shaft with Sof	5" 9 0 5 5 6 8" 5 4 0 4 6 1" teardrop profile hardened tGrip TM handle. orage. garden. makes the tool ready for use in 5" 9 0 5 5 6 8" 3 6 0 2 2 9 ich can be used with nursery tools, teardrop profile hardened tGrip TM handle. makes the tool ready for use in



QuikFit™	Handle (S)		Art. no. 1000663	5 905568 360120			
Height: 4.5 cm Length: 25.5 cm Width: 8 cm Weight: 0.11 kg Retail box: 6 Old art. no. 136012 5 9 0							
	0				 Optimum comfort du 	r use with nursery tools. ie to aluminium teardrop-shaped frame nd a SoftGrip™ handle. y storage.	

QuikFit™	Universal A	dapter			Art. no.	1000617	B 6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 0 0 0 0 3 ¹¹
Height: 4.3 cm	Length: 17.1 cm	Width: 3cm	Weight: 0.07 kg	Retail box: 6	Old art. no.	130000	6 ¹ 4 1 1 5 0 1 ¹ 3 0 0 0 0 3 ¹



• For connecting a variety of interchangable heads produced by other manufacturers.

Lightweight FiberComp[™] construction.



Click & Reach

Within the Click&Reach range, QuikFit[™] offers easy solutions for those hard-to-reach tasks, paying the due attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit[™] do the job from the ground up.



Click & Clean

Within the Click&Clean range QuikFit[™] Fiskars offers easy solutions for cleaning your lawn and yard with special attention paid to functionality and storage efficiency. With their unique and smart design QuikFit[™] rakes and brooms allow you to perform the garden tidy-up with minimum effort, while keeping your shed neat and free from clutter when not in use.



Click & Grow

Within the Click&Grow range, QuikFit[™] offers easy and mobile solutions for cultivating vegetable and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.



Wood preparation

Over 300 years of axe expertise. In the midst of the Finnish woodlands lies, the small village of Fiskars, where the timeless traditions of crafting the highest quality hand tools have been passed down through the generations since 1649.

Axes p.84 WoodXpert[™] Saws p.95

Splitting tools p.99 Knives p.100

Norden axes

With the Norden axes, Fiskars returns to its deep roots. The finest hickory is used to craft a handle with the authentic and natural feel of the traditional wooden axes. Yet as with all its axes, Fiskars always insists on the highest possible performance. After thorough testing, you can be sure that the blade will always stay attached, while enjoying unparalleled performance, endurance and durability.

Fiskars Norden. Pure performance.



Features & benefits

Ultimate safety

- Safest, undetechable axe head & shaft connection.
- 2 Virtually unbreakable Fibercomp[™] overstrike protection. Fibercomp[™] is light in weight, break proof & shock proof.
- 3 Hooked handle for secure grip & control.

Unbeatable performance

- Oltra sharp blades that stay sharp. Double hardened to optimise strength of blade in demanding use. Precision ground cutting edge. Low friction coating.
- Optimal weight balance.
- Optimally designed blades for chopping & splitting tasks.

High-quality & durable materials

- High-quality hickory wood handle from sustainably managed forests.
- Oarbon steel blades.







The mark of responsible forestry



Norden axes

Norden C	lorden Chopping axe N7						z
Height: 38.6 cm	Length: 3.3 cm	Width: 17.2 cm	Weight: 0.80 kg	Retail box: 4	Old art. no		6 ¹ 4 1 1 5 0 1 7 0 1 1 2 1
New	R (MARK)		reddot award 2 best of the best	019	 Its comp hiking ar 		
Norden C	hopping ax	e N10			Art. no.	1051143	EAN
Height: 47.6 cm	Length: 3.5 cm	Width: 19.4 cm	Weight: 1.21 kg	Retail box: 4	Old art. no		6 ¹¹ 411501 ¹¹ 701138
New			reddot award 2 best of the best	GUARANTEE 25 VEARS	and sma • Its 35.5 d	Il construction proje	oping & kindling tasks on the yard ects around the house. ideal for easy one-handed use. m
Norden S	plitting axe	N12			Art. no.	1051144	EAN
Height: 52.6 cm	Length: 3.5 cm	Width: 19.4 cm	Weight: 1.30 kg	Retail box: 4	Old art. no		6 ¹¹ 4 1 1 5 0 1 ¹¹ 7 0 1 1 4 5 ¹¹
New			reddot award 2 best of the best	OUARANTEE 25 VEARS	• Its 50 cm use.		zed logs up to Ø 20 cm. t a perfect size also for 2-handed n


X-Series axes

Fiskars next generation splitting axes are a true evolution of craftsmanship -purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.



KEY BENEFITS

- 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp[™] shaft minimizes fatigue and makes the axe virtually unbreakable
- Optimal anti-shock surface structure ensures a comfortable, firm grip
- Hooked end of the handle prevents the axe from slipping out of the hand
- Comes with a plastic sheath for easy carrying and storage



Chopping vs. splitting

Chopping axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.

Splitting axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

X-Series Splitting axes

X-Series S	Splitting axe	e X11 (S)			Art. no. 1015640
Height: 49.1 cm	Length: 3.4 cm	Width: 19.6 ci	m Weight: 1.09 kg	Retail box: 4	Old art. no. 122443
FEIKAR				GUARANTEE 25	 For small size logs <20 cm New 3D grip for increased safety and swing speed New extended 25 years warranty via web registration Product: 33 x 444 x 151 mm
			Reported to the sign award winner 2015	YEARS	
X-Series S	Splitting axe	e X17 (M)			Art. no. 1015641
Height: 65.2 cm	Length: 3.8 cm	Width: 21 cm	Weight: 1.55 kg	Retail box: 4	Old art. no. 122463
	FISKARS XI7	VPA		GUARANTEE 25	 For medium size logs >20 cm New 3D grip for increased safety and swing speed New extended 25 years warranty via web registration Product: 36 x 600 x 165 mm
X-Series S	Splitting axe		reddot design award winner 2015	YEARS	Art. no. 1015642
Height: 77.5 cm	Length: 4.5 cm	Width: 24 cm	Weight: 1.59 kg	Retail box: 2	Old art. no. 122473
	FISKAR			GUARANTEE 25	 New model with perfected balance and high swing speed For medium size logs 20- 30cm New 3D grip for increased safety and swing speed New extended 25 yrs warranty via web registration Product: 36 x 709 x 165 mm
X-Series S	Splitting axe	= X25 (XL	reddot design award winner 2015	YEARS	AWARD SPECIAL 2016
Height: 77.5 cm	Length: 4.6 cm	Width: 23.5 c	-	Retail box: 2	Old art. no. 122483
	Fisk		•	GUARANTEE	 For large logs > 30 cm New 3D grip for increased safety and swing speed New extended 25 years warranty via web registration Product: 40 x 725 x 191 mm
			reddot design award winner 2015	YEARS	
X-Series S	Splitting axe	e X27 (XX	(L)		Art. no. 1015644
Height: 96 cm	Length: 4.6 cm	Width: 23.5 c	m Weight: 2.56 kg	Retail box: 2	Old art. no. 122503
		VPA		GUARANTEE 25	 For extra large logs > 30 cm New 3D grip for increased safety and swing speed New extended 25 years warranty via web registration Product: 40 x 925 x 191 mm
3			Gesträffe Sicherhet Winner 2015	YEARS	

X-Series Chopping axes

X-Series (Camping a	(e X5 (XXS)			Art. no. 1015617	z	
Height: 26.2 cm	Length: 3.4 cm	Width: 17.2 cm	Weight: 0.57 kg	Retail box: 4	Old art. no. 121123	6 ¹¹ 411501 ¹¹ 211231	
	•				 For kindling small wood for camp fire Redesigned blade cover for easy transportability New extended 25 years warranty via web registration Product: 28 x 231 x 130 mm 		
			reddot design award winner 2015	UARANTEE 25 VEARS			
X-Series (Chopping a	xe X7 (XS)			Art. no. 1015618	EAN	
Height: 38.5 cm	Length: 3.4 cm	Width: 17.2 cm	Weight: 0.64 kg	Retail box: 4	Old art. no. 121423	6 4 1 1 5 0 1 2 1 4 2 3 2	
PERMIS 1	•					er for easy transportability s warranty via web registration	
Y-Sorios (Chopping a		reddot design award winner 2015	25 VEARS			
Height: 47.6 cm	Length: 3.4 cm	Width: 19.6 cm	Weight: 1.00 kg	Retail box: 4	Art. no. 1015619 Old art. no. 121443	6"411501" 214430	
PERAPS	7 2001	VPA		CUARANTEE 25 25 25 25		er for easy transportability s warranty via web registration	
YcharpTM	Axe and kn		reddot design award winner 2015				
•					Art. no. 1000601	EAN	
Height: 4 cm	Length: 23.5 cm	Width: 9cm	Weight: 0.09 kg	Retail box: 4	Old art. no. 120740	6"411501"207401	
PISKARS	e <mark>V</mark> s		reddot design award	fennia prize 12 good design grows global	2 sharpeners in 1. • Ceramic grind stone ha either axes or knives.	e of your Fiskars axes and knives, s clearly indicated cutting grooves fo angle for Fiskars blades with easy-to-	

Convenient portability.

Choose the right size for you





1. LENGTH TEST

Grab the axe on the shaft below the blade. Turn the shaft towards your armpit and if the end of the shaft reaches the armpit the axe is too long.

2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up with a wrist turn close to your body as pivotal point (axe is vertically in your hand at the end of the movement). If you can't lift the axe this way, the axe is too heavy.

Solid[™] Axes

Solid™ Camping axe					Art. no. 1051084	Z				
Height: -cm	Length: - cm	Width: - cm	Weight: - kg	Retail box: 4	Old art. no					
¢										

Solid [™] Ch	nopping axe	e A6 (S)	Art. no. 1052046	EAN		
Height: 35.3 cm	Length: 3.2 cm	Width: 13.2 cm	Weight: 0.643 kg	Retail box: 4	Old art. no. 1020167	6 4 1 1 5 0 1 3 1 0 8 4 2
Ċ						

Solid [™] C	hopping axe	e A10	Art. no. 1051085	z		
Height: -cm	Length: -cm	Width: - cm	Old art. no	6 4 1 5 7 0 2 3 6		
	and and a second second	•				

Solid [™] Splitting axe A11					Art. no. 1051086	z		
Height: -cm	Length: -cm	Width: - cm	Weight: -kg	Retail box: 4	Old art. no	- Wa 6 4 1 1 5	6 ¹¹ 411501 ¹¹ 702043	
R		•						

Solid™ Felling axe A18 (L)					Art. no. 1052045		EAN	
Height: 72.2 cm	Length: 4 cm	Width: 19 cm	Weight: 1.59 kg	Retail box: 4	Old art. no. 10		6 [°] 4 1 1 5 0 1 [°] 3 1 0 8 3 5 [°]	
							-	
	- CANNERS		•					

Solid™ Felling axe A19 (L)					Art. no.	1052044	z				
Height: 70.8 cm	Length: 3.6 cm	Width: 16.9 cm	Weight: 1.662 kg	Retail box: 4	Old art. no.	1015428/ 122260					
Ē		(1993)	•								

Solid™ Splitting axe A26 (XL)						Art. no. 1052043	EAN	z
Height: 91.5 cm	Length: 4cm	Width: 19 cm	Weight: 2.59 kg	Retail box: 2	Old art. no	1015459/ 122300	E	6 4 1 1 5 0 1 3 1 0 8 0 4
	Principal D							
	MHR4		Ŷ					

Solid [™] Ax	e and knife	sharpener	Art. no. 1026797	EAN		
Height: -cm	Length: -cm	Width: - cm	Weight: - kg	Retail box: -	Old art. no	6 4 1 1 5 0 1 7 0 2 0 3 6



Wood preparation workflow

Fiskars has a broad range of tools covering the wood handling and preparation tasks from felling the tree to lighting up the fire.



WoodXpert[™] Wood handling tools

Fiskars WoodXpert[™] wood handling tools are designed for axe owners. These new tools support tasks related to firewood preparation. The design emphasis in these new tools has been placed on lightweight performance, excellent grip and superior tool blade development.

WoodXpe	ert™ XA3 B	rush hook	Art. no. 1003609	z		
Height: 55 cm	Length: 2.7 cm	Width: 14.5 cm	Weight: 0.51 kg	Retail box: 4	Old art. no. 126004	6 4 1 1 5 0 1 2 6 0 0 4 8
	New York		VPA Concernent	reddot design award winner 2015	 For cutting smaller branche For clearing weeds and bru For stripping bark from logs 	ish in gardens and forest.





• For clearing saplings and brush in gardens and forest.

• For light chopping and splitting of firewood.

WoodXpert [™] XA2 Sappie					Art. no. 1003622	EAN
Height: 36.7 cm	Length: 3.2 cm	Width: 17.4 cm	Weight: 0.24 kg	Retail box: 4	Old art. no. 126006	B 6 4 1 1 5 0 1 2 6 0 0 6 2

red<mark>dot</mark> design award

• For carrying and lifting smaller logs.

• For handling and arranging wood piles.

• For turning of small logs.



WoodXpert [™] Log hook					Art. no.	1003624	z
Height: 4 cm	Length: 31 cm	Width: 21 cm	Weight: 0.41 kg	Retail box: 4	Old art. no.	126021	6"411501"260215"
	1		VPAS	reddot design award winner 2015	 For handli For assist 	and transporting log ing and arranging lo ing tree felling. tic sheath for easy c	

WoodXp	ert [™] Log to	ngs	Art. no. 1003625	z		
Height: 4 cm	Length: 38.3 cm	Width: 18 cm	Weight: 0.69 kg	Retail box: 4	Old art. no. 126031	▲ 6"411501"260314
			VPA S Gente	reddot design award winner 2015	 For llifting and transpo For handling and arran With plastic sheath for 	

WoodXpe	rt™ Tool be	əlt	Art. no. 1003626	E 6 4 1 1 5 0 1 2 6 0 0 9 3		
Height: 4.5 cm	Length: 57 cm	Width: 9cm	Weight: 0.24 kg	Retail box: 4	Old art. no. 126009	6 4 1 1 5 0 1 2 6 0 0 9 3



- Tool belt to attach Log hook and Log tongs.
 Ergonomic support for the back.
 Firm double tightening.

Solid[™] Brush hook

Solid [™] Brush hook					Art. no. 1051087	2	
Height: - cm	Length: -cm	Width: -cm	Weight: - kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 7 0 2 0 5 0	
		FERAIRS	0				
			•				

Saws

To make sawing as easy as possible you need a reliable saw suitable for the task. That is why we have developed a variety of saws. We have saws for cutting stems and thicker branches and saws with curved noses which enable cutting in hard to reach or difficult positions.

Xtract[™] Saws

Fiskars Xtract[™] range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store. The blades made of hardened steel ensures long lifetime and sharpness for the saw. SoftGrip[™] handle with finger guard ensures a safe grip.

Fixed blade saws

Fiskars fixed blade saws feature highly efficient tooth profile enabling fast and accurate sawing. The impulse hardened blades stays sharper for longer. SoftGrip[™] ergonomic curved handle with finger guard ensures a safe & comfortable grip.

Bow Saws


Fiskars bow saws are excellent for sawing stems and thicker branches. Curved nose enables cutting in hard to reach or difficult positions. Cuts on both the push and pull stroke.



Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract[™] range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

Xtract[™] Saws



Xtract [™] B	uilder's sav	w SW72			Art. no. 1000612	z
Height: 3.5 cm	Length: 27.5 cm	Width: 9cm	Weight: 0.12 kg	Retail box: 4	Old art. no. 123860	B 6 ¹¹ 411501 ¹¹ 238603 ¹
				Ø).	• Fine teeth for dry wood, bo	pards and wood strips.



reddot design award

• Blade length 160 mm.

• Cutting capacity 120 mm.

Solid[™] Garden saw

Solid™ G	arden saw	SW16	Art. no. 1028376	AA	
Height: -cm	Length: - cm	Old art. no	6 ¹⁴ 11501 ²⁰⁰⁴¹⁹		
-	3	*********			
-	7				

Fixed blade saws

Professio	nal pruning	<mark>)</mark> saw, SW-3	30		Art. no. 1020199		
Height: 4.9 cm	Length: 59 cm	Width: 16.4 cm	Weight: 0.23 kg	Retail box: 4	Old art. no. 123330		
					 Lightweight 230 g Profesional quality carbon steel blades, SK5 Blades for every task Balanced weight distribution. Hollow grinded blade. Integrated sawdust removal teeth. Sturdy grip with Softgrip[™] Easy maintainability. All parts are replaceable. 		
Profesion	al pruning	saw, SW-24	0		Art. no. 1020200		
Height: 4.9 cm	Length: 59 cm	Width: 16.4 cm	Weight: 0.20 kg	Retail box: 4	Oldart. no. 123240		
					 Lightweight 200 g Profesional quality carbon steel blades, SK5 Blades for every task Balanced weight distribution. Hollow grinded blade. Integrated sawdust removal teeth. Sturdy grip with Softgrip[™] Easy maintainability. All parts are replaceable. 		
Fixed blac	de saw SW8	34			Art. no. 1001620		
Height: 2.5 cm	Length: 50 cm	Width: 9.5 cm	Weight: 0.34 kg	Retail box: 4	Old art. no. 123840		
					 Blade length 320 mm. Cutting capacity 150 mm. 		

Garden saws

Height: cm Length: cm Width: cm Weight: kg Retail box: 6 Old art. no	Height: cm Length: cm Width: cm Weight: kg Retail box: 6 Old art. no 6"411501"200260	Garden	saw, D-hano	dle SW37	Art. no. 1028374	z		
		Height: cm	Length: cm	Width: cm	Old art. no	6 4 1 1 5 0 1 2 0 0 2 6 6		
General Contraction of the Contr	Conversion and Conver	Height: cm	Length: CM	Width: cm	Weight: kg	Retail box: 6	Old art. no	6"411501"2002
		with we consider						

Garden sa	aw, D-hand	le SW47	Art. no. 1028375	z		
Height: cm Length: cm Width: cm Weight: kg Retail box: 6 Old art. no 6 4 1 1 5 0 1 2						
(marine and a second se	EL PRIMARIE LA C					

Bow saws

21" Bow s	aw SW30		Art. no. 1001621	z		
Height: 1.9 cm	Length: 62.5 cm	Width: 21.5 cm	Weight: 0.47 kg	Retail box: 4	Old art. no. 124800	5 ¹ 702264 ¹ 141004
	Concernant.				• Excellent for sawing 10	0-20 cm stems and branches.

24" Bow s	aw SW31		Art. no. 1000615			
Height: 1.9 cm	Length: 70 cm	Width: 21.5 cm	Weight: 0.60 kg	Retail box: 4	Old art. no. 124810	5 ¹ 702264 ¹ 141011 ¹
	ALCONOMIC CONTRACT				• Excellent for sawing >2	20 cm stems and thicker branches.

Spare blad	le for bow s	aw SW30			Art. no. 1001706	0 046561 100674
Height: -	Length: -	Width: -	Weight: -	Retail box: 5	Old art. no. 124807	

Replacement blade for • 21'' Bow Saw SW30 (article No. 1001621)

Spare blad	le for bow s	aw SW31	Art. no. 1001707	EAN		
Height: -	Length: -	Width: -	Weight: -	Retail box: 5	Old art. no. 124817	0 0 4 6 5 6 1 1 0 0 6 8 1

Replacement blade for • 24'' Bow Saw SW31 (article No. 1000615)

Splitting tools, sledge hammers & wedges

Sledge ha	ammer (L)		Art. no. 1001619	z		
Height: 5.6 cm	Length: 75 cm	Width: 14 cm	Weight: 3.90 kg	Retail box: 2	Old art. no. 120040	₽ 6 ¹ 4 1 1 5 0 1 ¹ 2 0 0 4 0 2 ¹
					edges on the striking su • Less jarring from miss hi • Greater resistance and c	s risk of chipping due to rounded rface. Its due to rubber miss-hit guard. comfort due to fiberglass core and well as anti-vibration handle.

Sledge h	ammer (XL)				Art. no. 1001615	z
Height: 6cm	Length: 90 cm	Width: 15 cm	Weight: 4.44 kg	Retail box: 2	Old art. no. 120030	6 4 1 1 5 0 1 2 0 0 3 0 3
Ree				3	edges on the striking su	s risk of chipping due to rounded rface. its due to rubber miss-hit guard.

 Greater resistance and comfort due to fiberglass core and elastomeric anti-slip as well as anti-vibration handle.

Sledge har	nmer (XXL)				
7 cm	90 cm	16.5 cm	5.46 kg	2	
		PERMIT			 De edg Les Gre ela

6 4 1 1 5 0 1	
6411501	200280

• Delayed burring and less risk of chipping due to rounded edges on the striking surface.

1001618 120028

Less jarring from miss hits due to rubber miss-hit guard.
Greater resistance and comfort due to fiberglass core and

elastomeric anti-slip as well as anti-vibration handle.

Splitting we	edge helico	idal		1000600		
6 cm	21 cm	4.5 cm	2.20 kg	4	120020	6" 4 1 1 5 0 1" 2 0 0 2 0
					No need to use several w makes the wood burst m No material fragmentatio	

Anti-return slot.

• Forged steel.

Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.



Yard cleaning



Patio & yard brooms

Fiskars offers a range of brooms that make a light work of outdoor yard & garden cleaning. For cleaning from the front door, sidewalks, driveways, garages, stairs & wooden decks

The broom's ingeniously designed heads combines attractive design with functionality & durability.

Features & benefits

Easy storage

Functional grip knob offers a comfortable grip & easy storage solution.

2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use.

Sefficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.

Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.

Light Broom

Light Patio Broom				Art. no. 1025927	z	
Height: 12.5 cm	Length: 162 cm	Width: 43.5 cm	Weight: 0.63 kg	Retail box: 4	Old art. no	E 6 4 1 1 5 0 1 3 1 0 3 9 2
					 wooden decks, balcon Perfect for cleaning of s Offers a clean sweep o The ends of the broom gathering debris. 	smaller particles. f all garden leaves and debris. curve inwards, making it ideal for ip™ for a comfortable firm grip. ed ergonomics.

Solid[™] All purpose yard brooms

Solid™ All purpose yard broom (M)					Art. no. 1025921	
Height: 10 cm	Length: 169 cm	Width: 38 cm	Weight: 0.63 kg	Retail box: 4	Old art. no	6"411501"310378
					 All-purpose yard broom for cleother yard areas. Offers a clean sweep of all gar The ends of the broom curve i gathering debris. Featuring Fiskars PowerClear bristles for efficient sweeping. Lightweight for improved ergoder Modern functional design. 	den leaves and debris. nwards, making it ideal for ™ combing soft and hard
Solid™ A	ll purpose y	ard broom	(L)		Art. no. 1025926	
Height: 12.5 cm	Length: 172 cm	Width: 48 cm	Weight: 0.87 kg	Retail box: 2	Old art. no	6 4 1 1 5 0 1 3 1 0 3 8 5

Kids tools

1

My First Fiskars kids tools

MyFirst F	iskars shov	el			Art. no. 1001421	
Height: 10.7 cm	Length: 88.1 cm	Width: 19 cm	Weight: 0.28 kg	Retail box: 5	Old art. no. 138180	8 0 4
12	the second s		0	reddot design award winner 2013	Fibre reinforced plastic scoop for maximum funtionality long-term durability.	y and
			FENNIA HONORARY ME	Drize 14		
MyFirst F	iskars spac	le			Art. no. 1001420	
Height: 4.5 cm	Length: 91 cm	Width: 16.8 cm	Weight: 0.23 kg	Retail box: 5	Old art. no. 138170	∎ 7 0 5
			0	reddot design award winner 2013	Fibre reinforced plastic scoop for maximum funtionality long-term durability.	y and
MyFirst Fi	iskars rake		FENNIAF Honorary me	-	Art. no. 1001419	
Height: 3.9 cm	Length: 86.8 cm	Width: 19 cm	Weight: 0.17 kg	Retail box: 5	Old art. no. 138160 6 4 1 5 1 3 1	606
	La	1	0	reddot design award winner 2013	Flexible plastic tines for maximum functionality and lon term durability.	ıg
			FENNIA	orize 14		
			HONORARY ME			
MyFirst F	iskars broo	m			Art. no. 1001418	
Height: 6.8 cm	Length: 80.3 cm	Width: 19.8 cm	Weight: 0.32 kg	Retail box: 5	Art. no. 1001418 Old art. no. 138150	5 0 7
	-		O	reddot design award winner 2013	Thick but soft plastic bristles for maximum usage comfunctionality and long term durability.	fort,
J						

HONORARY MENTION

107

Maintenance & spare parts

Maintenance Kit				Art. no. 1001640		
Height: 3.3 cm	Length: 19.7 cm	Width: 10.5 cm	Weight: 0.15 kg	Retail box: 4	Oldart. no. 110990	0 3
					 For regular maintenance chores of our Fiskars garden to Includes a maintenance guidebook, diamond file and oi Instructions on sharpening, oiling, washing, storage etc detailed in pictures and symbols. 	

Which tool for which task

PRUNERS SingleStep[™] pruners Ø 16 mm 1000567 **Fingerloop pruners** Ø 16 mm 1001534 PowerLever[™] pruners Ø 20 mm 1026918 PowerGearX[™] Pruner Ø 26 mm Bypass 1023630 **UNIVERSAL CUTTERS** PowerGear[™] X Tree prune Ø 32 mm 1023625 LOPPERS PowerGear[™] Lopper S Ø 35 mm 1000581 PowerGear[™]X Lopper M Ø 50 mm 1020187 PowerGear[™]X Lopper L Ø 50 mm 1020188 AXES AND SAWS Xtract[™] Garden Saw L Ø 50 mm 1000614 removing thick (over Ø 5 cm) An axe is good for cutting the Ø 220 mm **Splitting Axe X25** 1015643









Fiskars has been shaping the world since 1649. Our scissors have cut millions of meters of fabrics. Our axes have chopped millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all leading to 100% Happiness.

COOKING | GARDENING | CRAFTING | SEWING | SCHOOL & OFFICE

