Quality at its best MADE IN AUSTRIA



STORAGE SOLUTIONS FOR YOUR GARDEN | 2021









Your continuing satisfaction is our prime concern here at Biohort.

DEAR CUSTOMER!

Biohort products offer you the best quality, functionality and security. Our customers especially appreciate the durability and low maintenance of our storage solutions.

Biohort garden sheds have proven their durability in over 45 years of outdoor service. We are an Austrian manufacturing company with highly-trained and skilled workers. Biohort uses only top-quality materials from tested suppliers to manufacture its products. The high-quality steel plate we use is supplied by the same worldwide renowned Austrian and German steelworks in which German premium car manufacturers place their trust. This is the reason why we can offer our customers a 20-year guarantee against corrosion with a clear conscience.

Let Biohort help you realise your gardening dreams without a care in the world: With the foundation solutions SmartBase and SmartBase^{PLUS} we complete our package of personal consultation, delivery and assembly and allows us to offer our customers an all-in-one solution. Find out more on page 4.

Sophisticated design and the high Austrian quality standard applied in the manufacturing process creates products that you will enjoy for decades.

We personally vouch for this.

Dr. Josef Priglinger Managing Director

lin

Dipl.-Ing. Maximilian Priglinger Managing Director

PAGE

6 **GARDEN SHEDS**

- Neo
- HighLine® 10
- Panorama® 12
- AvantGarde[®] 14
- Europa 16
- Equipment Locker 18
- Accessories 20
- Foundation Solutions SmartBase / SmartBase^{PLUS} 24
- CasaNova® 26

28 **OUTDOOR BOXES**

- Patio Locker Romeo® 30
- 32 StoreMax®
- HighBoard 34
- LoungeBox® 36
- LeisureTime Box 38

BICYCLE STORAGE

- MiniGarage 42
- StoreMax[®] 44
- HighBoard 46

48 **DUSTBIN STORAGE**

- Alex® 50
- StoreMax® 52
- 54 HighBoard

56 **GARDENING HELPERS**

- Raised Vegetable Bed 58
- Planting Bed Belvedere® 60
- Composter MonAmi® 62
- Firewood Storage WoodStock® 64
- Robotic Lawn Mower Garage Charly® 66

68 DETAILED INFORMATION

- **Overview Foundation Solutions** 68
- Technical Data 70











THE BIOHORT **ALL-AROUND CAREFREE PACKAGE**



ALL-IN-ONE SOLUTION

We guarantee our customers long-lasting satisfaction with our high-quality durable products. In addition, we also offer you a complete service package.

Our customer service department will always take care of your needs personally as quickly as possible regardless of the size of the product.

Through our trained **installation partners**, we can also guarantee the comfort of a professional installation.

The **foundation solutions** SmartBase and SmartBase^{PLUS} are available for all shed types and are built faster and cleaner than expensive concrete foundations. Together with our online tools such as the product configurator Biohort offers the most complete service on the market!

THIS IS WHAT WE **STAND FOR!**

- · Hot-dipped galvanized, polyamide coated sheet metal
- Screws and hinges made of stainless steel
- Lifetime maintenance free

• 20 year guarantee, see page 69 for details

Rainwater proof

QUALITY

Production in Austria

STABILITY

- Double the sheet thickness compared to low-cost providers
- Optimal constructional design
- High snow load of up to 150kg/m²
- Storm proof up to 150 km/h, wind force 12



FREE DELIVERY

Dispatched within 2 to 4 days!* We will deliver your order free of charge directly to your home address (delivery free kerbside). The given address must be accessible for a 38-t lorry (3 m minimum width of access).

*except outbuilding CasaNova®

4



ASSEMBLY SERVICE

Biohort will be delighted to help you find an assembly partner who will assemble your purchase professionally. You can find more information on installation and the Biohort garden sheds, lockers and recomended prices at:

biohort.com/en/service/ assembly-service



BIOHORT FOUNDATION SOLUTIONS

The foundation solutions SmartBase and SmartBase^{PLUS} create a stable foundation for the MiniGarage. The foundations are storm-proof and quick to install. More information on page 24 and at:

biohort.com/en/service/ foundation-tips



PRODUCT CONFIGURATOR

The Biohort 3D-Configurator visualises within a few clicks each product including the individually desired accessories and even calculates the final price. And this is not all: the handy augmented reality function allows you to virtually position the product directly in your garden via smart phone or tablet.

biohort.com/en/service/konfigurator





SECURITY

• Locking mechanism with a cylinder lock Fireproof

FUNCTIONALITY

• Extensive range of standard equipment User friendly • Large selection of accessories

• Wide range of applications

SERVICE

- Home delivery included in the price
- · Short delivery time
- Assembly manual with photos/
- 3D illustrations for easy assembly
- Consultation from the Biohort Service Team
- Assembly service available on request

FOR MORE **JOY** IN YOUR GARDEN





08 Neo

10 HighLine®





14 AvantGarde®



16 Europa



18 Equipment Locker





Neo REVOLUTION IN DESIGN & FUNCTIONALITY

The Best From Decades of Experience -The Biohort Top Product

Smooth wall surfaces and the elegant acrylic glass panel in the door characterise the modern look. Additional acrylic glass panels can be flexibly installed thanks to a specially developed panel system. To ensure a pleasant atmosphere, the wooden ceiling regulates the humidity along with the optional grey white interior panelling and insulation.

Metallic	Metallic	Metallic
Silver	Quartz Grey	Dark Grey

Available in one or two colours (a second colour can be chosen for the



Size 1B with Double Door, Colour Variant: 2.3 (Metallic Quartz Grey/Metallic Dark Grey)

ADVANTAGES

Security:

- 3-way locking mechanism complete with stainless steel door handle
- Stable roof construction for a snow load of up to 150 kg/m²
- Storm proof up to 150 km/h, wind force 12

Functionality:

- Comfortable door opening with gas spring
- Integrated support rails
- Optional interior panelling and insulation
- Integrated roof gutter

Standard Equipment:

- Wooden ceiling made of 19 mm plywood
- with a 1.5 mm EPDM roofing membrane • Rainwater downpipe (2 pieces)

Optional accessories available on

- Tool holder (2 pieces)
- Tool hangers (2 pieces)

pages 20 – 23.

• Shelves (2 pieces)

Door Opening:

on the sides of the shed. the shed.

36


8

door and roof at no extra cost).

SIZES (IN CM, OUTER DIMENSIONS INCLUDES ROOF OVERHANG)

Standard Door (right door hinge): 78 x 200 cm (W x H) – the standard door can be installed Double Door: $161 \times 200 \text{ cm} (W \times H)$ – the double door can be installed on the 236 cm sides of

The dotted lines mark the roof overhang.





HighLine® AN EXAMPLE OF DESIGN AND TECHNOLOGY

The Equipment Shed HighLine® Fulfills the Highest Standards

Sophisticated industrial design in an impressive form: The modern flat roof and the integrated all-around skylight give the HighLine® strong accents. The 3-way locking mechanism with a robust cylinder lock ensures optimum security. The opening and closing of the door works semi-automatically with the help of a gas spring. The HighLine® shed is absolutely maintenance-free!



(Roof surface is always in metallic quartz grey)



Size H3, Metallic Silver with Side Canopy Back and side walls as privacy screens are available separately. (see accessories p. 22)

ADVANTAGES

Security:


• 3-way locking mechanism complete with stainless steel door handle

Functionality:

- Integrated gutter with a connection for a 1 1/4" hose
- Gutter with integrated leaf traps fitted to both sides
- Comfortable door opening with gas spring

Standard Equipment:

- 360° acrylic glass panels
- Tool holder (2 pieces)
- Tool hangers (4 pieces)
- Shelves and support rails (2 pcs. each)



Optional accessories available on pages 20 – 23.

Te




SIZES (IN CM, OUTER DIMENSIONS INCL. ROOF OVERHANG)

Standard Door (right door hinge): 76 x 182 cm (W x H) Double Door: 155 x 182 cm (W x H)

Door Opening:

The blue bar markings on the gutters are there to indicate onto which side (from size H2 onwards) the optional side canopy can be attached. Details on page 22. The dotted lines mark the roof overhang.



Hint: You can rotate the HighLine® (from size H2 onwards) to suit your own preferences and the standard door can be installed in any side wall.




The Beauty of Natural Light

ize P2, Metallic Dark Grey

The full encircling skylight constructed from acrylic glass gives our new garden shed Panorama® a lightness in appearance and allows this model with its modern gable-roof to fit easily into its surroundings. The proven Biohort quality of materials and workmanship together with the selection of individual equipment options and the range of sizes available make the Panorama® the perfect garden shed to meet your high demands.

or panels and FloraBoard as



Quartz Grey







Size P2, Metallic Quartz Grey The standard door can be fitted in any side wall from size P2 onwards.

ADVANTAGES

Security:

 3-way locking mechanism complete with stainless steel door handle

Functionality:

- Integrated gutter with a connection for a 1 1/4" hose
- Gutter with integrated leaf traps fitted to both sides
- Comfortable door opening with gas spring

Standard Equipment:

- 360° acrylic glass panels
- Tool holder (2 pieces)
- Tool hangers (4 pieces)
- Shelves and support rails (2 pcs. each)



Door Opening:

Optional accessories available on pages 20 – 23.

12




SIZES (IN CM, OUTER DIMENSIONS INCL. ROOF OVERHANG)

Standard Door (right door hinge): 76 x 182 cm (W x H) – from size P2 onwards, the standard door can be installed in any side wall. Double Door: $155 \times 182 \text{ cm} (\text{W} \times \text{H})$ – from size P4 onwards, the double door can be installed

in any side wall.

The dotted lines mark the roof overhang.






AvantGarde[®] MODERN ARCHITECTURE

Top Quality Pent Garden Shed

The AvantGarde[®] lives up to its name. It is an extremely robust and sturdy metal garden shed which meets the requirements of modern architecture. Its attractive appearance and the numerous practical advantages it offers for daily use will guarantee endless enjoyment. It is maintenance-free for life and therefore saves money and valuable spare time.



Quartz Grey



Metallic Dark Grey



Size A3, Metallic Quartz Grey with Slim Double Door

ADVANTAGES

Security:

 3-way locking mechanism complete with stainless steel door handle

Functionality:

- Integrated gutter with a connection for a 1 1/4" hose
- Comfortable door opening with gas spring


Standard Equipment:

- Acrylic glass skylight with roof overhang
- Tool holder (2 pieces)
- Tool hangers (4 pieces)
- Shelves and support rails (2 pcs. each)

Door Opening: installed in either side wall.

The dotted lines mark the roof overhang.

260



Silver

SIZES (IN CM, OUTER DIMENSIONS INCL. ROOF OVERHANG)

Standard Door (right door hinge): 76 x 182 cm (W x H) Double Door A1-A4: 139 x 182 cm (W x H) Double Door A5-A8: $155 \times 182 \text{ cm} (W \times H)$ – from size A7 onwards, the double door can be



Europa QUALITY AT A REASONABLE PRICE

Everything Well Organised with the Biohort Classic

Proven and tested for decades and still very popular! More than 150,000 units of the garden shed "Europa" have been sold and the proud owners still use them with pleasure. The high stability, durable materials and free maintenance are the reasons why. The functional features simplifies your gardening work and establishes order in your garden. An extensive range of standard features and sophisticated accessories fulfil your needs.






Metallic



Quartz Grey



Dark Green



Size 4, Metallic Dark Grey with Side Canopy (see accessories p. 22)

ADVANTAGES

Security:

• 2-way locking mechanism with T-handle cylinder lock

Functionality:

- Integrated gutter with a connection for a 1" hose
- Additional door and extra wide double door optional (see accessories on p. 22)

Standard Equipment:

- Integrated organiser system on the inside of the doors (incl. 6 hooks)
- Tool hangers (4 pieces)
- Shelves and support rails (2 pcs. each)
- Two additional mounting bracket for wall mounting (by size 2A and size 4A)
- Door hooks to secure the opened door panels

Door Opening:



Optional accessories available on pages 20 – 23.


16

Silver

SIZES (IN CM, OUTER DIMENSIONS INCL. ROOF OVERHANG)

135 x 170 cm (W x H) – from size 2A on the double door can be also installed off-centre, for sizes 2, 3, 4, 5, 6 and 7 the double doors can be installed on the sides as well.

The dotted lines mark the roof overhang.





Equipment Locker SMALL BUT VERSATILE

Attractive and Highly Versatile Locker

Where room is scarce, the Equipment Locker shows its value. In the garden, on the terrace, in the garage or on the balcony it organises and stores your tools without restricting your living space. With the Biohort Equipment Locker you can store your garden implements, tools, children's toys and other similar items protected from rain and theft. Its compact size and elegant design allow the Equipment Locker to blend in harmoniously with its surroundings.





Quartz Grey



Metallic



Dark Green



Size 230, Metallic Quartz Grey with Aluminium Floor Frame and Floor Panels as Accessories

ADVANTAGES

- Invisible, integrated ventilation
- Rainwater proof

Security:

• 2-way locking mechanism with T-handle cylinder lock

Standard Equipment:

- Integrated organiser system on the inside of the doors (incl. 6 hooks)
- Tool hangers (4 pieces)
- Shelves and support rails (2 pcs. each)
- Door hooks to secure the opened door panels

Door Opening:



Silver

SIZES (IN CM, EXTERIOR DIMENSIONS)

Size 90: 65 x 170 cm (W x H), Size 150 and 230: 135 x 170 cm (W x H)



 ✓ ✓ 	STANDARD EQUIPMENT OPTIONAL ACCESSORIES	Neo**	HighLine®	Panorama®	AvantGarde®	Europa	Equipment Locker
01	Tool Hangers To hang up spades, rakes, garden hoses and other garden tools. Standard Equipment: 4 pieces (Exception Garden Shed Neo: 2 pieces)		<!--</td--><td><!--</td--><td><!--</td--><td></td><td> ✓ ✓ </td></td></td>	<!--</td--><td><!--</td--><td></td><td> ✓ ✓ </td></td>	<!--</td--><td></td><td> ✓ ✓ </td>		 ✓ ✓
02	Shelves/Support Rails Standard Equipment: 2 shelves (Depth: 24.5 cm, Load Capacity: 15 kg per shelf) und shelf support rails. (Exception Garden Shed Neo: no shelf supports are needed here) Additional shelves of 24.5 cm or 43.5 cm depth and support rails are available separately as accessories. (Exception Garden Shed Neo: shelves of 26 cm or 44.5 cm depth)		<!--</td--><td> ⊘ ★ </td><td></td><td></td>	 ⊘ ★ 		 	⊘★
03	Tool Holder Standard Equipment: 2 tool holder For mounting on the inside of the doors. A maximum of 4 tool holders can be fitted to each door.	⊘ ★	<!--</td--><td><!--</td--><td><!--</td--><td></td><td></td></td></td>	<!--</td--><td><!--</td--><td></td><td></td></td>	<!--</td--><td></td><td></td>		
04	Rainwater Downpipe Set Two downpipes with outlet elbows in the same colour as the shed.	\oslash	€	€	€	۲	
05	Hook Set Consists of a combination hook, a handle hook and a shovel hook on a wall bracket, this is hung between 2 support rails*.	∢	€	€	€	∢	€
06	Electric Mounting Panel Discreet, hidden cable routing and easy assembly of switches and outlets (electrical equipment in photo not included).	∢	€	۲	۲	€	€
07	LED Light Battery-powered light with motion sensor and permanent light switch; magnetic fixation possible; incl. USB charging cable.	∢	€	۲	€	∢	€
08	Suspension Basket Ideal for storing small objects. Includes wall bracket for hanging the basket in-between 2 support rails*. Sack made of black polyester mesh. Size (W x L x H): 67 x 34 x 20 cm (Exception Garden Shed Neo: 55 x 34 x 20 cm)	∢	€	∢	∢	∢	۲
09	Folding Table The space-saving folding table can be easily inserted into 2 support rails*. It quickly provides you with a stable work surface. Load Capacity max. 30 kg, Size: 69 x 58 cm		€	€	€	∢	€
10	Threshold Access Ramp For outside and inside, for easy crossing the floor threshold, only possible with aluminium floor frame and double door, max. load capacity 200 kg, length: 135 cm (Exception Garden Shed Neo: 163.5 cm)	۲	€	€	€	€	€
11	Bicycle Hanger "BikeMax" Garden Shed Europa: height adjustable in 6 different positions and suitable for bikes with up to 26". Garden She Neo, AvantGarde®, HighLine®, Panorama®: height adjustable in 8 different positions and suitable for bikes with up to 29". Integrated locking eyelet for bicycle locks.	∢	∢	€	€	∢	
12	Bicycle Holder "BikeHolder" Optimal storage of bicycles thanks to the adjustable retaining clamps. The base plate can be easily slotted into 2 support rails [*] . Quick and easy securing of the bicycle tyres for a maximum of 3 bicycles per "Bike- Holder".	∢	€	۲	۲	∢	· ·

01 Tool Hangers







07 LED Light





10 Threshold Access Ramp

* Support rails not included in the delivery. Exception Garden Shed Neo: no shelf supports are needed here ** Attention: Garden Shed Neo does not have any corrugations like the other garden sheds, this has not been taken into account in the illustration.

02 Shelves/Support Rails



05 Hook Set



08 Suspension Basket




03 Tool Holder



06 Electric Mounting Panel



09 Folding Table



12 Bicycle Holder "BikeHolder"

 ✓ ✓ 	STANDARD EQUIPMENT OPTIONAL ACCESSORIES	Neo	HighLine®	Panorama®	AvantGarde®	Europa	Equipment Locke
13	Aluminium Floor Frame Offers the tool shed additional stability when erected without a foundation on uneven ground (i.e. lawn). The supplied ground anchors offer safety during stormy weather.	۲	€	€			
14	Aluminium Floor Panels The floor consists of 1-5 high quality aluminium chequer plate panels depending on the size of the shed, incl. connecting rails. To ensure the optimal fitting the aluminium floor frame is necessary.	€	۲	۲	∢	۲	€
15 A	SmartBase The perfect floor for solid ground (concrete or paved surfaces). Light ground irregularities of up to 40 mm can be compensated. For details, see page 24 – 25.	۲	€	۲	∢	۲	€
15 B	SmartBase ^{PLUS} Optimal solution for slopes and lawns. Patented system with ground screws to compensate for slopes of up to 15 cm. For details, see page 24 – 25.	۲	€	€	۲	۲	€
16	FloraBoard Two rails of the same colour of the shed are attached to the outer wall and the flower boxes can be hung on these at a suitable height. Plastic inserts for easier planting are included in the standard delivery scope.		€	€	۲		
17	Double Door Makes entering and leaving the shed with large tools and equipment easier. The 2nd door is equipped with a twist knob locking mechanism and a gas spring (with the exception of Garden Shed Europa and Equipment Locker).	€	€	€	∢	⊘	Ø
18	Additional Door Included in the delivery scope are a stainless steel door handle with standard cylinder, a 3-way locking mech- anism, a gas spring , hinges, two tool holders as well as the necessary metal fittings for the hinge positions. The door can be hinged on the right and on request also on the left. Your Garden Shed "Europa" can be equipped with additional standard doors (for example to be installed into the side wall). You can also order an extra wide double door with the dimensions of 171 x 170 cm to replace or curplement the charder doar (can only be installed off captro).	۲	∢	€	∢	∢	
19	supplement the standard door (can only be installed off-centre).* Shed Extension Europa * Connecting modules are available for the sheds with 244 cm or 316 cm widths. This allows two sheds to be joined together lengthwise to form a single large shed. The gables of the two houses are supported and connected with profiles at the connection point. The clearance height here is 170 cm (same as door height).					۲	
20	Side Canopy The side canopy can be attached to the shed HighLine® (from size H2 onwards) on the side with the gutter - either on one or both sides. This creates a roofed, open space equal to the single/double surface area of the tool shed. The aluminium supports are equipped with height-adjustable feet. The rainwater downpipe is included.		€	- - - - - - - - - - - - - - - - - - -			
	The side canopy for the garden shed Europa can be attached either to the left, to the right or to both sides of the shed. The set includes the supports, a short rainwater downpipe and the fixation material (not available for size 1 and size 2A).					۲	
21	Side and Back Walls for Side Canopy Garden Shed HighLine® You can attach a back wall and/or a side wall to the side canopy of your HighLine® shed (from size H2 onwards) . They are available in the same colours as the shed.		€	•			
22	Window Unit The complete side wall unit with a metal framed clear plastic window brings daylight into the garden shed (window opening 50 x 60 cm).					۲	
23	Acrylic Glass Panel The tinted acrylic glass panel (Dimensions: 28 x 207 cm) is mounted in a metal frame and can be flexibly installed in any side wall, but not side by side.	۲	-	-			-
24	Interior Panelling Grey white interior wall panels are simply hooked into the side walls and screwed in place.	€					
25	Insulation The interior wall panelling can also be fitted with 40 mm thick insulation (styrofoam boards), which opens up many new possibilities for the garden shed.	€					





18 Additional Door / 17 Double Door



20 Side Canopy for Garden Shed HighLine®/Europa





22 Window Unit for Garden Shed Europa



* Price on request 22



15A SmartBase 15B SmartBase^{PLUS}



16 FloraBoard





18 Additional Door / 19 Shed Extension



21 Side and Back Walls for Side Canopy Garden Shed HighLine®





24 Interior Panelling/ 25 Insulation for Garden Shed Neo





SmartBase

Perfect for Hard Surfaces

The Biohort SmartBase Foundation is the ideal foundation for concrete or paved areas. It consists of high-quality aluminium boards, a special foundation frame and height-adjustable feet. So light ground irregularities of up to 4 cm can be compensated.


Time of Assembly: 1 - 2 hours for two (depending on workmanship and size). **Tools*:** spirit level, drill, open ended spanner SW13 and SW24.





1. Frame Assembly 3. Fixing the Adjustable Feet to the Subsurface





2. Connection of Adjustable Feet and Frame Alignment 4. Fixing of Aluminium Floor Panels


ADVANTAGES

- Compensation of unevenness through adjustable feet
- Easy to remove if necessary
- Precisely fitted to all Biohort garden sheds, the Equipment Lockers and the MiniGarage
- Storm proof
- Load bearing capacity max. 200 kg/m²

Standard Equipment:

- Aluminium floor panels with grooved surface
- Specially designed foundation frame
- Galvanised adjustable feet
- Adjustable feet with height adjustment
- Integrated water barrier to protect against water ingress

Floor frame and floor plates are no longer necessary!



SmartBase^{PLUS}


Optimal Solution for Slopes and Lawns

Unlike the SmartBase foundation, the patented SmartBase^{PLUS} system includes ground screws instead of adjustable feet. These are screwed directly into the ground and can compensate slopes of up to 15 cm. For this, the soil should be compact and free of large stones and roots.

Time of Assembly: 2 - 4 hours for two (depending on workmanship and size) **Tools*:** hammer drill, drill bit Ø 40 x 600 mm, spirit level, drill, open-end spanner SW13 and SW24, shovel.







1. Site Preparation and Ground Screw Insertion 3. Positioning and Attachment of Frame Attachment and Levelling of Mounting Plates
 Fixing of Aluminium Floor Panels

* not included in the delivery

* not included in the delivery


ADVANTAGES

- Little excavation
- Gravel base is not necessary
- Compensation of unevenness through ground screws
- Easy to remove if necessary
- Precisely fitted to all Biohort garden sheds, the Equipment Locker and MiniGarage
- Storm proof
- Load bearing capacity max. 200 kg/m²

Standard Equipment:

- Aluminium floor panels with grooved surface
- Specially designed foundation frame
- Galvanised ground screws
- Multi-adjustable mounting plates
- Including manual screw-in driver
- Integrated water barrier to protect against water ingress

Floor frame and floor plates are no longer necessary!





CasaNova® DESIGN, CUSTOMISED TO YOUR REQUIREMENTS





Metallic Silver

Metallic Quartz Grey

Metallic Dark Grey

The High End Metal Building with Insulated Side Walls

Whether as a garden shed, workshop or sauna - the insulated design outbuilding Casanova® provides unique flexibility with a wide range of equipment options and adapts exactly to your ideas. No matter if you are looking for functional storage and place to store your plants during winter or if you want to establish an oasis of peace in your garden: with the Casanova® you can make your wish come true at a unique quality level.



Insulated Side Wall/Door Panel Sandwich element with 40 mm core made of polystyrene (EPS W20)



9 SIZES. 3 COLOURS AND COUNTLESS POSSIBILITIES Possible surface areas from 3 x 2 m to 4 x 6 m.

Thanks to the modular construction there are no limits to your wishes. Doors and windows can be positioned freely according to your expectations.

Configure your CasaNova® now! https://www.biohort.com/en/configurator

PRACTICAL DETAILS AND MANY TYPES OF APPLICATION

SPA and Wellness



CasaNova® 3 x 4, metallic dark grey with

aluminium floor frame, 2 glass elements, external lighting and sauna as accessories.



Hobby and Sport CasaNova® 3 x 4, metallic dark grey with aluminium floor frame, aluminium floor panel, double door, external lighting and two glass elements as accessories.





ADVANTAGES

• Sandwich element with 40 mm core made of polystyrene (EPS W20)

Security:

- 3-way locking mechanism complete with stainless steel door handle
- Roof resp. snow load of up to 215 kg/m² (less roof loading such as greenery)

Functionality:

- Easy to heat thanks to thermal insulation u-value of side walls: $0,76 W/(m^2K)$
- Door hinge position on the left or right available
- Large selection of accessories
- Ventilation via acrylic glass panel which can be opened
- Comfortable door opening with gas spring

CasaNova Brochure request via www.biohort.com




Car and Workshop

CasaNova® 3x5, metallic dark grey with overhead sectional door, additional door and tilt and turn window.



Homeoffice/Retreat

CasaNova[®] 3 x 4, metallic dark grey with aluminium floor frame, 2 glass elements and external lighting.







LeisureTime Box



Romeo[®] PATIO LOCKER

More Space for the Essentials


The Patio Locker Romeo® creates additional space without needing much space for itself. Moreover, it spoils all balcony and patio fans with an individual shelf range, soft-closing doors due to gas springs and many more details which are typical for Biohort!

SIZES (CM) Door Opening:

103 x 131 cm (W x H)




OPTIONAL ACCESSORIES



Galvanised steel shelves (61 x 43 cm) available in addition to the shelves which are part of the standard delivery scope.







Metallic Silver

Quartz Grey

Metallic Dark Grey



Size L, Metallic Dark Grey





ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation

Security:

• 3-way locking mechanism with T-handle cylinder lock

Functionality:

Comfortable door opening with gas spring

Standard Equipment:

- Shelves (2 pcs.) and support rails (3 pcs.)
- Organiser system fitted inside the door (incl. 6 hooks)





StoreMax® DESIGN ON THE OUTSIDE SPACE ON THE INSIDE

Gardening Joy at the Highest Level

A garden is a feel-good oasis – at least if it is tidy. This is why the Storemax® offers maximum storage space in a small space, which can be individually divided up with shelves and shelving units. Whether as a lawn mower garage, garden tool box or storage space for pillows, behind the two-parted opening system there is room for everything!

SIZES (CM)



★ OPTIONAL ACCESSORIES



Corner Shelf Set (suitable for size 120 & 160)

2 shelves (triangular-shaped) with support rails, height adjustable in 5 different positions, easy to retrofit without any tools, can be fitted on the left or the right as required.

Intermediate Shelf (suitable for size 160& 190) 2-piece galvanised steel shi



2-piece, galvanised steel shelf with support rails, supports a load of ca. 100 kg; can also be used as a 2-piece shelf, height adjustable in 5 different positions, easy to retrofit.





Quartz Grey



Metallic Dark Grey



The top shutter can be opened separately.



32

Metallic

Silver



ADVANTAGES

- Rainwater proof
- Shutter made from aluminium

Security:

 2-way locking mechanism with T-handle cylinder lock

Functionality:

• Easy operation due to spring support

Standard Equipment:

• Tool holder on the inside of the side walls





Shelf Set (suitable for size 190) 2 steel shelves (72 x 24,5 cm) and 2 support rails.



HighBoard HIGHLIGHT ON THE PATIO

Multi-talented Storage Solution

Thanks to the double doors and opening lid, the applications for the HighBoard are almost limitless: whether as a storage space for cushions and garden equipment or as the perfect extension to your outdoor kitchen, everything is protected from the weather and neatly stowed away. Its elegant design has been developed by industrial designers and is a guaranteed highlight on every patio. SIZES (CM) Door Opening:

Size 160: 140 x 100 cm (W x H) Size 200: 167 x 110 cm (W x H)




OPTIONAL ACCESSORIES



Suspension Basket The sack made of black polyester mesh offers additional storage space and is simply hung on the frame. Load capacity max. 10 kg.





Metallic Quartz Grey

Metallic Dark Grey



Size 160, Metallic Silver with Intermediate Shelf

Intermediate Shelf



In metallic silver, 9 position height adjustment. Easy to install and universally adaptable (e.g. as a continuous shelf or as 2 shelves). Load capacity max. 50 kg.

Silver



ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation
- Lid made from aluminium

Security:

Locking mechanism with turn knob cylinder lock

Functionality:

Comfortable lid and door opening with gas spring

Standard Equipment:

• Dustbin lid opener (3 pcs.)







Tool Holder

For mounting on the inside of the doors. A maximum of 2 tool holders can be fitted to each door.



Lid Storage Net


The solution for small objects. It can be easily attached to the inside of the lid.



LoungeBox® STYLISH ELEGANCE

Design for High Standards

The LoungeBox[®] is the perfect storage solution for seat cushions and many other things for which one can never find a suitable place. Due to its appealing look, it blends in well on every patio. SIZES (CM)





Silver

36



Metallic Quartz Grey

Metallic Dark Grey



Size 160, Metallic Dark Grey

• OPTIONAL ACCESSORIES



Suspension Basket

The basket, made of black polyester netting, offers extra storage space. Easy to attach, just place on top of the frame. Load bearing capacity of max. 10 kg.



ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation
- Lid made from aluminium

Security:

Locking mechanism with turn knob cylinder lock

Functionality:

Comfortable lid and door opening with gas spring



Lid Storage Net

The solution for small objects. It can be easily attached to the inside of the lid.



LeisureTime Box STYLISH & DURABLE

The Perfect Box for Outside

It stores all those items you cannot find a suitable storage place for. Ideal for stowing away seat cushions, toys, sun loungers, folding chairs, sports and camping equipment. 5 sizes, 5 colours for every demand. The perfect long -lasting solution through the use of high-quality materials.




OPTIONAL ACCESSORIES (\bigstar)



Suspension Basket

The sack made of black polyester mesh offers additional storage space and is simply hung on the frame. Load capacity max. 10 kg.





Silver



Metallic

Dark Grey



Metallic Bronze

Lid Storage Net



The solution for small objects. It can be easily attached to the inside of the lid. Two nets can be fixed side by side in the LeisureTime Box 180 and 200.



ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation

Security:

• 2-way locking mechanism with T-handle cylinder lock


Functionality:

 Comfortable lid and door opening with gas spring

Parcel Box Kit

Stainless steal locking bar and padlock with number combination and stainless steel securing cable.











44 StoreMax®



46 HighBoard



MiniGarage SMALL WITH BIG BENEFITS

Multifunctional Storage Wonder Without Authorisation Requirement*

The MiniGarage provides the ideal storage space for up to 2 bicycles or gardening tools and garden furniture. With a height of only 145 cm, it does not require planning permission*. The intelligent rail system (optional) facilitates the storage of bicycles: Place the rear wheel onto the ground rail, hang the handlebar in the extendable upper rail, push into the Minigarage, done! The extendable shelf system with 2 shelves (150 cm long) is valuable for storing gardening tools. MiniGarage – multi-purpose in application, modern in design.





MiniGarage with two bicycle suspension rails and electrical mounting panel. SIZES (CM) Door Opening: 103 x 131 cm (W x H)

Interior Dimensions: 117 x 195 x 137 cm (L x W x H)



OPTIONAL ACCESSORIES



Bicycle Suspension Rail Extendable storage system with guide rail on the floor, designed for easy extraction and storage of bicycle. Max. 2 bicycle storage rails possible.





ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation

Security:

 3-way locking mechanism with T-handle cylinder lock

Functionality:

Comfortable door opening with gas spring

Standard Equipment:

 Organiser system fitted inside the door (incl. 6 hooks)



Hint: also available with electrical mounting panel. See page 20 for details.



Aluminium Floor Frame/ Alumininium Floor Panels

The aluminium floor frame gives the MiniGarage the necessary stability even on uneven ground. The top-quality and elegant aluminium chequer plate floor can only be used in combination with the aluminium floor frame.



SmartBase/ SmartBase^{PLUS}

Complete system consisting of aluminium profiles, aluminium boards and adjustable feet or ground screws. Perfect for levelling slight inclines. See page 24 – 25 for details.



StoreMax[®] SLIDE UP THE SHUTTER AND HAVE FUN WITH YOUR BICYCLE

Cuts Quite a Figure

Right in front of your home, immediately ready: the rainproof bicycle garage Storemax[®] with the "BikeHolder" offers a maximum of storage without needing much space itself - perfect dimensions for up to 2 bicycles. The very smoothly working roller shutter helps you save your energy for the bicycle tour and protects your bicycle with a robust cylinder lock.

S	IZ	E	S	(CM)

Interior Dimensions: 188 x 86 cm (W x H)

Storage Capacity: 2 adult bicycles



OPTIONAL ACCESSORIES



Bicycle Holder Set "BikeHolder" The baseplate including adjustable clamping levers can be hooked into 2 shelf support rails (included) and provides optimal storage for 2 bicycles.

10		
	and the second se	





Dark Grey

Metallic Silver

Quartz Grey



The top shutter can be opened separately.



To fully open the Storemax® the front shutter fully glides back.



ADVANTAGES

- Rainwater proof
- Shutter made from aluminium

Security:

• 2-way locking mechanism with T-handle cylinder lock

Functionality:

• Easy operation due to spring support

Standard Equipment:

• Tool holder on the inside of the side walls




HighBoard A ROOMY HOME FOR YOUR BICYCLE

Store Your Valuables Safely

Cycling keeps you fit and the HighBoard keeps your bicycle running: absolutely rainwater proof, with integrated ventilation, special bicycle holders and a robust cylinder lock to protect it from theft. Up to two bicycles can be easily stowed and removed due to the lid which can be additionally opened. So nothing is standing in the way of a spontaneous cycling tour.





Dark Grey

Metallic Silver

Quartz Grey



Size 200, Metallic Silver with bicycle holder "BikeHolder"

SIZES (CM)

Door Opening: 167 x 110 cm (W x H) Interior Dimensions: 195 x 76 x 120 cm (L x W x H) Storage Capacity: 2 adult bicycles

OPTIONAL ACCESSORIES (\bigstar)



Bicycle Holder "BikeHolder" The baseplate including adjustable clamping levers can be hooked onto the inside of the side wall and provides optimal



Discreet, hidden cable routing and easy assembly of switches and outlets (electrical equipment in photo not included).





ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation
- Lid made from aluminium

Security:

 Locking mechanism with turn knob cylinder lock

Functionality:

 Comfortable lid and door opening with gas spring

Standard Equipment:

• Dustbin lid opener (3 pcs.)





Tool Holder

For mounting on the inside of the doors. A maximum of 2 tool holders can be fitted to the door panel.



Lid Storage Net

The solution for small objects. It can be easily attached to the inside of the lid.

THE MOST APPEALING WAY TO SEPARATE WASTE





50 Alex®



52 StoreMax®



54 HighBoard



Alex® MODULAR DUSTBIN BOX

Modern Design, Clever Details

With the new Alex dustbin system, any number of boxes can be arranged in a row, even at a later date, and thus separation systems can be optimally accommodated. The dustbin can be easily tipped out, the retaining bracket fixes it in the inclined position and facilitates filling. With its modern design Alex cuts a fine figure in every driveway!

SIZES (CM) Door Opening:

65 x 118 cm (W x H) Storage Capacity: 120 L Dustbin or 240 L Dustbin



OPTIONAL ACCESSORIES (\bigstar)

Connecting Element


Covers the gap between two dustbin boxes at the front and back.





Silver

Metallic Dark Grey









ADVANTAGES

- Can be expanded as required due to modular design
- Integrated ventilation
- Stable roof for planters
- Rainwater proof


Security:

 Locking mechanism with turn knob cylinder lock

Standard Equipment:

- Catch bar for tipping out the dustbin
- Functional floor
- Organiser system fitted inside the door (incl. 3 hooks)





Matching Cylinder Lock

If several boxes are used, access is possible with only one single key.



StoreMax[®] DESIGNER COVER FOR THE DUSTBINS

Elegant Functionality

Up to three 240 L dustbins can be hidden behind the easily gliding roller shutters. The two-part opening system with its separately opening roller shutter allows for comfortable access to the hidden bins – and the easy removal of the dustbins when it is completely open.

SIZES (CM)

Storage Capacity: Size 120: 2 x 120 l dustbins Size 160: 3 x 120 L dustbins or 3 x 240 L dustbins Size 190: 3 x 120 L dustbins or 3 x 240 L dustbins



OPTIONAL ACCESSORIES (\bigstar)

Corner Shelf Set (suitable for size 120 & 160)

2 shelves (triangular-shaped) with support rails, height adjustable in 5 different positions, easy to retrofit without any tools, can be fitted on the left or the right as required.

-	-
-	
-	
-	



Quartz Grey



Metallic Dark Grey



The top shutter can be opened separately.



To fully open the Storemax® the front shutter fully glides back.



Metallic

Silver



ADVANTAGES

- Rainwater proof
- Shutter made from aluminium

Security:

• 2-way locking mechanism with T-handle cylinder lock

Functionality:

• Easy operation due to spring support

Standard Equipment:

• Tool holder on the inside of the side walls



HighBoard SOMETHING NOBLE IN THE FRONT GARDEN

The Unsightly Beautifully Stowed

Dustbins are not easy on the eye – unless they are hidden in noble industrial design. Additionally, the HighBoard allows for easy filling and emptying of the bins with its spacious doors and the additional lid opening. The robust cylinder lock prevents others from using your dustbin.

SIZES (CM)

Door Opening: Size 160: Size 160: 140 x 100 cm (W x H) Size 200: 167 x 110 cm (W x H)

Storage Capacity: Size 160: 3 x 120 L dustbins Size 200: 3 x 120 L dustbins or 3 x 240 L dustbins



Tool Holder

8

For mounting on the inside of the doors. A maximum of 2 tool holders s can be fitted to the door panel



Metallic Silver

Metallic Quartz Grey

Metallic Dark Grey



Size 200, Metallic Silver





ADVANTAGES

- Rainwater proof
- Invisible, integrated ventilation
- Lid made from aluminium

Security:

 Locking mechanism with turn knob cylinder lock

Functionality:

 Comfortable lid and door opening with gas spring

Standard Equipment:

• Dustbin lid opener (3 pcs.)

70

Size 160

160





1.2.1.1.1.1.1.1









57



64 WoodStock®









60 Belvedere®




Raised Vegetable Bed CLEVER CULTIVATION

The Best Conditions for a Bountiful Harvest

Raised vegetable beds make it easier to plant vegetables and maximise the harvest – but only the Biohort raised Vegetable Bed combines the hobby of gardening with practical and intelligent design. Ingenious details add to the eye catching effect of this product, which offers more than just beauty!





OPTIONAL ACCESSORIES (\bigstar)




(available for size 1x0.5, 1x1, 2x0.5 & 2x1) The intermediate floor reduces the volume of the bed and the soil filling required,

saving both money and valuable time. It is placed on the second corrugation during . assembly.



(available for size 1x0.5, 1x1, 2x0.5 & 2x1) It is placed on top of the raised Vegetable Bed. Can be combined with a cold frame extension.



Grey



Metallic Dark Grey



Sliding Panel/Preparation for Irrigation Easy to empty thanks to sliding panel, opening for watering hose on the narrow side (size: 17 x 17 mm, except size 2x2).



ADVANTAGES

- Extremely durable
- Assembly in just 10 minutes only 8 screws

Security:

• Integrated rodent protection made of fibreglass

Functionality:

- Optional snail guard, cold frame extension and intermediate floor
- Sliding side walls make it easy to empty
- Opening for irrigation hose







Cold Frame Extension (suitable for size 2x1)

Efficient frost protection with 4 easily removable sliding panels. The cold frame extension is storm-proof and designed to direct rainwater into the raised Vegetable Bed.




Belvedere[®] EXPERIENCING DESIGN

The Eye-Catcher for Your Terrace

With a width of only 50 cm, the Planting Bed Belvedere® creates a space for special ideas: as a living, plant filled room divider it adds structure to your patio or garden and also embellishes your balcony. This product gives you completely new design possibilities.

SIZES (CM)




STANDARD EQUIPMENT \bigcirc



Intermediate Floor

The intermediate floor reduces the volume of the bed and the soil filling required, saving both money and valuable time. It is placed on the second corrugation during assembly.



Metallic Quartz Grey

Metallic Dark Grey



Size S, Metallic Quartz Grey



ADVANTAGES

- Extremely durable
- Assembly in just 10 minutes only 8 screws

Security:

 Integrated rodent protection made of fibreglass


Functionality:

- Sliding side walls make it easy to empty
- Opening for irrigation hose

Standard Equipment:

Intermediate Floor






Preparation for Irrigation System

Opening for watering hose on the narrow side (size: 17 x 17 mm).



MonAmi[®] PREMIUM COMPOSTER



As "my friend in the garden" the Composter MonAmi[®] combines functionality with stylish appearance: smooth surfaces on the inside and outside, with everything required for efficient composting. Two centrally placed ventilation pipes create a chimney effect and ensure a reliable circulation of air, meanwhile the circumferential gap underneath the cover ensures that heat is transferred out of the composter. Even composting can now look great!

This May Go In:

- Organic waste such as fruit and vegetable waste
- Crushed eggshells
- Coffee grounds and tea leaves
- Leftover bread
- Cuttings such as small branches and twigs
- Leaves and dry grass clippings

This May Not:

- Leftovers such as meat, fish and bones
- · Contents of animal litter and animal excrement
- Cigarettes
- Treated wood
- Vacuum cleaner bags
- Large quantities of ash and barbecue coal

SIZES (CM) Volume: 725 L



STANDARD EQUIPMENT \bigcirc



Sliding Panel

Sliding front wall panel makes it convenient and easy to empty.





ADVANTAGES

• Extremely durable

Security:

• Integrated rodent protection made of fibreglass

Functionality:

- Ventilation system ensures an optimal rotting process
- Sliding front wall panel makes it convenient and easy to empty
- Comfortable lid and door opening with gas spring









Ventilation Pipes


The integrated ventilation pipes provide an optimal supply of oxygen and circulation of air, which is essential for efficient composting.



WoodStock[®] THE MULTITALENT

Firewood Storage and Equipment Locker **Rolled Into One**

Nothing conjures up a cosier atmosphere than a blazing fire burning in the chimney on a cold winters day. But where to store the firewood? The WoodStock® provides the tidy and lasting solution for this question. During the summer it offers plenty of space for garden furniture and equipment. The possibility of attaching it to the house wall has proven to be particularly practical.



Quartz Grey



Dark Grey



Size 150, Metallic Silver with Aluminium Floor Panels, Door Package and Rear Wall

SIZES (IN CM, OUTER DIMENSIONS INCL. ROOF OVERHANG)

Volume: Size 150: 2,1 m³ Size 230: 3,1 m³ Possible to store wood in two rows (max length of firewood: 35 cm)

OPTIONAL ACCESSORIES



High quality aluminium chequer plate, protects the stored wood and gardening equipment from moisture.

66



Made from galvanized, polyamide coated steel plate.

Silver



ADVANTAGES

• Stability because of massive aluminium

Functionality:

- Integrated gutter on the front side
- Universally applicable for garden tools
- Wide range of accessories available

Standard Equipment:

• Screws and anchors for fixation to the ground





Door Package

Double door fitted with T-handle cylinder lock and organiser system on the inside of the doors, Door opening: 135 x 171 cm (W x H).



Charly® ROBOTIC LAWN MOWER GARAGE

Perfectly Protected

A shelter from the rain is not only the least that your hard-working robotic lawn mower deserves, but is also highly recommended for the protection of your robot! With two sizes, which are suitable for all market-based models, robotic Lawn mower garage Charly® provides all the comfort robots and owners need. The folding lid offers easy access to the control panel. You can find information on this at www.biohort.com/ robotergarage.

SIZES (CM)

DIMENSIONS (CM)

Size 1



417

46,3

45,4 61,3





Lid: Metallic Quartz Grey

Side Walls: Metallic Dark Grey



The folding lid with its locking mechanism offers easy access to the control panel.

66



ADVANTAGES

Security:

- Folding-locking mechanism
- Edge protection
- Ground screw ground fastening

Functionality:

• Easy access to the control panel due to folding lid

FOUNDATION SOLUTIONS

More information in foundation brochure and at **biohort.com**/ foundation




SMARTBASEPLUS_



The foundation solutions SmartBase und SmartBase^{PLUS} form a stable foundation for Biohort garden sheds, the Equipment Locker and MiniGarage. The foundations are storm-proof and quick to install. Whether on paved or uneven ground, with the SmartBase and SmartBase^{PLUS} we offer the optimal solution. No excavation is necessary, so a lot of work and site dirt is eliminated during installation.

Detailed information can be found on pages 24 - 25.



CONCRETE FOUNDATION

A reinforced concrete foundation slab on a gravel base is an optimal, but also expensive foundation. With this type of foundation you must also make sure that no water can penetrate into the shed at ground level. The stepped foundation slab with a circumferential step of 2 cm x 7 cm is an ideal design. (Aluminium floor frame and floor panels cannot be used.)

As an alternative to the stepped concrete foundation slab surface, a continuous flat concrete slab can also be poured. The available aluminium floor frame accessory makes it easier to level out any unevenness in the foundation and as well in fitting a sealing joint. The aluminium floor frame also allows the use of the aluminium floor panels, which can be underlaid with 2-3 cm thick XPS hard foam boards

POINT FOUNDATION




Another possibility for installing level and storm proof Biohort garden sheds on very uneven and soft ground is a point foundation in combination with a Biohort aluminium floor frame.



A good and inexpensive solution are paving slabs on a gravel base. We strongly recommend the use of the **aluminium floor** frame

FLOOR FRAME




With the aluminium floor frame (accessory) you can also set up the shed on a gravel base and anchor it with stormproof ground anchors (ground anchors are included). The **aluminium floor panels** (accessory) serve as a functional floor and are underlaid with XPS hard foam panels (XPS hard foam panels not included in the delivery).

QUALITY & GUARANTEE

HIGHEST STABILITY DURING ANY WEATHER CONDITION

Biohort garden sheds are manufactured from steel plates with double the thickness compared to low-cost manufacturers. This ensures very high stability (snow loads of 150 kg/m²). A wind tunnel test conducted by the Vienna university of Technology in Austria confirmed that Biohort garden sheds can withstand the highest level on the Beaufort-scale (force 12 = wind speed of 150 km/h) without any problems. Perfectly designed profiles and the use of stainless steel treated screws further contribute to the durability of our products.

Exterior



Interior

METAL -IDEAL FOR OUTDOOR USE

METAL

- No more painting use your valuable time for the essential things in life.
- Thanks to galvanising and enamel finishing, metal remains durable for generations. 20-year guarantee!
- The high-quality steel used by Biohort does not deform and remains in shape for decades.
- The colour of enamelled steel plates remains attractive for years and can be cleaned easily (even with a high-pressure washer).
- The hot-dip galvanised, polyamide enamel coated steel plate used by Biohort is fireproof in accordance with EN 13501-1 (Class "A1").

BEST MATERIALS FOR A LIFETIME OF FREE MAINTENANCE

Biohort uses only the best materials to manufacture its products. For our painted parts we use galvanised steel plates with an additional "stove-enamel" with polyamide. The highquality steel plates supplied by the Austrian and German steelworks are also used by premium German automobile manufacturers. The use of top-quality materials ensures that Biohort can confidently offer a 20 year guarantee against corrosion. This guarantee only applies under the prerequisite that no aggressive substances (e.g. chlorine, salt, etc.) are stored in our products and that there are no aggressive environmental conditions present; e.g. proximity to the sea or the influence of road salt. All screws, bolts, nuts and fittings are also made of stainless steel

BIOHORT COLOURS

The colour coatings we use are produced exclusively for Biohort and do not match the RAL numbers. Since many Biohort dealers have show models or original colour samples, we recommend visiting them before your purchase. Further, you can order free colour samples from all our products in our Biohort web shop.



Our general terms and conditions (GT&C) can be found here: https://www.biohort.com/en/company/general-terms-and-conditions-of-sale Our terms of guarantee are available here https://www.biohort.com/de/qualitaet/garantiebedingungen

WOOD

- Time-consuming painting in your spare time costs money and nerves.
- When wood gets wet, it will begin to rot after a few years.
- Wood expands and contracts. The results are jammed doors and splits due to expansion.
- Painted or varnished wood surfaces must be treated regularly. Untreated wood will quickly become unsightly.
- Wood burns easily. Because of this, the use of wood and plastic is forbidden on camping sites.

TECHNICAL DATA

OVERVIEW GARDEN SHED NEO

	Size	Exterior Dimensions**	Interior Dimensions	Foundation Dimensions	Weight		EAN code	
Neo	Size	W x L x H (cm)	W x L x H (cm)	W x L (cm)	(kg)		Metallic Quartz Grey	Metallic Dark Grey
	With S	Standard Door, Door Openii	ng: 78 x 200 cm (B x H), right	t door hinge				
	1A	180 x 180 x 222	164 x 164 x 208	171 x 171	170	9003414 81003 7	9003414 87003 1	9003414 85003 3
1	1B	236 x 180 x 222	220 x 164 x 208	227 x 171	205	9003414 81029 7	9003414 87029 1	9003414 85029 3
	2A	180 x 236 x 222	164 x 220 x 208	171 x 227	205	9003414 81006 8	9003414 87006 2	9003414 85006 4
-	2B	236 x 236 x 222	220 x 220 x 208	227 x 227	230	9003414 81034 1	9003414 87034 5	9003414 85034 7
	With I	Double Door, Door Opening	: 161 x 200 cm (W x H)					
	1B	236 x 180 x 222	220 x 164 x 208	227 x 171	215	9003414 81060 0	9003414 87060 4	9003414 85060 6
	2B	236 x 236 x 222	220 x 220 x 208	227 x 227	240	9003414 81063 1	9003414 87063 5	9003414 85063 7

The garden shed Neo is av various colour combination The colour of the roof and c differ from the colour of the Variant Description: No. metallic silver, No. 2 stands quartz metallic quartz grey metallic dark grey.

20	230 X 230 X 222	220 X 220 X 200	22/ 1 2	27 240	5005414 61005 1	5005414 67005 5	5003414 63003 /
available at no extra cost in				Possible Colou	r Combinations		
ons.		Variant: 1.2	Variant: 1.3	Variant: 2.1	Variant: 2.3	Variant: 3.1	Variant: 3.2
id door the wa	can be selected to	Wall C	olour	Wall O	Colour	Wall	Colour
	ands for the colour		: Silver	Metallic Q	uartz Grey	Metallic I	Dark Grey
	the colour metallic	Roof and D	oor Colour	Roof and D	oor Colour	Roof and D	Door Colour
ey, No.	3 stands for the colour	Metallic Quartz Grey	Metallic Dark Grey	Metallic Silver	Metallic Dark Grey	Metallic Silver	Metallic Quartz Grey
C:	Exterior Dimensions**	FAN C. J.	FANCE	EAN Code	FANICIA	FAN C. J.	FAN C. J.
Size	W x L x H (cm)	EAN Code	EAN Code	EAN Code	EAN Code	EAN Code	EAN Code
Colc	our of the roof and standa	ard door deviates from the	shed colour				
1A*	180 x 180 x 222	9003414 81005 1	9003414 81004 4	9003414 87004 8	9003414 87005 5	9003414 85004 0	9003414 85005 7
1B*	236 x 180 x 222	9003414 81033 4	9003414 81030 3	9003414 87030 7	9003414 87033 8	9003414 85030 9	9003414 85033 0
2A*	180 x 236 x 222	9003414 81008 2	9003414 81007 5	9003414 87007 9	9003414 87008 6	9003414 85007 1	9003414 85008 8
2B*	236 x 236 x 222	9003414 81039 6	9003414 81037 2	9003414 87037 6	9003414 87039 0	9003414 85037 8	9003414 85039 2
Colc	our of the roof and double	e door deviates from the s	hed colour				
1B*	236 x 180 x 222	9003414 81062 4	9003414 81061 7	9003414 87061 1	9003414 87062 8	9003414 85061 3	9003414 85062 0
2B*	236 x 236 x 222	9003414 81067 9	9003414 81064 8	9003414 87064 2	9003414 87067 3	9003414 85064 4	9003414 85067 5

 * Dimensions of the corresponding size can be found in the table above.

ACCESSORIES GARDEN SHED NEO

Foundation Accessories / Foundation	EAN Code	EAN Code	EAN Code	EAN Code				
suitable for	Aluminium Floor Frame	Aluminium Floor Panels	SmartBase	SmartBase ^{PLUS}				
Neo				D _m I I				
1A	9003414 41014 5	9003414 48014 8	9003414 43950 4	9003414 43450 9				
1B / 2A	9003414 41024 4	9003414 48024 7	9003414 43954 2	9003414 43454 7				
2B	9003414 41040 4	9003414 48040 7	9003414 43918 4	9003414 43418 9				
Note: Hammer drills can be rented from any well-equipped specialist, he	owever the drill bit required is avail	able from Biohort.						
Drill Bit Ø 40 x 600 mm for SDS-MAX chuck Ø 18 mm (for SmartBase ^{PLUS})	Drill Bit Ø 40 x 600 mm for SDS-MAX chuck Ø 18 mm (for SmartBase ^{PLUS})							
Note: In combination with an additional door, an additional package is r	equired for the SmartBase and Sma	artBase ^{PLUS} .						
Foundation Additional Package			9003414 43505 6	9003414 43405 9				

Interior Fittings	EAN Code	EAN Code
suitable for	Interior Panelling	Insulation
1A (Standard Door)	9003414 46051 5	9003414 46081 2
1B / 2A (Standard Door)	9003414 46052 2	9003414 46082 9
2B (Standard Door)	9003414 46054 6	9003414 46084 3
1B (Double Door)	9003414 46053 9	9003414 46081 2
2B (Double Door)	9003414 46055 3	9003414 46082 9

Accessories		Dimensions W x L x H (cm)		EAN Code	
Accessories in matching colour			Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey
Acrylic Glass Panel		32 x 3,3 x 207	9003414 47034 7	9003414 47084 2	9003414 47054 5
Additional Door		203 x 83 x 3	9003414 81002 0	9003414 87002 4	9003414 85002 6
Tool Holder		30 x 5 x 3,5	9003414 47032 3	9003414 47082 8	9003414 47052 1
Accessories made of galvanised steel, grey	white coated				
	2 pieces per package	56 x 26 x 17,3		9003414 45040 0	
Shelves	4 pieces per package	56 x 26 x 17,3		9003414 45050 9	
	2 pieces per package	56 x 44,5 x 17,3		9003414 45060 8	
Suspension Basket	With wall bracket	56 x 34 x 20		9003414 47073 6	
Hook Set	Combination of hook, handle h	ook and shovel hook		9003414 47072 9	
Tool Hangers	2 pieces per package	28 x 10,4 x 17,2		9003414 47021 7	
Threshold Access Ramp	Only with double door a	nd floor frame		9003414 41001 5	
Bicycle Hanger "BikeMax"	1 piece per package	205,5 x 14,5 x 8		9003414 49030 7	
Bicycle Holder "BikeHolder"	set for 2 bikes	56 x 17,7 x 33		9003414 49032 1	
Electric Mounting Panel		28 x 4 x 204		9003414 46034 8	
LED Light		44 x 4 x 1,5		9003414 46041 6	

** highest point, incl. roof overhang

OVERVIEW GARDEN SHED EUROPA AND EQUIPMENT LOCKER

	Cinc	Exterior Dimensions**	Interior Dimensions	Foundation Dimensions	Weight		EAN	Code	
Europa	Size	W x L x H (cm)	W x L x H (cm)	W x L (cm)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey	Dark Green
	Door	Opening: 135 x 170 cm (V	V x H). Additional door	and extra wide double doo	or upon requ	est.			
	1	172 x 84 x 196	150 x 78 x 188	155 x 83	81	9003414 29010 5	9003414 22010 2	9003414 24010 0	9003414 23010 1
	2	172 x 156 x 196	150 x 150 x 188	155 x 155	106	9003414 29020 4	9003414 22020 1	9003414 24020 9	9003414 23020 0
	3	244 x 156 x 203	222 x 150 x 195	227 x 155	127	9003414 29030 3	9003414 22030 0	9003414 24030 8	9003414 23030 9
	4	244 x 228 x 203	222 x 222 x 195	227 x 227	158	9003414 29040 2	9003414 22040 9	9003414 24040 7	9003414 23040 8
	5	316 x 228 x 209	294 x 222 x 202	299 x 227	190	9003414 29050 1	9003414 22050 8	9003414 24050 6	9003414 23050 7
	6	244 x 300 x 203	222 x 294 x 195	227 x 299	183	9003414 29060 0	9003414 22060 7	9003414 24060 5	9003414 23060 6
	7	316 x 300 x 209	294 x 294 x 202	299 x 299	223	9003414 29070 9	9003414 22070 6	9003414 24070 4	9003414 23070 5
	2A	244 x 84 x 203	222 x 78 x 195	227 x 83	102	9003414 29080 8	9003414 22080 5	9003414 24080 3	9003414 23080 4
	4A	316 x 156 x 209	294 x 150 x 202	299 x 155	154	9003414 29090 7	9003414 22090 4	9003414 24090 2	9003414 23090 3
Additions	Side (anopy for Garden Shed	Europa						
	2/3/4A	150 x 156 x 170			18	9003414 42019 9	9003414 42012 0	9003414 42014 4	9003414 42040 3
	4 / 5	150 x 228 x 170			24	9003414 42029 8	9003414 42022 9	9003414 42024 3	9003414 42050 2
	6 / 7	150 x 300 x 170			31	9003414 42039 7	9003414 42032 8	9003414 42034 2	9003414 42060 1
	Wind	ow Unit for Garden Shed	Europa						
	for all sizes	73,3 x 5 x 176			8,3	9003414 43060 0	9003414 43080 8	9003414 43050 1	9003414 43040 2
	Door	Opening: Size 90: 139 x	182 cm (W x H), size 15	0 and 230: 135 x 170 cm (W	/ x H)				
quipment Locker	90	93 x 83 x 182,5	88 x 78 x 177	93 x 83	52	9003414 34030 5	9003414 30030 9	9003414 31030 8	9003414 33030 6
	150	155 x 83 x 182,5	150 x 78 x 177	155 x 83	71	9003414 34010 7	9003414 30010 1	9003414 31010 0	9003414 33010 8
	230	230 x 83 x 182,5	222 x 78 x 177	227 x 83	90	9003414 34080 0	9003414 30080 4	9003414 31080 3	9003414 33080 1

ACCESSORIES GARDEN SHED EUROPA AND EQUIPMENT LOCKER

Foundation Acc	essories / Foundation	EAN Code	EAN Code	EAN Code	EAN Code
sui	table for	Aluminium Floor Frame	Aluminium Floor Panels	SmartBase	SmartBase ^{PLUS}
Europa	Equipment Locker				Diment
1	150	9003414 41010 7	9003414 48010 0	9003414 43901 6	9003414 43401 1
2		9003414 41020 6	9003414 48020 9	9003414 43906 1	9003414 43406 6
3		9003414 41030 5	9003414 48030 8	9003414 43912 2	9003414 43412 7
4		9003414 41040 4	9003414 48040 7	9003414 43918 4	9003414 43418 9
5 / 6		9003414 41050 3	9003414 48050 6	9003414 43923 8	9003414 43423 3
7		9003414 41070 1	9003414 48070 4	9003414 43930 6	9003414 43430 1
2A	230	9003414 41080 0	9003414 48080 3	9003414 43936 8	9003414 43436 3
4A		9003414 41090 9	9003414 48090 2	9003414 43942 9	9003414 43442 4
	90	9003414 41011 4	9003414 48011 7	9003414 43982 5	9003414 43482 0
Note [.] Hammer drills can be rente	d from any well-equipped specialist, how	ever the drill bit required is available fu	rom Biohort		

Drill Bit Ø 40 x 600 mm for SDS-MAX chuck Ø 18 mm (for SmartBase^{PLUS})

** highest point, incl. roof overhang

Accessories		Dimensions W x L x H (cm) / Colour		
Accessories in matching colour			Europa	Equipment Locker
		Metallic Silver	9003414 44070 8	-
Rainwater Downpipe Set		Metallic Quartz Grey	9003414 44080 7	-
Rainwater Downpipe Set		Metallic Dark Grey	9003414 44050 0	-
		Dark Green	9003414 44040 1	-
Made from hot-dip galvanised, polyamide co	bated steel plate.			
Shelf Support Rails	2 pieces per package	4 x 4 x 173	9003414 46020 1	9003414 46020 1
	2 pieces per package	72 x 24,5 x 7	9003414 45010 3	9003414 45010 3
Shelves	4 pieces per package	72 x 24,5 x 7	9003414 45020 2	9003414 45020 2
	2 pieces per package	72 x 43,5 x 7	9003414 45030 1	9003414 45030 1
Folding Table		69,2 x 57,5 x 40	9003414 40011 5	9003414 40011 5
Suspension Basket	With wall bracket	67 x 34 x 20	9003414 47071 2	9003414 47071 2
Hook Set	Combination of hook, handl	e hook and shovel hook	9003414 47070 5	9003414 47070 5
Tool Hangers	4 pieces per package	13 x 9,5 x 30	9003414 47020 0	9003414 47020 0
Threshold Access Ramp	Only with double doo	or and floor frame	9003414 41000 8	9003414 41000 8
Disula Hanser "Dila May"	1 piece per package	4 x 4 x 173	9003414 49010 9	-
Bicycle Hanger "BikeMax"	2 pieces per package	4 x 4 x 1/3	9003414 49020 8	-
Bicycle Holder "BikeHolder"	set for 3 bikes	72 x 10 x 33	9003414 49012 3	
Electric Mounting Panel		28 x 6 x 172,5	9003414 46030 0	9003414 46030 0
LED Light		44 x 4 x 1,5	9003414 46041 6	9003414 46041 6

70

9003414 **43410** 3

OVERVIEW GARDEN SHEDS HIGHLINE®, PANORAMA®, AVANTGARDE®

	c:	Exterior Dimensions**	Interior Dimensions	Foundation Dimensions	Weight		EAN Code	
Highline®	Size	W x L x H (cm)	W x L x H (cm)	W x L (cm)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey
	With	' Standard Door, Door Openi	ng: 76 x 182 cm (W x H),	right door hinge				
	HS	155 x 275 x 222	132 x 252 x 210	257 x 137	197	9003414 83010 3	9003414 88010 8	9003414 84010 2
	H1	275 x 155 x 222	252 x 132 x 210	137 x 257	187	9003414 83020 2	9003414 88020 7	9003414 84020 1
	H2	275 x 195 x 222	252 x 172 x 210	257 x 177	205	9003414 83030 1	9003414 88030 6	9003414 84030 0
- 1	H3	275 x 235 x 222	252 x 212 x 210	257 x 217	237	9003414 83040 0	9003414 88040 5	9003414 84040 9
	H4	275 x 275 x 222	252 x 252 x 210	257 x 257	256	9003414 83050 9	9003414 88050 4	9003414 84050 8
	Н5	275 x 315 x 222	252 x 292 x 210	257 x 297	287	9003414 83060 8	9003414 88060 3	9003414 84060 7
	With	Double Door, Door Opening	: 155 x 182 cm (W x H)					
	H1	275 x 155 x 222	252 x 132 x 210	257 x 137	197	9003414 83029 5	9003414 88029 0	9003414 84029 4
	H2	275 x 195 x 222	252 x 172 x 210	257 x 177	215	9003414 83039 4	9003414 88039 9	9003414 84039 3
	H3	275 x 235 x 222	252 x 212 x 210	257 x 217	247	9003414 83049 3	9003414 88049 8	9003414 84049 2
	H4	275 x 275 x 222	252 x 252 x 210	257 x 257	265	9003414 83059 2	9003414 88059 7	9003414 84059 1
	H5	275 x 315 x 222	252 x 292 x 210	257 x 297	297	9003414 83069 1	9003414 88069 6	9003414 84069 0
	Side	Canopy for Shed Garden she	ed HighLine®					
	H2	282 x 195 x 222			102	9003414 83036 3	9003414 88036 8	9003414 84036 2
	H3	282 x 235 x 222			119	9003414 83046 2	9003414 88046 7	9003414 84046 1
	H4	282 x 275 x 222			128	9003414 83056 1	9003414 88056 6	9003414 84056 0
	H5	282 x 315 x 222			137	9003414 83066 0	9003414 88066 5	9003414 84066 9
	Side \	Wall for Side Canopy						
-	H2	157 x 2,5 x 181			33	9003414 83038 7	9003414 88038 2	9003414 84038 6
	H3	197 x 2,5 x 181			42	9003414 83048 6	9003414 88048 1	9003414 84048 5
	H4	237 x 2,5 x 181			44	9003414 83058 5	9003414 88058 0	9003414 84058 4
	H5	277 x 2,5 x 181			57	9003414 83068 4	9003414 88068 9	9003414 84068 3
	Back	Wall for Side Canopy					_	
	ĩ							
	H2/H3/ H4/H5	266 x 4 x 181			55	9003414 83098 1	9003414 88098 6	9003414 84098 0
	п4/пэ							
	With	Standard Door, Door Openi	ng: 76 x 182 cm (W x H),	right door hinge				
ıa®	P1	273 x 158 x 227	252 x 132 x 220	257 x 137	183	9003414 13020 3	9003414 18020 8	9003414 14020 2
	P2	273 x 198 x 227	252 x 172 x 220	257 x 177	202	9003414 13030 2	9003414 18030 7	9003414 14030 1
	P3	273 x 238 x 227	252 x 212 x 220	257 x 217	225	9003414 13040 1	9003414 18040 6	9003414 14040 0
	P4	273 x 278 x 227	252 x 252 x 220	257 x 257	250	9003414 13050 0	9003414 18050 5	9003414 14050 9
-	P5	273 x 318 x 227	252 x 292 x 220	257 x 297	270	9003414 13060 9	9003414 18060 4	9003414 14060 8
	With	Double Door, Door Opening	: 155 x 182 cm (W x H)					
	P1	273 x 158 x 227	252 x 132 x 220	257 x 137	193	9003414 13029 6	9003414 18029 1	9003414 14029 5
-	P2	273 x 198 x 227	252 x 172 x 220	257 x 177	212	9003414 13039 5	9003414 18039 0	9003414 14039 4
	P3	273 x 238 x 227	252 x 212 x 220	257 x 217	235	9003414 13049 4	9003414 18049 9	9003414 14049 3
	P4	273 x 278 x 227	252 x 252 x 220	257 x 257	260	9003414 13059 3	9003414 18059 8	9003414 14059 2
	P5	273 x 318 x 227	252 x 292 x 220	257 x 297	280	9003414 13069 2	9003414 18069 7	9003414 14069 1
	With	Standard Door, Door Openi	ng: 76 x 182 cm (W x H),	right door hinge				
le®	A1	180 x 220 x 218	172 x 172	177 x 177	138	9003414 15010 2	9003414 19010 8	9003414 17010 0
	A2	180 x 260 x 218	172 x 212	177 x 217	156	9003414 15020 1	9003414 19020 7	9003414 17020 9
	A3	180 x 300 x 218	172 x 252	177 x 257	171	9003414 15030 0	9003414 19030 6	9003414 17030 8
	A4	180 x 380 x 222	172 x 332	177 x 337	214	9003414 15040 9	9003414 19040 5	9003414 17040 7
	A5	260 x 220 x 218	252 x 172	257 x 177	170	9003414 15050 8	9003414 19050 4	9003414 17050 6
	A6	260 x 260 x 218	252 x 212	257 x 217	192	9003414 15060 7	9003414 19060 3	9003414 17060 5
	A7	260 x 300 x 218	252 x 252	257 x 257	204	9003414 15070 6	9003414 19070 2	9003414 17070 4
-	A8	260 x 380 x 222	252 x 332	257 x 337	256	9003414 15080 5	9003414 19080 1	9003414 17080 3
Π.				W x H) A5 - A8: 155 x 182 cm				
	A1	180 x 220 x 218	172 x 172	177 x 177	148	9003414 15019 5	9003414 19019 1	9003414 17019 3
	A2	180 x 260 x 218	172 x 212	177 x 217	166	9003414 15029 4	9003414 19029 0	9003414 17029 2
	A3	180 x 300 x 218	172 x 252	177 x 257	181	9003414 15039 3	9003414 19039 9	9003414 17039 1
	A4	180 x 380 x 222	172 x 332	177 x 337	230	9003414 15049 2	9003414 19049 8	9003414 17049 0
	A5	260 x 220 x 218	252 x 172	257 x 177	180	9003414 15059 1	9003414 19059 7	9003414 17059 9
	A6	260 x 260 x 218	252 x 212	257 x 217	202	9003414 15069 0	9003414 19069 6	9003414 17069 8
	A7	260 x 300 x 218	252 x 252	257 x 257	219	9003414 15079 9	9003414 19079 5	9003414 17079 7
	A8	260 x 380 x 222	252 x 332	257 x 337	266	9003414 15089 8	9003414 19089 4	9003414 17089 6

ACCESSORIES GARDEN SHEDS HIGHLINE®, PANO

Founda	tion Accessories /	Foundation	EAN code		EAN Code	EAN	Code	EAN Code
	suitable for		Aluminium Floor	Frame	Aluminium Floor Pane	ls Sma	rtBase	SmartBase ^{PLUS}
HighLine®	Panorama®	AvantGarde®						T
H1 / HS	P1		9003414 4102	20	9003414 48022 3	9003414	43952 8	9003414 43452 3
H2	P2	A3 / A5	9003414 4104	1 1	9003414 48041 4	9003414	43958 0	9003414 43458 5
H3	Р3	A6	9003414 4104 2	28	9003414 48042 1	9003414	43963 4	9003414 43463 9
H4	P4	A7	9003414 4105	1 0	9003414 48051 3	9003414	43968 9	9003414 43468 4
H5	P5		9003414 4106 2	2 6	9003414 48062 9	9003414	43973 3	9003414 43473 8
		A1	9003414 4103	12	9003414 48031 5	9003414	43946 7	9003414 43446 2
		A2	9003414 4107	18	9003414 48071 1	9003414	43988 7	9003414 43488 2
		A4	9003414 4108	17	9003414 48081 0	9003414	43976 4	9003414 43476 9
		A8	9003414 4106	1 9	9003414 48061 2	9003414	43978 8	9003414 43478 3
Note: Hammer	drills can be rented f	rom any well-equipped	specialist, however the	drill bit requir	ed is available from Biohort.			
rill Bit Ø 40 x 6	00 mm for SDS-MAX	Cchuck Ø 18 mm (for Sr	nartBase ^{PLUS})				9	9003414 43410 3
Note: In combin	ation with an additi	onal door, an additional	package is required for t	the SmartBase	e and SmartBase ^{PLUS} .			
oundation Addit	tional Package					9003414	43505 6	9003414 43405 9
Ac	cessories			Dimensior	ns W x L x H (cm) / Colour			
Accessories in r	natching colour	1				HighLine®	Panorama®	AvantGarde®
					Metallic Silver	9003414 83002 8	9003414 83002 8	9003414 83002
dditional Door		With stainless	s steel door handle	M	etallic Quartz Grey	9003414 88002 3	9003414 88002 3	9003414 88002
					Liunic Quartz Grey			5005414 00002
				M	etallic Dark Grey	9003414 84002 7	9003414 84002 7	
				M	· ,	9003414 84002 7 9003414 44025 8		9003414 84002
ainwater Down	pipe Set				etallic Dark Grey		9003414 84002 7	9003414 84002 9003414 84002 9003414 44022 9003414 44082
ainwater Down	pipe Set			M	etallic Dark Grey Metallic Silver	9003414 44025 8	9003414 84002 7 9003414 44024 1	9003414 84002 9003414 44022
ainwater Down	pipe Set			M	etallic Dark Grey Metallic Silver etallic Quartz Grey	9003414 44025 8 9003414 44085 2	9003414 84002 7 9003414 44024 1 9003414 44084 5	9003414 84002 9003414 44022 9003414 44082 9003414 44082
	pipe Set			M	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey	9003414 44025 8 9003414 44085 2 9003414 44065 4	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7	9003414 84002 9003414 44022 9003414 44082 9003414 44062 9003414 44062
	pipe Set			Mi M	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver	9003414 44025 8 9003414 44085 2 9003414 44065 4 9003414 47030 9	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7 9003414 47030 9	9003414 84002 9003414 44022 9003414 44082 9003414 44062 9003414 44062 9003414 47030 9003414 47080
	pipe Set			Mi M	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver etallic Quartz Grey	9003414 44025 8 9003414 44085 2 9003414 44065 4 9003414 47030 9 9003414 47080 4	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7 9003414 47030 9 9003414 47080 4	9003414 84002 9003414 44022 9003414 44082 9003414 44062 9003414 44062 9003414 47030 9003414 47080 9003414 47050
loraBoard	pipe Set	2 pieces	s per package	M M M	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey	9003414 44025 8 9003414 44085 2 9003414 44065 4 9003414 47030 9 9003414 47080 4 9003414 47050 7	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7 9003414 47030 9 9003414 47080 4 9003414 47050 7	9003414 84002 9003414 44022 9003414 44082 9003414 44062 9003414 47030 9003414 47080 9003414 47050 9003414 47051
loraBoard	pipe Set	2 pieces	s per package	Mi Mi Mi Mi	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver	9003414 44025 8 9003414 44085 2 9003414 44065 4 9003414 47030 9 9003414 47080 4 9003414 47050 7 9003414 47031 6	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7 9003414 47030 9 9003414 47080 4 9003414 47050 7 9003414 47051 6	9003414 84002 9003414 44022 9003414 44082 9003414 44062 9003414 47030 9003414 47080 9003414 47050 9003414 47051 9003414 47081
loraBoard ool Holder		2 pieces amide coated steel plat		Mi Mi Mi Mi	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver etallic Quartz Grey Metallic Silver Metallic Silver etallic Quartz Grey	9003414 44025 8 9003414 44085 2 9003414 44065 4 9003414 47030 9 9003414 47080 4 9003414 47050 7 9003414 47031 6 9003414 47081 1	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7 9003414 47030 9 9003414 47080 4 9003414 47050 7 9003414 47031 6 9003414 47081 1	9003414 84002 9003414 44022 9003414 44082
loraBoard ool Holder	dip galvanised, poly	amide coated steel plat		Mi Mi Mi Mi	etallic Dark Grey Metallic Silver etallic Quartz Grey etallic Dark Grey Metallic Silver etallic Quartz Grey Metallic Silver Metallic Silver etallic Quartz Grey	9003414 44025 8 9003414 44085 2 9003414 44065 4 9003414 47030 9 9003414 47080 4 9003414 47050 7 9003414 47031 6 9003414 47081 1	9003414 84002 7 9003414 44024 1 9003414 44084 5 9003414 44064 7 9003414 47030 9 9003414 47080 4 9003414 47050 7 9003414 47031 6 9003414 47081 1	9003414 84002 9003414 44022 9003414 44082 9003414 44062 9003414 47030 9003414 47080 9003414 47050 9003414 47051 9003414 47081

Founda	tion Accessories /	Foundation	EAN code	EAN Code	EAN	N Code	EAN Code
	suitable for		Aluminium Floor Fr	ame Aluminium Floor Pa	inels Sma	rtBase	SmartBase ^{PLUS}
HighLine®	Panorama®	AvantGarde®				Ū	1
H1 / HS	P1		9003414 41022	0 9003414 48022	3 900341	4 43952 8	9003414 43452 3
H2	P2	A3 / A5	9003414 41041				9003414 43458 5
H3	P3	A6	9003414 41042				9003414 43463 9
H4	P4	A7	9003414 41051	0 9003414 48051	3 900341	4 43968 9	9003414 43468 4
H5	P5		9003414 41062	6 9003414 48062	9 900341	4 43973 3	9003414 43473 8
		A1	9003414 41031	2 9003414 48031	5 900341	4 43946 7	9003414 43446 2
		A2	9003414 41071				9003414 43488 2
		A4	9003414 41081	7 9003414 48081	0 900341	4 43976 4	9003414 43476 9
		A8	9003414 41061				9003414 43478 3
lote: Hammer o	drills can be rented f	rom any well-equipped	specialist, however the dr	ill bit required is available from Biohor	t.		
ill Bit Ø 40 x 6	00 mm for SDS-MAX	Cchuck Ø 18 mm (for Sr	nartBase ^{PLUS})				9003414 43410 3
ote: In combin	ation with an addition	onal door, an additional	package is required for th	e SmartBase and SmartBase ^{PLUS} .			
undation Addit	tional Package				900341	4 43505 6	9003414 43405 9
Ace	cessories			Dimensions W x L x H (cm) / Colour			
concorios in n	natching colour				Highling®	Danorama®	AvantCardo®
ICCESSORIES IN N	natching colour	_	_	Metallic Silver	HighLine® 9003414 83002 8	Panorama® 9003414 83002 8	AvantGarde® 9003414 83002
dditional Door With stain		With stainlas	s steel deex bondle				
dditional Door With stair		with stainles	s steel door handle	Metallic Quartz Grey	9003414 88002 3	9003414 88002 3	9003414 88002
				Metallic Dark Grey	9003414 84002 7	9003414 84002 7	9003414 84002
inunator Dourn	nina Cat			Metallic Silver	9003414 44025 8	9003414 44024 1	9003414 44022
inwater Down	pipe set			Metallic Quartz Grey	9003414 44085 2	9003414 44084 5	9003414 44082
				Metallic Dark Grey	9003414 44065 4	9003414 44064 7	9003414 44062
				Metallic Silver	9003414 47030 9	9003414 47030 9	9003414 47030
oraBoard				Metallic Quartz Grey	9003414 47080 4	9003414 47080 4	9003414 47080
				Metallic Dark Grey	9003414 47050 7	9003414 47050 7	9003414 47050
		- ·		Metallic Silver	9003414 47031 6	9003414 47031 6	9003414 47031
ol Holder		2 pieces	s per package	Metallic Quartz Grey	9003414 47081 1	9003414 47081 1	9003414 47081
1ade from hot-	din galvanised nolv	amide coated steel plat	۹	Metallic Dark Grey	9003414 47051 4	9003414 47051 4	9003414 47051
elf Support Rai			s per package	4 x 4 x 185	9003414 46021 8	9003414 46021 8	9003414 46021
en support na			s per package	72 x 24,5 x 7	9003414 45010 3	9003414 45010 3	9003414 45010
elves			s per package	72 x 24,5 x 7	9003414 45020 2	9003414 45020 2	9003414 45020
			s per package	72 x 43,5 x 7	9003414 45030 1	9003414 45030 1	9003414 45030
lding Table		- p.eee	1 1 5	69,2 x 57,5 x 40	9003414 40011 5	9003414 40011 5	9003414 40011
spension Bask	et	With	wall bracket	67 x 34 x 20	9003414 47071 2	9003414 47071 2	9003414 47071
ok Set			Combination of hook, handl		9003414 47070 5	9003414 47070 5	9003414 47070
ol Hangers			s per package	13 x 9,5 x 30	9003414 47020 0	9003414 47020 0	9003414 47020
-			per package		9003414 49011 6	9003414 49011 6	9003414 4901 1
cycle Hanger "	BikeMax"		s per package	4 x 4 x 185	9003414 49021 5	9003414 49021 5	9003414 4902 1
cycle Holder "E	BikeHolder"		for 3 bikes	72 x 10 x 33	9003414 49012 3	9003414 49012 3	9003414 4901 2
reshold Access		Set	Only with double doo		9003414 41000 8	9003414 41000 8	9003414 41000
			only man double doe	28 x 6 x 190	9003414 46031 7	9003414 46031 7	9003414 4603 1
tric Mounting Panel D Light		207.07.130	5005114 40051 /	5005114400517	5005 114 4005		

BICYCLE STORAGE

Mini Carran	Exterior Dimensions	Interior Dimensions	Foundation Dimensions	Weight	EAN	Code		
MiniGarage	W x L x H (cm)	W x L x H (cm)	W x L (cm)	(kg)	Metallic Silver	Metallic Dark Grey		
	122 x 203 x 145	117 x 195 x 137	122 x 203	81	9003414 55030 8	9003414 56030 7		
Accessories	Dimensions W x L x H (cm)			EAN Code			
Aluminium Floor Frame		117 x 198	x 4		9003414	41033 6		
Aluminium Floor Panels		108,6 x 189,	7 x 0,2		9003414 48033 9			
SmartBase		117 x 198	x 18		9003414 43990 0			
SmartBase ^{PLUS}		117 x 198	x 65		9003414 43490 5			
Shelf System		43 x 150 x 5 p	er shelf		9003414	45011 0		
Bicycle Suspension Rail		4 x 60 x	4		9003414 49013 0			
Electric Mounting Panel		16 x 4 x 1	34		9003414 46033 1			
LED Light		44 x 4 x 1	1,5		9003414 46041 6			

)	R	A	Μ	A	®,	A	VA	٩N	Τ	G	Α	R	D	E®	,
					,					_			_	_	

OUTDOOR BOXES / BICYCLE STORAGE / DUSTBIN STORAGE

Alaxo	Colo	our Combination		Exterior Dimensions	Interior Dimensions	Volume	Weight	EAN Code	
Alex®	Side Walls	Door and Roof	Variant	W x L x H (cm)	W x L x H (cm)	(I)	(kg)	EAN COUR	
		Metallic Silver	1	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 53063 8	
	Metallic Silver	Metallic Quartz Grey	1.2	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 53068 3	
		Metallic Dark Grey	1.3	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 53064 5	
		Metallic Quartz Grey	2	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 58068 8	
	Metallic Quartz Grey	Metallic Silver	2.1	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 58063 3	
L		Metallic Dark Grey	2.3	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 58064 0	
		Metallic Dark Grey	3	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 54064 4	
	Metallic Dark Grey	Metallic Silver	3.1	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 54063 7	
		Metallic Quartz Grey	3.2	80 x 88 x 129	74,4 x 80 x 124,7	740	42,5	9003414 54068 2	

Accessories	Number of Alex Units	EAN Code						
Accessories	Number of Alex Offics	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey				
Connecting Element	For 2 Alex® units	9003414 53067 6	9003414 58067 1	9003414 54067 5				
Connecting Element	For 3 Alex® units	9003414 53069 0	9003414 58069 5	9003414 54069 9				
Matehing Culinder Locks	For 2 Alex® units	9003414 50040 2	9003414 50040 2	9003414 50040 2				
Matching Cylinder Locks	For 3 Alex® units	9003414 50041 9	9003414 50041 9	9003414 50041 9				

		Exterior Dimensio	ons Interior	Dimensions	s 上	Volume	Weight		EAN Code			
Romeo®	Size	W x L x H (cm)		x H (cm)		(I)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey		
1 March 19	М	132 x 57 x 140		46 x 135		800	52	9003414 55070 4	9003414 58070 1	9003414 56070 3		
	L	132 x 87 x 140) 127 x	76 x 135		1.300	66	9003414 55080 3	9003414 58080 0	9003414 56080 2		
Accessori		for size		5 W x L x H ((cm)				EAN Code			
Shelves		M / L	Dimensions		61 x 43	8 x 40	_		9003414 75055 5			
Shewes												
StoreMax®	Size	Exterior Dimensio		Dimensions	s 📃	Volume	Weight		EAN Code			
		W x L x H (cm)		x H (cm)		(I)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey		
	120	117 x 73 x 109		4 x 62		740	41	9003414 72060 2	9003414 70060 4	9003414 73060 1		
	160	163 x 78 x 120		0 x 67		1200	60	9003414 72010 7	9003414 70010 9	9003414 73010 6 9003414 73020 5		
	190	190 x 97 x 136		8 x 86	()	2080	74					
Accessori		for size	Dimensions	5 W x L x H (53.5			EAN Code			
Corner Shelf Set (tria	ngular)	120 / 160			54 x 54			9003414 74010 5				
Intermediate Shelf		160 190				59,5 x 53,5		9003414 75010 4				
Shelf Set		190			72 x 24,5	x 74,5 x 53,5			9003414 75020 3 9003414 74020 4			
Bicycle Holder "Bikel	Holder"	190			72 x 24,3 72 x 15				9003414 74020 4 9003414 74030 3			
bicycle Holder biker	Toldel											
HighBoard	Size	Exterior Dimensio		Dimension	s	Volume	Weight		EAN Code			
		W x L x H (cm)	WxL	x H (cm)		(I)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey		
	160 160 x 70 x 118		3 156 x	62 x 113		1150	67	9003414 72015 2 9003414 70015 4 9		9003414 73015 1		
	200	200 x 84 x 127	7 195 x	195 x 76 x 120		2150	95	9003414 72025 1	9003414 70025 3	9003414 73025 0		
Accessori	es	for size	Dimensions	W×L×H((cm)							
Tool Holder		160 / 200			51,6 x 3	8,5 x 5		9003414 47031 6	9003414 47081 1	9003414 47051 4		
		for size	Dimensions	WxLxH(EAN Code			
Lid Storage Net		160 / 200			25 x 6				9003414 67010 5			
Intermediate Shelf		160				r floor (4-pieces)			9003414 75015 9			
6 I D I . T		200		97 x 74 x		r floor (2-pieces)			9003414 75025 8			
Suspension Basket, T	•••	160			54,5 x 5				9003414 67071 6			
Suspension Basket, T	••	200			68,5 x 6				9003414 67072 3			
Bicycle Holder "Bikel		200 200			72 x 10				9003414 49012 3 9003414 46032 4			
Electric Mounting Pa					58 x 2							
LeisureTime Box	Size —	Exterior Dimensions	Interior Dimensions	Volume	Weight			EAN Co				
		W x L x H (cm)	W x L x H (cm)	(I)	(kg)	White	Metallic					
	100	101 x 46 x 61	92 x 37,5 x 56	195	17				010 4 9003414 65010			
	130	134 x 62 x 71	125 x 53,5 x 66	460	27				040 1 9003414 65040			
	160 ^{HIGH}	160 x 79 x 83	151 x 70,5 x 78	830	41			2 9003414 62060 5				
	180	181 x 79 x 71	172 x 70,5 x 66	800	39			9003414 64030 6 9003414 68030 2 9003414 65030 5 9003414 9003414 64090 0 9003414 68090 6 9003414 65090 9 9003414				
Accessories	200 f	201 x 79 x 83 or size	_	1050 Dimensio	52	5005414 0109	0 5 9003414	EAN Co		5 9003414 02090 2		
Lid Storage Net		for all s	izoc	25 x 6				9003414 67				
Suspension Basket, T	Vne A	100 / 160 / 1		67 x 34				9003414 67 9003414 67				
Suspension Basket, T		130		54,5 x 5				9003414 67				
Suspension Basket, T		160 / 180		68,5 x 6				9003414 67				
Parcel Box Kit	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	for all s		16,5 x 2				9003414 67				
Elect box nit		ioi ali s		. 0,0 % 2	-15 / 5			300311707				

Parcel Box	Size	Exterior Dimensions	Interior Dimensions	Volume	Weight			EAN Code		
Parcel Box	Size	W x L x H (cm)	W x L x H (cm)	(I)	(kg)	White	Metallic Silver	Met. Quartz Grey	Met. Dark Grey	Met. Bronze
P	100	101 x 46 x 61	92 x 37,5 x 56	195	17,2	9003414 61910 4	9003414 64910 1	9003414 68910 7	9003414 65910	0 9003414 62910 3
		Exterior Dimensions	Interior Dimension		Volume	Weight		FAN	l Code	
LoungeBox®	Size	W x L x H (cm)	W x L x H (cm)	,	(L)	(kg)	Metallic Silv			letallic Dark Grey
	160	160 x 70 x 83,5	159 x 66 x 77		850	43	9003414 640	65 8 9003414	4 68065 4 9	003414 65065 7
	200	200 x 85 x 90	199 x 80 x 81		1400	58	9003414 640	75 7 9003414	4 68075 3 9	003414 65075 6
accessories		for size	Dimensions W x L x H	(cm)			EAN Code			
Lid Storage Net		160 / 200		25 x 6	7 x 2			9003414	4 67010 5	
Suspension Basket, T	ype B	160		54,5 x 5	50 x 20			9003414	4 67071 6	
Suspension Basket, Type C 200 68,5 x 67 x 20		57 x 20	9003414 67072 3							

LoungeBox®	Size	Exterior Dimensions	Interior Dimensions	Volume	Weight	EAN Code		
		W x L x H (cm)	W x L x H (cm)	(L)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey
	160	160 x 70 x 83,5	159 x 66 x 77	850	43	9003414 64065 8	9003414 68065 4	9003414 65065 7
	200	200 x 85 x 90	199 x 80 x 81	1400	58	9003414 64075 7	9003414 68075 3	9003414 65075 6
accessories		for size	Dimensions W x L x H (cm)				EAN Code	
Lid Storage Net		160 / 200	25 x 67 x 2			9003414 67010 5		
Suspension Basket, Type B		160	54,5 x 50 x 20			9003414 67071 6		
Suspension Basket, Type C		200	68,5 x 67 x 20			9003414 67072 3		

GARDENING HELPERS

Paisad Vagatable Red	Size	Exterior Dimensions	Interior Dimensions	Volume	Weight	EAN Code	
Raised Vegetable Bed		W x L x H (cm)	W x L x H (cm)	(I)	(kg)	Metallic Quartz Grey	Metallic Dark Grey
	1x0,5	102 x 53 x 77	95 x 46 x 74	340	31	9003414 68012 8	9003414 65012 1
the second second	1x1	102 x 102 x 77	95 x 95 x 74	725	39	9003414 68005 0	9003414 65005 3
A COLORED	2x0,5	201 x 53 x 77	194 x 46 x 74	685	45	9003414 68022 7	9003414 65022 0
	2x1	201 x 102 x 77	194 x 95 x 74	1450	53	9003414 68015 9	9003414 65015 2
	2x2	201 x 201 x 77	194 x 194 x 74	2900	68	9003414 68035 7	9003414 65035 0
L		201 x 201 x 77	194 x 194 x 74	2175	73	9003414 68025 8	9003414 65025 1
Accessories		for size	Dimensions / Length W x L x	: H (cm)			
		1x0,5	108 x 59 x 6		1,5	9003414 68011 1	9003414 65011 4
		1x1	108 x 108 x 1	6	2,3	9003414 68004 3	9003414 65004 6
Snail Protection		2x0,5	207 x 59 x 6		3	9003414 68021 0	9003414 65021 3
		2x1	207 x 108 x	5	3,3	9003414 68014 2	9003414 65014 5
		2x2	207 x 207 x 0	6	4,5	9003414 68034 0	9003414 65034 3
Cold Frame Extension		2x1	200 x 101 x 2	3	16	9003414 68013 5	9003414 65013 8
Intermediate Floor		1x0,5	98 x 51 x 3		2,5	-	9003414 65042 8
		1x1	98 x 100 x 3		4,8	-	9003414 65046 6
		2x0,5	196 x 51 x 3		4,7	-	9003414 65043 5
		2x1	196 x 100 x	3	18,5	-	9003414 65047 3

WoodStock®	Size	Exterior Dimensions**	Interior Dimensions Foundation Dimensions Vol		Volume	Weight	EAN Code		
		W x L x H (cm)	W x L x H (cm)	W x L (cm)	(m³)	(kg)	Metallic Silver	Metallic Quartz Grey	Metallic Dark Grey
7	150	157 x 102 x 199	142 x 70	155 x 83	2,1	37	9003414 35010 6	9003414 38010 3	9003414 37010 4
	230	229 x 102 x 199	214 x 70	227 x 83	3,1	47	9003414 35020 5	9003414 38020 2	9003414 37020 3
Accessories	for s	ize	Dimensions W x L x	H (cm)					
Rear Wall	150		145,5 x 1,1 x 196,5			12,5	9003414 35012 0	9003414 38012 7	9003414 37012 8
Nedi VVdii		230	217,5 x 1,1 x 196,5			19,5	9003414 35022 9	9003414 38022 6	9003414 37022 7
Deer Deekees	Dealerer		157 x 5 x 171			24	9003414 35001 4	9003414 38001 1	9003414 37001 2
Door Package	230		229 x 5 x 171			29	9003414 35002 1	9003414 38002 8	9003414 37002 9
Aluminium Floor Panels	150		141,5 x 69,5 x 0,2			5,5		9003414 48010 0	
Aluminium Floor Patiels	230		213,5 x 69,5 x 0,2			6		9003414 48080 3	

Belvedere®	Size	Exterior Dimensions	Interior Dimensions	imensions Volume		EAN Code		
	SIZE	W x L x H (cm)	W x L x H (cm)	(I)	(kg)	Metallic Quartz Grey	Metallic Dark Grey	
	s	102 x 53 x 77	95 x 46 x 74	340	33	9003414 68912 1	9003414 65912 4	
	м	201 x 53 x 77	194 x 46 x 74	685	50	9003414 68922 0	9003414 65922 3	
MonAmi®	Exterior Dimensions		Interior Dimensions	Volume	Weight	EAN Code		
MONANII®		W x L x H (cm)	W x L x H (cm)	(l)	(kg)	Metallic Dark Grey		
		102 x 102 x 84	95 x 95 x 74	725	54	9003414 65026 8		
Charly®	Size	Exterior Dimension	5	Weight		– EAN Code		
churyo		W x L x H (cm)		(kg)				
	1	58 x 70 x 49		8		9003414 68081 4		
	2	78 x 90 x 49		12		9003414 68082 1		

** highest point, incl. roof overhang



Biohort stand for **"life in the garden"**





Dustbin Storage stylish, practical & maintenance free



Gardening Helpers garden design at its best

Your specialist dealer:

Biohort GmbH Pürnstein 43, 4120 Neufelden, Austria Tel: +43-7282-7788-0, Fax Ext. 190 E-Mail: office@biohort.at, www.biohort.com