

2022 Safety & Lighting



SECURITY | FIRE SAFETY | PLUG & CONNECT | CAMERA
FUNCTIONAL LIGHTING | OUTDOOR LIGHTING | INDOOR LIGHTING

Index

Security

3

Fire Safety

9

Plug & Connect

25

Camera

39

Functional Lighting

45

Outdoor Lighting

51

Indoor Lighting

67

Logistic Details

77





Security



10.017.13 | SC07/3

Mini door/window contacts

3 pieces - batteries included



- Alarm volume: 85 dB
- Indoor/Outdoor: Indoor
- Number of magnetic contacts included: 3
- Battery type: LR44
- Number of batteries: 9
- Replaceable battery: Yes



incl.



85 dB

PER PACK: 6 | PER BOX: 30 | EAN CODE: 8711658406701
PER PALLET: 1260 | 20 / 40 / HQ: 36090 / 74760 / 87660

SMA-40250 |

Door/window alarm

Batteries included



- Alarm volume: 90 dB
- Indoor/Outdoor: Indoor
- Number of magnetic contacts included: 1
- Battery type: CR2032
- Number of batteries: 2
- Replaceable battery: Yes



incl.




90 dB

PER PACK: 12 | PER BOX: 48 | EAN CODE: 8711658441030
PER PALLET: 1152 | 20 / 40 / HQ: 34416 / 71280 / 83568

SMA-40251 |

Door/window alarm

Batteries included - 2 pieces



- Alarm volume: 90 dB
- Indoor/Outdoor: Indoor
- Number of magnetic contacts included: 1
- Battery type: CR2032
- Number of batteries: 2
- Replaceable battery: Yes



incl.



90 dB

PER PACK: 12 | PER BOX: 48 | EAN CODE: 8711658441108
PER PALLET: 864 | 20 / 40 / HQ: 21456 / 44448 / 52080

SMA-40252 |

Door/window alarm

Arm/disarm with pincode - batteries included



- Alarm volume: 100 dB
- Keypad: Yes
- Exit-Entry delay: Yes
- Learn button: No
- Indoor/Outdoor: Indoor
- Battery included: Yes
- Battery format: AAA



incl.




100 dB

PER PACK: 10 | PER BOX: 40 | EAN CODE: 8711658441177
PER PALLET: 960 | 20 / 40 / HQ: 11610 / 24060 / 28200

SMA-40952 |

Glass break sensor alarm

2 pieces - batteries included



- Type alarm system : Stand alone house alarm
- Alarm volume: 90 dB
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Battery included: Yes



PER PACK: 12 | PER BOX: 48 | EAN CODE: 8711658440965
PER PALLET: 1152 | 20 / 40 / HQ: 30288 / 62784 / 73632

SMA-40151 |

Motion sensor with alarm

Arm/disarm with PIN code - batteries included



- Type alarm system : Stand alone house alarm
- PIR angle: 120 °
- PIR distance: 5 m
- Alarm volume: 100 dB
- Exit-Entry delay: Yes
- Battery format: AA



PER PACK: 3 | PER BOX: 12 | EAN CODE: 8711658441245
PER PALLET: 72 | 20 / 40 / HQ: 4224 / 8928 / 10008

SMA-40152 |

Motion sensor with alarm

Batteries included - with remote control



- Alarm volume: 100 dB
- Radio frequency: 433 MHz
- PIR angle: 120 °
- PIR distance: 5 m
- Exit-Entry delay: No
- Number of remote controls included: 1
- Range open space: 60 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 4
- Replaceable battery: Yes

433
MHz



PER PACK: 3 | PER BOX: 12 | EAN CODE: 8711658441313
PER PALLET: 180 | 20 / 40 / HQ: 4152 / 8784 / 9840

SMA-40350 |

2-channel remote

Compatible with the SMA-40152



- Radio frequency: 433 MHz
- Range open space: 60 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes

433
MHz




PER PACK: 12 | PER BOX: 72 | EAN CODE: 8711658441382
PER PALLET: 1296 | 20 / 40 / HQ: 24840 / 52344 / 58680

10.016.06 | CS44D

Dummy dome camera

Indoor - LED light



- Indoor/Outdoor: Indoor
- Flashing light: Yes
- Battery format: AA
- Main material: Plastic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658404042
PER PALLET: 648 | 20 / 40 / HQ: 14544 / 30672 / 34380



10.016.07 | CS88D

Dummy camera

Indoor and outdoor - LED light



- Indoor/Outdoor: Indoor and outdoor
- Flashing light: Yes
- Battery format: AA
- Main material: Plastic

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658404257
PER PALLET: 192 | 20 / 40 / HQ: 4320 / 9108 / 10200



10.016.08 | CS22D

Dummy camera

Indoor and outdoor - aluminum housing



- Flashing light: No
- Indoor/Outdoor: Indoor and outdoor
- Main material: Aluminum
- Colour: Silver

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658404462
PER PALLET: 720 | 20 / 40 / HQ: 14568 / 30768 / 34464

CDM-34552 |

Dummy camera

Indoor and outdoor - Infra red LEDs - metal



- Indoor/Outdoor: Outdoor
- Night vision number of IR Leds: 12
- Battery format: AAA
- Main material: Metal
- Colour: Silver

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658436951
PER PALLET: 600 | 20 / 40 / HQ: 12096 / 24192 / 26611



CDM-38103 | CS90D

Dummy camera

Indoor & outdoor - Auto swivel motion detector



- Indoor/Outdoor: Indoor and outdoor
- Flashing light: Yes
- Battery format: AA
- Main material: Plastic
- Motion detection: Yes
- Colour: Black



PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658063034
PER PALLET: 288 | 20 / 40 / HQ: 5664 / 12216 / 13080

10.017.10_#_! | ES34

Motion sensor switch

white, 220-240V, detection angle 180°x12 m ES34



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Sensor type: Movement; PIR
- Sensor specifications: 12 m x 180°
- Adjustable sensor: Yes, time and lux
- Maximum electrical power: 1200 W
- Isolation class: II
- IP rating: IP44



PER PACK: | PER BOX: 40 | EAN CODE: 8711658474236
PER PALLET: 800 | 20 / 40 / HQ: 18000 / 37400 / 43800

10.017.11_#_! | ES34Z

Motion sensor switch

black, 220-240V, detection angle 180° x 12 m ES34Z



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Sensor type: Movement; PIR
- Sensor specifications: 12 m x 180°
- Adjustable sensor: Yes, time and lux
- Maximum electrical power: 1200 W
- Isolation class: II
- IP rating: IP44



PER PACK: | PER BOX: 40 | EAN CODE: 8711658467863
PER PALLET: 800 | 20 / 40 / HQ: 18000 / 37400 / 43800

10.017.99_#_! | ES90

Motion sensor switch

black, 220-240V, detection angle 180°x12m ES90



- Main material: Plastic
- IP rating: IP44
- Indoor/Outdoor: Outdoor
- Sensor type: Day & Night; Movement; PIR
- Sensor specifications: 12 m x 180°
- PIR angle: 180°
- PIR distance: 12 m
- Adjustable sensor: Yes, time, lux and sensitivity
- Maximum electrical power: 1200 W



PER PACK: | PER BOX: 24 | EAN CODE: 8711658402864
PER PALLET: 480 | 20 / 40 / HQ: 12600 / 26200 / 30700

10.047.51 | TM116B

Timer switch outdoor

French plug



- Indoor/Outdoor: Outdoor
- Maximum electrical power: 3500 W
- Power plug type: E - CEE 7/5
- IP rating: IP44



**3500
WATT**




PER PACK: 8 | **PER BOX:** 40 | **EAN CODE:** 8711658372464
PER PALLET: 800 | 20 / 40 / HQ: 14000 / 29200 / 34000

TM-95601FR | TM101FR

Mechanical timer switch

Indoor use



- Maximum electrical power: 3600 W
- Power plug type: E - CEE 7/5
- Indoor/Outdoor: Indoor



**3600
WATT**




PER PACK: 12 | **PER BOX:** 48 | **EAN CODE:** 8711658448046
PER PALLET: 1008 | 20 / 40 / HQ: 22550 / 45100 / 49610

10.047.40 | TM101

Mechanical timer switch

Indoor use



- Maximum electrical power: 3600 W
- Power plug type: F - CEE 7/4 (Schuko)
- Indoor/Outdoor: Indoor



**3600
WATT**



PER PACK: 12 | **PER BOX:** 48 | **EAN CODE:** 8711658266237
PER PALLET: 1008 | 20 / 40 / HQ: 22550 / 45100 / 49610

10.047.65 | TM80B

Digital timer switch

French plug - Indoor use



- Maximum electrical power: 3500 W
- Power plug type: E - CEE 7/5
- Analog or Digital: Digital
- Display: Yes
- Rechargeable battery: Yes
- Indoor/Outdoor: Indoor



**3500
WATT**



PER PACK: | **PER BOX:** 32 | **EAN CODE:** 8711658262031
PER PALLET: 768 | 20 / 40 / HQ: 14720 / 30592 / 38528



Fire Safety



SH8-90103 | SH8-90103

Smoke alarm

HW 868 MHz



- Detection type: Smoke
- Wireless connectable: Yes
- Radio frequency: 868 MHz
- Battery lifetime: 3 yr
- Battery included: Yes
- Alarm sensor type: Photo-electric
- Replaceable battery: Yes
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr
- Compatible: with HomeWizard Link

868 MHz

3 years

60 m

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658430850
PER PALLET: 720 | 20 / 40 / HQ: 12576 / 27072 / 31872

SH8-99103 | SH8-90103

Smoke alarm set

HW 868 MHz | Set



868 MHz



3 years

60 m

- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Wireless connectable: Yes
- Radio frequency: 868 MHz
- App available: Yes
- Event Push Notification: App
- Battery lifetime: 3 yr
- Battery included: Yes
- Replaceable battery: Yes
- Empty battery indicator: Yes
- Test button: Yes
- Where to use: Home; Office

- Product lifetime: 10 yr

PER PACK: 3 | PER BOX: 24 | EAN CODE: 8711658431208
PER PALLET: 288 | 20 / 40 / HQ: 12576 / 27072 / 31872

SH8-90126 | SH8-9012

Smoke alarm

HW 868 MHz



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Wireless connectable: Yes
- Radio frequency: 868 MHz
- App available: Yes
- Event Push Notification: App
- Battery lifetime: 2 yr
- Battery included: Yes
- Replaceable battery: Yes
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr

- Compatible: with HomeWizard Link

868 MHz

2 years

60 m

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658437972
PER PALLET: 48 | 20 / 40 / HQ: 15000 / 30000 / 33000

SH8-90105 |

Carbon monoxide alarm

HW 868 MHz



HomeWizard Link

- Detection type: Carbon monoxide
- Wireless connectable: Yes
- Radio frequency: 868 MHz
- Battery lifetime: 1 yr
- App available: Yes
- Event Push Notification: App
- Empty battery indicator: Yes
- Range open space: 60 m
- Test button: Yes
- Replaceable battery: Yes
- Product lifetime: 10 yr
- Compatible: with

868 MHz

1 year

60 m

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658440415
PER PALLET: 624 | 20 / 40 / HQ: 12768 / 27456 / 32400

SH8-99111 |

Smoke/carbon monoxide set

HW 868 MHz | Set



- Radio frequency: 868 MHz
- App available: No
- Empty battery indicator: Yes
- Range open space: 60 m
- Test button: Yes
- Replaceable battery: Yes
- Product lifetime: 10 yr
- Compatible: with HomeWizard Link

PER PACK: | PER BOX: 24 | EAN CODE: 8711658429663
PER PALLET: 288 | 20 / 40 / HQ: 6480 / 13680 / 19152

868
MHz



FSM-11410 | FSM-114

Smoke alarm

1 year battery FSM-114 - RETAIL ONLY



This smoke alarm has a replaceable 1-year battery. The smoke alarm uses a photo electric sensor and has a loud alarm of 85db at 3 m distance.

- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Battery included: Yes
- Replaceable battery: Yes
- Battery lifetime: 1 yr
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658436579
PER PALLET: 1440 | 20 / 40 / HQ: 26400 / 55200 / 66240

SH8-99107 |

Link gateway - incl. free water alarm


HW 868 MHz | Set



- Radio frequency: 868 MHz
- Power plug type: NO PLUG
- App available: Yes
- App name: HomeWizard Link
- Operating system: Android; iOS
- Works with voice control system: Amazon Alexa; Google Assistant
- Number of connectable devices: 99
- Compatible: HomeWizard

PER PACK: 5 | PER BOX: 25 | EAN CODE: 8711658425849
PER PALLET: 25 | 20 / 40 / HQ: 25200 / 50400 / 57600


868
MHz



10.044.62 | RM250

Smoke alarm

1 year battery TUV certified RM250



- Battery included: Yes
- Replaceable battery: Yes
- Battery lifetime: 1 yr
- Empty battery indicator: Yes

FSM-11510 | RM250

Smoke alarm

5 year battery TUV certified RM250



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Battery included: Yes
- Replaceable battery: Yes
- Battery lifetime: 5 yr
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658061672
PER PALLET: 1152 | 20 / 40 / HQ: 23472 / 47088 / 56688

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658430553
PER PALLET: 960 | 20 / 40 / HQ: 23472 / 46944 / 54816

FSM-11516 | RM253

Smoke Alarm

5 year battery NF certified RM253



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: NF
- Battery included: Yes
- Replaceable battery: Yes
- Battery lifetime: 5 yr
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658424378
PER PALLET: 960 | 20 / 40 / HQ: 23472 / 46944 / 51638

10.025.28 | RM520

Smoke alarm

10 year battery Q certified RM520



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: VDS; Q-mark
- Replaceable battery: No
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658460154
PER PALLET: 960 | 20 / 40 / HQ: 23472 / 47088 / 56688

10.006.74 | RM218

Smoke alarm

10 year battery Q certified RM218



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: TÜV-Rheinland
- Replaceable battery: No
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Fault Alarm Function: Yes
- Test button: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658482231
PER PALLET: 960 | 20 / 40 / HQ: 18576 / 40032 / 47184

FSM-16020 | RM620

Smoke alarm mini

10 year battery Q certified RM620



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: Q-mark; VDS
- Replaceable battery: No
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658412757
PER PALLET: 1344 | 20 / 40 / HQ: 30000 / 60000 / 75408

FSM-12400 | FSM-124

Smoke alarm

10 year battery Q certified FSM-124



The photo electric smoke alarm uses a high quality 10-year sealed lithium battery. The smoke alarm has a test button and LED indicator. This smoke alarm has the VDS and StiWa quality mark.

- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: VDS; Q-mark; Stiwa-mark
- Replaceable battery: No
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Test button: Yes
- Fault Alarm Function: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658426099
PER PALLET: 1152 | 20 / 40 / HQ: 21360 / 45984 / 54192



FSM-12300 | FSM-123

Smoke alarm

10 year battery (VDS) and Q label FSM-123



The photo electric smoke alarm uses a high quality 10 year sealed lithium battery. The smoke alarm has a full surface test button and anti-insect protection which reduces false alarm.

- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: Q-mark; VDS; Vebon
- Replaceable battery: No
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 48 | EAN CODE: 8713016108074
PER PALLET: 960 | 20 / 40 / HQ: 17280 / 35712 / 44640

FSM-12700 | FSM-127

Smoke alarm

10 year battery Q certified FSM-127



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: Q-mark
- Replaceable battery: No
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Test button: Yes
- Fault Alarm Function: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 48 | EAN CODE: 8712836963603
PER PALLET: 48 | 20 / 40 / HQ: 20160 / 44352 / 50688

FSM-12210 | RM530

Smoke alarm

10 year battery BOSEC RM530



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Quality mark: Bosec
- Battery lifetime: 10 yr
- Empty battery indicator: Yes
- Replaceable battery: No
- Test button: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658461472
PER PALLET: 864 | 20 / 40 / HQ: 40200 / 55350 / 64585

10.040.95 | RM175RF/2

Smoke alarm 2-pack

wireless interconnectable 1 year battery RM175RF/2



- Alarm sensor type: Photo-electric
- Wireless connectable: Yes
- Radio frequency: 433 MHz
- Battery lifetime: 1 yr
- Battery included: Yes
- Replaceable battery: Yes
- Test button: Yes
- Where to use: Home; Office
- Product lifetime: 10 yr



433
MHz



PER PACK: 3 | PER BOX: 24 | EAN CODE: 8711658412092
PER PALLET: 384 | 20 / 40 / HQ: 8064 / 16704 / 19488

FSM-17400 | FSM-174

Smoke alarm 230V

Wired connectable FSM-174



- Detection type: Smoke
- Alarm sensor type: Photo-electric
- Wireless connectable: Yes
- Battery lifetime: 1 yr
- Replaceable battery: Yes
- Empty battery indicator: Yes
- Test button: Yes
- Product lifetime: 10 yr



PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658423913
PER PALLET: 576 | 20 / 40 / HQ: 10715 / 22186 / 25883

10.018.33 | RMAG3

Universal mounting kit

5 CM - RMAG3



- Main material: Steel
- Mounting method: 3M tape
- Diameter mounting plate: 5 cm
- Where to use: Home; Office

PER PACK: 24 | PER BOX: 144 | EAN CODE: 8711658009803
PER PALLET: 6480 | 20 / 40 / HQ: 99999 / 199998 / 219997

FOT-14670 |

Universal mounting kit

6 cm FOT-146




- Main material: Steel
- Mounting method: 3M tape
- Diameter mounting plate: 6 cm
- Where to use: Home; Office

PER PACK: 24 | PER BOX: 144 | EAN CODE: 8711658423944
PER PALLET: 6048 | 20 / 40 / HQ: 112000 / 200000 / 220000

10.100.55 | RMAG60

Universal mounting kit

6 cm RMAG60



- Main material: Steel
- Mounting method: 3M tape
- Diameter mounting plate: 6 cm
- Where to use: Home; Office

PER PACK: 12 | **PER BOX:** 120 | **EAN CODE:** 8711658416717
PER PALLET: 5280 | **20 / 40 / HQ:** 112000 / 224000 / 246400

FGA-13041 | FGA-1304

Carbon monoxide alarm

10 year sensor 3 year battery BSI FGA-1304



- Detection type: Carbon monoxide
- Alarm sensor type: Electrochemical
- Battery included: Yes
- Battery lifetime: 3 yr
- Battery type: LR06
- Empty battery indicator: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | **PER BOX:** 48 | **EAN CODE:** 8713016106582
PER PALLET: 48 | **20 / 40 / HQ:** 19000 / 38000 / 41800

FGA-13051 | FGA-1305

Carbon monoxide alarm

10 year sensor 5 year battery BSI FGA-1305



A carbon monoxide alarm gives alarm when the concentration of CO is to high. It has BSI mark and has a high quality sensor of 10 year lifetime and a replaceable 5 year batteries. CO is odor- and tasteless and can be deadly.

- Detection type: Carbon monoxide
- Alarm sensor type: Electrochemical
- Battery included: Yes
- Battery lifetime: 5 yr
- Battery type: LR06
- Empty battery indicator: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | **PER BOX:** 48 | **EAN CODE:** 8713016106612
PER PALLET: 48 | **20 / 40 / HQ:** 19000 / 38000 / 41800



FGA-13031 | FGA-1303

Carbon monoxide alarm

10 year sensor 1 year battery FGA-1303



- Detection type: Carbon monoxide
- Battery included: Yes
- Battery lifetime: 1 yr
- Battery type: 6LR61
- Empty battery indicator: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Where to use: Home; Office; Workplace
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658427072
PER PALLET: 960 | 20 / 40 / HQ: 39120 / 81024 / 95992



FGA-13721 | FGA-1372

Carbon monoxide alarm

RETAIL ONLY FGA-1372



- Detection type: Carbon monoxide
- Quality mark: BSI
- Where to use: Home; Office
- Battery lifetime: 1 yr
- Empty battery indicator: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658427560
PER PALLET: 768 | 20 / 40 / HQ: 19000 / 38000 / 38200



FGA-13081 | FGA-1308

Carbon monoxide alarm

10 year sensor - 3 year battery FGA-1308



A carbon monoxide alarm gives alarm when the concentration of CO is too high. It has a high quality sensor of 10 year lifetime and 2 replaceable 3 year batteries. CO is odor- and tasteless and can be deadly.

- Detection type: Carbon monoxide
- Alarm sensor type: Electrochemical
- Battery included: Yes
- Battery lifetime: 3 yr
- Battery type: LR06
- Empty battery indicator: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8712836963689
PER PALLET: 48 | 20 / 40 / HQ: 19008 / 40992 / 48288



10.029.25 | RM370

Carbon monoxide alarm

7 year sensor - 1 yr battery LPCB certified RM370



- Battery included: Yes
- Battery lifetime: 1 yr
- Battery type: LR06
- Empty battery indicator: Yes
- LED indication: Yes

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658465395
PER PALLET: 960 | 20 / 40 / HQ: 19000 / 38000 / 4180000

FSE-19203 |

Fire safety set

FSE set 1 smoke, 1 carbon monoxide alarm




- Detection type: Smoke / Carbon monoxide
- Quality mark: TÜV-Rheinland
- Where to use: Home; Office; Workplace
- Battery lifetime: 1 yr
- Empty battery indicator: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 12 | PER BOX: 24 | EAN CODE: 8711658424699
PER PALLET: 600 | 20 / 40 / HQ: 6000 / 20000 / 22000

FGA-13010 | RM386

Carbon monoxide alarm

10-year sensor - 3-year battery BSI RM386





- Detection type: Carbon monoxide
- Where to use: Home; Office; Workplace
- Battery lifetime: 3 yr
- Empty battery indicator: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Test button: Yes
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658416922
PER PALLET: 960 | 20 / 40 / HQ: 17280 / 36480 / 45600

FGA-13900 | FGA-139

Air quality alarm

CO2 - humidity - temperature sensors



- Detection type: Carbon dioxide
- CO2 measuring range in PPM: 400-5000
- Back-up battery: Yes
- Battery standby time: 12 h
- Empty battery indicator: Yes
- Battery lifetime: 5 yr
- Voice instruction: Yes
- Test button: Yes
- Alarm silence: Yes
- Mounting method: Loose; Wall-mounted

- Where to use: Boat; Caravan; Home; Office; Workplace
- Product lifetime: 5 yr

PER PACK: 10 | PER BOX: 40 | EAN CODE: 8713016110626
PER PALLET: 40 | 20 / 40 / HQ: 19870 / 42800 / 50440



10.029.22 | RM400

Gas alarm

For methane/butane/propane gas RM400



The gas alarm alerts by detection of three types of gas: methane gas, butane and propane and has a life span of 5 years. This gas alarm is 230v powered by a socket and has a 9v backup battery.

- Alarm sensor type: Multi-sensor
- Replaceable battery: Yes
- Battery lifetime: 1 yr
- Empty battery indicator: Yes
- Power plug type: C - CEE 7/16 (flat plug)
- Test button: Yes
- LED indication: Yes
- Sound level in decibels: 85 dB
- Where to use: Home; Office
- Product lifetime: 5 yr

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658465326
PER PALLET: 720 | 20 / 40 / HQ: 13941 / 20000 / 22000



FHE-18600 | RM640K

Heat alarm mini

10 year battery ideal in kitchen & bathroom RM640K



- Alarm sensor type: Heat
- Battery included: Yes
- Battery lifetime: 10 yr
- Replaceable battery: No
- Sound level in decibels: 85 dB
- Empty battery indicator: Yes
- Test button: Yes
- Heat sensor reacts in range: 54 - 70 °C

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658433837
PER PALLET: 1344 | 20 / 40 / HQ: 21600 / 44640 / 53568



FWA-18210 | FWA-1821

Water leak alarm mini

3 year battery FWA-1821



- Alarm sensor type: Water
- IP rating: IP65
- Battery lifetime: 3 yr
- Replaceable battery: Yes
- Empty battery indicator: Yes
- Sound level in decibels: 85 dB
- Where to use: Kitchen; Washroom
- Product lifetime: 10 yr

PER PACK: 6 | PER BOX: 48 | EAN CODE: 8711658422312
PER PALLET: 1440 | 20 / 40 / HQ: 28560 / 57120 / 62832



10.018.56 | BB1.4

1kg Fire extinguisher powder

1 kg powder fire rating ABC - BSI certified BB1



- Fire extinguisher type: Dry powder
- Capacity: 1 kg
- Fire classification: 8A, 34B,C
- Pressure control: Yes
- Operating temperature min/ max: -30°C / 60 °C
- Spray duration: 8 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; NL; FR

PER PACK: | PER BOX: 10 | EAN CODE: 8711658008202
PER PALLET: 240 | 20 / 40 / HQ: 6000 / 12000 / 1320000

10.014.68 | BB2.4

2kg Fire extinguisher powder

2 kg powder fire rating ABC - BSI certified BB2



- Fire extinguisher type: Dry powder
- Capacity: 2 kg
- Fire classification: 13A,70B,C
- Pressure control: Yes
- Operating temperature min/ max: -30°C / 60 °C
- Spray duration: 12 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 6 | EAN CODE: 8711658469539
PER PALLET: 96 | 20 / 40 / HQ: 3870 / 7740 / 851400

FEX-15030 | BB3.4

3kg Fire extinguisher powder

3 kg dry powder fire rating ABC BSI certified BB3



- Fire extinguisher type: Dry powder
 - Capacity: 3 kg
 - Quality mark: BSI
 - Fire classification: 21A,89B,C
 - Pressure control: Yes
 - Operating temperature min/ max: -30°C / 60 °C
 - Spray duration: 19 sec
 - Main material: Steel
 - Mounting method: Metal bracket
 - Where to use: Boat; Caravan;
- Vehicle; Workplace
• Language on item: DE; FR; NL



PER PACK: | PER BOX: 4 | EAN CODE: 8711658429113
PER PALLET: 48 | 20 / 40 / HQ: 2480 / 5040 / 5544

FEX-15140 | BB4.4

4kg Fire extinguisher powder

4 kg dry powder fire rating ABC BSI certified BB4



- Fire extinguisher type: Dry powder
- Capacity: 4 kg
- Fire classification: 27A, 113B, C
- Pressure control: Yes
- Operating temperature min/ max: -30°C / 60 °C
- Spray duration: 19 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 2 | EAN CODE: 8711658422640
PER PALLET: 48 | 20 / 40 / HQ: 2080 / 4160 / 457600

10.014.72 | BB6.4

6kg Fire extinguisher powder

6 kg dry powder fire rating ABC BSI certified BB6



- Fire extinguisher type: Dry powder
 - Capacity: 6 kg
 - Quality mark: BSI
 - Fire classification: 43A,233B, C
 - Pressure control: Yes
 - Operating temperature min/ max: -30°C / 60 °C
 - Spray duration: 17 sec
 - Main material: Steel
 - Mounting method: Metal bracket
 - Where to use: Boat; Caravan;
- Vehicle; Workplace
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 2 | EAN CODE: 8711658469676
PER PALLET: 48 | 20 / 40 / HQ: 1660 / 20000 / 22000

10.014.97 | SB2.4

2L Fire extinguisher foam

2 litre foam fire rating AB - BSI certified SB2



- Fire extinguisher type: Foam
- Capacity: 2 l
- Fire classification: 8A, 55B
- Pressure control: Yes
- Operating temperature min/ max: 0°C / 60 °C
- Spray duration: 12 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 6 | EAN CODE: 8711658470665
PER PALLET: 96 | 20 / 40 / HQ: 3450 / 6900 / 759000

FEX-15230 | SB3.4

3L Fire extinguisher foam

3 litre foam fire rating AB - BSI certified SB3



- Fire extinguisher type: Foam
- Capacity: 3 l
- Fire classification: 13A, 70B
- Pressure control: Yes
- Operating temperature min/ max: 0°C / 60 °C
- Spray duration: 30 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 4 | EAN CODE: 8711658422923
PER PALLET: 48 | 20 / 40 / HQ: 2550 / 5100 / 561000

10.015.05 | SB6.4

6L Fire extinguisher foam

6 litre foam fire rating AB - BSI certified SB6



- Fire extinguisher type: Foam
- Capacity: 6 l
- Fire classification: 21A, 144B
- Pressure control: Yes
- Operating temperature min/ max: 5°C / 60 °C
- Spray duration: 42 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 2 | EAN CODE: 8711658470870
PER PALLET: 48 | 20 / 40 / HQ: 1570 / 3140 / 3140

FEX-15290 | SB9.4

9L Fire extinguisher foam

9 litre foam fire rating AB - BSI certified SB9



- Fire extinguisher type: Foam
- Capacity: 9 l
- Fire classification: 27A, 183B
- Pressure control: Yes
- Operating temperature min/ max: 5°C / 60 °C
- Spray duration: 60 sec
- Main material: Steel
- Mounting method: Metal bracket
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 1 | EAN CODE: 8711658426174
PER PALLET: 48 | 20 / 40 / HQ: 1230 / 2440 / 268400

FEX-15420 | VB2

2L Fire extinguisher Wet Chemical

2 litre wet chemical rating A-F VB2



- Fire extinguisher type: Wet chemicals
- Quality mark: BSI EN3
- Capacity: 2 l
- Fire classification: 8A, 40F
- Pressure control: Yes
- Operating temperature min/ max: 0°C / 60 °C
- Spray duration: 12 sec
- Main material: Steel
- Mounting method: Bracket
- Where to use: Caravan; Home; Office
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 6 | EAN CODE: 8711658423173
PER PALLET: 108 | 20 / 40 / HQ: 3960 / 20000 / 22000



FEX-15460 | VB6

6L Fire extinguisher Wet Chemical

6 litre wet chemical rating A-F VB6



- Fire extinguisher type: Wet chemicals
- Quality mark: BSI EN3
- Capacity: 6 l
- Fire classification: 13A, 75F
- Pressure control: Yes
- Operating temperature min/ max: 0°C / 60 °C
- Spray duration: 42 sec
- Main material: Steel
- Mounting method: Metal bracket
- Where to use: Caravan; Home; Office
- Language on item: DE; FR; NL

PER PACK: | PER BOX: 2 | EAN CODE: 8711658425818
PER PALLET: 48 | 20 / 40 / HQ: 1400 / 20000 / 22000



FEX-15621 | CB2

2kg Fire extinguisher CO2

2 kg fire rating B - BSI certified CB2



- Fire extinguisher type: Carbon dioxide
- Capacity: 2 kg
- Quality mark: BSI EN3
- Fire classification: 34B
- Pressure control: Yes
- Operating temperature min/ max: -30°C / 60 °C
- Spray duration: 14 sec
- Main material: Steel
- Where to use: Home; Office
- Mounting method: Bracket
- Language on item: ES; DE; NL

PER PACK: | PER BOX: 1 | EAN CODE: 8711658425955
PER PALLET: 80 | 20 / 40 / HQ: 2800 / 20000 / 22000



10.033.68 | FS600

Fire extinguisher spray

Fire rate ABF 600 ml - FS600




- Fire classification: 5A, 21B, 5F
- Capacity: 0.6 l
- Operating temperature min/ max: 0°C / 50 °C
- Spray duration: 37 sec
- Main material: Steel
- Where to use: Boat; Caravan; Kitchen
- Language on item: NL; FR; ES

PER PACK: | PER BOX: 6 | EAN CODE: 8711658461793
PER PALLET: 750 | 20 / 40 / HQ: 8250 / 16500 / 1815000

10.014.60 | BBD130

Fire blanket

1 x 1m BBD130 DE/FR/NL



- Main material: Glasfiber
- Temperature range: 550 °C
- Where to use: Home; Kitchen

PER PACK: 3 | PER BOX: 12 | EAN CODE: 8711658469256
PER PALLET: 480 | 20 / 40 / HQ: 10740 / 21480 / 23628

FEX-15900 | FEX-159

Fire Blanket

1.6 x 1.8m FEX-159 DE/FR/NL



- Main material: Glasfiber
- Temperature range: 550 °C
- Where to use: Home; Kitchen

PER PACK: 5 | PER BOX: 10 | EAN CODE: 8713016107824
PER PALLET: 10 | 20 / 40 / HQ: 7300 / 14700 / 17800

10.015.18 | BBVL

Escape ladder

Escape ladder - 4.5 metres - including hooks BBVL



- Main material: Steel

PER PACK: | PER BOX: 2 | EAN CODE: 8711658470160
PER PALLET: 56 | 20 / 40 / HQ: 1428 / 2856 / 2950

FOT-14100 | FOT-141

Escape ladder

10 metres - 4 story buildings



- Main material: Steel
- Anti slip: Yes
- Maximum Burden: 450 kg
- Kind of ladder: Folding ladder
- Including stability beam: Yes
- Number of steps per share: 30

PER PACK: | PER BOX: 2 | EAN CODE: 8713016107893
PER PALLET: 56 | 20 / 40 / HQ: 832 / 2040 / 2050

10.040.72 | NV42

Emergency lighting

Incl. bracket chain and 4 stickers - NV42



- Back-up battery: Yes
- Battery included: Yes
- Battery lifetime: 4 yr
- Operating temperature min/ max: 0°C / 40 °C
- Test button: Yes
- Luminous flux nominal useful: 12 lm


PER PACK: | PER BOX: 6 | EAN CODE: 8711658250830
PER PALLET: 150 | 20 / 40 / HQ: 3150 / 6525 / 7650



10.040.73 | NV52

Emergency lighting

Incl. test button and sticker set NV52



This emergency LED lighting is suitable for marking escape routes and is 230V powered. The backup battery is continuously charged and works by power cut up to 3 hours, including a test button and stickers for pointing.

- Back-up battery: Yes
- Battery included: Yes
- Battery lifetime: 4 yr
- Operating temperature min/ max: 0°C / 40 °C
- Test button: Yes
- Luminous flux nominal useful: 246 lm

PER PACK: | PER BOX: 12 | EAN CODE: 8711658249827
PER PALLET: 288 | 20 / 40 / HQ: 6708 / 13895 / 19291





Plug & Connect



SH4-90150 |

2-channel remote control with keychain

Sender indoor



- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Number of channels: 2
- Number of connectable devices: 99
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 36 | **EAN CODE:** 8711658446653
PER PALLET: 288 | 20 / 40 / HQ: 88421 / 176842 / 194526

SH4-90152 |

4-channel remote control

Sender indoor



- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Number of channels: 4
- Number of connectable devices: 99
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 36 | **EAN CODE:** 8711658447551
PER PALLET: 864 | 20 / 40 / HQ: 95000 / 190000 / 209000

SH4-90161 | SH5-TDR-T

15-channel remote control + timer function

Sender indoor



- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Number of channels: 15
- Number of connectable devices: 99
- Battery type: CR2032
- Number of batteries: 2
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 36 | **EAN CODE:** 8711658435435
PER PALLET: 864 | 20 / 40 / HQ: 19200 / 38400 / 42240

SH4-90162 | SH5-TSW-A

Wireless wall switch with battery

Sender indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Number of channels: 1
- Number of connectable devices: 99
- Battery format: Button
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 36 | **EAN CODE:** 8711658435299
PER PALLET: 720 | 20 / 40 / HQ: 19200 / 38400 / 42240

SH4-90159 | SH5-TSW-B

Wireless double wall switch with battery

Sender indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Number of channels: 2
- Number of connectable devices: 99
- Battery format: Button
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658437958
PER PALLET: 432 | 20 / 40 / HQ: 18432 / 36864 / 40550



SH4-90160 | SH5-TSW-C



Wireless wall switch with battery

Sender outdoor



- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Number of channels: 1
- Number of connectable devices: 99
- Battery type: CR2032
- Number of batteries: 1
- IP rating: IP44
- Compatible: Plug & Connect; Smarthome Basic


PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658435367
PER PALLET: 720 | 20 / 40 / HQ: 19200 / 38400 / 42240



SH4-90154 | SH5-TSO-A

Wireless motion detector with battery

Sender indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- PIR angle: 110 °
- PIR distance: 6 m
- Number of channels: 1
- Number of connectable devices: 99
- Battery format: AAA
- Number of batteries: 2
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 6 | EAN CODE: 8711658434599
PER PALLET: 342 | 20 / 40 / HQ: 17280 / 34560 / 38016



SH4-90157 | SH5-TSO-B



Wireless motion detector with battery

Sender outdoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Number of channels: 1
- Number of connectable devices: 99
- PIR angle: 140 °
- PIR distance: 8 m
- Battery format: AAA
- Number of batteries: 2
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 24 | EAN CODE: 8711658435084
PER PALLET: 288 | 20 / 40 / HQ: 12672 / 25344 / 27878



SH4-90155 | SH5-TSM-A

Wireless magnetic contact timer function

Sender indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Number of channels: 1
- Number of connectable devices: 99
- Battery format: Button
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658434667
PER PALLET: 864 | 20 / 40 / HQ: 19968 / 39936 / 43930



SH4-90156 | SH5-TBR-A

1 channel built-in sender

Sender indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Number of channels: 1
- Number of connectable devices: 99
- Compatible: Plug & Connect; Smarthome Basic


PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658434735
PER PALLET: 576 | 20 / 40 / HQ: 19968 / 39936 / 43930



SH4-90158 | SH5-TSY-A

Wireless day/night sensor

Sender outdoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Number of channels: 1
- Number of connectable devices: 99
- Battery format: AAA
- Number of batteries: 2
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658435152
PER PALLET: 720 | 20 / 40 / HQ: 73043 / 146086 / 160695



SH4-90261 | SH5-RPS-36A

Wireless power switch up to 3600 W

Receiver indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 3600 W
- Number of connectable senders: 8
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 24 | EAN CODE: 8711658435015
PER PALLET: 384 | 20 / 40 / HQ: 27677 / 55354 / 60889



SH4-90264 | SH5-RPD-02A

Wireless power switch with dimmer 200 W

Receiver indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 200 W
- Number of connectable senders: 8
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic


PER PACK: 4 | PER BOX: 24 | EAN CODE: 8711658437545
PER PALLET: 144 | 20 / 40 / HQ: 11520 / 23040 / 25344


200
WATT


10.900.34 | SH5-RPD-02A/FR



Wireless power switch and dimmer 200 W

Receiver indoor (FR plug)



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Power plug type: E - CEE 7/5
- Maximum electrical power: 200 W
- Number of connectable senders: 6
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 60 | EAN CODE: 8711658045399
PER PALLET: 720 | 20 / 40 / HQ: 18000 / 36000 / 39600


200
WATT


SH4-90450 |

Mini socket switch up to 3000W

Receiver outdoor



- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Power plug type: F - CEE 7/4 (Schuko)
- Number of connectable senders: 8
- Indoor/Outdoor: Outdoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 24 | EAN CODE: 8711658437613
PER PALLET: 24 | 20 / 40 / HQ: 13056 / 26112 / 28723


3000
WATT


SH4-90260 | SH5-RBS-10A



Built-in switch up to 1000 W

Receiver indoor



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Maximum electrical power: 1000 W
- Number of connectable senders: 8
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic


PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658434803
PER PALLET: 864 | 20 / 40 / HQ: 14976 / 29952 / 32947


1000
WATT


SH4-90265 | SH5-TBD-02A

Built-in switch and dimmer up to 200 W

Indoor receiver



Wireless built-in dimmer, compatible with the BASIC series. Easy to install in a standard installation box to replace your current switch. Control and dim your dimmable lights up to 200 W with the BASIC remotes (excl.).

- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Maximum electrical power: 200 W
- Number of connectable senders: 8
- Where to use: Home; Kitchen

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658437897
PER PALLET: 288 | 20 / 40 / HQ: 93333 / 186666 / 205333



**200
WATT**



SH4-90259 | SH5-RBU-04A

Built-in switch up/down with timer

Receiver indoor



Wireless built-in power switch, compatible with the BASIC series. Fits in a standard installation box. Thanks to the timer you can also use the switch for your automatic gate or garage door. Control with any BASIC sender.

- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Maximum electrical power: 300 W
- Number of connectable senders: 8
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658446721
PER PALLET: 576 | 20 / 40 / HQ: 14976 / 29952 / 32947



**300
WATT**



SH4-90451 |

Built-in switch with junction box

Receiver outdoor



**1000
WATT**



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Maximum electrical power: 1000 W
- Number of connectable senders: 8
- Indoor/Outdoor: Outdoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658448398
PER PALLET: 192 | 20 / 40 / HQ: 26373 / 52746 / 58021

SH4-90262 | SH5-RBS-04A

Built-in switch up to 400 W

Receiver indoor



**400
WATT**



- Radio frequency: 433,92 MHz
- Maximum electrical power: 400 W
- Range open space: 30 m
- Learn button: Yes
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658435220
PER PALLET: 864 | 20 / 40 / HQ: 22932 / 45864 / 50450

SH4-90263 |

LED bulb A60 9 W dimmable

Receiver indoor



**9
WATT**


- Lamp base fitting: E27
- Type of bulb: LED
- Shape of bulb: Standard A60
- Energy class: A+
- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Colour temperature K rated: 2700 k
- Number of switching cycles: 15000
- Equivalent incandescent bulb wattage: 9 W
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 4 | EAN CODE: 8711658435640
PER PALLET: 200 | 20 / 40 / HQ: 26373 / 52746 / 58021

SH4-90257 |

LED GU10 3W dimmable

Receiver indoor



- Radio frequency: 433,92 MHz
- Range open space: 30 m
- Lamp base fitting: GU10
- Type of bulb: LED
- Shape of bulb: GU10
- Energy class: A+
- Colour temperature K rated: 2700 k
- Number of switching cycles: 15000
- Equivalent incandescent bulb wattage: 10 W
- Number of connectable devices: 8
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658447681
PER PALLET: 36 | 20 / 40 / HQ: 20952 / 43344 / 50832

SH4-90950 | SH5-GW-T

Smart plug

Wi-Fi gateway for the BASIC series



- Radio frequency: 433 + 2,4 GHz
- App available: Yes
- App name: HomeWizard Lite
- Works with voice control system: Amazon Alexa
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 3600 W
- Maximum range indoor: 30 m
- Timer function: Yes
- Number of connectable devices: 99

- Learn button: Yes
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658435503
PER PALLET: 16 | 20 / 40 / HQ: 11520 / 23040 / 25344



**3600
WATT**



SH4-90950FR | SH5-GW-T-F

Wifi smart plug (FR plug)

Wi-Fi gateway for the BASIC series



- Radio frequency: 433 + 2,4 GHz
- App available: Yes
- App name: HomeWizard Lite
- Works with voice control system: Amazon Alexa
- Power plug type: E - CEE 7/5
- Maximum electrical power: 3600 W
- Maximum range indoor: 30 m
- Timer function: Yes
- Number of connectable devices: 99

- Learn button: Yes
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658435572
PER PALLET: 320 | 20 / 40 / HQ: 11520 / 23040 / 25344



**3600
WATT**



SH4-99952 | SH5-SET-GW

Smart plug set

Wi-Fi gateway incl. 2 extra plugs



- Radio frequency: 433 + 2,4 GHz
- App available: Yes
- App name: HomeWizard Lite
- Works with voice control system: Amazon Alexa
- Wattage: 2x 1000 + 1x 3600 W
- Power plug type: F - CEE 7/4 (Schuko)
- Range open space: 30 m
- Number of connectable devices: 99
- Number of remote controls

- included: 1
- Battery type: CR2032
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658437125
PER PALLET: 288 | 20 / 40 / HQ: 7391 / 15310 / 17950





**3600
WATT**



10.043.83 | SH5-SET-GW-F

Smart plug set (FR plug)

Wi-Fi gateway incl. 2 extra plugs



- Radio frequency: 433,92 MHz + 2,4 GHz
- App available: Yes
- App name: HomeWizard Lite
- Works with voice control system: Amazon Alexa
- Wattage: 2x 1000 + 1x 3600 W
- Power plug type: E - CEE 7/5
- Range open space: 30 m
- Number of connectable devices: 99
- Number of remote controls included: 1

- Battery type: CR2032
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658410708
PER PALLET: 72 | 20 / 40 / HQ: 7391 / 15310 / 17950



**3600
WATT**



SH4-99573 |

Switch set

3 wireless power switches - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658436210
PER PALLET: 720 | 20 / 40 / HQ: 15690 / 32500 / 38104



SH4-99552FR |

Switch set (FR plug)

3 wireless power switches - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: E - CEE 7/5
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic


PER PACK: 4 | PER BOX: 8 | EAN CODE: 8711658441719
PER PALLET: 480 | 20 / 40 / HQ: 15690 / 32500 / 38104



SH4-99566 |

Indoor mini switch set

3 power switches 3000 W - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 3000 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658434872
PER PALLET: 384 | 20 / 40 / HQ: 4912 / 20000 / 22000



SH4-99566FR |

Indoor mini switch set (FR plug)

3 power switches 3000W - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: E - CEE 7/5
- Maximum electrical power: 3000 W
- Range open space: 30 m
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658434940
PER PALLET: 384 | 20 / 40 / HQ: 4912 / 20000 / 22000



SH4-99561FR |

Indoor mini switch set (FR plug)

2 power switches 3000W - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: E - CEE 7/5
- Maximum electrical power: 3000 W
- Range open space: 30 m
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658448251
PER PALLET: 320 | 20 / 40 / HQ: 5000 / 10000 / 11000



SH4-99574 |

Wireless switch set

2 wireless power switch with 2-channel remote



- Radio frequency: 433,92 MHz
- Power plug type: C - CEE 7/17 (round plug)
- Maximum electrical power: 2300 W
- Range open space: 30 m
- Number of connectable devices: 8
- Where to use: Home
- Replaceable battery: Yes

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658448336
PER PALLET: 12 | 20 / 40 / HQ: 10000 / 20000 / 22000



SH4-99575 |

Wireless switch set

2 wireless power switch with double wall switch



- Radio frequency: 433,92 MHz
- Power plug type: C - CEE 7/17 (round plug)
- Maximum electrical power: 2300 W
- Range open space: 30 m
- Number of connectable devices: 8
- Where to use: Home
- Replaceable battery: Yes

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658448404
PER PALLET: 12 | 20 / 40 / HQ: 29000 / 58000 / 63800



SH4-99576 |

Wireless switch set

Indoor and outdoor 1000 W socket with remote



- Radio frequency: 433,92 MHz
- Power plug type: C - CEE 7/17 (round plug)
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Number of connectable devices: 8
- Where to use: Home
- Replaceable battery: Yes

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658448473
PER PALLET: 12 | 20 / 40 / HQ: 22000 / 44000 / 48400



SH4-99654 |

Outdoor switch set

2 wireless power switches - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Outdoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic
- IP rating: IP44

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658436708
PER PALLET: 600 | 20 / 40 / HQ: 16776 / 34751 / 40743



SH4-99653 |

Outdoor mini switch set

2 wireless switches 3000 W - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 3000 W
- Range open space: 30 m
- Indoor/Outdoor: Outdoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic
- IP rating: IP44

PER PACK: 4 | PER BOX: 16 | EAN CODE: 8711658435169
PER PALLET: 448 | 20 / 40 / HQ: 4912 / 20000 / 22000



SH4-99650FR |

Outdoor switch set (FR plug)

2 wireless power switches - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: E - CEE 7/5
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Outdoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic
- IP rating: IP44

PER PACK: 15 | PER BOX: 30 | EAN CODE: 8711658440736
PER PALLET: 900 | 20 / 40 / HQ: 16776 / 34751 / 40743



SH4-99651FR |

Outdoor mini switch set (FR plug)

2 wireless switches 3000 W - Incl. remote control



- Radio frequency: 433,92 MHz
- Power plug type: E - CEE 7/5
- Maximum electrical power: 3000 W
- Range open space: 30 m
- Indoor/Outdoor: Outdoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic
- IP rating: IP44


PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658439617
PER PALLET: 288 | 20 / 40 / HQ: 4912 / 20000 / 22000



10.043.95 | SH5-SET-KHC


Door/window switch set

Wireless door/window sensor & power switch



- Radio frequency: 433,92 MHz
- Power plug type: F - CEE 7/4 (Schuko)
- Maximum electrical power: 3600 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658410821
PER PALLET: 288 | 20 / 40 / HQ: 7622 / 15789 / 18511



SH4-99567 | SH5-SET-BS

Bedroom light switch set

1 built-in switch - 3 wall switches



- Radio frequency: 433,92 MHz
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Battery type: CR2032
- Replaceable battery: Yes
- Number of batteries: 3
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658438375
PER PALLET: 384 | 20 / 40 / HQ: 11667 / 23334 / 25667



SH4-99557 |

Main light control set

3 built-in switches 1000W + 3-channel remote



- Radio frequency: 433,92 MHz
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658447483
PER PALLET: 24 | 20 / 40 / HQ: 12605 / 25210 / 27731



SH4-99564 | SH5-SET-RYS


Indoor light control set

1 built-in switch and 1 wall switch



- Radio frequency: 433,92 MHz
- Power plug type: NO PLUG
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Number of connectable devices: 99
- Where to use: Bathroom; Home; Kitchen; Office; Workplace
- Replaceable battery: Yes


PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658437033
PER PALLET: 864 | 20 / 40 / HQ: 22248 / 44496 / 48946



SH4-99562 |

Wireless wall switch set

2x built-in receiver 1000W + 1x double wall switch



1000
WATT



- Radio frequency: 433,92 MHz
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658448329
PER PALLET: 192 | 20 / 40 / HQ: 12605 / 26111 / 30613



SH4-99569 | SH5-SET-ST

Automatic light control set

Wireless motion detector and built-in switch



1000
WATT




- Radio frequency: 433,92 MHz
- Maximum electrical power: 1000 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery format: AAA
- Number of batteries: 2
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658434957
PER PALLET: 288 | 20 / 40 / HQ: 12605 / 26111 / 30613

SH4-99572 | SH5-SET-RD

Shutter/Curtains Switch Set

Wireless wall switch & built-in up/down switch



- Radio frequency: 433,92 MHz
- Maximum electrical power: 300 W
- Indoor/Outdoor: Indoor
- Range open space: 30 m
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658436074
PER PALLET: 864 | 20 / 40 / HQ: 22248 / 44496 / 48945


SH4-99558 |

Garage switch set

Up/down switch with timer + 2-channel remote



300
WATT



- Radio frequency: 433 MHz
- Maximum electrical power: 300 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658447629
PER PALLET: 720 | 20 / 40 / HQ: 12600 / 25200 / 27720

SH4-99559 |

Wireless shutters control set

3 built-in up/down switches



**300
WATT**



- Radio frequency: 433,92 MHz
- Learn button: Yes
- Range open space: 30 m
- Maximum electrical power: 300 W
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 24 | **EAN CODE:** 8711658447766
PER PALLET: 576 | **20 / 40 / HQ:** 12600 / 25200 / 27720

SH4-99560 |

Switch and dim set

Built-in dimmer switch 100W + 3-channel remote



**100
WATT**



- Radio frequency: 433,92 MHz
- Maximum electrical power: 100 W
- Range open space: 30 m
- Indoor/Outdoor: Indoor
- Battery type: CR2032
- Number of batteries: 1
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 36 | **EAN CODE:** 8711658447902
PER PALLET: 36 | **20 / 40 / HQ:** 12600 / 25200 / 27720

SH4-99652 | SH5-SET-OB

Outdoor 3-channel switch set

3-way switch box and 4 channel remote



**400
WATT**



- Radio frequency: 433,92 MHz
- Maximum electrical power: 400 W
- Range open space: 30 m
- IP rating: IP55
- Battery type: CR2032
- Number of batteries: 1
- Replaceable battery: Yes
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 4 | **PER BOX:** 16 | **EAN CODE:** 8711658446790
PER PALLET: 384 | **20 / 40 / HQ:** 4284 / 8874 / 10404

SH4-99556 |

LED GU10 spot set

3 connectable 3W spots - Incl. remote control



incl.



- Radio frequency: 433 MHz
- Dimmable: Yes
- Lamp base fitting: GU10
- Colour temperature K rated: 2700 k
- Luminous flux rated useful: 390 lm
- Range open space: 30 m
- Battery type: CR2032
- Replaceable battery: Yes
- Indoor/Outdoor: Indoor
- Compatible: Plug & Connect; Smarthome Basic

PER PACK: 6 | **PER BOX:** 12 | **EAN CODE:** 8711658448244
PER PALLET: 36 | **20 / 40 / HQ:** 7391 / 15310 / 17950




Camera



10.016.06_#_! | CS44D

Dummy dome camera

Indoor - LED light



- Indoor/Outdoor: Indoor
- Flashing light: Yes
- Battery format: AA
- Main material: Plastic

PER PACK: 6 | PER BOX: 36 | EAN CODE: 8711658404042
PER PALLET: 648 | 20 / 40 / HQ: 14544 / 30672 / 34380



10.016.07_#_! | CS88D

Dummy camera

Indoor and outdoor - LED light



- Indoor/Outdoor: Indoor and outdoor
- Flashing light: Yes
- Battery format: AA
- Main material: Plastic

PER PACK: 6 | PER BOX: 12 | EAN CODE: 8711658404257
PER PALLET: 192 | 20 / 40 / HQ: 4320 / 9108 / 10200



10.016.08_#_! | CS22D

Dummy camera

Indoor and outdoor - aluminum housing



- Flashing light: No
- Indoor/Outdoor: Indoor and outdoor
- Main material: Aluminum
- Colour: Silver

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658404462
PER PALLET: 720 | 20 / 40 / HQ: 14568 / 30768 / 34464

CDM-34552_#_! |

Dummy camera

Indoor and outdoor - Infra red LEDs - metal



- Indoor/Outdoor: Outdoor
- Night vision number of IR Leds: 12
- Battery format: AAA
- Main material: Metal
- Colour: Silver

PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658436951
PER PALLET: 600 | 20 / 40 / HQ: 12096 / 24192 / 26611



CDM-38103_#_! | CS90D

Dummy camera

Indoor & outdoor - Auto swivel motion detector



- Indoor/Outdoor: Indoor and outdoor
- Flashing light: Yes
- Battery format: AA
- Main material: Plastic
- Motion detection: Yes
- Colour: Black



PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711658063034
 PER PALLET: 288 | 20 / 40 / HQ: 5664 / 12216 / 13080

10.049.11 | C180IP

180° IP camera indoor

720P HD - 180° view angle - digital pan/tilt



- Camera resolution: 1280 x 720 (HD)
- View angle horizontal: 180 °
- Digital pan/tilt function: Yes
- Network connection: Wifi
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Night vision: 8 m
- Night vision number of IR Leds: 2
- 2-way communication: Yes

- Indoor/Outdoor: Indoor
- App available: Yes
- Motion detection: Yes
- Recording frame rate: 25
- Lens: Fisheye
- Camera app name: IPC360



PER PACK: 6 | PER BOX: 60 | EAN CODE: 8711658060965
 PER PALLET: 960 | 20 / 40 / HQ: 19000 / 41000 / 49000

10.049.10 | C360IP

360° IP camera indoor

960P HD - 360° view angle - digital pan/tilt



- Camera resolution: 1280 x 960 (HD)
- View angle horizontal: 360 °
- Digital pan/tilt function: Yes
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- App available: Yes
- Night vision: 8 m
- Night vision number of IR Leds: 3
- 2-way communication: Yes
- Network connection: Wifi
- Indoor/Outdoor: Indoor
- Motion detection: Yes
- Recording frame rate: 25
- Camera app name: IPC360



PER PACK: 6 | PER BOX: 60 | EAN CODE: 8711658060958
 PER PALLET: 960 | 20 / 40 / HQ: 19000 / 41000 / 49000

CIP-37210 |

Wi-Fi camera indoor

HomeWizard - 720P HD



- Camera resolution: 1280 x 720 (HD)
- View angle horizontal: 90 °
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Colour: Black
- Network connection: Wifi
- 2-way communication: Yes
- Indoor/Outdoor: Indoor
- App available: Yes
- Motion detection: Yes

- Motion detection zones: Yes
- Camera app name: Homewizard cameras



PER PACK: 6 | PER BOX: 6 | EAN CODE: 8711658434926
 PER PALLET: 168 | 20 / 40 / HQ: 12000 / 24000 / 26400

CIP-37350 | C735

Privacy camera

1080P Full HD



Because of the intelligent privacy features the IP camera protects your home and privacy. The lens will automatically be covered when you come home and opens automatically when you leave your home to protect your properties.

- Camera resolution: 1920 x 1080 (Full HD)
- View angle horizontal: 130 °
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Colour: White
- Network connection: Wifi
- 2-way communication: Yes
- Indoor/Outdoor: Indoor
- App available: Yes
- Motion detection: Yes
- Power over Ethernet (PoE): No
- Camera app name: Homewizard cameras

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711658434780
PER PALLET: 12 | **20 / 40 / HQ:** 8000 / 16000 / 17600



FULL
HD
1080p



CIP-39330 | C933

Mini outdoor camera

1080P Full HD



This outdoor IP-camera with revolutionary small design has a 1080P Full HD resolution with 130° viewing angle.

- Camera resolution: 1920 x 1080 (Full HD)
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Colour: Black
- Network connection: Wifi
- Power over Ethernet (PoE): No
- 2-way communication: No
- Indoor/Outdoor: Outdoor
- View angle horizontal: 130 °
- App available: Yes
- Motion detection: Yes
- IP rating: IP66
- Camera app name: Homewizard cameras

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711658438207
PER PALLET: 12 | **20 / 40 / HQ:** 8000 / 20000 / 22000



FULL
HD
1080p



CIP-37183 |

180° IP camera indoor

720P HD - 180° angle - digital pan/tilt function



- Camera resolution: 1280 x 720 (HD)
- Digital pan/tilt function: Yes
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Night vision: 8 m
- Night vision number of IR Leds: 2
- Colour: White
- Network connection: Wifi
- Indoor/Outdoor: Indoor
- 2-way communication: Yes
- View angle horizontal: 180°
- App available: Yes
- Motion detection: Yes

PER PACK: | PER BOX: 6 | EAN CODE: 8711658435961
PER PALLET: 480 | 20 / 40 / HQ: 10320 / 22440 / 26880



CIP-37550 |

IP camera indoor

1080P Full HD - pan/tilt



- Camera resolution: 1920 x 1080 (Full HD)
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Night vision: 10 m
- Night vision number of IR Leds: 10
- Pan/Tilt: Yes
- Colour: White
- Network connection: Wifi
- Microphone: Yes
- Indoor/Outdoor: Indoor
- View angle horizontal: 60°
- App available: Yes
- Motion detection: Yes
- Recording frame rate: 25
- Camera app name: SW360


PER PACK: | PER BOX: 6 | EAN CODE: 8711658437378
PER PALLET: 432 | 20 / 40 / HQ: 12000 / 24000 / 26400



CIP-39220 |

180° IP camera outdoor

1080P Full HD - 180° view angle - digital pan/tilt



- Camera resolution: 1920 x 1080 (Full HD)
- Digital pan/tilt function: Yes
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Night vision: 15 m
- Night vision number of IR Leds: 12
- Colour: White
- Network connection: LAN, Wifi
- Microphone: No
- View angle horizontal: 180°
- App available: Yes
- Motion detection: Yes
- IP rating: IP66
- Camera app name: SW360

PER PACK: | PER BOX: 6 | EAN CODE: 8711658436036
PER PALLET: 390 | 20 / 40 / HQ: 5336 / 20000 / 22000



CIP-39901 |

Guardian Security Camera and Light

1080P full HD outdoor camera



- Camera resolution: 1920 x 1080 (Full HD)
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Network connection: LAN, Wifi
- 2-way communication: Yes
- Microphone: Yes
- Speakers: Yes
- Indoor/Outdoor: Outdoor
- View angle horizontal: 140°
- App available: Yes
- Motion detection: Yes
- Luminous flux nominal useful: 900 lm
- IP rating: IP05
- Colour: Metallic silver
- Camera app name: Smartwares view

PER PACK: | PER BOX: 6 | EAN CODE: 8711658430423
PER PALLET: 252 | 20 / 40 / HQ: 5093 / 10970 / 13321



CMS-30100 |

Wireless security camera set

1080P Full HD - Battery powered monitor - with app



- Camera resolution: 1920 x 1080 (Full HD)
- Number of cameras included: 1
- Range open space: 250 m
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Motion detection: Yes
- Motion sensitivity: Adjustable
- Night vision: 20 m
- View angle horizontal: 180 °
- App available: Yes
- Rechargeable battery: No
- Screen size: 7"
- Camera app name: SW360

PER PACK: | PER BOX: 6 | EAN CODE: 8711658436883
PER PALLET: 6 | 20 / 40 / HQ: 4000 / 8000 / 8800

FULL
HD
1080p

7"



CMS-30101 |

Wireless extension camera

Only for use with CMS-30100



- Camera resolution: 1920 x 1080 (Full HD)
- Range open space: 250 m
- Motion detection: Yes
- Motion sensitivity: Adjustable
- Night vision: 20 m
- View angle horizontal: 180 °

PER PACK: | PER BOX: 12 | EAN CODE: 8711658437514
PER PALLET: 432 | 20 / 40 / HQ: 10000 / 20000 / 22000

FULL
HD
1080p

180°



CMS-30300 |

Wireless Camera Set

1080P full HD - 4 cameras - HDMI output



Wireless camera set with 4 cameras recording in 1080P Full HD resolution. Connect the camera set to your TV or monitor with HDMI and keep track of everything by app from anywhere in the world. Including night vision, motion detection, and audio.

- Camera resolution: 1920 x 1080 (Full HD)
- Number of cameras included: 4
- Range open space: 250 m
- Recording to: 1TB HD (included)
- Motion detection: Yes
- Motion sensitivity: Adjustable
- Night vision: 20 m
- Night vision number of IR Leds: 3
- View angle horizontal: 80 °
- App available: Yes
- HDMI output: Yes
- Mouse included: Yes
- IP rating: IP65
- Camera app name: SW360

PER PACK: | PER BOX: 1 | EAN CODE: 8711658447988
PER PALLET: 36 | 20 / 40 / HQ: 2000 / 4000 / 4400



FULL
HD
1080p





Functional Lighting



FCL-76013 |

LED rechargeable butterfly worklight

2 x 5W, magnet, hook



- Indoor/Outdoor: Indoor
- Type of bulb: LED
- Rechargeable battery: Yes
- Power supply: Battery
- On/off switch: Yes
- Rated power: 2 x 5 W
- Luminous flux nominal useful: 1000 lm
- Power plug type: NO PLUG
- Battery capacity: 5000 mAh
- Number of switching cycles: 15000
- Lifetime hours nominal: 30000 h
- IP rating: IP20
- Charge by USB: Yes



**10
WATT**

PER PACK: | PER BOX: 8 | EAN CODE: 8711387507823
PER PALLET: 288 | 20 / 40 / HQ: 7600 / 17600 / 20000

FCL-76004 |

LED work light

Outdoor 50W 4000 lm natural white light



- Main material: Aluminum
- Indoor/Outdoor: Indoor and outdoor
- Type of bulb: LED
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Nominal Lamp power: 50 W
- Luminous flux nominal useful: 3660 lm
- Light colour: Neutral; White
- Replaceable bulb: No
- IP rating: IP65
- Cable length: 2.5 m

**50
WATT**



2.5m

PER PACK: | PER BOX: 4 | EAN CODE: 8711387172229
PER PALLET: 128 | 20 / 40 / HQ: 2724 / 5751 / 6759

FCL-76011 |

LED work light with Bluetooth speaker

foldable, 20 W



This LED work light (20 W) is foldable and has 1700 lumen with natural white light (4000 K). The IP44 makes the work light perfect to use outdoors. The lamp is equipped with a bluetooth speaker.

- Main material: Plastic
- Indoor/Outdoor: Indoor and outdoor
- Power supply: Electricity
- Power plug type: C - CEE 7/17 (round plug)
- On/off switch: Yes
- Beam angle degrees: 100 °
- Type of bulb: LED
- Rated power: 20 W
- Luminous flux nominal useful: 1700 lm
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000
- Energy class: A+
- Cable length: 2.5 m
- IP rating: IP44

PER PACK: | PER BOX: 4 | EAN CODE: 8711387509490
PER PALLET: 160 | 20 / 40 / HQ: 5197 / 10734 / 12110



**20
WATT**



2.5m

FCL-76002 |

LED work light

5 W and 5 meter cable



- Main material: Plastic
- Where to use: Caravan; Workplace
- Power plug type: C - CEE 1/16 OLD
- On/off switch: No
- Type of bulb: LED
- Replaceable bulb: No
- Rated power: 5 W
- Light colour: Cool white
- Luminous flux nominal useful: 400 lm
- Lifetime hours nominal:

- 30000 h
- Number of switching cycles: 25000
- Included accessories: Hook and 5m cable
- Energy class: A+
- Cable length: 5 m
- IP rating: IP20

5
WATT



PER PACK: | PER BOX: 30 | EAN CODE: 8711387173813
PER PALLET: 720 | 20 / 40 / HQ: 21660 / 44880 / 45000

FCL-80119 |

Rechargeable worklight 360 degrees

2 x 5W, tripod, magnet, hook



- Main material: Plastic
- Indoor/Outdoor: Indoor
- Power supply: Battery
- Rated power: 2 x 5 W
- Bulb included: Yes
- Battery lifetime: 3 h
- Battery capacity: 4000 mAh
- Luminous flux nominal useful: 1000 lm
- Power plug type: NO PLUG
- Light colour: Neutral; White
- IP rating: IP20
- Charge by USB: Yes



10
WATT



360°



PER PACK: | PER BOX: 10 | EAN CODE: 8711387508103
PER PALLET: 120 | 20 / 40 / HQ: 4900 / 10560 / 12260

FCL-80116 |

LED worklights on tripod

2 x 10 W, 2 x 750 lumen



- Main material: Aluminum
- Indoor/Outdoor: Indoor and outdoor
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Type of bulb: LED
- Rated power: 2 x 10 W
- Luminous flux nominal useful: 1500 lm
- Lifetime hours nominal: 25000 h
- Number of switching cycles:

- 15000
- Beam angle degrees: 110 °
- Energy class: A+
- Cable length: 1.8 m
- IP rating: IP65

20
WATT



PER PACK: | PER BOX: 4 | EAN CODE: 8711387507526
PER PALLET: 88 | 20 / 40 / HQ: 2000 / 4080 / 4720

FCL-80114 |

LED worklights on tripod

2 x 30W, 2 x 2400 lumen



- Indoor/Outdoor: Indoor and outdoor
- Type of bulb: LED
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: Yes
- Rated power: 2 x 30 W
- Luminous flux nominal useful: 4800 lm
- Light colour: Neutral; White
- Lifetime hours nominal: 25000 h
- Number of switching cycles:

- 15000
- Beam angle degrees: 120 °
- Energy class: A+
- Cable length: 3 m
- IP rating: IP65

2x30
WATT



PER PACK: | PER BOX: 2 | EAN CODE: 8711387173639
PER PALLET: 40 | 20 / 40 / HQ: 850 / 1740 / 2040

CIP-39901

Guardian Security Camera and Light

1080P full HD outdoor camera



This IP security camera with 1080P Full HD resolution has a 10-watt light. This camera is designed as an outdoor light and has a PIR sensor. Watch the live view on your Iphone or Android device and receive notifications by movement.

- Camera resolution: 1920 x 1080 (Full HD)
- Recording to: Micro SD card (excluded)
- Maximum SD card capacity: 128 GB
- Network connection: LAN, Wifi
- 2-way communication: Yes
- Microphone: Yes
- Speakers: Yes
- Indoor/Outdoor: Outdoor
- View angle horizontal: 140 °
- App available: Yes
- Motion detection: Yes
- Luminous flux nominal useful: 900 lm
- IP rating: IP05
- Colour: Metallic silver
- Camera app name: Smartwares view

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711658430423
PER PALLET: 252 | **20 / 40 / HQ:** 5093 / 10970 / 13321



**FULL
HD**
1080p



FFL-70111 | FL1-100-B

High power LED floodlight

outdoor 100 W 6800 lm natural white light



- Main material: Aluminum
- Indoor/Outdoor: Outdoor
- Type of bulb: LED
- Replaceable bulb: No
- Rated power: 100 W
- Luminous flux nominal useful: 6800 lm
- Number of switching cycles: 100000
- Lifetime hours nominal: 30000 h
- Beam angle degrees: 110 °
- Isolation class: I

- Energy class: A
- IP rating: IP65

**100
WATT**



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387170522
PER PALLET: 240 | **20 / 40 / HQ:** 6324 / 9000 / 10636

FFL-70112 | FL1-150-B

High power LED floodlight

outdoor 150 W 10000 lm natural white light



- Main material: Aluminum
- Indoor/Outdoor: Outdoor
- Type of bulb: LED
- Replaceable bulb: No
- Rated power: 150 W
- Luminous flux nominal useful: 10000 lm
- Number of switching cycles: 100000
- Lifetime hours nominal: 30000 h
- Beam angle degrees: 110 °
- Isolation class: I

- Energy class: A
- IP rating: IP65

**150
WATT**



PER PACK: | **PER BOX:** 2 | **EAN CODE:** 8711387170591
PER PALLET: 130 | **20 / 40 / HQ:** 2850 / 5000 / 5900

IFL-70000 |

LED luminaire with motion sensor

easy installation, 60 cm, 18W



This LED luminaire is an eco-friendly alternative to traditional fluorescent lighting systems. It's supplied including motion sensor which automatically switch the item on and off. The easy connector makes it easy to install and link more luminaires.



- Main material: Polystyren (PS)
- Sensor type: Day & Night; Movement; PIR
- Directable: No
- Bulb included: No
- Nominal Lamp power: 18 W
- Luminous flux nominal useful: 1800 lm
- Energy class: A+
- Colour temperature K rated: 4000 K
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000
- IP rating: IP65

PER PACK: | PER BOX: 12 | EAN CODE: 8711387170577

PER PALLET: 360 | 20 / 40 / HQ: 7860 / 16020 / 18936

10.036.81 | HL120SA

Halogen worklight

outdoor 120 W portable incl cable plug HL120SA



- Main material: Metal
- Indoor/Outdoor: Indoor and outdoor
- Type of bulb: Ecohalogen
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Nominal Lamp power: 120 W
- Luminous flux nominal useful: 2218 lm
- Replaceable bulb: Yes
- Lifetime hours nominal: 2000 h
- Number of switching cycles: 8000
- Cable length: 1.5 m
- IP rating: IP54



120
WATT



PER PACK: | PER BOX: 12 | EAN CODE: 8711658365312

PER PALLET: 144 | 20 / 40 / HQ: 4800 / 9600 / 11400

10.036.99 | HL400S

Halogen worklight

outdoor 400W portable incl cable plug black HL400S



- Main material: Metal
- Indoor/Outdoor: Indoor
- Type of bulb: Ecohalogen
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Nominal Lamp power: 400 W
- Luminous flux nominal useful: 8850 lm
- Replaceable bulb: Yes
- Lifetime hours nominal: 2000 h
- Number of switching cycles: 8000
- Cable length: 1.5 m
- IP rating: IP20



400
WATT



PER PACK: | PER BOX: 6 | EAN CODE: 8711658258584

PER PALLET: 96 | 20 / 40 / HQ: 2520 / 5160 / 5220

10.037.00 | HL400SA

Halogen worklight

outdoor 400 W portable incl cable plug HL400SA



- Main material: Metal
- Indoor/Outdoor: Indoor and outdoor
- Type of bulb: Ecohalogen
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Nominal Lamp power: 400 W
- Luminous flux nominal useful: 8850 lm
- Replaceable bulb: Yes
- Lifetime hours nominal: 2000 h

- Number of switching cycles: 8000
- Cable length: 1.5 m
- IP rating: IP54



**400
WATT**




PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711658258720
PER PALLET: 96 | **20 / 40 / HQ:** 2520 / 5160 / 5220

10.047.25 | TL400

Halogen worklight

indoor 400 W tripod 192 cm incl. cable plug TL400



- Main material: Metal
- Indoor/Outdoor: Indoor and outdoor
- Type of bulb: Ecohalogen
- Power supply: Electricity
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Nominal Lamp power: 400 W
- Luminous flux nominal useful: 8850 lm
- Replaceable bulb: Yes
- Lifetime hours nominal: 2000 h

- Number of switching cycles: 8000
- Cable length: 2.5 m
- IP rating: IP20

**400
WATT**



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711658255798
PER PALLET: 48 | **20 / 40 / HQ:** 1000 / 2000 / 2400

10.047.26 | TL400A

Halogen worklight

indoor 400 W tripod 140 cm incl. cable plug TL400A



- Main material: Aluminum
- Indoor/Outdoor: Outdoor
- Type of bulb: Ecohalogen
- Power supply: Electricity
- Power plug type: F - CEE 7/4 (Schuko)
- On/off switch: No
- Nominal Lamp power: 400 W
- Luminous flux nominal useful: 8850 lm
- Replaceable bulb: Yes
- Lifetime hours nominal: 2000 h

- Number of switching cycles: 8000
- Cable length: 2.5 m
- IP rating: IP54

**400
WATT**



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711658255934
PER PALLET: 48 | **20 / 40 / HQ:** 1000 / 2000 / 2400



Outdoor



Outdoor Lighting



OOL-50014 |

Black Outdoor Wall Light Cubic

LED aluminium



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Wall lamp
- Replaceable bulb: No
- Power: 10 W
- Luminous flux nominal useful: 800 lm
- Energy class: A+
- Isolation class: I
- IP rating: IP44

PER PACK: | **PER BOX:** 12 | **EAN CODE:** 8713016109910
PER PALLET: 480 | **20 / 40 / HQ:** 6475 / 13412 / 15724



OOL-50015 |

Black Outdoor Wall Light

LED aluminium



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Wall lamp
- Replaceable bulb: No
- Power: 12 W
- Luminous flux nominal useful: 800 lm
- Energy class: A+
- Isolation class: I
- IP rating: IP44

PER PACK: | **PER BOX:** 12 | **EAN CODE:** 8713016109934
PER PALLET: 168 | **20 / 40 / HQ:** 9877 / 20459 / 23986



OOL-50016 |

Black Outdoor Wall Light

LED aluminium



This outdoor wall light is made of aluminium and has an integrated LED light. The downlight creates a nice ambience in your garden.

- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Wall lamp
- Replaceable bulb: No
- Power: 12 W
- Luminous flux nominal useful: 800 lm
- Energy class: A+
- Isolation class: I
- IP rating: IP44

PER PACK: | **PER BOX:** 12 | **EAN CODE:** 8713016109958
PER PALLET: 840 | **20 / 40 / HQ:** 9877 / 20459 / 23986



OOL-50017 |

Black Outdoor Garden Post

LED aluminium small 50 cm



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Garden post
- Replaceable bulb: No
- Power: 12 W
- Luminous flux nominal useful: 800 lm
- Energy class: A+
- Isolation class: I
- IP rating: IP44

PER PACK: | PER BOX: 12 | EAN CODE: 8713016110015
PER PALLET: 216 | 20 / 40 / HQ: 6778 / 14040 / 16461



OOL-50018 |

Black Outdoor Garden Post

LED aluminium large 80 cm



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Garden post
- Replaceable bulb: No
- Power: 12 W
- Luminous flux nominal useful: 800 lm
- Energy class: A+
- Isolation class: I
- IP rating: IP44

PER PACK: | PER BOX: 12 | EAN CODE: 8713016110039
PER PALLET: 108 | 20 / 40 / HQ: 4268 / 8840 / 10364



OOL-50020 |

Black Up- and Downlight

LED aluminium wall light



This outdoor wall light is made of aluminium. The up- and downlight has a modern look and creates a beautiful diffusion of indirect light in your garden.

- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Wall lamp
- Replaceable bulb: No
- Power: 8 W
- Luminous flux nominal useful: 440 lm
- Energy class: A+
- Isolation class: I
- IP rating: IP44

PER PACK: | PER BOX: 24 | EAN CODE: 8713016110077
PER PALLET: 2376 | 20 / 40 / HQ: 33786 / 69985 / 82051



OOL-50019 |

Black Up- and Downlight

Aluminium wall light



- Main material: Aluminum
- Indoor/Outdoor: Outdoor
- Power supply: Mains voltage
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: GU10
- Replaceable bulb: Yes
- Maximum electrical power: 10 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8713016110053
PER PALLET: 792 | **20 / 40 / HQ:** 6288 / 13026 / 15271



10.010.53 | 5000.333

Outdoor wall light

grey aluminium half moon 5000.333



- Main material: Aluminum
- Colour: Grey
- Indoor/Outdoor: Indoor and outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: Yes
- Replaceable bulb: Yes
- Lamp base fitting: G9
- Energy class: C
- Isolation class: I
- LED suitable: Yes
- Luminous flux nominal useful: 335 lm
- Light colour: Warm white
- IP rating: IP44

PER PACK: | **PER BOX:** 16 | **EAN CODE:** 8711387095146
PER PALLET: 640 | **20 / 40 / HQ:** 17696 / 36679 / 43003



**25
WATT**

10.009.09 | 5000.029

Outdoor wall light

black classic glass and aluminium 5000.029



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44


PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387015601
PER PALLET: 60 | **20 / 40 / HQ:** 1064 / 2226 / 2613



10.009.10 | 5000.03

Outdoor wall light

black classic glass and aluminium. 5000.030



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387015816
PER PALLET: 96 | **20 / 40 / HQ:** 2062 / 4313 / 5063



10.021.30 | ES94

Outdoor wall light

classic plastic with movement sensor ES94



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Sensor type: Day & Night; Movement; PIR
- Adjustable sensor: Yes, time and lux
- Sensor specifications: 14 m x 110°
- Lamp type: Wall lamp
- Replaceable bulb: Yes
- Bulb included: No

- Lamp base fitting: E27
- Maximum electrical power: 100 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 12 | EAN CODE: 8711387101151
PER PALLET: 144 | 20 / 40 / HQ: 2676 / 20000 / 22000

10.009.14 | 5000.035

Outdoor garden post

classic 170cm lantern aluminium and glass 5000.035



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Floor lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 4 | EAN CODE: 8711387052132
PER PALLET: 64 | 20 / 40 / HQ: 1116 / 2333 / 2739

10.009.16 | 5000.037

Outdoor garden post

classic 125cm lantern E27 aluminium glass 5000.037



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Floor lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 4 | EAN CODE: 8711387036460
PER PALLET: 48 | 20 / 40 / HQ: 1116 / 2333 / 2739

10.048.25 | GWC-001-HB

Classic wall light

of aluminium material with glass cover GWC-001-HB



- Main material: Steel
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 4 | EAN CODE: 8711387168444
PER PALLET: 48 | 20 / 40 / HQ: 1393 / 2786 / 3383

10.010.39 | 5000.318

Outdoor wall light

stainless steel modern design PIR sensor 5000.318



- Main material: Stainless steel
- Colour: Silver
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Sensor type: Day & Night; Movement; PIR
- Adjustable sensor: Yes, time, lux and sensitivity
- Sensor specifications: 9 m x 90°
- Lamp type: Wall lamp
- Replaceable bulb: Yes
- Lamp base fitting: E27
- Bulb included: No
- Type of bulb: NA
- Maximum electrical power: 60 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 6 | EAN CODE: 8711387095009
PER PALLET: 60 | 20 / 40 / HQ: 1900 / 20000 / 22000



10.010.25 | 5000.298

Outdoor wall light

stainless steel simplistic modern design 5000.298



- Main material: Stainless steel
- Colour: Silver
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: II
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 10 | EAN CODE: 8711387094804
PER PALLET: 400 | 20 / 40 / HQ: 7252 / 14504 / 17612



10.010.26 | 5000.299

Outdoor wall light

stainless steel modern design PIR sensor 5000.299



- Main material: Stainless steel
- Colour: Silver
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Sensor type: Day & Night; Movement; PIR
- Adjustable sensor: Yes, time and lux
- Sensor specifications: 7 m x 100°
- Lamp type: Wall lamp
- Replaceable bulb: Yes
- Lamp base fitting: E27
- Bulb included: No
- Type of bulb: NA
- Maximum electrical power: 60 W
- Isolation class: II
- LED suitable: Yes
- IP rating: IP44

PER PACK: | PER BOX: 10 | EAN CODE: 8711387094811
PER PALLET: 250 | 20 / 40 / HQ: 6039 / 12077 / 14665



10.010.51 | 5000.331

LED outdoor wall light

aluminium up down 2x LED incl. 5000.331



- Main material: Aluminum
- Colour: Grey
- Indoor/Outdoor: Outdoor
- Lamp type: Wall lamp
- Bulb included: Yes
- Replaceable bulb: Yes
- Rated power: 2 x 3 W
- Luminous flux nominal useful: 230 lm
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000

PER PACK: | PER BOX: 16 | EAN CODE: 8711387095122
PER PALLET: 768 | 20 / 40 / HQ: 1272 / 2636 / 3090

- Energy class: A++
- IP rating: IP44



10.010.52 | 5000.332

LED outdoor wall light

grey aluminium 1x LED incl. 5000.332



- Main material: Aluminum
- Colour: Grey
- Indoor/Outdoor: Outdoor
- Lamp type: Wall lamp
- Bulb included: Yes
- Replaceable bulb: Yes
- Rated power: 3 W
- Luminous flux nominal useful: 230 lm
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000

- Energy class: A+
- IP rating: IP44



3
WATT

Alu

LED



PER PACK: | PER BOX: 24 | EAN CODE: 8711387095139
PER PALLET: 864 | 20 / 40 / HQ: 24000 / 49704 / 58272

10.011.57 | 5000.466

LED outdoor wall light

aluminium glass 1x LED incl. 5000.466



- Main material: Aluminum
- Colour: Silver
- Indoor/Outdoor: Outdoor
- Lamp type: Wall lamp
- Bulb included
- Replaceable bulb
- Rated power: 3 W
- Luminous flux nominal useful: 230 lm
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000

- Energy class: A+
- IP rating: IP44



3
WATT

Alu

LED



PER PACK: | PER BOX: 24 | EAN CODE: 8711387096518
PER PALLET: 720 | 20 / 40 / HQ: 23160 / 48893 / 57471

10.045.49 | 2605.009L

Outdoor wall light

stainless steel modern 2605.009L



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Replaceable bulb: Yes
- Lamp base fitting: GU10
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44



PER PACK: | PER BOX: 10 | EAN CODE: 8711387169335
PER PALLET: 700 | 20 / 40 / HQ: 15086 / 30172 / 36638

10.045.54 | 2605.010L

Up and down wall light

made of stainless steel 2605.010L



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Replaceable bulb: Yes
- Lamp base fitting: GU10
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44



PER PACK: | PER BOX: 6 | EAN CODE: 8711387169403
PER PALLET: 594 | 20 / 40 / HQ: 10603 / 21207 / 25751

10.045.48 | 5000.257L

Outdoor wall light with motion detector

stainless steel 5000.257L



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Sensor type: Day & Night; Movement; PIR
- Adjustable sensor: Yes, time, lux and sensitivity
- Sensor specifications: 8 m x 100°
- Lamp type: Wall lamp
- Replaceable bulb: Yes
- Bulb included: No
- Lamp base fitting: GU10
- Type of bulb: NA
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387169267
PER PALLET: 432 | **20 / 40 / HQ:** 10159 / 20317 / 24671



10.042.69 | RX1010

Outdoor wall light

stainless steel angle RX1010



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387048777
PER PALLET: 288 | **20 / 40 / HQ:** 9548 / 19096 / 23188



10.042.72 | RX1010-38R

Outdoor wall light

stainless steel straight with RX1010-38R



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8711387012525
PER PALLET: 112 | **20 / 40 / HQ:** 2697 / 5395 / 6551



10.042.73 | RX1010-38R-S

Outdoor wall light

with motion sensor RX1010-38R-S



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Sensor type: Day & Night; Movement; PIR
- Adjustable sensor: Yes, time, lux and sensitivity
- Sensor specifications: 9 m x 115°
- Lamp type: Wall lamp
- Replaceable bulb: Yes
- Bulb included: No
- Lamp base fitting: E27
- Type of bulb: NA
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44

PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8711387052613
PER PALLET: 112 | **20 / 40 / HQ:** 2659 / 20000 / 22000



10.042.74 | RX1010-45

Outdoor garden post

stainless steel 45 cm RX1010-45



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Garden post
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44




PER PACK: | PER BOX: 6 | EAN CODE: 8711387048845
PER PALLET: 108 | 20 / 40 / HQ: 2652 / 5303 / 6439

10.042.75 | RX1010-45S

Outdoor garden post

stainless steel with sensor RX1010-45s



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Sensor type: Day & Night; Movement; PIR
- Adjustable sensor: Yes, time, lux and sensitivity
- Sensor specifications: 9 m x 115 °
- Lamp type: Garden post
- Replaceable bulb: Yes
- Bulb included: No
- Lamp base fitting: E27

- Type of bulb: NA
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44



PER PACK: | PER BOX: 6 | EAN CODE: 8711387052590
PER PALLET: 108 | 20 / 40 / HQ: 2652 / 5303 / 6439

10.042.70 | RX1010-110

Outdoor garden post

stainless steel 110 cm RX1010-110



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Floor lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 20 W
- Isolation class: I
- LED suitable: Yes
- IP rating: IP44



PER PACK: | PER BOX: 6 | EAN CODE: 8711387052743
PER PALLET: 54 | 20 / 40 / HQ: 1126 / 2253 / 2735

10.048.27 | GSW-001-HB

Garden spot black

with 200 cm cable GSW-001-HB



- Main material: Aluminum
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Spots
- Bulb included: No
- Replaceable bulb: Yes
- Lamp base fitting: GU10
- Maximum electrical power: 28 W
- Isolation class: I
- LED suitable: Yes
- Power plug type: F - CEE 7/4

- (Schuko)
- Cable length: 2 m
- IP rating: IP65



PER PACK: | PER BOX: 8 | EAN CODE: 8711387169359
PER PALLET: 480 | 20 / 40 / HQ: 16189 / 32377 / 39315

01.586.21 | 5000.461

LED outdoor ground spotlight

brushed steel built-in incl. LED 5000.461



- Main material: Plastic
- Colour: Silver
- Indoor/Outdoor: Outdoor
- Lamp type: Spots
- Bulb included: Yes
- Replaceable bulb: Yes
- Rated power: 3 W
- Luminous flux nominal useful: 230 lm
- Light colour: Warm white
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000

- Energy class: A+
- IP rating: IP67



LED

**3
WATT**

PER PACK: | PER BOX: 16 | EAN CODE: 8711387096464
PER PALLET: 320 | 20 / 40 / HQ: 8960 / 20000 / 22000

01.586.20 | 5000.459

LED outdoor ground spotlight

brushed steel built-in incl. LED 5000.459



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Lamp type: Spots
- Bulb included: Yes
- Replaceable bulb: Yes
- Rated power: 3 W
- Luminous flux nominal useful: 230 lm
- Light colour: Warm white
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000

- Energy class: A+
- IP rating: IP67



LED

**3
WATT**

PER PACK: | PER BOX: 16 | EAN CODE: 8711387096440
PER PALLET: 320 | 20 / 40 / HQ: 8960 / 20000 / 22000

10.009.61 | 5000.197

LED solar groundspot

day night sensor brushed stainless steel 5000.197



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Battery capacity: 600 mAh
- Operating time up to: 5-8 h
- On/off switch
- Light colour: Neutral; White
- Rated power: 2 x 0,06 W
- IP rating: IP67



PER PACK: | PER BOX: 24 | EAN CODE: 8711387093746
PER PALLET: 720 | 20 / 40 / HQ: 19057 / 38114 / 46281

10.009.62 | 5000.198

LED solar groundspot

day night sensor brushed stainless steel 5000.198



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Battery capacity: 600 mAh
- Operating time up to: 5-8 h
- On/off switch
- Light colour: Neutral; White
- Rated power: 2 x 0,06 W
- IP rating: IP67



PER PACK: | PER BOX: 24 | EAN CODE: 8711387093753
PER PALLET: 1296 | 20 / 40 / HQ: 31549 / 63099 / 76620

10.011.03 | 5000.389

LED solar groundspot

day night sensor stainless steel/plastic 5000.389



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Battery capacity: 600 mAh
- Operating time up to: 5-8 h
- On/off switch
- Light colour: Neutral; White
- Rated power: 2 x 0,06 W
- IP rating: IP44




PER PACK: | PER BOX: 24 | EAN CODE: 8711387095719
PER PALLET: 1440 | 20 / 40 / HQ: 35442 / 70883 / 86073

10.011.19 | 5000.406

LED solar groundspot

day night sensor stainless steel/plastic 5000.406



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Battery capacity: 600 mAh
- Operating time up to: 5-8 h
- On/off switch
- Light colour: Neutral; White
- Rated power: 2 x 0,06 W
- IP rating: IP44



PER PACK: | PER BOX: 24 | EAN CODE: 8711387095894
PER PALLET: 1440 | 20 / 40 / HQ: 35441 / 70882 / 77970

10.009.37 | 5000.154

LED solar garden light

day night sensor synthetic resin/plastic 5000.154



- Main material: Synthetic resin
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Battery capacity: 300 mAh
- Operating time up to: 5-8 h
- On/off switch
- Light colour: Neutral; White
- Rated power: 3 x 0,06 W
- IP rating: IP44




PER PACK: | PER BOX: 12 | EAN CODE: 8711387052514
PER PALLET: 432 | 20 / 40 / HQ: 8400 / 17616 / 20496

10.022.70 | GWS-001-DS

LED solar wall light

day night sensor stainless steel GWS-001-DS



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Bulb included: No
- Battery capacity: 1000 mAh
- Operating time up to: 5-8 h
- On/off switch: Yes
- Light colour: Warm white
- Rated power: 0,5 W
- IP rating: IP44



PER PACK: | PER BOX: 8 | EAN CODE: 8711387152771
PER PALLET: 560 | 20 / 40 / HQ: 16916 / 20000 / 22000

10.022.91 | GWS-002-DS

LED solar wall light

day night sensor stainless steel GWS-002-DS



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Bulb included: No
- Battery capacity: 1000 mAh
- Operating time up to: 5-8 h
- On/off switch: Yes
- Luminous flux nominal useful: 35 lm
- Light colour: Warm white
- Rated power: 0,5 W
- IP rating: IP44


PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8711387152849
PER PALLET: 560 | **20 / 40 / HQ:** 12834 / 20000 / 22000



10.030.77 | GWS-003-DS

LED solar wall light

day night sensor stainless steel GWS-003-DS



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Bulb included: No
- Battery capacity: 1000 mAh
- Operating time up to: 5-8 h
- On/off switch: Yes
- Light colour: Warm white
- Rated power: 0,5 W
- IP rating: IP44

PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8711387083587
PER PALLET: 560 | **20 / 40 / HQ:** 14887 / 20000 / 22000



10.030.79 | GWS-004-DS

LED solar wall light

day night sensor stainless steel GWS-004-DS



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Sensor type: Day & Night
- Bulb included: No
- Battery capacity: 1000 mAh
- Operating time up to: 5-8 h
- On/off switch: Yes
- Light colour: Warm white
- Rated power: 0,5 W
- IP rating: IP44


PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8711387083655
PER PALLET: 560 | **20 / 40 / HQ:** 15507 / 20000 / 22000



10.045.82 | 5000.701

Solar wall tube light

including PIR sensor



- Main material: Stainless steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Bulb included: Yes
- Sensor type: Day & Night; Movement; PIR
- Sensor specifications: 8 m x 100 °
- Battery capacity: 900 mAh
- On/off switch: Yes
- Luminous flux nominal useful: 75 lm
- Light colour: Warm white

PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8711387169960
PER PALLET: 400 | **20 / 40 / HQ:** 8855 / 17710 / 21505

- Rated power: 4 x 0,5 W
- IP rating: IP44



10.010.01 | 5000.261

LED solar wall light

motion detector day/night sensor outdoor 5000.261



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Bulb included
- Battery capacity: 600 mAh
- On/off switch
- Luminous flux nominal useful: 40 lm
- Light colour: Cool white
- Rated power: 1 W
- Sensor type: Day & Night; Movement; PIR
- Sensor specifications: 7 m x 100 °
- IP rating: IP44




PER PACK: | PER BOX: 10 | EAN CODE: 8711387094439
PER PALLET: 200 | 20 / 40 / HQ: 4800 / 10800 / 12600

10.045.86 | 5000.703

Solar triangle wall light PIR

Stainless steel finish 5000.703



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Bulb included: Yes
- Sensor type: Day & Night; Movement; PIR
- Sensor specifications: 8 m x 100 °
- Battery capacity: 900 mAh
- On/off switch: Yes
- Luminous flux nominal useful: 75 lm
- Light colour: Warm white
- Rated power: 4 x 0,5 W
- IP rating: IP43




PER PACK: | PER BOX: 8 | EAN CODE: 8711387170102
PER PALLET: 192 | 20 / 40 / HQ: 4148 / 8296 / 10074

OSL-50009 |

LED solar wall light

matt glass cover, aluminium frame



- Main material: Aluminum
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Bulb included: No
- Sensor type: Day & Night
- Battery capacity: 1000 mAh
- Operating time up to: 8
- Luminous flux nominal useful: 10 lm
- Light colour: Warm white
- Rated power: 0.1 W
- IP rating: IP44



PER PACK: | PER BOX: 12 | EAN CODE: 8711387174582
PER PALLET: 432 | 20 / 40 / HQ: 10692 / 22356 / 27324

OSL-50010 |

LED solar wall light 2-pack

matt glass cover, aluminium frame



- Main material: Aluminum
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Bulb included: No
- Sensor type: Day & Night
- Battery capacity: 1000 mAh
- Operating time up to: 8-10
- Luminous flux nominal useful: 10 lm
- Light colour: Warm white
- Rated power: 0.1 W
- IP rating: IP44



PER PACK: | PER BOX: 12 | EAN CODE: 8711387170850
PER PALLET: 288 | 20 / 40 / HQ: 4860 / 9720 / 10800

OSL-50013 |

LED solar planter wall light

28 x 10.5 x 25.5 cm



- Main material: Steel
- Indoor/Outdoor: Outdoor
- Power supply: Solar
- Bulb included: No
- Sensor type: Day & Night
- Battery capacity: 800 mAh
- Operating time up to: 8
- Luminous flux nominal useful: 8 lm
- Light colour: Warm white
- IP rating: IP44



PER PACK: | **PER BOX:** 10 | **EAN CODE:** 8713016110930
PER PALLET: 120 | **20 / 40 / HQ:** 2720 / 5600 / 6080

10.068.38 | 5000.472

LED table light

for outdoor use incl. LED 5000.472



- Main material: Plastic
- Colour: White
- Indoor/Outdoor: Indoor and outdoor
- Lamp type: Table lamp
- Bulb included: No
- Replaceable bulb: No
- Rechargeable battery: Yes
- Rated power: 5 W
- Luminous flux nominal useful: 160 lm
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000
- Energy class: A
- IP rating: IP44



PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387096570
PER PALLET: 144 | **20 / 40 / HQ:** 2940 / 6060 / 7140

OSL-50012 |

LED Solar Table Light

USB rechargeable



- Main material: Steel
- Colour: White
- Indoor/Outdoor: Indoor and outdoor
- Lamp type: Table lamp
- Bulb included: No
- Rechargeable battery: Yes
- Operating time up to: 22hr
- Luminous flux nominal useful: 50 lm
- IP rating: IP44




PER PACK: | **PER BOX:** 8 | **EAN CODE:** 8713016110916
PER PALLET: 240 | **20 / 40 / HQ:** 5661 / 11951 / 14047

OOO-50002 |

LED rechargeable table light

RGB + warm white colour



- Main material: Plastic
- Colour: White
- Indoor/Outdoor: Indoor and outdoor
- Power supply: Battery
- Rechargeable battery: Yes
- Light colour: RGB; Warm white
- Lamp type: Table lamp
- Bulb included: Yes
- Replaceable bulb: No
- Lifetime hours nominal: 50000 h
- Number of switching cycles: 80000
- IP rating: IP44
- Battery capacity: 1500 mAh
- On/off switch: Yes




PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387509476
PER PALLET: 210 | **20 / 40 / HQ:** 5040 / 10640 / 12096

75.000.36 | BE60W

Outdoor light

bull eye white BE60W



- Indoor/Outdoor: Outdoor
- Main material: Plastic
- Power supply: Electricity
- Bulb included: No
- Lamp base fitting: E27
- Maximum electrical power: 60 W
- IP rating: IP44



PER PACK: | PER BOX: 8 | EAN CODE: 8711658303598
PER PALLET: 432 | 20 / 40 / HQ: 10400 / 21600 / 25600

75.000.35 | BE60Z

Outdoor light

bull eye black BE60Z



- Indoor/Outdoor: Outdoor
- Main material: Plastic
- Power supply: Electricity
- Bulb included: No
- Lamp base fitting: E27
- Maximum electrical power: 60 W
- On/off switch: No
- IP rating: IP44



PER PACK: | PER BOX: 8 | EAN CODE: 8711658303666
PER PALLET: 504 | 20 / 40 / HQ: 10400 / 21600 / 25600

10.021.55 | BE100W

Outdoor light

robust white BE100W



- Main material: Glass
- Colour: White
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: II
- LED suitable: Yes
- IP rating: IP44



PER PACK: 3 | PER BOX: 9 | EAN CODE: 8711658300863
PER PALLET: 270 | 20 / 40 / HQ: 4950 / 10350 / 12420

10.021.56 | BE100Z

Outdoor light

plastic BE100Z



- Main material: Glass
- Colour: Black
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Bulb included: No
- Lamp base fitting: E27
- Replaceable bulb: Yes
- Maximum electrical power: 60 W
- Isolation class: II
- LED suitable: Yes
- IP rating: IP44



PER PACK: 3 | PER BOX: 9 | EAN CODE: 8711658301075
PER PALLET: 243 | 20 / 40 / HQ: 4950 / 10350 / 12420

10.017.99 | ES90

Motion sensor switch

black, 220-240V, detection angle 180°x12m ES90



- Main material: Plastic
- IP rating: IP44
- Indoor/Outdoor: Outdoor
- Sensor type: Day & Night; Movement; PIR
- Sensor specifications: 12 m x 180°
- PIR angle: 180°
- PIR distance: 12 m
- Adjustable sensor: Yes, time, lux and sensitivity
- Maximum electrical power: 1200 W

PER PACK: | **PER BOX:** 24 | **EAN CODE:** 8711658402864
PER PALLET: 480 | **20 / 40 / HQ:** 12600 / 26200 / 30700



10.017.11 | ES34Z

Motion sensor switch

black, 220-240V, detection angle 180° x 12 m ES34Z



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Sensor type: Movement; PIR
- Sensor specifications: 12 m x 180°
- Adjustable sensor: Yes, time and lux
- Maximum electrical power: 1200 W
- Isolation class: II
- IP rating: IP44

PER PACK: | **PER BOX:** 40 | **EAN CODE:** 8711658467863
PER PALLET: 800 | **20 / 40 / HQ:** 18000 / 37400 / 43800



10.017.10 | ES34

Motion sensor switch

white, 220-240V, detection angle 180°x12 m ES34



- Main material: Plastic
- Indoor/Outdoor: Outdoor
- Sensor type: Movement; PIR
- Sensor specifications: 12 m x 180°
- Adjustable sensor: Yes, time and lux
- Maximum electrical power: 1200 W
- Isolation class: II
- IP rating: IP44

PER PACK: | **PER BOX:** 40 | **EAN CODE:** 8711658474236
PER PALLET: 800 | **20 / 40 / HQ:** 18000 / 37400 / 43800



00.125.06 | ET540Z

Outdoor garden socket pole

black metal 4x earthed sockets and covers ET540Z



- Main material: Metal
- Indoor/Outdoor: Outdoor
- Power supply: Electricity
- Maximum electrical power: 3680 W
- IP rating: IP44

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711658472614
PER PALLET: 96 | **20 / 40 / HQ:** 2358 / 4884 / 5730





Indoor



Indoor Lighting



10.004.58 | 6000.532

Ceiling light

white textile Ø 20 cm 1x E14 6000.532



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20


PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098598
PER PALLET: 196 | **20 / 40 / HQ:** 4456 / 8912 / 10344



10.004.59 | 6000.533

Ceiling light

black textile Ø 20 cm 1x E14 6000.533



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20


PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098604
PER PALLET: 196 | **20 / 40 / HQ:** 4456 / 8912 / 10344



10.004.60 | 6000.534

Ceiling light

grey textile Ø 20 cm 1x E14 6000.534



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20


PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098611
PER PALLET: 196 | **20 / 40 / HQ:** 4456 / 8912 / 10344



10.004.63 | 6000.537

Ceiling light

white textile Ø 30 cm 2x E14 6000.537



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20


PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098642
PER PALLET: 100 | **20 / 40 / HQ:** 2164 / 4328 / 5024



10.004.64 | 6000.538

Ceiling light

black textile Ø 30 cm 2x E14 6000.538



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387098659
PER PALLET: 100 | 20 / 40 / HQ: 2164 / 4328 / 5024

10.004.65 | 6000.539

Ceiling light

grey textile Ø 30 cm 2x E14 6000.539



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387098666
PER PALLET: 100 | 20 / 40 / HQ: 2164 / 4328 / 5024

10.004.66 | 6000.54

Ceiling light

brown textile Ø 30 cm 2x E14 6000.540



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387098673
PER PALLET: 100 | 20 / 40 / HQ: 2164 / 4328 / 5024

10.004.68 | 6000.542

Ceiling light

white textile Ø 40 cm 3x E14 6000.542



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387098697
PER PALLET: 64 | 20 / 40 / HQ: 1272 / 2548 / 2960

10.004.69 | 6000.543

Ceiling light

black textile Ø 40 cm 3x E14 6000.543



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098703
PER PALLET: 64 | 20 / 40 / HQ: 1272 / 2548 / 2960

10.004.70 | 6000.544

Ceiling light

grey textile Ø 40 cm 3x E14 6000.544



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098710
PER PALLET: 64 | 20 / 40 / HQ: 1272 / 2548 / 2960

10.004.71 | 6000.545

Ceiling light

brown textile Ø 40 cm 3x E14 6000.545



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 240 W
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387098727
PER PALLET: 64 | 20 / 40 / HQ: 1272 / 2548 / 2960

IDE-60043 |

Ceiling light

white textile Ø 50 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387171901
PER PALLET: 24 | 20 / 40 / HQ: 727 / 1565 / 1854

IDE-60044 |

Ceiling light

black textile Ø 50 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387172045
PER PALLET: 24 | 20 / 40 / HQ: 727 / 1565 / 1854

IDE-60036 |

Ceiling light

grey textile Ø 50 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387510939
PER PALLET: 24 | 20 / 40 / HQ: 727 / 1565 / 1854

IDE-60045 |

Ceiling light

brown textile Ø 50 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387172182
PER PALLET: 24 | 20 / 40 / HQ: 727 / 1565 / 1854

IDE-60046 |

Ceiling light

white textile Ø 60 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | PER BOX: 4 | EAN CODE: 8711387171345
PER PALLET: 20 | 20 / 40 / HQ: 516 / 1111 / 1309

IDE-60047 |

Ceiling light

black textile Ø 60 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387171482
PER PALLET: 20 | **20 / 40 / HQ:** 516 / 1111 / 1309

IDE-60048 |

Ceiling light

brown textile Ø 60 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387171628
PER PALLET: 20 | **20 / 40 / HQ:** 516 / 1111 / 1309

IDE-60037 |

Ceiling light

grey textile Ø 60 cm 4 x E27



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 4 | **EAN CODE:** 8711387510724
PER PALLET: 20 | **20 / 40 / HQ:** 516 / 1111 / 1309

10.005.71 | 6000.518

Pendant suspension kit

chrome, metal, plastic 6000.518



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Bulb included: No
- Style: Modern
- Position usage: Ceiling/ suspended
- Isolation class: I
- IP rating: IP20



PER PACK: | **PER BOX:** 20 | **EAN CODE:** 8711387098451
PER PALLET: 240 | **20 / 40 / HQ:** 17800 / 35600 / 41300

10.044.43 | IP-003-B

Pendant lamp flat

Ø30cm black/copper IP-003-B



- Main material: Iron
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Maximum electrical power: 60 W
- Style: Modern
- Position usage: Ceiling
- Isolation class: II
- Cable length: 1 m
- IP rating: IP20

PER PACK: | PER BOX: 6 | EAN CODE: 8711387167522

PER PALLET: 120 | 20 / 40 / HQ: 2984 / 6184 / 7248



10.012.23 | 6000.151

Pendant light

chandelier bright bucks 6000.151



- Main material: Plastic
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Ceiling lamp
- Lamp base fitting: E27
- Bulb included: No
- Maximum electrical power: 60 W
- Style: Classic
- Position usage: Ceiling
- Isolation class: I
- IP rating: IP20

PER PACK: | PER BOX: 4 | EAN CODE: 8711387102608

PER PALLET: 44 | 20 / 40 / HQ: 1108 / 2300 / 2700



IWL-60004 | 3000.022L

LED Ceiling Light

Brushed steel glass Ø 28 cm



- Main material: Glass
- Bulb included: No
- Nominal Lamp power: 12 W
- Luminous flux nominal useful: 350 lm
- Energy class: A
- Colour temperature K rated: 3000 K
- Lifetime hours nominal: 25000 h
- Number of switching cycles: 15000
- IP rating: IP44

PER PACK: | PER BOX: 8 | EAN CODE: 8711387173707

PER PALLET: 160 | 20 / 40 / HQ: 4032 / 8216 / 9712

12
WATT



10.056.14 | 3000.035

Bathroom light

modern brushed steel glass wall light 3000.035



- Main material: Glass
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Wall lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 40 W
- Style: Modern
- Position usage: Wall
- Isolation class: I
- IP rating: IP20

PER PACK: | PER BOX: 12 | EAN CODE: 8711387051197

PER PALLET: 288 | 20 / 40 / HQ: 7056 / 14124 / 16392



10.011.97 | 6000.075

Table light

black lampshade touch and dim function 6000.075



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Table lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 40 W
- Style: Modern
- Position usage: Table
- Isolation class: II
- Cable length: 1.5 m
- IP rating: IP20

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387101847
PER PALLET: 54 | **20 / 40 / HQ:** 1008 / 2016 / 2520



10.011.96 | 6000.074

Table light

white lampshade touch and dim function 6000.074



- Main material: Metal
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Table lamp
- Lamp base fitting: E14
- Bulb included: No
- Maximum electrical power: 40 W
- Style: Modern
- Position usage: Table
- Isolation class: II
- Cable length: 1.5 m
- IP rating: IP20


PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387101830
PER PALLET: 54 | **20 / 40 / HQ:** 1134 / 2346 / 2754



10.011.68 | 6000.631

Desk lamp

grey / white and clip 10W E27 6000.631



- Main material: Plastic
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Lamp type: Desk lamp
- Lamp base fitting: E27
- Bulb included: No
- Maximum electrical power: 25 W
- Style: Modern
- Position usage: Table
- Isolation class: II
- Cable length: 1.5 m

PER PACK: | **PER BOX:** 15 | **EAN CODE:** 8711387100376
PER PALLET: 120 | **20 / 40 / HQ:** 3522 / 7296 / 8553



ISL-60025 |

LED grow light

tray



- Main material: Plastic
- Rated power: 14 W
- Power supply: Electricity
- Cord with plug: Included
- Power plug type: C - CEE 7/16 (flat plug)
- Type of bulb: LED
- Beam angle degrees: 120 °
- Colour rendering index rated: 95
- Colour temperature K rated: 4000 k
- Light colour: Neutral; White

• Lifetime hours nominal: 25000 h

PER PACK: | **PER BOX:** 6 | **EAN CODE:** 8711387174063
PER PALLET: 96 | **20 / 40 / HQ:** 2000 / 4000 / 4400



ISL-60028 |

LED grow light

single



Grow your own herbs or vegetables at home. This 9W grow lamp excl. pot makes it very easy. The full spectrum light is simulating sunlight to stimulate photosynthesis. The lamp is supplied with timer (16 hours on, 8 hours off) and easy to assemble.

- Main material: Plastic
- Rated power: 9 W
- Power supply: Electricity
- Cord with plug: Included
- Power plug type: C - CEE 7/16 (flat plug)
- Type of bulb: LED
- Beam angle degrees: 120 °
- Colour rendering index rated: 95
- Colour temperature K rated: 4000 K
- Light colour: Neutral; White
- Lifetime hours nominal: 25000 h

PER PACK: | PER BOX: 6 | EAN CODE: 8713016105073

PER PALLET: 126 | 20 / 40 / HQ: 2622 / 5340 / 6318



ISL-60026 |

LED night light

with integrated dusk to dawn sensor + 2 USB ports



- Main material: Plastic
- Indoor/Outdoor: Indoor
- Rated power: 0,3 W
- Luminous flux nominal useful: 10 lm
- Lifetime hours nominal: 15000 h
- Number of switching cycles: 15000
- IP rating: IP20



LED



PER PACK: | PER BOX: 60 | EAN CODE: 8711387174346

PER PALLET: 900 | 20 / 40 / HQ: 21180 / 43200 / 51060

10.013.04 | 6000.293

Night light LED

day/night sensor and detection sensor 6000.293



- Main material: Plastic
- Indoor/Outdoor: Indoor
- Power supply: Electricity
- Type of bulb: LED
- On/off switch: No
- Sensor type: Day & Night; Movement; PIR
- Rated power: 0,4 W
- IP rating: IP20



LED



PER PACK: 6 | PER BOX: 24 | EAN CODE: 8711387104060

PER PALLET: 480 | 20 / 40 / HQ: 11088 / 22752 / 23184

10.053.61 | 7000.059

LED Smartlight night light

integrated LED day/night & motion sensor 7000.059



This LED Smartlight night light is ideal as orientation light. Because of the 'auto' function and the day/night sensor the lamp goes on when darkness falls. The movement sensor makes the light go brighter when it detects motion.

- Main material: Plastic
- Indoor/Outdoor: Indoor
- Bulb included: No
- Rated power: 1,8 W
- Luminous flux nominal useful: 27 lm
- Lifetime hours nominal: 15000 h
- Number of switching cycles: 100000
- IP rating: IP20

PER PACK: 20 | **PER BOX:** 20 | **EAN CODE:** 8711387374104
PER PALLET: 180 | **20 / 40 / HQ:** 11651 / 24598 / 27187

ISL-60023 | 7000.066

LED rechargeable night light

flash-, nightlight motion- and emergency sensor



This LED Smartlight night light is a practical combination of a night light with movement detection and a rechargeable flashlight. Ideal for the corridor, nursery, storeroom or barn. All you need is a power socket.

- Main material: Plastic
- Indoor/Outdoor: Indoor
- Battery capacity: 500 mAh
- Sensor type: Movement; PIR
- Sensor specifications: 3 m x 90°
- Bulb included: No
- Rated power: 1,2 W
- Lifetime hours nominal: 30000 h
- Number of switching cycles: 15000
- IP rating: IP20
- On/off switch: Yes



PER PACK: 6 | **PER BOX:** 24 | **EAN CODE:** 8711387172458
PER PALLET: 576 | **20 / 40 / HQ:** 11952 / 24336 / 28776





Logistics

Logistic Details



LOGISTIC DETAILS

	P66	10.017.99	9.4 x 15.5 x 22	0.26	0.198	8711658402864	45.8 x 39 x 32.2	7.14	8711658405247		24	480	4 x 5	12600	26200	30700
	P15	10.018.33	0.2 x 11 x 17.5	0.05	0.04	8711658009803	38 x 21.5 x 31	7.2	8711658010014	24	144	6480	5 x 9	99999	199998	219997
	P20	10.018.56	10 x 12.3 x 34.5	2.2	2.1	8711658008202	52.2 x 25.2 x 37.2	196.3	8711658008349		10	240	4 x 6	6000	12000	
	P55	10.021.30	18.3 x 21.3 x 23.3	1.179	0.918	8711387101151	44 x 38.5 x 73.5	15.1265	8711387143854		12	144	2 x 6	2676	20000	22000
	P65	10.021.55	18.5 x 10 x 18.5	0.657	0.647	8711658300863	40 x 21 x 11.5	7.557	8711658300931	3	9	270	3 x 10	4950	10350	12420
	P65	10.021.56	18.5 x 10 x 18.5	0.662	0.652	8711658301075	40 x 21 x 11.5	7.586	8711658301143	3	9	243	3 x 9	4950	10350	12420
	P61	10.022.70	9.5 x 12.5 x 14	0.44	0.41	8711387152771	27 x 22 x 31.5	3.52	8711387150968		8	560	5 x 14	16916	20000	22000
	P62	10.022.91	9.5 x 12.5 x 14	0.48	0.44	8711387152849	28.1 x 22 x 30.7	3.84	8711387151033		8	560	5 x 14	12834	20000	22000
	P12	10.025.28	4 x 11.5 x 17.5		0.12	8711658460154	34 x 29.5 x 55	9.3924	8711658460161	6	48	960	5 x 4	23472	47088	56688
	P19	10.029.22	4.5 x 15.5 x 17.5	0.303	0.23	8711658465326	39.3 x 32.7 x 36.5	8.32	8711658464633	6	24	720	5 x 6	13941	20000	22000
	P18	10.029.25	4.5 x 11.5 x 17.5	0.24	0.22	8711658465395	55.5 x 34.5 x 35	11.52	8711658464701	6	48	960	5 x 4	19000	38000	
	P62	10.030.77	9.5 x 12.5 x 14		0.38	8711387083587	30 x 21 x 27	3.8096	8711387082610		8	560	5 x 14	14887	20000	22000
	P62	10.030.79	9.5 x 12.5 x 14	0.46	0.42	8711387083655	27.5 x 22.2 x 30.4	3.68	8711387082689		8	560	5 x 14	15507	20000	22000
	P23	10.033.68	7.5 x 7.5 x 28.5	0.75	0.62	8711658461793	24 x 15.7 x 31.3	4.5	8711658460413		6	750	5 x 25	8250	16500	
	P49	10.036.81	13.5 x 18.3 x 20.5	1.151	1.03	8711658365312	43.9 x 39.8 x 43.4	14.452	8711658365381		12	144	3 x 4	4800	9600	11400
	P49	10.036.99	16.1 x 21.9 x 26.5	1.727	1.562	8711658258584	69.4 x 29.4 x 34.8	10.932	8711658258652		6	96	4 x 4	2520	5160	5220
	P50	10.037.00	16.1 x 21.9 x 26.5			8711658258720	68 x 29 x 36	11.0044	8711658258799		6	96	4 x 4	2520	5160	5220
	P24	10.040.72	5.4 x 43.5 x 30.7	1.59	0.95	8711658250830	45.9 x 37 x 34	9.54	8711658250908		6	150	5 x 5	3150	6525	7650
	P24	10.040.73	8.5 x 36.5 x 11.5	0.78	0.66	8711658249827	48.5 x 37.5 x 27.5	9.36	8711658249896		12	288	4 x 6	6708	13895	19291
	P15	10.040.95	8 x 15.5 x 18.7	0.446	0.358	8711658412092	40 x 36.5 x 54	12.451	8711658411200	3	24	384	4 x 4	8064	16704	19488
	P58	10.042.69	8.5 x 8.5 x 40.9	0.44	0.355	8711387048777	42.7 x 28.3 x 19.5	2.985	8711387077845		6	288	6 x 8	9548	19096	23188
	P59	10.042.70	14 x 14 x 111	1.365	0.975	8711387052743	113 x 44 x 30	9.305	8711387078262		6	54	3 x 3	1126	2253	2735
	P58	10.042.72	18.3 x 15.4 x 40.1	0.84	0.64	8711387012525	58.8 x 35.7 x 42.4	6.72	8711387078125		8	112	1 x 14	2697	5395	6551
	P58	10.042.73	18.5 x 15.1 x 40.3	0.81	0.635	8711387052613	59.7 x 34.7 x 43.4	7.15	8711387078194		8	112	3 x 4	2659	20000	22000
	P59	10.042.74	14 x 14 x 46	0.688	0.525	8711387048845	49.8 x 31.1 x 43.4	4.693	8711387077982		6	108	3 x 6	2652	5303	6439
	P59	10.042.75	14 x 14 x 46	0.89	0.71	8711387052590	50 x 31.1 x 43.4	5.34	8711387078057		6	108	3 x 6	2652	5303	6439
	P32	10.043.83	7.7 x 20.5 x 21.5	0.33	0.1	8711658410708	58 x 38 x 29	3.96	8711658411248	6	12	72	3 x 2	7391	15310	17950
	P36	10.043.95	7 x 19.5 x 20.5		0.151	8711658410821	64 x 46 x 46	12.304	8711658412016	6	36	288	4 x 2	7622	15789	18511
	P73	10.044.43	8 x 33 x 33	0.903	0.699	8711387167522	33 x 33 x 8	6.079	8711387167591		6	120	5 x 4	2984	6184	7248
	P12	10.044.62	4 x 11.5 x 17.5		0.13	8711658061672	34 x 29.5 x 55	9.912	8711658062112	6	48	1152	4 x 6	23472	47088	56688
	P58	10.045.48	7.5 x 12.5 x 23.5	0.693	0.63	8711387169267	27 x 24.5 x 25	4.408	8711387170508		6	432	6 x 12	10159	20317	24671
	P57	10.045.49	7.5 x 15 x 13	0.4	0.335	8711387169335	40 x 32 x 14.5	4.25	8711387171574		10	700	5 x 14	15086	30172	36638
	P57	10.045.54	7.5 x 21 x 13	0.89	0.82	8711387169403		5.34	8711387170515		6	594	11 x 9	10603	21207	25751
	P62	10.045.82	11 x 14.5 x 16	0.632	0.559	8711387169960	31 x 24 x 34	5.41	8711387171710		8	400	1 x 50	8855	17710	21505
	P63	10.045.86	12.5 x 24 x 19			8711387170102	40 x 27 x 50	5.1135	8711387171857		8	192	4 x 6	4148	8296	10074
	P50	10.047.25	17 x 20 x 75.5		2.51	8711658255798	75.6 x 37 x 42.9	12.6844	8711658255866		4	48	4 x 3	1000	2000	2400
	P50	10.047.26	17 x 20 x 74	2.989	2.515	8711658255934	75.8 x 37.7 x 42.6	12.776	8711658256009		4	48	4 x 3	1000	2000	2400
	P8	10.047.40	8.1 x 7.8 x 10.9		0.103	8711658266237	54 x 48 x 23	7.576	8711658266374	12	48	1008	3 x 7	22550	45100	49610
	P8	10.047.51	7.5 x 10 x 19.5	0.253	0.215	8711658372464	56.5 x 21 x 64.5	11.8175	8711658372181	8	40	800	1 x 20	14000	29200	34000
	P8	10.047.65	7.5 x 13 x 20			8711658262031	41 x 40 x 33	7.1976	8711658262109		32	768	4 x 6	14720	30592	38528
	P55	10.048.25	24 x 26.5 x 36.5	1.372		8711387168444	49 x 46 x 38	6.294	8711387168529		4	48	3 x 4	1393	2786	3383
	P59	10.048.27	10.5 x 11 x 17.8	0.701	0.7	8711387169359	24 x 23 x 37.6	5.608	8711387168451		8	480	6 x 10	16189	32377	39315
	P41	10.049.10	5.7 x 16.6 x 10.6	0.23	0.13	8711658060958	62 x 37.5 x 38.5	13.8	8711658064864	6	60	960	4 x 4	19000	41000	49000
	P41	10.049.11	5.7 x 16.6 x 10.6	0.23	0.13	8711658060965	61 x 37.5 x 38	13.8	8711658417561	6	60	960	4 x 4	19000	41000	49000
	P76	10.053.61	25.5 x 6.5 x 14.5	0.127	0.072	8711387374104	62.6 x 47.1 x 38.8	3.124	8711387290190	20	20	180	3 x 3	11651	24598	27187
	P73	10.056.14	9.5 x 9.3 x 39		0.668	8711387051197	40 x 29 x 41	9.6746	8711387080869		12	288	4 x 6	7056	14124	16392
	P64	10.068.38	17.6 x 17.6 x 26	0.746	0.584	8711387096570	54.5 x 37 x 28	5.126	8711387527883		6	144	1 x 24	2940	6060	7140
	P16	10.100.55	1.4 x 11 x 17.5	0.051	0.05	8711658416717	48.5 x 40.8 x 15.5	6.12	8711658416854	12	120	5280	4 x 11	112000	224000	246400
	P29	10.900.34	5.1 x 11 x 18.5	0.16	0.1	8711658045399	47 x 41.5 x 43.1	9.6	8711658045573	4	60	720	1 x 12	18000	36000	39600
	P65	75.000.35	16.8 x 24.3 x 11.9	0.47	0.43	8711658303666	37.6 x 25 x 27.1	3.76	8711658388670		8	504	1 x 63	10400	21600	25600

																																																																																																																																																																																																																																																																			
--	--	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

LOGISTIC DETAILS

	P19	FWA-18210	4 x 7.5 x 17.5		0.05	8711658422312	34.5 x 28.5 x 40.5	4.912	8711658422459	6	48	1440	5 x 6	28560	57120	62832
	P71	IDE-60036	12.5 x 52 x 52	2.87	2.25	8711387510939	55 x 54 x 54	12.595	8711387510861		4	24	3 x 2	727	1565	1854
	P72	IDE-60037	12.5 x 62 x 62		3.065	8711387510724	64.5 x 54 x 63.5	16.6176	8711387510793		4	20	2 x 2	516	1111	1309
	P70	IDE-60043	12.5 x 52 x 52		2.255	8711387171901	55 x 54 x 54		8711387171970		4	24	3 x 2	727	1565	1854
	P71	IDE-60044	12.5 x 52 x 52			8711387172045	55 x 54 x 54	12.469	8711387172113		4	24	3 x 2	727	1565	1854
	P71	IDE-60045	12.5 x 52 x 52	2.884		8711387172182	55 x 54 x 54	12.856	8711387172250		4	24	3 x 2	727	1565	1854
	P71	IDE-60046	12.5 x 62 x 62	3.939	3.13	8711387171345	64.5 x 54 x 63.5	17.088	8711387171413		4	20	1 x 5	516	1111	1309
	P72	IDE-60047	12.5 x 62 x 62	3.77	2.26	8711387171482	64.5 x 54 x 63.5	15.08	8711387171550		4	20	1 x 5	516	1111	1309
	P72	IDE-60048	12.5 x 62 x 62	3.77	2.26	8711387171628	64.5 x 54 x 63.5	15.08	8711387171697		4	20	1 x 5	516	1111	1309
	P49	IFL-70000	5.6 x 8.3 x 61.5	0.48	0.31	8711387170577	26 x 24 x 66	5.76	8711387170645		12	360	6 x 5	7860	16020	18936
	P76	ISL-60023	5.8 x 13.5 x 23.4	0.26	0.23	8711387172458	52.5 x 31.5 x 36	6.24	8711387172595	6	24	576	6 x 4	11952	24336	28776
	P74	ISL-60025	5.7 x 50.8 x 43.5	2.496		8711387174063	52 x 35 x 46.5	15.776	8711387174131		6	96	4 x 4	2000	4000	4400
	P75	ISL-60026	8.2 x 10 x 15.1	0.1	0.07	8711387174346	68 x 33 x 34	6	8711387174483		60	900	5 x 3	21180	43200	51060
	P75	ISL-60028	22 x 8.5 x 46	1.062		8713016105073	49 x 24 x 52.5	7.032	8713016105080		6	126	3 x 7	2622	5340	6318
	P73	IWL-60004	6 x 30 x 30	1.24	1.05	8711387173707	50.5 x 33 x 31.5	9.92	8711387173776		8	160	5 x 4	4032	8216	9712
	P52	OOL-50014	15.5 x 15.5 x 18	16.05	1.05	8713016109910	60.5 x 32.9 x 20	192.6	8713016109927		12	480	5 x 8	6475	13412	15724
	P52	OOL-50015	9 x 15 x 21	11.7	0.7	8713016109934	58.8 x 35.7 x 42.4	140.4	8713016109941		12	168	1 x 14	9877	20459	23986
	P52	OOL-50016	9 x 15 x 21	11.7	0.7	8713016109958	40 x 32 x 14.5	140.4	8713016109965		12	840	5 x 14	9877	20459	23986
	P53	OOL-50017	9 x 9 x 51	18.3	1.3	8713016110015	49.8 x 31.1 x 43.4	219.6	8713016110022		12	216	3 x 6	6778	14040	16461
	P53	OOL-50018	9 x 9 x 81	25.9	1.9	8713016110039	113 x 44 x 30	310.8	8713016110046		12	108	1 x 9	4268	8840	10364
	P54	OOL-50019	16 x 11.5 x 24.2	8.37	0.77	8713016110053	28.5 x 25.5 x 40	66.96	8713016110060		8	792	1 x 99	6288	13026	15271
	P53	OOL-50020	7.5 x 13 x 8.5	14.77	0.77	8713016110077	32 x 27.5 x 28	354.48	8713016110084		24	2376	1 x 99	33786	69985	82051
	P64	OOO-50002	14.5 x 14.5 x 21	0.47	0.34	8711387509476	46 x 31 x 24	3.22	8711387509407		6	210	5 x 7	5040	10640	12096
	P63	OSL-50009	9 x 12 x 24	0.95	0.69	8711387174582	27 x 24 x 47.5	11.4	8711387174650		12	432	1 x 36	10692	22356	27324
	P63	OSL-50010	9 x 12 x 24	0.95	0.69	8711387170850	37.5 x 25.5 x 39	11.4	8711387170928		12	288	1 x 24	4860	9720	10800
	P64	OSL-50012	17.6 x 17.6 x 26	0.732	0.61	8713016110916	33.5 x 33.5 x 34	6.336	8713016110923		8	240	5 x 6	5661	11951	14047
	P64	OSL-50013	12 x 29 x 25.5	0.401	0.4	8713016110930	56.5 x 33 x 55	4.01	8713016110947		10	120	3 x 4	2720	5600	6080
	P26	SH4-90150	6.5 x 12.6 x 19.5	0.08	0.02	8711658446653	41 x 33.5 x 43.5	2.88	8711658436470	6	36	288	4 x 2	88421	176842	194526
	P26	SH4-90152	6.5 x 12.5 x 19.5	0.07	0.05	8711658447551	54.5 x 44.5 x 43.5	2.88	8711658436616	6	36	864	1 x 24	95000	190000	209000
	P27	SH4-90154	6.5 x 12.5 x 19.5	0.13	0.11	8711658434599	41 x 33.5 x 43.5	0.78	8711658436623	6	6	342	1 x 57	17280	34560	38016
	P28	SH4-90155	6 x 12.5 x 19.5	0.091	0.09	8711658434667	41 x 33.5 x 43.5	3.276	8711658436692	6	36	864	1 x 24	19968	39936	43930
	P28	SH4-90156	6 x 12.5 x 19.5	0.06	0.02	8711658434735	41 x 33.5 x 43.5	2.16	8711658436906	6	36	576	1 x 16	19968	39936	43930
	P27	SH4-90157	12 x 12.5 x 19.5	0.15	0.08	8711658435084	41 x 41 x 43.5	3.6	8711658435992	4	24	288	1 x 12	12672	25344	27878
	P28	SH4-90158	7.5 x 12.5 x 19.5	0.12	0.1	8711658435152	41 x 33.5 x 43.5	4.32	8711658436203	6	36	720	1 x 20	73043	146086	160695
	P27	SH4-90159	7 x 12.5 x 20	0.1	0.05	8711658437958	40.2 x 34 x 44	3.6	8711658438023	6	36	432	1 x 12	18432	36864	40550
	P27	SH4-90160	6.5 x 12.5 x 19.5	0.1	0.05	8711658435367	41 x 33.5 x 43.5	3.6	8711658437460	6	36	720	1 x 20	19200	38400	42240
	P26	SH4-90161	6.5 x 12.5 x 19.5	0.13	0.07	8711658435435	41 x 33.5 x 43.5	4.68	8711658437606	6	36	864	1 x 24	19200	38400	42240
	P26	SH4-90162	6.5 x 12.5 x 19.5	0.09	0.047	8711658435299	41 x 33.5 x 43.5	5.055	8711658437255	6	36	720	1 x 20	19200	38400	42240
	P31	SH4-90257	5.5 x 11 x 18.5	0.3	0.2	8711658447681	46.5 x 44.5 x 46.5	10.8	8711658447544	6	36	36	1 x 1	20952	43344	50832
	P30	SH4-90259	6.5 x 12.5 x 19.5	0.14	0.06	8711658446721	41 x 33.5 x 43.5	5.04	8711658436333	6	36	576	1 x 16	14976	29952	32947
	P29	SH4-90260	6.5 x 12.5 x 19.5	0.089	0.045	8711658434803	41 x 33.5 x 43.5	4.983	8711658436975	6	36	864	1 x 24	14976	29952	32947
	P28	SH4-90261	7.5 x 12.5 x 19.5	0.16	0.11	8711658435015	41 x 39.5 x 43.5	3.84	8711658435855	4	24	384	4 x 4	27677	55354	60889
	P31	SH4-90262	6 x 12.5 x 19.5	0.073	0.026	8711658435220	41 x 33.5 x 43.5	4.423	8711658436418	6	36	864	6 x 4	22932	45864	50450
	P31	SH4-90263	9.5 x 12.5 x 19.5	0.12	0.07	8711658435640	41 x 41 x 43.5	0.48	8711658436272	4	4	200	1 x 50	26373	52746	58021
	P29	SH4-90264	8 x 12.5 x 20	0.15	0.11	8711658437545	53.5 x 48.5 x 55.5	3.6	8711658437408	4	24	144	3 x 2	11520	23040	25344
	P30	SH4-90265	7.5 x 12.5 x 20	0.101	0.051	8711658437897	44 x 40.5 x 45	5.454	8711658437828	6	36	288	1 x 8	93333	186666	205333
	P29	SH4-90450	6.6 x 12 x 19.5	0.14	0.11	8711658437613	28.5 x 26.5 x 34	3.36	8711658437682	4	24	24	1 x 1	13056	26112	28723
	P31	SH4-90451	7 x 19.5 x 20.5	0.24	0.14	8711658448398	41.5 x 31 x 45	3.84	8711658435701	4	16	192	3 x 4	26373	52746	58021
	P32	SH4-90950	7.5 x 20.5 x 21.5	0.22	0.13	8711658435503	44 x 33 x 47	3.52	8711658437880	4	16	16	1 x 1	11520	23040	25344
	P32	SH4-90950FR	7.5 x 20.5 x 21.5	0.22	0.13	8711658435572	44 x 33 x 47	3.52	8711658437675	4	16	320	1 x 20	11520	23040	25344

																
	P33	SH4-99552FR	6 x 15.7 x 14.9	1.601	1.6	8711658441719	34.5 x 27.5 x 18	12.808	8711658441641	4	8	480	5 x 12	15690	32500	38104
	P38	SH4-99556	7 x 19.5 x 20.5	0.209	0.208	8711658448244	45 x 42.5 x 25	2.508	8711658448176	6	12	36	3 x 1	7391	15310	17950
	P36	SH4-99557	4 x 19.5 x 20.5	0.324	0.324	8711658447483	53.5 x 41.5 x 23.5	77.784	8711658435565	6	24	24	1 x 1	12605	25210	27731
	P37	SH4-99558	4 x 13 x 20.5	0.162	0.65	8711658447629	45 x 40 x 45	3.24	8711658436197	6	36	720	1 x 20	12600	25200	27720
	P38	SH4-99559	4 x 20.5 x 19.5	0.09	0.08	8711658447766	45 x 40 x 23.5	2.16	8711658436050	6	24	576	1 x 24	12600	25200	27720
	P38	SH4-99560	4 x 13 x 25	0.14	0.05	8711658447902	45 x 40 x 45	2.52	8711658435916	6	36	36	1 x 1	12600	25200	27720
	P34	SH4-99561FR	7 x 19.5 x 20.5	1.601	1.6	8711658448251	41.5 x 31 x 45	25.616	8711658436753	4	16	320	1 x 20	5000	10000	11000
	P37	SH4-99562	4 x 19.5 x 20.5	0.35	0.35	8711658448329	53.5 x 41.5 x 23.5	18.024	8711658435428	6	24	192	4 x 2	12605	26111	30613
	P36	SH4-99564	4 x 13 x 20.5	0.341	0.34	8711658437033	42.5 x 27.5 x 45	12.276	8711658436890	6	36	864	1 x 24	22248	44496	48946
	P33	SH4-99566	7 x 19.5 x 20.5	0.25	0.09	8711658434872	41.5 x 31 x 45	4	8711658437118	4	16	384	1 x 24	4912	20000	22000
	P33	SH4-99566FR	7 x 19.5 x 20.5	0.25	0.09	8711658434940	41.5 x 31 x 45	4	8711658435718	4	16	384	1 x 24	4912	20000	22000
	P36	SH4-99567	4 x 19.5 x 20.7	0.299	0.144	8711658438375	43 x 41 x 28	3.48	8711658438443	6	24	384	4 x 4	11667	23334	25667
	P37	SH4-99569	4 x 19.5 x 20.5	0.318	0.117	8711658434957	45 x 44 x 28	58.356	8711658434889	6	36	288	4 x 2	12605	26111	30613
	P37	SH4-99572	4 x 13 x 20.5	0.17	0.1	8711658436074	39 x 35.5 x 38.5	6.12	8711658435930	6	36	864	6 x 4	22248	44496	48945
	P33	SH4-99573	6 x 15.5 x 15	1.561	1.56	8711658436210	33.6 x 32.7 x 21	18.732	8711658436142	6	12	720	5 x 12	15690	32500	38104
	P34	SH4-99574	5.5 x 9.5 x 15	0.26	0.07	8711658448336	22 x 17.5 x 38	3.12	8713016104601	6	12	12	1 x 1	10000	20000	22000
	P34	SH4-99575	5.5 x 9.5 x 15	0.25	0.07	8711658448404	22 x 17.5 x 38.5	3	8713016104571	6	12	12	1 x 1	29000	58000	63800
	P34	SH4-99576	6.6 x 9.5 x 16.6	0.21	0.2	8711658448473	23 x 22.1 x 18.5	4.5	8713016104632	6	12	12	1 x 1	22000	44000	48400
	P35	SH4-99650FR	6.5 x 14.5 x 15	0.301	0.3	8711658440736	47 x 36 x 34	9.03	8711658440804	15	30	900	1 x 30	16776	34751	40743
	P35	SH4-99651FR	7 x 19.5 x 20.5	0.16	0.15	8711658439617	45 x 42.5 x 25.5	1.92	8711658439549	6	12	288	6 x 4	4912	20000	22000
	P38	SH4-99652	8.5 x 19.5 x 20.5	0.87	0.72	8711658446790	56.3 x 31 x 45	37.776	8711658435770	4	16	384	4 x 6	4284	8874	10404
	P35	SH4-99653	7 x 19.5 x 20.5	0.46	0.1	8711658435169	45.5 x 42.1 x 31	7.36	8711658435091	4	16	448	4 x 7	4912	20000	22000
	P35	SH4-99654	6.5 x 14.5 x 15	1.081	1.08	8711658436708	44.5 x 17 x 34.5	12.972	8711658436562	6	12	600	1 x 50	16776	34751	40743
	P32	SH4-99952	7 x 19.5 x 20.5	0.59	0.06	8711658437125	46 x 45.6 x 43.4	21.24	8711658436982	6	36	288	1 x 8	7391	15310	17950
	P10	SH8-90103	6.5 x 14.5 x 15		0.165	8711658430850	66 x 43 x 35	13.836	8711658430928	6	48	720	5 x 3	12576	27072	31872
	P10	SH8-90105	6.5 x 15 x 14.5	0.22	0.13	8711658440415	43 x 35 x 65	13.55	8711658440347	6	48	624	1 x 13	12768	27456	32400
	P10	SH8-90126	6.5 x 14.5 x 15		0.1	8711658437972	66 x 43 x 35	8.8524	8711658438047	6	48	48	1 x 1	15000	30000	33000
	P10	SH8-99103	9.5 x 15.5 x 15	1.801	1.8	8711658431208	62 x 34 x 37	43.224	8711658431130	3	24	288	4 x 3	12576	27072	31872
	P11	SH8-99107	9 x 10 x 7.2	0.16	0.09	8711658425849	55.5 x 42 x 12.5	4	8711658425986	5	25	25	1 x 1	25200	50400	57600
	P11	SH8-99111	9.5 x 15.5 x 15	1.201	1.2	8711658429663	62 x 34 x 37	28.824	8711658429809		24	288	4 x 3	6480	13680	19152
	P5	SMA-40151	8.5 x 18 x 23			8711658441245	58 x 43.5 x 28.5	4.9366	8711658441399	3	12	72	3 x 2	4224	8928	10008
	P5	SMA-40152	8.5 x 20.5 x 23.5	0.33	0.14	8711658441313	58 x 43.5 x 28.5	3.96	8711658441320	3	12	180	3 x 5	4152	8784	9840
	P4	SMA-40250	6 x 14 x 21.5	0.08	0.06	8711658441030	44.5 x 39 x 22.5	3.84	8711658449500	12	48	1152	4 x 6	34416	71280	83568
	P4	SMA-40251	0.28 x 20 x 23.5			8711658441108	43 x 30.5 x 52	9.8164	8711658449647	12	48	864	3 x 6	21456	44448	52080
	P4	SMA-40252	3 x 17 x 21.5		0.095	8711658441177	33 x 30 x 52	7.668	8711658449852	10	40	960	3 x 8	11610	24060	28200
	P5	SMA-40350	2.7 x 23 x 13	0.091	0.09	8711658441382	58 x 43.5 x 28.5	6.552	8711658441535	12	72	1296	3 x 6	24840	52344	58680
	P5	SMA-40952	2.8 x 14 x 21.5			8711658440965	33 x 29.5 x 52	8.0384	8711658449227	12	48	1152	3 x 8	30288	62784	73632

CONTACT INFORMATION

HEAD OFFICE

Jules Verneweg 87, 5015 BH Tilburg, The Netherlands

T +31(0) 13 59 40 300 | F +31(0) 13 46 70 610

NL: sales.nl@smartwaresgroup.com | EN: sales.export@smartwaresgroup.com

Belgium sales.be@smartwaresgroup.com | **United Kingdom** sales.uk@smartwaresgroup.com | **Germany** verkauf@smartwaresgroup.com

France adv@smartwaresgroup.com | **Spain** ventas@smartwaresgroup.com | **Portugal** vendas@smartwaresgroup.com

Italy vendite@smartwaresgroup.com | **Scandinavia** sales.export@smartwaresgroup.com

Lebanon sales.namet@smartwaresgroup.com | **Turkey** satis@smartwares.eu | **Hong Kong** sales.export@smartwaresgroup.com

WWW.SMARTWARES.EU