


HEBEI HOPESUN

Hopesun®

HOPESUN INDUSTRY



www.hbindustry.com



BRIEF INTRODUCTION

Hopesun Industry was founded in 1992 as a State-owned enterprises which belongs to Hebei Provincial Government. It was privated reformed in 2003, now Hopesun Industry includes two joint-stock factories and one trade company, and has affiliated cooperation relationship with 22 sister factories. It has more than twenty years experience to produce and export fence products, wire products and garden hardware products.


Hopesun Industry is committed to meeting the constant changing and challenging demands of fence and garden hardware industry worldwide. Our commitment to quality is uncompromising, as we are committed to not only meeting our customers' needs, but to exceed their expectations.

Hopesun Industry is an excellent source for many types of fence, wire and garden hardware. Please allow us the opportunity to quote and supply your requirements regardless of quantity or specification.

Thanks for your visit and attention!




SINGLE GATE



SIZE 1X0.80m 1X1.00m 1X1.25m
1X1.50m 1X1.75m 1X2.00m

DOUBLE GATE




SIZE 3X1.00m 3X1.25m 3X1.50m
4X1.00m 4X1.25m 4X1.50m



SIZE 1.25X1.2m 1.25x1.5m 1.25x1.8m



SIZE 3X1.2m 3x1.5m 3x1.8m



SIZE 3.5X1.03m 3.5x1.23m 3.5x1.43m



Mesh size	Wire Dia.	Height	Width
200x50mm 200x55mm 100x50mm	4.0mm 4.5mm 4.8mm 5.0mm	0.83m	2.0m 2.2m 2.5m
		1.03m	
		1.23m	
		1.53m	
		1.73m	
		2.03m	
Surface treatment: 1. made by hot galv. Wire 2. inner glav. wire, outer powder coated, colour can be request			





TEMPORARY FENCE





Mesh size	Wire Dia.	Height	Width
200x50mm	6/6/6mm 6/5/6mm	0.83m	2.51m
		1.03m	
		1.23m	
		1.43m	
		1.63m	
		1.83m	
		2.03m	
Surface treatment:			
1. made by hot galv. Wire			
2. inner glav. wire, outer powder coated, colour can be request			



Φ 8MM

Φ 4MM

Φ 6MM



CONSTRUCTION WELDED PANEL






Type	Dia	Height
D-POST	48mm	1.0-6.0m
	60mm	
C-POST	32mm	
	34mm	
	38mm	
	40mm	
	42mm	
	48mm	
R-POST	60x40mm	
	40x40mm	
S-POST	50x50mm	
	60x60mm	
V-post	60x70mm	

POST BASE





WALL ANCHOR

SIZE
1.00m
1.25m
1.50m
1.75m
2.00m



T-POST

Size	Length
30x30x3.0mm	1.00m
30x30x3.0mm	1.25m
30x30x3.0mm	1.50m
30x30x3.0mm	1.75m
30x30x3.0mm	2.00m
35x35x3.5mm	2.25m
35x35x3.5mm	2.50m

L-POST

Size	Length
25x25x2.5mm	1.0m
25x25x2.5mm	1.2m
25x25x2.5mm	1.5m
25x25x2.5mm	1.75m
25x25x2.5mm	2.0m



U-POST



TYPE	LENGTH
Light Duty, 0.5lbs/ft	3'
Light Duty, 0.5lbs/ft	4'
Light Duty, 0.5lbs/ft	5'
Light Duty, 0.5lbs/ft	6'
Heavy Duty, 0.85lbs/ft	3'
Heavy Duty, 0.85lbs/ft	4'
Heavy Duty, 0.85lbs/ft	5'
Heavy Duty, 0.85lbs/ft	6'

AT-POST



TYPE	LENGTH
Light Duty, 0.95lbs/ft	5'
Light Duty, 0.95lbs/ft	5.5'
Light Duty, 0.95lbs/ft	6'
Light Duty, 0.95lbs/ft	6.5'
Light Duty, 0.95lbs/ft	7'
Light Duty, 0.95lbs/ft	7.5'
Medium Duty, 1.25lbs/ft	5'
Medium Duty, 1.25lbs/ft	5.5'
Medium Duty, 1.25lbs/ft	6'
Medium Duty, 1.25lbs/ft	6.5'
Medium Duty, 1.25lbs/ft	7'
Medium Duty, 1.25lbs/ft	8'
Heavy Duty, 1.33lbs/ft	5'
Heavy Duty, 1.33lbs/ft	5.5'
Heavy Duty, 1.33lbs/ft	6'
Heavy Duty, 1.33lbs/ft	6.5'
Heavy Duty, 1.33lbs/ft	7'
Heavy Duty, 1.33lbs/ft	8'

CLIP



Hp-01A



Hp-01B



Hp-02A



Hp-02B



Hp-03



Hp-04



Hp-05



Hp-06



Hp-07A



Hp-07B



Hp-07C




Hp-07D



Hp-07E



Hp-08



Hp-09



Hp-10



Hp-11



Hp-12A



Hp-12B





Hp-13A



Hp-13B



Wire strainer

SIZE	FINISHING
No.2	Powder coated
No.3	Hot dipped galv.
No.4	Electro galv.



Hp-13C



Hp-20



Caps



Set accessories



Hp-21



Pole driver



Soil twister



Tension bar

SIZE
6x1050mm
6x1250mm
6x1550mm
6x1850mm
6x2050mm
7x1050mm
7x1250mm
7x1550mm
7x1850mm
7x2050mm




Dan post

SIZE
8x1100mm
8x1450mm
10x1100mm
10x1450mm
12x1500mm
12x1800mm




Multi-stake


SIZE
16x800mm
16x1000mm
16x1250mm
16x1500mm
16x1750mm
16x2000mm




Type	Length	Height	Wire Dia.	Mesh Size
Eurofence	10m 15m 20m 25m	0.60m	1.8/2.2mm 1.7/2.2mm 1.7/2.1mm 1.6/2.0mm	100x50mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		




Type	Length	Height	Wire Dia.	Mesh Size
Eurofence Plus	10m 15m 20m 25m	0.60m	1.8/2.2mm 1.7/2.2mm 1.7/2.1mm 1.6/2.0mm	100x50mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		




Type	Length	Height	Wire Dia.	Mesh Size
Eurofence Strong	10m 15m 20m 25m	0.60m	2.0/2.5mm	100x50mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		




Type	Length	Height	Wire Dia.	Mesh Size
Light fence	10m 15m 20m 25m	0.60m	1.8/2.2mm 1.7/2.2mm 1.7/2.1mm 1.6/2.0mm	100x75mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		




Type	Length	Height	Wire Dia.	Mesh Size
Promo fence	10m 15m 20m 25m	0.60m	1.8/2.2mm 1.7/2.2mm 1.7/2.1mm 1.6/2.0mm	100x100mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		





Type	Length	Height	Wire Dia.	Mesh Size
Fortifence medium	10m 15m 20m 25m	0.60m	2.0/2.5mm	50x60mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		



Type	Length	Height	Wire Dia.	Mesh Size
Fortifence strong	10m 15m 20m 25m	0.60m	2.5/3.0mm	50x60mm
		0.80m		
		1.00m		
		1.25m		
		1.50m		
		1.75m		
		2.00m		



Type	Wire Dia.	Size	Size
Field fence	1.9 -3.0mm	6/15/52.1/50	8/15/81.3/50
		6/15/57.2/50	8/15/90.2/50
		6/15/63.5/50	8/15/101.5/50
		6/15/71.1/50	8/15/114.3/50
		6/15/80/50	9/15/99.1/50
		6/15/90.2/50	9/15/110.5/50
		7/15/66.1/50	9/15/124.5/50
		7/15/72.4/50	10/15/119.4/50
		7/15/81.3/50	10/15/133.4/50
		7/15/91.4/50	11/15/142.2/50
		7/15/102.9/50	13/15/182.9/50



Wire dia.	Mesh	Length	Height
mm	mm	m	m
2.6/4.0	40mm, 50mm, 60mm	10m, 20m, 25m, 30m	0.5m,
2.4/3.4			0.75m,
2.1/3.0			1.0m,
1.8/2.9			1.2m,
1.7/2.5			1.5m,
1.5/2.5			2.0m

Wire dia.	Mesh	Length	Height
mm	mm	m	m
1.50mm - 3.40mm	30mm,	10m, 20m, 25m, 30m	0.5m,
	40mm,		0.75m,
	50mm,		1.0m,
	60mm,		1.2m,
			1.5m,
			2.0m

CHAIN LINK FENCE FITTINGS



DOMESTIC POST CAP



LOOP CAP



RAIL END CAP



TENSION BAND



BRACE BAND



TOP RAIL SLEEVE



GATE POST HINGE



GATE FRAME HINGE



TENSION BAR



GATE CLIP



ALUMINUM TIE WIRE



HOG RING



Height	Length
m	m
0.46	3.05M
0.61	3.05M
0.81	3.05M



Wire dia.	Mesh	Height	Length
mm	mm	m	m
2.0/3.1	150 x 90	0.40	10
2.0/3.1	150 x 90	0.65	10
2.0/3.1	150 x 90	0.90	10
2.0/3.1	150 x 90	1.20	10
2.0/3.1	150 x 90	0.40	25
2.0/3.1	150 x 90	0.65	25
2.0/3.1	150 x 90	0.90	25
2.0/3.1	150 x 90	1.20	25



Weld garden fence (American type)



PVC COATED HEX.WIRE MESH



Wire dia.	Mesh		Height	Length
	mm	inch		
0.7/1.0 0.8/1.2 1.0/1.4 1.2/1.6	13	1/2	0.5m, 0.75m, 1.0m, 1.2m, 1.5m, 2.0m	5m, 10m, 25m, 50m
	16	5/8		
	20	3/4		
	25	1		
	31	1 1/4		
	40	1 1/2		
	50	2		

GALVANIZED HEX.WIRE MESH




Wire dia.	Mesh		Height	Length
	mm	inch		
0.46-0.71	13	1/2	0.5m, 0.75m, 1.0m, 1.2m, 1.5m, 2.0m	5m, 10m, 25m, 50m, 300m
0.46-0.81	16	5/8		
0.51-0.81	20	3/4		
0.56-1.0	25	1		
0.61-1.20	31	1 1/4		
0.71-1.20	40	1 1/2		
0.71-1.40	50	2		



Packing: in roll wrapped by water-proof paper or shrink wrapped.
Common carton: it can protect the inner goods and easy to handle, transport and stock.




GALVANIZED WELDED WIRE MESH



Wire dia.	Mesh	Height	Length
mm	mm	m	m
0.55	6x6	0.5m, 0.6m, 0.8m, 1.0m, 1.2m, 1.5m, 2.0m	5m, 10m, 25m
0.80	13x13		
0.90			
1.00			
1.20			
1.45			
0.90	16x16		
1.00			
1.20			
0.90	19x19		
1.00			
1.45			
1.45	25x13		
2.00			
1.60			
2.00	25x25		
2.05	50x25		
1.45	50x50		
1.60			
2.00			
2.45			
2.70			
3.00			
2.45	100x50		
2.70			


PVC COATED WELDED WIRE MESH



Wire dia.	Mesh	Height	Length
mm	mm	m	m
0.5/0.8- 1.6/2.2	6x6	0.5m, 1.0m, 1.5m	5m, 10m, 25m
	13x13		
	16x16		
	19x19		
	25x25		




Packing: in roll wrapped by water-proof paper or shrink wrapped.
Common carton: it can protect the inner goods and easy to handle, transport and stock.




thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B	C	D
71	71	150	750
71	71	150	900
91	91	150	750
91	91	150	900
101	101	150	750
101	101	150	900
121	121	150	750
121	121	150	900




thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B	C	D
71	71	150	150
91	91	150	150
101	101	150	150
121	121	150	180
141	141	150	180




4.0mm thick, 10.5mm boreholes,
the bar with screw thread $\varnothing$ 18mm
hot dip galvanized

A	B	C	D
71	60	100	200
81	60	100	200
91	60	100	200
101	60	100	200
121	60	100	200
141	60	100	200



4.0mm thick, 10.5 mm boreholes,
4 x 10.5mm boreholes,
hot dip galvanized

A	B	C	D
71	50	200	160
81	50	200	170
91	50	200	180
101	50	200	190
121	50	200	210




Post support shoe
stone lock $\varnothing$ 18mm, L shape,
4.0mm thick, 10.5mm boreholes,
hot dip galvanized

A	B	C	D
40	50	80	145
70	75	110	200
80	90	130	200




5.0mm thick, 10.5mm boreholes,
hot dip galvanized

A	B	C
71	57	600
81	57	600
91	57	600
101	57	600
121	57	600
141	57	600




Post support shoe
stone lock $\varnothing$ 18mm,
4.0mm thick, 10.5mm boreholes,
hot dip galvanized

A	B	C	D
80	80	130	80
70	70	105	70




5.0mm thick, 10.5mm boreholes,
10.5mm boreholes,
hot dip galvanized

A	B	C
71	150	60
81	150	60
91	150	60
101	150	60
121	150	60
141	150	60




thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B
32	450
34	450
38	450




adjusted, thickness:2.0mm
hot dip galvanized

A	B
65	550
70	800
90	800




thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B
80	750
80	900
100	750
100	900
120	750
120	900




thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B	C
80	150	150
100	150	150
120	150	180




thickness 2.0mm, Ø hole dia.10,5mm.
hot dip galvanized

A	B	C	D	E
80	80	150	120	65
105	105	200	155	85




thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B	C	D
71	71	150	350
91	91	150	350
101	101	150	350
121	121	150	350




adjusted, thickness:2.0mm
4 x 10.5mm boreholes,
hot dip galvanized

A	B	C	D
71-75	71-75	150	750
71-75	71-75	150	900
91-95	91-95	150	750
91-95	91-95	150	900
101-105	101-105	150	750
101-105	101-105	150	900
121-125	121-125	150	750
121-125	121-125	150	900




adjusted, 4.0mm thick, 10.5mm boreholes,
the bar with screw thread Ø 18mm
mechanical galvanized

A	B	C	D	E
71	60	100	115-165	200
81	60	100	115-165	200
91	60	100	115-165	200
101	60	100	115-165	200
121	60	100	115-165	200
141	60	100	115-165	200



adjusted, mechanical galvanized

A	B	C
90	90	100




adjusted, mechanical galvanized

A	B	C
100	100	115-165



Size
71x71mm
91x91mm



with thread for woodwork, Ø 8mm,
yellow-galvanized

A	B	C	D
65	30	28	45
40	30	30	42
28	30	28	45

GARDEN WIRE



Pvc coated, green



Pvc coated, white



Galvanized




Pvc coated



Galvanized



Black annealed



With cutter




Cutting



Sewing wire





Galvanized iron wire




PVC coated wire



Black annealed iron wire



Razor barbed wire



Cutting wire






Tie wire






Loop tie




Barbed wire









HPG 601




HPG 611




HPG 621



HPG 631



HPG 651



HPG 641



HPG 020




HPG 077




HPG 075



HPG 032



HPG 035




HPG 046




HPG 037



HPG 050



HPG 065




HPG 064


MOSQUITO WIRE NETTING




Galvanized iron window screen




Aluminium alloy window screen



Enameled iron window screen



Stainless steel window screen



Fibreglass window screen



Plastic window screen





Packing: 4 or 6 or 10 rolls each in cartons or as per request of customers

Regular size:
mesh:14x14 16X16 18X18
Length x Width:3x100' 4x100' 1x30m 1.2x30m



OUR OWN FACTORIES:

- HEBEI HOPESUN WIRE MESH FACTORY
ADD:DINGZHOU CITY,HEBEI,CHINA
- HEBEI HOPESUN HARDWARE FACTORY
ADD:HUANGHUA CITY,HEBEI,CHINA



HOPESUN INDUSTRY
SALES OFFICE
RM.1711,BUILDING B,CENTURY ARK
NO.91 GUANG AN STREET,SHIJIAZHUANG,HEBEI,CHINA
Post Code:050011
Tel:0086-311-86661058 86661056 86661060 86661059
Fax:0086-311-86661061
E-mail:zouran@hbindustry.com
Http://www.hbindustry.com

