



COPY-RIGHT RESERVED 版权所有 违者必究

POLEAGE SERVICES SERVICES OF THE POLE OF T



HEBEI MINMETALS CO.,LTD.

THE HERE MINIMETALS CO. LTD.

INTRODUCTION TO ENTERPRISE

Hebei Minmetals Co., Ltd. is a leading manufacturer, importer and exporter, located in Northern China's Hebei Province. Drawing on abundant local resources of steel, the company produces a wide range of metal products, including rolled fencing and fence posts, fasteners: nails and screws, building materials, lawn & garden items: trellis / borders / arbors / decorative fence, residential steel fence and gates, pet containment; kennels and pet cages, as well as auto parts, various agricultured products and hardware items.

With headquarter in Shijiazhuang, Hebei Province, the company manufacturers at numerous factories

throughout China, Thailand and Taiwan, both in fully owned production facilities, Joint Venture investments, as well as factories with partial equity ownership. The products that are manufactured flow to North American, European, Asian, South American, Australian and African markets to make the company a true global entity. Additionally, the company has overseas offices and company owned distribution and marketing of its products.

Hebei Minmetals is committed to supply superior products and excellent customer service, as it serves its customers and expands into new markets. Thanks for your support and assistance! We remain,

> Yours faithfully Hebei Minmetals Co...



Add: No.337, Xinhua Road, Shijiazhuang ,China Home Page: http://www.hebeiminmetals.com.cn

reenpost is the leading Chinese brand for post and fence erection products. In the past few years, a lot of new designs and types have been made to meet customer's demand. This wide range makes post and fence erection more easier in any circumstances. Now more than 2 million pcs of Geenpost put in use on worldwide markets each year.



System available

- (1) Standard: with two holes on the sockets, when erect, put the timber post inside, drill holes through the post and fix the post to the socket with bolts and nuts. Offers can be made for both without and with bolts and nuts upon request.
- (2) Wedge Grip: this system requires no nails or screws, when the timber post hammered inside the socket, it cuts into timber and holds it in a vice-like grip. The other advantage is it support timber widths varying by as much as 4mm.
- (3) Twin-bolt-A: this twin bolt heavy duty system makes the post installation and replacements more easier, it is strong enough to withstand gale force winds.
- (4) Twin-bolt-B: This new jointly designed and patented by Hebei Minmetals Co., Ltd. Has many advantages. Besides same as Twin-bolt-A, this system also has
- (A) The special Tee-bolts cannot revolve so the nuts can be tightened very easily with a single spanner.
- (B) All four faces of the socket can be abutted by a fence panel.
- (C) The right-angle locating tooth inside holds the base of the fence post laterally and eliminates any possibility of post waggle under windload.



the following:

Standard



Wedge Grip



Twin-bolt-A



Twin-bolt-B

HIBBEI MINMETALS CO. LTD.

Finish available


- (1)hot dip galvanized (2)electrical galvanized
- (3)expoxy powder coated in Brown, green, other colors may available upon request.
- (4)Painted in Brown, green, other colors may available upon request.


Packing available

(1)in cartons. (2)On pallets.



Pole anchors pointed(Soil spike)







PAP01 $(A)61 \times 61 \times (B)750 \times (C)600 \text{ mm}$ (A)71×71×(B)750×(C)600 mm PAP02 PAP03 (A)71×71×(B)900×(C)750 mm PAP04 (A)91×91×(B)750×(C)600 mm (A)91×91×(B)900×(C)750 mm PAP05 (A)101×101×(B)900×(C)750 mm PAP06 $(A)121 \times 121 \times (B)900 \times (C)750 \text{ mm}$ PAP07 PAP08 $(A)51 \times 51 \times (B)600 \times (C)450 \text{ mm}$ (A)51×51×(B)650×(C)500 mm PAP09 (A)51×102×(B)750×(C)600 mm PAP10 $(A)77 \times 77 \times (B)750 \times (C)600 \text{ mm}$ PAP11 (A)102×102×(B)750×(C)600 mm PAP12 (A)75×75×(B)750×(C)600 mm PAP13 (A) Ф81×(B)600 mm PAP14 (A) Ф 101×(B)600 mm PAP15 (A) Ф 121×(B)900 mm PAP16

Screw-in anchor:

Instead of hammer into ground, this new screw-in anchor goes into ground easily with the spanner-bar.







91×91 ×800 mm 71×71 ×800 mm


Screw-in Earth sleeves

This new screw-in earth sleeve with five different plastic adapter sleeves which suitable for a tube from 25-65 mm, this system makes it has a wide purpose of uses. Instead of hammer into ground, it goes into ground easily with the spanner-bar.

SIZE:

Dia. Available 25mm, 38mm, 43mm, 50mm, 55mm, 65mm







Pole ground plate (Bolt-down)


This ground plate is idea where circumstances do not allow the anchor to be driven into the ground, such as concrete base, or on decking, this Bold-down gives the good solution. It can be the support for patio fencing, rose arches etc.















C







PGP01 (A)71×71×(B)150×(C)150 mm PGP02 (A)81×81×(B)150×(C)150 mm PGP03 (A)91×91×(B)150×(C)150 mm

PGP04 (A)101×101×(B)150×(C)150/180 mm

PGP05 (A)121×121×(B)180×(C)180 mm PGP06 (A)145×145×(B)150×(C)200 mm PGP07 (A) Ф81×(B)150×(C)150 mm PGP08 (A) Ф 101×(B)150×(C)150 mm PGP09 (A) 4 121×(B) 150×(C) 180 mm

Pole anchor (Concrete-in)

This anchor has been designed for used in hard standing areas. Laid it in the wet concrete for enough strength.

The anchor is ideal for car ports, pergolas and general fencing application.














(A)71×71×(B)350×(C)200 mm PA02 (A)91×91×(B)350×(C)200 mm PA03 (A)101×101×(B)350×(C)200 mm **PA04** (A) $75 \times 75 \times$ (B) $350 \times$ (C)200 mm

Repair Spur

This Spur provides the solution to fence posts which have broken off in an existing sound concrete base. If the posts broken off at ground level, the repair spur can be hammered directly into the base of the rotten / broken post, and install a new timber post.










RS01 (A)71×71×(B)450×(C)300 mm RS02 (A)75×75×(B)450×(C)300 mm RS03 (A)91×91×(B)450×(C)300 mm **RS04** (A)100 \times 100 \times (B)500 \times (C)350 mm

Post extender

This post extender enable to increase the height of any existing fence, it is recommended to raise the height of the existing fence up to max. 1 metre.





50×50×150 mm 71×71×150 mm PE03 75×75×150 mm PE04 91×91×150 mm PE05 100×100×150 mm

Fence-making metalworks

With investment of new machines and moulds, most of the popular fence-making metal products are available in the Greenpost range, this metals products makes the fence erection quite easier. The main items including:

long-roll stakes;

Arris rail Bracket:

Arris rail holder both left / right hand

Mortise Holder

Panel clip


Trellis clip

Wooden gravel bracket


Concrete gravel bracket


Others maybe available upon request and samples or drawings

are welcome.



Driving tools







Plastic


Spanner Bar

Decoration Caps










Type of finish available:


Hot-dip galvanised Copper Stainless Powder coated

DC01 71×71 mm DC02 91×91 mm DC03 101×101 mm DC04 121×121 mm DC05 141×141 mm




Mini-L Support













Type of finish available:


Hot-dip galvanised Electrical galvanised Stainless steel


Packing: in cartons.

MLS01 (A)36×(B)34×(C)30 mm MLS02 (A)35×(B)40×(C)30 mm MLS03 (A)38×(B)34×(C)30 mm MLS04 (A)70×(B)30×(C)30 mm

H-Form Support









Type of finish available:

Hot-dip galvanised Electrical galvanised

Packing: on pallets

HF01 (A)71×(B)600×(C)60/50 mm

HF02 (A)81×(B)600×(C)60/50 mm


HF03 (A)91×(B)600×(C)60/50 mm HF04 (A)101×(B)600×(C)60/50 mm


HF05 (A)121×(B)600/800×(C)60/50 mm

HF06 (A)141×(B)600/800×(C)60/50 mm

TT-Form Support









Type of finish available:

Hot-dip galvanised Electrical galvanised Packing: on pallets TTF01 $(A)71 \times (B)200 \times (C)200 \text{ mm}$ TTF02 (A)81×(B)200×(C)200 mm TTF03 (A)91×(B)200×(C)200 mm (A)101×(B)200×(C)200 mm TTF04 TTF05 (A)121×(B)200×(C)200 mm TTF06 (A)141×(B)200×(C)200 mm



U-L-Form Support
















Type of finish available:


Hot-dip galvanised Electrical galvanised

Packing: in cartons / pallets


UF01 (A)61×(B)60×(C)110/100×(D) Φ 4×(E)200 mm UF02 (A)71×(B)60×(C)110/100×(D) Ф4×(E)200 mm UF03 $(A)81 \times (B)60 \times (C)110/100 \times (D) \oplus 5 \times (E)200 \text{ mm}$ **UF04** (A)91×(B)60×(C)110/100×(D)Φ5×(E)200 mm **UF05** (A)101×(B)60×(C)110/100×(D)Φ5×(E)200 mm **UF06** (A)121×(B)60×(C)110/100×(D) Φ 5×(E)200 mm **LF01** (A)80×(B)90×(C)130×(D) Φ 5×(E)200 mm



T-Form Support








TF01 (A)70×(B)70×(C)130×(D)200 mm TF02 (A)90×(B)90×(C)130×(D)200 mm

U-Form Support





Type of finish available:

Hot-dip galvanised Electrical galvanised


Packing: in cartons / pallets

UP01 (A)71×(B)125/150×(C)60 mm UP02 (A)81×(B)125/150×(C)60 mm UP03 (A)91×(B)125/150×(C)60 mm UP04 (A)101×(B)125/150×(C)60 mm UP05 (A)121×(B)125/150×(C)60 mm UP06 (A)141×(B)125/150×(C)60 mm



Wall Starting Support










U Support







Adjustable Support














Solar Panel Support



Steel Bar











Add: No.337, Xinhua Road, Shijiazhuang ,China E-mail:eusales@hebeimetals.com sales@hebeimetals.com Home Page: http://www.hebeiminmetals.com.cn Tel: +86-311-85202701 / 85202702 / 85272699

Fax: +86-311-85202703 / 85020366