



SIROFLEX[®] 
● **greenline**

60
1963 - 2023





1963

YEAR OF ESTABLISHMENT



1500

RETAILERS IN ITALY



42

COUNTRIES WE WORK WITH



6000

SQUARE METERS
OF FACTORY



the "MADE IN ITALY" at the service of your house and garden since 1963

Manufacturer in Campomorone - Genoa - Italy: a small Italian manufacturing industry open to the world. Our rootedness in the territory is historical and testifies to the authenticity of our **Made in Italy**.

We take advantage of our technical skills in the design and construction of the moulds, as well as in the automation solutions of the assemblies.

Particularly focused on market needs, we offer:

HOUSEHOLD GOODS: **Blue Line**, a wide range of items, a new concept of tap sprayer spread all over the world.

GARDENING HOBBY: **Green Line**, developed from the first plastic quick connector in the world, helping those who take care of plants, flowers, and vegetables, in support of a healthy lifestyle.

The approach to market and customer is focused on utility and effectiveness: **providing practical solutions to real problems**. Innovating items, but always with a design based on the best user experience.

The 100% Italian craftsmanship, combined with technological updating, has shaped **our raison d'être: "to design, create and sell simplicity"**.

That's why our Made in Italy is authentic and the Siroflex brand is equal to attention to the end user and his daily needs.

We make the value of our experience available in our "honest" products because they keep their promises at a fair price.

All of this all over the world: today we register our presence in **42 countries**.

It's not all: despite that Siroflex internationalisation dates back to its origin, our will to assert our "Made in Italy" even in those countries we haven't reached yet, is still strong.





SIROFLEX®

water, our most precious resource

GARDEN IRRIGATION

Siroflex offers a complete range of fittings, hose trolleys, garden hoses, a complete selection of above ground sprinklers and, for the most diverse requirements, different types of water sprays:

- > AERATOR-SHOWER
- > SHOWER
- > LONG-RANGE
- > MULTIFUNCTION
- > WITH OR WITHOUT ON/OFF FLOW CONTROL LEVER

Siroflex irrigation systems have been designed and manufactured at our factory in Genoa since 1963.



SINCE 1963

MADE IN ITALY

Design, production and packaging are 100% "Made in Italy" and each of our articles bears the Siroflex brand.



HIGH-QUALITY PRODUCTS

The accuracy of the production process and the choice of raw materials and components guarantee a consistent quality and a high wear resistance of the products.



COMPATIBILITY WITH OTHER BRANDS

Siroflex follows the worldwide standard: our fittings are compatible with all other above-ground irrigation systems.

6 **STANDARD PROGRAMME above-ground garden irrigation**

It encloses our complete collection used in mobile and surface irrigation. From tap connectors and quick connectors to garden hoses, from nozzles to shower and pistol grip sprays.



34 **ELECTRONIC TIMER FOR AUTOMATIC IRRIGATION**

It solves the problem of automatic irrigation of terraces, vegetable gardens and greenhouses.



36 **CAPILLARY WATERING SYSTEM**

Easy to assemble, economic and functional system, designed and manufactured to solve every technical problem for both professional or "do-it-yourself" installers.

The only one projected following a modular standard.



40 **UNDERGROUND IRRIGATION**

It is suitable for medium size plants to be installed by professionals but also in case of "do-it-yourself" watering. Easy to assemble thanks to a small number of 25 mm diameter connectors and pop-up sprinklers.



42 **AUTOMATIC WATERING KITS FOR BALCONIES**

They solve the problem of watering plants on a balcony (without direct water and electricity supply) in the absence of the user.



SIROFLEX®

STANDARD PROGRAMME

above-ground garden irrigation

It encloses our complete collection used in mobile and surface irrigation.

From tap connectors and quick connectors to garden hoses, from nozzles to shower and pistol grip sprays, from fixed sprinklers to mobile ones, from pulsating sprinklers to oscillating ones, from hose trolleys to portable and wall mounted hose reels, from garden shower to car wash brushes.



CONNECTORS

UNIVERSAL RUBBER ADAPTER



FOR TAPS WITHOUT THREAD

- art. 4970** with male coupling
- art. 4975** with multi-diameter hose connector
- art. 4976** with 3/4" male thread
- art. 4977** with hose grip Ø 20 (1/2" - 5/8")
- art. 4978** with hose grip Ø 26 (3/4")

TAP CONNECTORS



- art. 4400** 3/4" Female
- art. 4401** 1/2" Female
- art. 4402** 1" female
- art. 4403** 5/8" Female
- art. 4404** 7/8" Female
- art. 4405** 22x1 M Female
- art. 4421** USA Female



+ ADAPTER

- art. 4408** tap connector 3/4" female with adapter 3/4" male - 1/2" female
- art. 4409** tap connector 3/4" female with adapter 3/4" male - 22x1 female



- art. 4410** 3/4" male
- art. 4411** 1/2" male
- art. 4415** 1/4" male
- art. 4420** USA male



- art. 4425** with hose grip Ø 20 (1/2" - 5/8")
- art. 4426** with hose grip Ø 26 (3/4")



- art. 4430** niplax



QUICK CONNECTORS



art. 4450
with hose grip Ø 20 (1/2" - 5/8")



art. 4451
with "stop" valve and hose grip
Ø 20 (1/2" - 5/8")



art. 4451/E
with "stop" valve and hose grip
Ø 20 (1/2" - 5/8")
ECONOMICAL



art. 4455
with hose grip Ø 26 (3/4")



art. 4456
with "stop" valve and hose grip
Ø 26 (3/4")



art. 4456/E
with "stop" valve and hose grip
Ø 26 (3/4")
ECONOMICAL



WITHOUT VALVE
art. 4460
3/4" male thread
art. 4461
1/2" male thread
art. 4462
USA male thread



WITH VALVE
art. 4463
3/4" male thread



WITHOUT VALVE
art. 4465
3/4" female thread
art. 4466
1/2" female thread
art. 4466/1
1/2" female thread
with anti-rotation fork
art. 4467
USA female thread



WITH VALVE
art. 4468
3/4" female thread
art. 4469
USA female thread



GARDEN HOSE



Ø 14x19 PACKED WITH 2 QUICK CONNECTORS

art. 4231 m 10

art. 4232 m 15

art. 4233 m 20

art. 4234 m 25



IN ROLLS

art. 4240 m 50 Ø 14x19

art. 4245 m 50 Ø 18x24

HOSE MENDERS



art. 4480
Ø 20 (1/2" - 5/8")

art. 4481
Ø 26 (3/4")



art. 4485
Ø 20 x 26 (1/2" - 5/8" x 3/4")

HOSE GRIPS



art. 4471
Ø 20 (1/2" - 5/8") 3/4" male thread

art. 4476
Ø 26 (3/4") 3/4" male thread



art. 4470
Ø 20 3/4" female thread

art. 4472
Ø 20 1/2" female thread

art. 4473
Ø 20 1" female thread

art. 4474
Ø 26 1/2" female thread

art. 4475
Ø 26 3/4" female thread

art. 4477
Ø 26 1" female thread

ELBOWS



art. 4495
with quick connector and male coupling

art. 4496
with quick connector
and multi-diameter hose
connector



art. 4497
with quick connector
and hose grip Ø 20 (1/2" - 5/8")

art. 4498
with quick connector
and hose grip Ø 26 (3/4")

"Y" JUNCTIONS



art. 4431
with 3 male couplings



art. 4436
with 3 hose grips Ø 20 (1/2" - 5/8")
art. 4438
with 3 hose grips Ø 26 (3/4")



art. 4437
with quick connector
and 2 male couplings

"Y" JUNCTIONS WITH TAPS



art. 4437/1
with quick connector
and 2 male couplings



art. 4435/1
with 3 male couplings
art. 4436/1
with 3 hose grips Ø 20 (1/2" - 5/8")
art. 4438/1
with 3 hose grips Ø 26 (3/4")



art. 4435/2
3/4" Female with 2 male
couplings
art. 4436/2
3/4" Female with 2 hose grips
Ø 20 (1/2" - 5/8")
art. 4438/2
3/4" Female with 2 hose grips
Ø 26 (3/4")



"T" JUNCTIONS



art. 4489
with 3 hose grips Ø 20 (1/2" - 5/8")
art. 4490
with 3 hose grips Ø 26 (3/4")



art. 4491
with hose grip Ø 26 (3/4")
and 2 male couplings



art. 4493
with 2 hose grips Ø 26 (3/4")
and 1 male coupling with tap

TAPS



art. 4492
with hose grip Ø 26 (3/4") and 2 male couplings with tap



SPHERICAL TAP

art. 4320
3/4" Female
3/4" male thread
art. 4325
USA Female
USA male thread



MALE COUPLING WITH SPHERICAL TAP

art. 4330
3/4" Female thread
art. 4335
USA Female thread

THREE WAY MANIFOLD



art. 4520
This 3 way manifold is provided with 3 individual taps and a 3/4" female cap which allows the plugging of the middle outlet.
This unique design, which is compact and functional, provides the option of three separate and adjustable watering outlets in one unit.

NOZZLES, SPRAYS AND GUNS

NOZZLES



NOZZLE 1"

art. 4545

with male coupling

art. 4547

with hose grip Ø 20 (1/2" - 5/8")

art. 4548

with hose grip Ø 26 (3/4")

art. 4549

1" male thread



NOZZLE 3/4"

art. 4550

with male coupling

art. 4551

with multi-diameter hose connector

art. 4552

with hose grip Ø 20 (1/2" - 5/8")

art. 4553

with hose grip Ø 26 (3/4")

art. 4554

3/4" male thread



art. 4550/2

with built-in male coupling



SPRAYS



SHOWER SPRAY

art. 4555

with male coupling

art. 4556

with multi-diameter hose connector

art. 4557

with hose grip Ø 20 (1/2" - 5/8")

art. 4558

with hose grip Ø 26 (3/4")



SHOWER SPRAY WITH TAP

art. 4755

with male coupling

art. 4756

with multi-diameter hose connector

art. 4757

with hose grip Ø 20 (1/2" - 5/8")

art. 4758

with hose grip Ø 26 (3/4")



AERATOR-SHOWER

art. 4560

with male coupling

art. 4561

with multi-diameter hose connector

art. 4562

with hose grip Ø 20 (1/2" - 5/8")

art. 4563

with hose grip Ø 26 (3/4")



AERATOR-SHOWER WITH TAP

art. 4760

with male coupling

art. 4761

with multi-diameter hose connector

art. 4762

with hose grip Ø 20 (1/2" - 5/8")

art. 4763

with hose grip Ø 26 (3/4")



LONG-RANGE SPRAY WITH TAP

art. 4760/5

with male coupling

art. 4761/5

with multi-diameter hose connector

art. 4762/5

with hose grip Ø 20 (1/2" - 5/8")

art. 4763/5

with hose grip Ø 26 (3/4")



MULTIFUNCTION SPRAY WITH TAP

art. 4755/5

with male coupling

art. 4756/5

with multi-diameter hose connector

art. 4757/5

with hose grip Ø 20 (1/2" - 5/8")

art. 4758/5

with hose grip Ø 26 (3/4")

PISTOL GRIP



NOZZLE WITH PISTOL GRIP

art. 4600

with male coupling

art. 4601

with multi-diameter hose connector

art. 4602

with hose grip Ø 20 (1/2" - 5/8")

art. 4603

with hose grip Ø 26 (3/4")



SHOWER SPRAY WITH PISTOL GRIP

art. 4605

with male coupling

art. 4606

with multi-diameter hose connector

art. 4607

with hose grip Ø 20 (1/2" - 5/8")

art. 4608

with hose grip Ø 26 (3/4")



AERATOR-SHOWER SPRAY WITH PISTOL GRIP

art. 4610

with male coupling

art. 4611

with multi-diameter hose connector

art. 4612

with hose grip Ø 20 (1/2" - 5/8")

art. 4613

with hose grip Ø 26 (3/4")



LONG-RANGE SPRAY WITH PISTOL GRIP

art. 4610/5

with male coupling

art. 4611/5

with multi-diameter hose connector

art. 4612/5

with hose grip Ø 20 (1/2" - 5/8")

art. 4613/5

with hose grip Ø 26 (3/4")





art. 4615
pistol grip with quick connector and male coupling



art. 4616/1
shower spray
for art. 4615



art. 4616/2
aerator-shower spray
for art. 4615



art. 4616
pistol grip with quick connector and male coupling,
with shower and aerator-shower sprays



MULTIFUNCTION SPRAY WITH PISTOL GRIP

art. 4605/5
with male coupling

art. 4606/5
with multi-diameter hose connector

art. 4607/5
with hose grip Ø 20 (1/2" - 5/8")

art. 4608/5
with hose grip Ø 26 (3/4")



MULTIFUNCTION SPRAY


ONE PRODUCT 4 FUNCTIONS



1
SHOWER SPRAY



2
AERATOR SPRAY
for pots



4
JET SPRAY

3
MIST SPRAY



art. 4605/5 B
counter display box



COUNTER DISPLAY BOX TRADITIONAL PROGRAMME

art. 4742
in two boxes cm 50x40x40
with the following articles:
4400/25 - 4401/10 - 4402/10
4430/20 - 4431/5 - 4450/50
4451/10 - 4455/25 - 4456/10
4480/15 - 4481/10 - 4485/5
4550/30 - 4755/20 - 4760/10
4970/10

SPRAYS, SHOWER, CAR WASH BRUSHES

EXTENDED SPRAYS ▶



shower (cm 70) with tap
art. 4750
 with male coupling
art. 4751
 with multi-diameter hose connector
art. 4752
 with hose grip Ø 20 (1/2" - 5/8")
art. 4753
 with hose grip Ø 26 (3/4")



aerator-shower for hanging baskets (cm 60) with tap
art. 4750/5
 with male coupling
art. 4751/5
 with multi-diameter hose connector
art. 4752/5
 with hose grip Ø 20 (1/2" - 5/8")
art. 4753/5
 with hose grip Ø 26 (3/4")

GARDEN SHOWER ▼



ON TRIPOD
art. 4765
 with tap and swivel
WITHOUT TRIPOD
art. 4766
 with quick connector and swivel

CAR WASH BRUSHES ▼



art. 4620
 with male coupling and tap



CAR WASH KIT art. 4625
 contents:
art. 4620 - 4550 - 4450
4451 - 4400 - 4991



CAR WASH KIT art. 4627
 contents:
art. 4620 - 4600 - 4450
4451 - 4400 - 4991



EXTENSION FOR BRUSH
art. 4622 cm 70

GARDEN AND HOUSE KITS

KIT 4429/S - CONNECTION "KITCHEN/BATHROOM"



**FOR STANDARD
THREADED TAPS
22x1M (EXTERNAL)
24x1F (INTERNAL)**

COMPONENTS

- 1 quick connector chromed/black 22x1 Female
- 1 22x1 male - 24x1 male adaptor
- 1 chromed aerator-shower tap sprayer with male coupling
- 1 male coupling with hose grip Ø 20 (1/2" - 5/8")

You can easily fit our quick connector **to your kitchen or bath tap**, solving the problem of **connecting a hose for watering your plants outside** (balcony, terrace, garden). Connecting our aerator-shower you can use your tap regularly.

KIT 4429/5S - CONNECTION "GARDEN/KITCHEN/BATHROOM"

**FOR STANDARD
THREADED TAPS
3/4" M (EXTERNAL)
22x1 M (EXTERNAL)
24x1 F (INTERNAL)**

COMPONENTS

- 1 quick connector chromed/black 3/4" Female
- 1 3/4" male 22x1 female adaptor
- 1 22x1 male 24x1 male adaptor
- 1 chromed aerator-shower tap sprayer with swivel and male coupling
- 1 male coupling with hose grip Ø 20 (1/2" - 5/8")
- 1 quick connector with valve and hose grip Ø 20 (1/2" - 5/8")
- 1 nozzle with male coupling

You can easily fit our quick connector **to your garden, kitchen or bathroom tap**, solving the problem of **connecting a hose for watering your plants or washing outside** (balcony, terrace, garden) using the nozzle. Connecting our aerator-shower you can use your tap regularly.





FOR STANDARD THREADED TAPS 22x1M (EXTERNAL) 24x1F (INTERNAL)

HOME: TAP SPRAYER + HAND SHOWER

GARDEN: HAND SHOWER + NOZZLE FOR GARDEN HOSE

COMPONENTS

- 1 quick connector with adaptor for taps with thread 22x1 male (external) or 24x1 female (internal)
- 1 aerator-shower tap sprayer with swivel and male coupling
- 1 PVC flexible hose m 1,50 with male coupling
- 1 Micronette Regal hair-wash hand shower with aerator-shower and total closure
- 1 hanger for Micronette Regal
- 1 male coupling with hose grip Ø 20 (1/2" - 5/8")
- 1 quick connector with valve and hose grip Ø 20 (1/2" - 5/8")
- 1 nozzle with male coupling

With our kit you can use your **house tap** with several functions.

At **home:** fit the quick connector to use easily, with a simple click, the Sirius aerator-shower, or the Micronette hand shower.

Moreover, you can connect a garden hose and use the same water outside (garden but also yard, terrace, balcony).

Outside: you can connect the hand shower to the garden hose (i.e. to wash your pet with hot water), or connect the nozzle to water or to clean the paving (such as to clean the paving, the car or a scooter).



KIT 4428/S - "GARDEN" CONNECTION



FOR STANDARD THREADED TAPS 3/4" M (EXTERNAL)

COMPONENTS

- 1 quick connector 3/4" female
- 1 aerator-shower tap sprayer with male coupling
- 1 male coupling with hose grip Ø 20 (1/2" - 5/8")

You can easily fit our quick connector **to your garden tap**, solving the problem of **connecting a hose for watering your plants or washing outside** (such as to clean the paving, the car or a bike).

Connecting our aerator-shower you can use your tap regularly.

AERATOR-SHOWER - SPRAY SET 4760/AS FOR "GARDEN" TAPS



NOZZLE SET 4550/AS - FOR "GARDEN" TAPS



WITH EXTERNAL STANDARD THREAD 3/4" M AND 1/2" M

COMPONENTS

- 1 tap connector 3/4" female
- 1 3/4" male - 1/2" female adaptor
- 2 quick connectors with hose grip Ø 20 mm (1/2" - 5/8")
- 1 nozzle with male coupling

Simple and economic set for garden and vegetable garden watering and to wash your car, bike, camper, and paving: connect the garden hose to the tap and, at the other side, the nozzle to regulate the flow.

WITH EXTERNAL STANDARD THREAD 3/4" M AND 1/2" M

COMPONENTS

- 1 tap connector 3/4" female
- 1 3/4" male - 1/2" female adaptor
- 2 quick connectors with hose grip Ø 20 mm (1/2" - 5/8")
- 1 aerator-shower-spray with tap and male coupling

Simple and economic set for watering flower beds, garden pots, plants on terraces and balconies, crops in vegetable gardens and greenhouses.

Connect the garden hose to the tap and, at the other side, the aerator-shower-spray. It has a ball valve to regulate the flow till its total closure to go from a pot to another without wetting the floor, it also has two functions: **aerator (soft spray)**, essential to water plants in pot without turning over the soil, that can be further sweetened thanks to the tap; **shower (to rain watering)**, pulling forward/lowering the aerator collar you have a shower useful to spray the leaves and that can be regulated through the use of the tap.

MULTI-USE SPRAY WITH PISTOL GRIP - 4615/AS - FOR "GARDEN" TAPS



**WITH EXTERNAL STANDARD
THREAD 3/4" M AND 1/2" M**

COMPONENTS

- 1 tap connector 3/4" female
- 1 3/4" male
1/2" female adaptor
- 2 quick hose connectors with
hose grip Ø 20 mm (1/2" - 5/8")
- 1 pistol grip with quick
connector and male coupling
- 1 shower spray with male
coupling
- 1 aerator-shower-spray
with male coupling
- 1 nozzle with male coupling

Versatile and economic set, thanks to the possibility of changing the different end parts from shower-spray to aerator-shower-spray (2 functions) and nozzle (adjustable flow), offers 5 different ways of watering, to satisfy different needs of lawns, flower beds, vegetable gardens, terraces, greenhouses and balconies.

Connect the garden hose to the tap and, at the other side, the pistol grip with flow switch which enables to move from a watering point to another without wetting the ground in the middle, with no water waste and with no need to turn the tap off.

Depending on your needs, you can connect the spray or the nozzle supplied to the pistol grip: to water your garden, your plants in pots, your vegetable garden or to clean something (such as pavement or car) in the best way.



SPRINKLERS

FIXED SPRINKLERS



WITH THREAD

art. 4567
90° - 3/4" female
art. 4569
180° - 3/4" female
art. 4571
360° - 3/4" female



WITH TAP

art. 4567/1
90° - 3/4" female
art. 4569/1
180° - 3/4" female
art. 4571/1
360° - 3/4" female




WITH QUICK CONNECTOR


art. 4566 90°
art. 4568 180°
art. 4570 360°

ESTIMATED TECHNICAL DATA


FIXED SPRINKLERS



1 atm
radius m 4,5 - l/min 3,0
2 atm
radius m 5,0 - l/min 4,5
3 atm
radius m 5,5 - l/min 5,5



1 atm
radius m 4,5 - l/min 5,5
2 atm
radius m 5,0 - l/min 8,5
3 atm
radius m 5,5 - l/min 10,0



1 atm
ø m 6,0 - l/min 6,0
2 atm
ø m 7,5 - l/min 9,0
3 atm
ø m 9,0 - l/min 11,5

MOBILE SPRINKLERS

MOBILE ARM

1,5 atm
Ø m 7,0 - l/min. 8,0
2 atm
Ø m 9,0 - l/min 9,0
2,5 atm
Ø m 10,5 - l/min 10,0
3 atm
Ø m 12,0 - l/min 11,5

PULSATING

2 atm
Ø m 23,0 - l/min. 14,0
2,5 atm
Ø m 24,0 - l/min. 16,0
3 atm
Ø m 24,5 - l/min. 17,0
3,5 atm
Ø m 25,0 - l/min. 19,0

MOBILE SPRINKLERS ▼



MOBILE ARM

art. 4580
with quick connector

MOBILE ARM

art. 4581
3/4" female thread



PULSATING (ADJUSTABLE)

art. 4590
with quick connector



PULSATING (ADJUSTABLE)

art. 4591
1/2" male thread
art. 4591/1
3/4" female thread

SPRINKLERS ON SPIKE ▶



FIXED AT 360° - 180° - 90°

art. 4575
360° with male coupling
art. 4575/1
180° with male coupling
art. 4575/2
90° with male coupling
art. 4576
360° with multi-diameter hose connector
art. 4576/1
180° with multi-diameter hose connector
art. 4576/2
90° with multi-diameter hose connector
art. 4577
360° with hose grip Ø 20 (1/2" - 5/8")
art. 4577/1
180° with hose grip Ø 20 (1/2" - 5/8")
art. 4577/2
90° with hose grip Ø 20 (1/2" - 5/8")
art. 4578
360° with hose grip Ø 26 (3/4")
art. 4578/1
180° with hose grip Ø 26 (3/4")
art. 4578/2
90° with hose grip Ø 26 (3/4")

SPIKE WITHOUT SPRINKLER

art. 4579
3/4" male with male coupling



MOBILE ARM

art. 4585
with male coupling
art. 4586
with multi-diameter hose connector
art. 4587
with hose grip Ø 20 (1/2" - 5/8")
art. 4588
with hose grip Ø 26 (3/4")

PULSATING (ADJUSTABLE)

art. 4595
with male coupling
art. 4596
with multi-diameter hose connector
art. 4597
with hose grip Ø 20 (1/2" - 5/8")
art. 4598
with hose grip Ø 26 (3/4")

SPRINKLERS ON SPIKE FOR IN LINE COUPLING



FIXED AT 360°

- art. 4775**
with male couplings
- art. 4776**
with multi-diameter hose connectors
- art. 4777**
with hose grips Ø 20 (1/2" - 5/8")
- art. 4778**
with hose grips Ø 26 (3/4")

SPIKE FOR IN LINE COUPLING WITHOUT SPRINKLER

- art. 4779**
3/4" male with male couplings

MOBILE ARM

- art. 4785**
with male couplings
- art. 4786**
with multi-diameter hose connectors
- art. 4787**
with hose grips Ø 20 (1/2" - 5/8")
- art. 4788**
with hose grips Ø 26 (3/4")

PULSATING (ADJUSTABLE)

- art. 4795**
with male couplings
- art. 4796**
with multi-diameter hose connectors
- art. 4797**
with hose grips Ø 20 (1/2" - 5/8")
- art. 4798**
with hose grips Ø 26 (3/4")



SPRINKLERS ON GEMINI BASE



GEMINI FIXED
art. 4630
360° with male coupling



GEMINI MOBILE ARM
art. 4640
with male coupling




GEMINI PULSATING ADJUSTABLE
(BALLASTED AND WITH SPIKE)
art. 4650
with male coupling



GEMINI BASE WITH FLOW REGULATOR MALE
COUPLING (BALLASTED AND WITH SPIKE)
art. 4660
with male coupling

SPRINKLERS TO BE CONNECTED TO ART. 4660



art. 4566
art. 4568
art. 4570



art. 4590

- art. 4566** fixed at 90°
- art. 4568** fixed at 180°
- art. 4570** fixed at 360°
- art. 4580** mobile arm
- art. 4590** pulsating (adjustable)



SPRINKLERS ON TRIPOD



FIXED AT 360°

art. 4666
with male coupling 110 cms height

art. 4667
with male coupling 60 cms height

art. 4668
with male coupling 40 cms height



MOBILE ARM

art. 4671
with male coupling 110 cms height

art. 4672
with male coupling 60 cms height

art. 4673
with male coupling 40 cms height



PULSATING (ADJUSTABLE)

art. 4681
with male coupling 110 cms height

art. 4682
with male coupling 60 cms height

art. 4683
with male coupling 40 cms height

TRIPOD




TRIPOD WITH MALE COUPLING AND FLOW REGULATOR

art. 4686 110 cms height

art. 4687 60 cms height

art. 4688 40 cms height

SPRINKLERS TO BE CONNECTED TO ART. 4686-4687-4688



art. 4566 Fixed at 90°

art. 4568 Fixed at 180°

art. 4570 Fixed at 360°

art. 4580 mobile arm

art. 4590 pulsating (adjustable)

OSCILLATING SPRINKLERS

ADJUSTABLE SPRAY COVERAGE FROM 10° TO 100° WITH 15 AND 19 ORIFICE SPRAY BAR

WITH ALUMINIUM
SPRAY BAR ▶



art. 4689
15 holes spray bar




art. 4689/1
15 holes spray bar
with a base to fit the sprinkler on tripod and an elbow
with quick connector and male coupling (**art. 4695**)







art. 4690
19 holes spray bar



art. 4690/1
19 holes spray bar
with a base to fit the sprinkler on tripod and an elbow
with quick connector and male coupling (**art. 4695**)



You can regulate the sector
(surface to water) by moving
the two black "cams" on the
turbine.



WITH ABS SPRAY BAR ▶



art. 4691
15 holes spray bar



art. 4691/1
15 holes spray bar
with a base to fit the sprinkler on tripod and an elbow
with quick connector and male coupling (**art. 4695**)



art. 4692
19 holes spray bar



art. 4692/1
19 holes spray bar
with a base to fit the sprinkler on tripod and an elbow
with quick connector and male coupling (**art. 4695**)

FILTER CLEANING AND MAINTENANCE



ESTIMATED TECHNICAL DATA

PERFORMANCES

15 HOLES SPRAY BAR:

2 bar/28 psi \approx 20 sq.m. \rightarrow max 110 sq.m.
4 bar/56 psi \approx 35 sq.m. \rightarrow max 200 sq.m.

19 HOLES SPRAY BAR:

2 bar/28 psi \approx 25 sq.m. \rightarrow max 130 sq.m.
4 bar/56 psi \approx 40 sq.m. \rightarrow max 220 sq.m.

TRIPOD



art. 4695

plastic tripod - 60 cms. height with an elbow with quick connector and male coupling, for oscillating sprinklers **artt. 4689/1, 4690/1, 4691/1 e 4692/1**

SPARE PARTS



art. 4689/6 15 holes aluminium spray bar

art. 4690/6 19 holes aluminium spray bar

art. 4691/6 15 holes ABS spray bar

art. 4692/6 19 holes ABS spray bar



art. 4995/1

spike with fixing nut for oscillating sprinklers **artt. 4689/1, 4690/1, 4691/1 e 4692/1**

TROLLEYS AND HOSE REEL

IN ALUMINIUM AND POLYPROPYLENE. LIGHT, STURDY, PRACTICAL IN ELEGANT SUIT CASE 40X40X16

PORTABLE HOSE REEL



art. 4852
portable hose reel for 50 mts. garden hose Ø 14x19 (1/2")



MOUNTING PLATE



PORTABLE HOSE REEL MOUNTING PLATE
art. 4852/7
grey



HOSE TROLLEY



art. 4857
trolley for 50 m. of garden hose Ø 14x19 (1/2")

art. 4862
trolley for 70 m. of garden hose Ø 14x19 (1/2")

art. 4867
trolley for 70 m. of garden hose Ø 14x19 (1/2")

HOSE HANGER



art. 4895 grey
art. 4895/1 white
art. 4895/2 yellow
art. 4895/3 orange
art. 4895/4 green
art. 4895/5 blue

PROFESSIONAL PROGRAMME

MALE COUPLINGS FOR QUICK CONNECTORS ▶



art. 4406
1" F high flow (15 mm Flow)
with adapter 1" M - 3/4" F



art. 4416
1" male high flow (15 mm flow)



art. 4432
high flow niplex (15 mm Flow)



art. 4433
niplex with high flow male
coupling (15 mm Flow)
and 1 standard male coupling
(9 mm Flow)
To connect the "professional"
system to the "standard" one

QUICK CONNECTOR ▶



art. 4458
high flow (15 mm Flow)
with hose grip Ø 26 (3/4")

COUNTER ASSORTMENT

art. 4743
1 showcase of 50x40 cms.
Contents:
4406/15 - 4416/10 - 4432/5
4433/5 - 4434/5 - 4435/5
4458/30 - 4546/8 - 4604/5
4609/5

"Y" JUNCTIONS



art. 4434
with 3 high flow male couplings
(15mm Flow)



art. 4435
with 1 high flow male coupling
(15mm Flow) and 2 standard male
couplings (9mm Flow)
To connect the "professional"
system to the "standard" one

NOZZLES



1" NOZZLE
art. 4546
with high Flow male coupling
(15mm Flow)

PISTOL GRIPS



NOZZLE WITH PISTOL GRIP
art. 4604
with high Flow male coupling
(15mm Flow)



SHOWER SPRAY WITH PISTOL GRIP
art. 4609
with high Flow male coupling
(15mm Flow)



born in Genoa in 1963



producing in Valpolcevera since 1974



SIROFLEX® 

Siroflex UK
Unit D1 Cirrus Court
Aviation Business Park
Christchurch
BH23 6BW
Phone: 01202 577007
www.siroflex.uk
sales@siroflex.uk