#### SHIJIAZHUANG S D COMPANY LTD.

# RESIDENTIAL COMMERCIAL FENCE



#### SD

#### ABOUT US

Founded in 1996, Shijiazhuang S D Company Ltd. (aka, SD Company or SD) has been specialized in fence production and innovation for more than 25 years. Situated in the biggest steel production province, Hebei China, we strategically placed our factories in Cangzhou area, between major steel mills and Tianjin port, which has enabled us to have uninterrupted supply of raw materials and close access to port for on-time and urgent deliveries.

Wang Kaijun, founder of SD Company, has over 40 years industry experience, and is recognized as a pioneer in the fencing industry in China. He initiated the production of welded wire mesh, studded T post, Israel Y post, tie wire and many other fencing products in China. His pioneer spirit is well rooted in our culture and leads us to expand from utility fencing to three major areas: agricultural fence, commercial fence and residential fence. Most of our products have passed various home center's audit.

Through out the years, with professional knowledge and industry know-how, we have built a solid and reliable brand name in the fence industry by supporting many businesses to grow and expand. We constantly strive to stay at the forefront in innovation and market trends, continuously adding value to our customers.







SD

# ORNAMENTAL FENCE





#### | Features

- Easy to install.
- Superior quality appearance, UV and corrossion resistance.
- 5 years limited warranty or 10 years limited warranty.



SD





Height	3 ft - 8 ft (0.9 m - 2.4 m)
Width	5 ft - 10 ft (1.5 m - 3 m)
	1" x 1" (25 mm x 25 mm)
Rails	1.18" x 1.18" (30 mm x 30 mm)
	1.57" x 1.57" (40 mm x 40 mm)
	1" x 1" (25 mm x 25 mm)
Picket	3/4" x 3/4" (19 mm x 19 mm)
	5/8" x 5/8" (16 mm x 16 mm)
	2" x 2" (51 mm x 51 mm)
Fence Post	3" x 3" (76 mm x 76 mm)
rence Post	4" x 4" (101 mm x 101 mm)
	3" x 6" (76 mm x 152 mm)
Post Thickness	2.0 mm - 5.0 mm
Accessories	Bolts & Nuts & Screws
Material	Glavanized Steel
Surface	Chromate conversion coating and twice thermally-bonded polyester powder coating.
Color	High Gloss Black, Green, White, Semi Gloss Black etc.

Above listed are common styles. More specifications are available upon request.





Tel: +86 (311) 8777 4248
Cell/WhatsApp/Wechat: +1 (437) 343 8032
Email: olivia.wang@sd-fence.com
www.sd-fence.com
www.fencingfromchina.com

1

11

I













# **DOG KENNEL**







Length x Width	48" L x 48" W, 72" L x 48" W, 72" L x 72" W, 120" L x 72" W, 120" L x 96" W, 144" L x 120" W
Height	72", 84" etc.
Surface	Hot-dipped galvanized, Powder coated
0	

Above listed are common styles. More specifications are available upon request.



07

Sg



Dimension	6 m x 1.6 m x 2 m (Without Ceiling cloth) 6 m x 1.6 m x 2.2 m (With Ceiling cloth)
Surface	Chromate conversion coating and twice thermally-bonded polyester powder coating.

Above listed are common styles. More specifications are available upon request.

#### | Features

- Keep vegetables safe from raccoons,
  - rabbits, squirrels and birds.
- Trellis for climbing plants.
- Potted flowers wall.











#### **CURVED WELDED PANEL**

Height	0.8 - 2.5 m
Width	2.0 m, 2.5 m etc.
Opening	50 x 150 mm, 50 x 200 mm, 100 x 200 mm etc.
Wire Diameter	3 mm, 4 mm, 5 mm, 6 mm etc.
Surface	Hot-dipped galvanized Chromate conversion coating and twice thermally-bonded polyester powder coating.

Above listed are common styles. More specifications are available upon request.



### CHAIN LINK FENCE SYSTEM





CI	hain Link Fence	Height	5 ft, 6 ft, 7 ft16ft	
		Length	50 ft etc.	
1		Opening	1", 1 1/4", 1 1/2", 1 3/4", 2"	
Terminal Post		al Post	2 3/8" (ø 60 mm) with cap	
	Line 1	Post	1 7/8" (ø 48 mm) with cap	
Top Rail Tension Bar Accessories Surface		Rail	1 1/4" (ø 32 mm) with rail end and band	
		n Bar	3.8 mm T x 18 mm W including tension band	
		ories	Fence Tie, Gate Hinge, Gate Fork Latch, Tension Wire, Clips etc.	
		ace	Hot-dipped galvanized Chromate conversion coating and twice thermally-bonded polyester powder	

Above listed are common styles. More specifications are available upon request.







## **TEMPORARY FENCE**

### **CHAIN LINK TEMPORARY FENCE**

Panel Size	6' H x 10' W, 6' H x 12' W, 8' H x 10' W, 8' H x 12' W etc.
Opening	2" (50 mm), 2 3/8" (60 mm), 2 3/4" (70 mm) etc.
Tube size	1" (ø 25 mm), 1 1/4" (ø 32 mm), 1 5/8" (ø 42 mm) etc.
Surface	Galvanized, Powder coated

Above listed are common styles. More specifications are available upon request.







Tel: +86 (311) 8777 4248 Cell/WhatsApp/Wechat: +1 (437) 343 8032 Email: olivia.wang@sd-fence.com www.sd-fence.com www.fencingfromchina.com

JY

#### WELDED TEMPORARY FENCE





Panel Size	6' H x 10' W, 6' H x 12' W, 8' H x 10' W, 8' H x 12' W etc.
Opening	100 mm x 300 mm, 60 mm x 120 mm, 50 mm x 100 mm etc.
Tube Size	Square tube: 1" x 1" (25 mm x 25 mm), 1/4" x 1/4" (32 mm x 32 mm), 1 5/8" x 1 5/8" (42 mm x 42 mm) etc. Round tube: 1" (ø 25 mm), 1 1/4" (ø 32 mm), 1 5/8" (ø 42 mm) etc.
Surface	Galvanized, Powder coated

Above listed are common styles. More specifications are available upon request.











#### **CROWD CONTROL BARRIER**





## SS GARDEN & DECORATION









# **GABION BOX**



Opening	30mm x 50mm, 30mm x 100mm, 50mm x 50mm, 50mm x 100mm, 75mm x 75mm, 75mm x 150mm, 100mm x 100mm etc.
Wire Diameter	3.0 mm - 6.0 mm
Box Length	0.3 m - 5.0 m
Box Width	0.3 m - 1.5 m
Box Height	0.3 m - 1.5 m
Surface	Hot-dipped galvanized, PVC coated

Above listed are common styles. More specifications are available upon request.



#### SØ





Height	24", 36", 48" ( 2 ft, 3 ft, 4 ft ) etc.
Length	50 ft, 100 ft, 300 ft, 330ft etc.
Opening	4" x 4", 2" x 4", 1.5" x 1.5" etc.
Material	PP 100% cloth and Galvanized Wire
Fabric Weight	50 gsm, 70 gsm, 80 gsm, 100 gsm, 185 gsm etc
Color	Black, green, orange, blue etc.

# WIREBACK SILT FENCE







Tel: +86 (311) 8777 4248 Cell/WhatsApp/Wechat: +1 (437) 343 8032 Email: olivia.wang@sd-fence.com Web: www.sd-fence.com www.fencingfromchina.com Add: Suite 1501, New Cooperation Plaza B1, No. 68 He Zuo Road, Shijiazhuang, China