



UNNOROOM  
2023



## ABOUT US

**UNNOROOM**, headquartered in Shanghai with rep offices in Ningbo, Shunde, London and Seoul, specialises in air technology and with manufacturing capabilities in air purifier, dehumidifier, humidifier, air circulator and heater.

With wholesale and trading clients from all over the world, **UNNOROOM** is known for its forward-thinking product design and innovation capability, accurate product curation and recommendation and unparalleled execution speed.

Customers come first. **UNNOROOM** leverages its global networks to best serve its longstanding customers and form strategic partnerships. Always a message away.

Product innovation and iteration at its core, **UNNOROOM** dedicates certain funding to new product development and existing product improvement. **UNNOROOM** also welcomes partnerships with its clients to co-develop innovative products and co-open the new markets.

**UNNOROOM** is part of Shanghai Xifule Brand Development Co.,Ltd with its manufacturing facilities in Ningbo, Zhejiang China.

|                       |           |
|-----------------------|-----------|
| <b>HEATER</b>         | <b>4</b>  |
| <b>AIR CIRCULATOR</b> | <b>10</b> |
| <b>AIR PURIFIER</b>   | <b>16</b> |
| <b>DEHUMIDIFIER</b>   | <b>34</b> |
| <b>HUMIDIFIER</b>     | <b>38</b> |

# HEATER

## FIVE-FACETED HEATER HT-QZF2000

- Five heating facets; top facet serves to warm up beverages and food
- Each facet has two quartz tubes, separate control
- Foot-touch control panel
- 0 noise
- Suitable for indoor and outdoor (camping) environment
- Handle on top; portable
- Timer
- Tilt-over protection (auto stop if fall)
- Overheat protection
- Color of choice

---

|                 |             |
|-----------------|-------------|
| Heating Type    | Quartz      |
| Power(W)        | 2000        |
| Noise Level(dB) | 0           |
| Dimension(mm)   | 310×310×510 |

---



# DESKTOP MINI SERIES

|                 |             |
|-----------------|-------------|
| Heating Type    | PTC         |
| Power(W)        | 1800        |
| Noise Level(dB) | <65         |
| Dimension(mm)   | 285×135×300 |



## HT- PT1800

- Fire place imitation - sound effect and visuals
- Two power levels; with / without fire place effect
- Leather strap on top; portable
- Tilt-over protection (auto stop if fall)
- Overheat protection





**HT-PT600**

- Indicator light
- Overheat protection
- Tilt-over protection
- Two power levels
- Optional: oscillation



**HT-PT950**



- Overheat protection
- Tilt-over protection
- Two power levels
- Leather strap; portable

**HT-PT1500a**

**HT-PT600**

**HT-PT950**

**HT-PT1500**

Heating Type

PTC

PTC

PTC

Power(W)

600

950

1500

Noise Level (dB)

<65

<65

<65

Dimension(mm)

132\*132\*290

129\*129\*214

198\*78\*205

|               |             |
|---------------|-------------|
| Heating Type  | PTC         |
| Power(W)      | 2000        |
| Dimension(mm) | 230×230×630 |
| Noise level   | <65         |



## HT- PT2000

- Overheat protection
- Child lock
- Tilt-over protection
- Temperature display
- Temperature 15-35 degree setting
- Timer: 1/2/4/8h
- 80 degree wide angle air delivery
- Wind types: natural / warm / hot wind

- Infrared heating; beyond surface heating
- Touch screen control panel on top
- Tilt-over and overheat protection
- Minimalist design; super thin width
- Strong pestal holding

### HT-IR1200



- Wind type: natural / warm / hot wind
- 3 power levels
- Overheat and tilt-over protection
- 3 seconds instant heating up

### HT-PT1500b



|                  | HT-IR1200   | HT-PT1500b  |
|------------------|-------------|-------------|
| Heating Type     | Infra red   | PTC         |
| Power(W)         | 1200        | 1500        |
| Noise Level (dB) | 0           | <65         |
| Dimension(mm)    | 400×130×440 | 220×185×210 |

# AIR CIRCULATOR

**SMART 99-SPEED  
AIR CIRCULATOR**

**FN-AC99**





- Patented 99-speed fan;
- Smooth switch across 1-99 steps of wind speed
- 16 blades
- Flying shuffle AC CV (continuously variable) fan (patented technology)
- Energy saving compared to equivalent AC air circulator
- With remote control
- Patented technology: AC Y-bridge CV; electric motor anti blocking and turning technology; kinds of flying shuttle controller; front cover shuttle control; fan blade power generation technology; hollow motor technology; fan blade motor
- Derivative types: a) Flying shuttle DC frequency conversion motor fan b) flying shuttle epidemic disinfection fan

---

|                         |                               |
|-------------------------|-------------------------------|
| <b>Current Type</b>     | AC CV (continuously variable) |
| <b>Power(W)</b>         | 50                            |
| <b>Dimension</b>        | 34×34×100                     |
| <b>Speeds</b>           | 99                            |
| <b>Timer</b>            | 9                             |
| <b>Oscillation Type</b> | 100°(L/R)                     |

---

# FN-AC-T75a

- Max wind speed: 8.6/s
- 6 speeds with remote control
- 3 fan mode: normal / sleep / eco
- Eco: auto adjust wind speed according to the temperature






# FN- ACT75b

- Touch screen
- Full function LED with temperature display
- Oscillating: synchronous motor
- Pure copper wire motor

Current type  
Power(W)  
Wind Type  
Speeds  
Timer(hr)  
Oscillation Type

|                  | FN-ACT75a            | FN-ACT75b                |
|------------------|----------------------|--------------------------|
| Current type     | AC                   | AC                       |
| Power(W)         | 75                   | 50                       |
| Wind Type        | normal / sleep / eco | sleep / normal / natural |
| Speeds           | 6                    | 3                        |
| Timer(hr)        | 15                   | 15                       |
| Oscillation Type | L/R                  | L/R                      |

## FN-DC26a



- 12 speeds with remote control
- Adjustable height (desk top or floor standing)
- Foot touch panel design
- Wind types: sleep / normal / natural

|                  |                          |
|------------------|--------------------------|
| Current Style    | DC                       |
| Power(W)         | 26                       |
| Wind Type        | sleep / normal / natural |
| Speeds           | 12                       |
| Timer            | 8                        |
| Oscillation Type | 90°(R/L)                 |




## FN-DC40

- 15 speeds with remote control
- 360 degree oscillation
- Rechargeable battery
- Optional: wifi / bluetooth control

|                  |                      |
|------------------|----------------------|
| Current Style    | DC                   |
| Power(W)         | 40                   |
| Speeds           | 15                   |
| Timer            | 8                    |
| Oscillation Type | Left/Right & Up/Down |



## FN-DC24



---

|                  |        |
|------------------|--------|
| Current Style    | DC     |
| Power(W)         | 24     |
| Wind Type        | Normal |
| Speeds           | 6      |
| Timer            | 7      |
| Oscillation Type | 360°   |

---

- Oscillation type: L/R 80°; U/D 90°; L/R + U/D together
- 12 meter wind delivery
- Optional: temperature auto-adjust; negative ions
- With remote control

- 12 speeds with remote control
- Adjustable height (desk top or floor standing)
- Foot touch panel design
- Wind types: sleep / normal / natural

## FN-DC24b

---

|                  |          |
|------------------|----------|
| Current Style    | DC       |
| Power(W)         | 24       |
| Speeds           | 12       |
| Timer            | 8        |
| Oscillation Type | 90°(L/R) |

---



# AIR PURIFIER

## AP-6010

- With aromatherapy design
- 7-color mood light; user friendly
- Filter replacement indicator
- Suitable for desk-top environment

---

|                    |                          |
|--------------------|--------------------------|
| CADR(m3/h)         | 60                       |
| Coverage Area (m3) | 10                       |
| Filter Type        | primary filter + HEPA 11 |
| Noise Level(dB)    | <50                      |
| Power(W)           | 10                       |
| Dimension(mm)      | 160×160×264              |

---





- High efficiency filter - filter PM 2.5 and PM 0.3
- Real air volume design
- Filter replacement indicator
- USB Type-C interface
- DC 5V power supply

---

|                    |                   |
|--------------------|-------------------|
| CADR(m3/h)         | 30                |
| Coverage Area (m3) | micro environment |
| Filter Type        | HEPA 11           |
| Noise Level(dB)    | <45               |
| Power(W)           | DC 5V             |
| Dimension(mm)      | 168×168×110       |

---

## AP-305V

- High efficacy: 99.97% airborne particles, 0.3 microns
- Particles removal: pollen, dust, allergens
- VOC removal: VOCs, smoke, household odors, PM 2.5 sensor
- Fan speed: 3
- Timer: 1/2/4/8 hours
- Control type: touch control
- Optional: negative ion, wifi, UVC light

---

|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 240                          |
| Coverage area (m3) | 30                           |
| Filter Type        | pre+HEPA 13+activated carbon |
| Noise Level(dB)    | <50                          |
| Power(W)           | 25                           |
| Dimension(mm)      | 268×258×380                  |

---



## AP-24025



|                    |                        |
|--------------------|------------------------|
| CADR(m3/h)         | 80                     |
| Coverage Area (m3) | 10                     |
| Filter Type        | HEPA 11 or 13 + carbon |
| Noise Level(dB)    | 40                     |
| Power(W)           | 10.5                   |
| Dimension(mm)      | 200×200×254            |

## AP-8010a

- 3 speeds and sleep mode
- Timer: 2/4/8 hours
- Filter replacement indicator



|                    |                           |
|--------------------|---------------------------|
| CADR(m3/h)         | 120                       |
| Coverage area (m3) | 15                        |
| Filter Type        | pre-filter+HEPA 13+carbon |
| Noise Level(dB)    | 40                        |
| Power(W)           | 14.5                      |
| Dimension(mm)      | 228×228×312               |

## AP-12014

- DC power: 120-240 V 50/60 Hz
- Timer: 1/2/4/8 hours
- 3 speeds and sleep mode
- Filter replacement indicator
- UVC light plus photocatalyst effectively eliminating bacteria, virus and odors - optional
- Auto mode air quality indicator - optional
- Negative ions - optional





---

|                    |             |
|--------------------|-------------|
| CADR(m3/h)         | 90          |
| Coverage area (m3) | 11          |
| Filter Type        | HEPA 11     |
| Noise Level(dB)    | <52         |
| Power(W)           | 23          |
| Dimension(mm)      | 195*195*333 |

---

## AP-9023

- 3 fan speeds
- Blue mood light
- Dual usage - air fan
- Filter replacement indicator
- Optional: air quality infrared sensor

---

|                    |                           |
|--------------------|---------------------------|
| CADR(m3/h)         | 80                        |
| Coverage Area (m3) | 10                        |
| Filter Type        | pre-filter+HEPA 13+carbon |
| Noise Level(dB)    | 40                        |
| Power(W)           | 10.5                      |
| Dimension(mm)      | 200*200*252               |

---

## AP-8010b

- DC power: 120-240 V 50/60 Hz
- Sound level: 41dB (Min) - 54dB (Max)





|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 120                          |
| Coverage area (m3) | 16                           |
| Filter Type        | pre+HEPA 13+activated carbon |
| Noise Level(dB)    | 25-48                        |
| Power(W)           | 12                           |
| Dimension(mm)      | 207×207×323                  |

## AP-12012

- Touch control panel
- Timer setting
- Color lights effect
- 4 speeds: low / mid / high / sleep mode
- DC motor
- Filter replacement indicator
- Optional: wifi control

|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 100                          |
| Coverage area (m3) | 13                           |
| Filter Type        | pre+HEPA 13+activated carbon |
| Noise Level(dB)    | <48                          |
| Power(W)           | 12                           |
| Dimension(mm)      | 182×182×290                  |

## AP-10012

- Touch control panel
- Child lock
- 3 speeds with sleep mode
- Color lights indicator
- Filter replacement indicator
- Optional: wifi control





---

|                                 |                           |
|---------------------------------|---------------------------|
| CADR(m <sup>3</sup> /h)         | 100                       |
| Coverage area (m <sup>3</sup> ) | 15                        |
| Filter Type                     | pre+HEPA+activated carbon |
| Noise Level(dB)                 | <30                       |
| Power(W)                        | 37                        |
| Dimension(mm)                   | 160×160×268               |

---

## AP-10037

- Rechargeable battery: 7-20 hour usage time
- Negative ions
- Night light
- 3 fan speeds with auto mode
- Bladeless motor - super quiet
- Air quality indicator
- PM 2.5 sensor + auto speed adjustment according to air quality



|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 105                          |
| Coverage Area (m3) | 20                           |
| Filter Type        | pre+HEPA 13+activated carbon |
| Noise Level(dB)    | 20-50                        |
| Power(W)           | 25                           |
| Dimension(mm)      | 240×240×370                  |

## AP-10525

- High efficacy: 99.97% airborne particles, 0.3 microns
- Particles removal: pollen, dust, allergens
- VOC removal: VOCs, smoke, household odors, PM 2.5 sensor
- 3 speeds with sleep mode: low / mid / high
- Auto-off timer: 2/4/8 hours
- Child lock
- Control type: touch control
- Optional: negative ion, wifi, UVC light

|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 220                          |
| Coverage Area (m3) | 26                           |
| Filter Type        | pre+HEPA 13+activated carbon |
| Noise Level(dB)    | <50                          |
| Power(W)           | 25                           |
| Dimension(mm)      | 245×230×350                  |

## AP-22025

- High efficacy: 99.97% airborne particles, 0.3 microns
- Particles removal: pollen, dust, allergens
- VOC removal: VOCs, smoke, household odors, PM 2.5 sensor
- Fan speed: 3
- Filter replacement indicator
- Auto-off timer: 1/2/4/8 hours
- Control type: touch control
- Optional: negative ion, wifi, UVC light





---

|                                 |                              |
|---------------------------------|------------------------------|
| CADR(m <sup>3</sup> /h)         | 240                          |
| Coverage Area (m <sup>3</sup> ) | 16-28                        |
| Filter Type                     | pre+Hepa 13+activated carbon |
| Noise Level(dB)                 | <60                          |
| Power(W)                        | 50                           |
| Dimension(mm)                   | 220×220×360                  |

---



## AP-24050

- 4 stage filtration
- Air ionizer
- AC motor
- Dust sensor
- Touch screen panel
- 8 hour timer with sleep mode
- 4 fan speeds with auto mode
- Filter replacement indicator

# AIR PURIFIER & HUMIDIFIER 2 IN 1

AP-HD-40035

- 4 speeds and sleep mode
- Auto mode - air quality indicator by 3 colors
- UVC light plus photocatalyst effectively eliminating bacteria, virus and odors
- PM 2.5 digital display
- Negative ion released
- 12 hour timer setting
- Filter replacement indicator
- Optional: Wi-Fi control





- Air purifier and humidifier 2 in 1



- Water tank: 3.5 L
- Max mist output: 230ml/h
- Fog-free humidification  
Will keep the air moist while the air purifier is working

|                    |                        |                 |             |
|--------------------|------------------------|-----------------|-------------|
| CADR(m3/h)         | 400                    | Noise Level(dB) | <62         |
| Coverage area (m3) | 28-48                  | Power(W)        | 35          |
| Filter Type        | Pre + HEPA 13 + carbon | Dimension(mm)   | 315×315×633 |

# AP-28045

- Mode: high / mid / sleep mode
- Filter replacement indicator after 2200 hours
- Timer: 2/4/8 hours
- Infrared sensor
- Environmental quality display
- Optional: Wi-Fi app

---

|                                 |                               |
|---------------------------------|-------------------------------|
| CADR(m <sup>3</sup> /h)         | 280                           |
| Coverage area (m <sup>3</sup> ) | 35                            |
| Filter Type                     | Pre filter + HEPA 11 + carbon |
| Noise Level(dB)                 | <60                           |
| Power(W)                        | 45                            |
| Dimension(mm)                   | 244×244×510                   |

---






---

|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 400                          |
| Coverage area (m3) | 28-48                        |
| Filter Type        | Pre+HEPA 13+activated carbon |
| Noise Level(dB)    | <60                          |
| Power(W)           | 35                           |
| Dimension(mm)      | 252×252×476                  |

---

## AP-40035

- 4 speeds and sleep mode
- Auto mode - air quality indicator by 3 colors
- UVC light plus photocatalyst effectively eliminating bacteria, virus and odors
- PM 2.5 digital display
- Negative ion released
- 12 hour timer setting
- Filter replacement indicator
- Optional: Wi-Fi control

## AP-13023


- 3 speeds with timer 2/4/8 hours
- Filter replacement indicator after 2200 hours
- Night light
- Optional: air quality infrared sensor, wifi app, negative ion

---

|                    |   |
|--------------------|---|
| CADR(m3/h)         | 130                                     |
| Coverage area (m3) | 15                                      |
| Filter Type        | Pre-filter + HEPA 11 + activated carbon |
| Noise Level(dB)    | <55                                     |
| Power(W)           | 23                                      |
| Dimension(mm)      | 272×272×400                             |

---





## AP-32060

---

|                    |                               |
|--------------------|-------------------------------|
| CADR(m3/h)         | 320                           |
| Coverage area (m3) | 38                            |
| Filter Type        | Pre + HEPA + activated carbon |
| Noise Level(dB)    | 50                            |
| Power(W)           | 60                            |
| Dimension(mm)      | 352×222×576                   |

---

- Anti-bacteria pre-filter + HEPA 11/13 + activated carbon
- Negative ions released
- Auto mode - air quality indicator by 3 colors
- Timer: 2/4/8 hours
- Child lock
- Filter replacement indicator
- PM 2.5 digital display
- UVC light effectively eliminating bacteria, virus and odors etc.
- Optional: remote control, Wi-Fi control

# AP-37050


- Mode: auto / low / mid / high
- Timer: 2/4/8 hours
- Night light
- Child lock
- Optional: Wi-Fi, UVC

---

|                                 |                     |
|---------------------------------|---------------------|
| CADR(m <sup>3</sup> /h)         | 370                 |
| Coverage area (m <sup>3</sup> ) | 45                  |
| Filter Type                     | Pre + HEPA + carbon |
| Noise Level(dB)                 | <60                 |
| Power(W)                        | 50                  |
| Dimension(mm)                   | 205×200×585         |

---





|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 500                          |
| Coverage area (m3) | 35-60                        |
| Filter Type        | Pre+HEPA 13+activated carbon |
| Noise Level(dB)    | <70                          |
| Power(W)           | 73                           |
| Dimension(mm)      | 320×320×745                  |

- 5 stages filtration
- Air ionizer
- Dust sensor
- Touch control panel
- 5 fan speeds
- 8 hour timer with auto and sleep mode
- Air quality display
- Child lock
- Filter replacement indicator

## AP-50073

|                    |                              |
|--------------------|------------------------------|
| CADR(m3/h)         | 350                          |
| Coverage area (m3) | 46                           |
| Filter Type        | Pre+HEPA 13+activated carbon |
| Noise Level(dB)    | 23-50                        |
| Power(W)           | 35                           |
| Dimension(mm)      | 260×260×460                  |

- Air quality display
- Timer setting
- Child lock
- Filter replacement indicator
- DC motor
- Infrared sensor
- Temperature and humidity display
- 5 speed mode: sleep / auto / low / mid / high
- Optional: UV light / negative ion / wifi control

## AP-35035





---

|                                 |                           |
|---------------------------------|---------------------------|
| CADR(m <sup>3</sup> /h)         | 600                       |
| Coverage area (m <sup>3</sup> ) | 42-72                     |
| Filter Type                     | Pre+HEPA 13+active carbon |
| Noise Level(dB)                 | <70                       |
| Power(W)                        | 75                        |
| Dimension(mm)                   | 328×328×786               |

---

- Air ionizer
- UV lamp
- Dust sensor
- DC motor
- Touch panel operation
- Top lift function / top rotation function
- Turbo function
- 4 fan speeds
- Anion function



## AP-60075






---

|                    |                                |                 |             |
|--------------------|--------------------------------|-----------------|-------------|
| CADR(m3/h)         | 200                            | Noise Level(dB) | <50         |
| Coverage area (m3) | 25                             | Power(W)        | 30          |
| Filter Type        | Pre + HEPA 13+activated carbon | Dimension(mm)   | 620×400×135 |

---



## WALL-MOUNTED AIR PURIFIER AP-20030

- High efficacy: 99.97% airborne particles, 0.3 microns
- Filter replacement indicator
- Particles removal: pollen, dust, allergens
- VOC removal: VOCs, smoke, household odors, PM 2.5 sensor
- Air quality display
- Fan speed: 3
- Auto-off timer: 1/2/4/8 hours
- Touch panel control
- Remote control: yes
- Optional: wifi control, UVC lights, negative ion

# DEHUMIDIFIER



**DH-75045**



- HEPA filter purification: HEPA 11 / 13
- CRAR: 35 m<sup>3</sup> / h
- Touch control panel
- Auto-off when water tank full
- Filter replacement indicator after 2000 hours
- Optional: wifi

---

|                                 |             |
|---------------------------------|-------------|
| Ability                         | 750ml/day   |
| Coverage Area (m <sup>3</sup> ) | 20          |
| Water Tank(L)                   | 1           |
| Noise Level(dB)                 | <45         |
| Power(W)                        | 45          |
| Dimension(mm)                   | 193×215×315 |

---

|                    |             |
|--------------------|-------------|
| Ability            | 100ml/cycle |
| Coverage area (m3) | 5           |
| Water Tank(L)      | n.a.        |
| Noise Level(dB)    | 0           |
| Power(W)           | 45          |
| Dimension(mm)      | 120×120×270 |



## DH-10045

- Absorbent material: silica gel
- Rechargeable and cycled more than 300 times: silica gel turns into dark green for one cycle (100ml); charge the unit till the silica gel turns back to orange to start working again
- 2 hour recovery
- Indicator light



|                    |             |
|--------------------|-------------|
| Ability            | 300ml/day   |
| Coverage area (m3) | 15          |
| Water Tank(L)      | 1.4         |
| Noise Level(dB)    | <35         |
| Power(W)           | 23          |
| Dimension(mm)      | 146*146*227 |

## DH-30023

- Touch control panel
- Minimalist design
- Seven color light
- Auto-off when water tank is full
- Material: ABS plastic



---

|                    |             |
|--------------------|-------------|
| Ability            | 600 ml/day  |
| Coverage area (m3) | 25          |
| Water Tank(L)      | 1.2         |
| Noise Level(dB)    | <44         |
| Power(W)           | 60          |
| Dimension(mm)      | 231×130×376 |

---

## DH-60060

- Ultra quiet Peltier technology
- With washable filter to purify air
- Auto off and LED indicator when full
- 2 speeds
- Timer: 2/4/8 hours
- Night light
- UVC light plus photocatalyst effectively eliminating bacteria, virus, odor - optional

# DH-1400580

- Dehumidification: 6.7L/day (20 degree, 70% RH), 14L/day (30 degree, 80% RH)
- Evaporative condensation technology, no compressor and no Freon
- Clothes drying in all seasons
- Air purifier with Hepa filter
- Timer: 2/4/8 hours
- An external continuous drain
- Control humidity display with body sensor

---

|                    |             |
|--------------------|-------------|
| Ability            | 14L/day     |
| Coverage area (m3) | <60         |
| Water Tank(L)      | 5.2L        |
| Noise Level(dB)    | <44         |
| Power(W)           | 580         |
| Dimension(mm)      | 412×293×580 |

---



# HUMIDIFIER

## HM-20025

- Color: white / OEM color
- Mode: low / mid / high
- Night light
- Auto off when tank empty

---

|                    |             |
|--------------------|-------------|
| Ability            | 200ml/h     |
| Coverage area (m3) | 40          |
| Volume(L)          | 4           |
| Noise Level(dB)    | <35         |
| Power(W)           | 25          |
| Dimension(mm)      | 320×112×344 |

---





---

|                    |             |
|--------------------|-------------|
| Ability            | 300ml/h     |
| Coverage area (m3) | 20          |
| Volume(L)          | 3.2         |
| Noise Level(dB)    | <42         |
| Power(W)           | 23          |
| Dimension(mm)      | 195×205×340 |

---

## HM-30023

- Super quiet ultrasonic technology
- Adjustable cool mist spray with control knob
- 360 degree rotatable mist nozzle
- Auto off when lack of water
- Aroma diffuser box

---

|                    |             |
|--------------------|-------------|
| Ability            | 250ml/h     |
| Coverage area (m3) | 20          |
| Volume(L)          | 5.3         |
| Noise Level(dB)    | <42         |
| Power(W)           | 25          |
| Dimension(mm)      | 330×197×311 |

---

## HM-25025

- Super quiet ultrasonic technology
- Adjustable cool mist spray with control knob
- 360 degree rotatable dual nozzle
- Auto off when lack of water
- Aroma diffuser box
- Night light



## HM-502



- Auto off when out of water
- Water refill indicator
- Night light effect
- 2 fog levels - continuous / intermittent
- Rechargeable battery - 12-18 running time



## HM-507

- Auto off when out of water
- Water refill indicator
- Night light effect
- 2 fog levels - continuous / intermittent
- Rechargeable battery - 18-28 running time

Ability  
Coverage Area (m3)  
Volume(L)  
Noise Level(dB)  
Power(W)  
Dimension(mm)

30-50ml/h  
micro environment  
0.5  
minimal  
1.25-2  
95×95×129

30-50ml/h  
micro environment  
0.75  
minimal  
7.4  
97×97×118

## HM-1407



- Motion sensor control
- Rechargeable battery - 2 hour running time
- Night light
- LED display
- 2 level mist volume
- Auto off when out of water



## HM-552

- 2 fog levels
- Colorful night lights
- Rechargeable battery - 10 hour running time

Ability  
Coverage area (m3)  
Volume(L)  
Noise Level(dB)  
Power(W)  
Dimension(mm)

80-140ml/h  
micro environment  
0.8  
minimal  
7.4  
98×98×202

25-55ml/h  
micro environment  
0.38  
minimal  
2.2  
92×92×120

## HM-703



---

|                    |                   |
|--------------------|-------------------|
| Ability            | 40-70ml/h         |
| Coverage area (m3) | micro environment |
| Volume(L)          | 0.28              |
| Noise Level(dB)    | 20-30             |
| Power(W)           | 1-2.5             |
| Dimension(mm)      | 78×78×128         |

---

- Heavy fog
- Night light - 2 modes
- Auto off when out of water
- Rechargeable battery - 4 hour running time
- Color of choice / OEM color

---

|                    |                   |
|--------------------|-------------------|
| Ability            | 30-50ml/h         |
| Coverage area (m3) | micro environment |
| Volume(L)          | 0.22              |
| Noise Level(dB)    | 20-30             |
| Power(W)           | <2.5              |
| Dimension(mm)      | 70×70×127         |

---



## HM-503

- 2 mist volume levels
- Night light effect
- Timed power off
- 2 operation mode: continuous fog running (5 hours) / intermittent fog running (5 hours)

**Cyrus Yu**  
**SENIOR ACCOUNT MANAGER**

+44 189-0332-3432  
+86 153-1637-2969  
cyrus@unnoroom.com

1237 Fu Xing Zhong Lu,

**WWW.UNNOROOM.COM**

