



**GRANIT**  
QUALITY PARTS

**GARDEN TECHNOLOGY  
SPECIAL 2022**

2022

## GARDEN TECHNOLOGY REPLACEMENT PARTS AND ACCESSORIES

- Batteries
- Cutting technology
- Engine parts
- Replacement parts for walk-behind, ride-on and robotic mowers
- Workshop supplies / Oil and lubrication technology
- GRANIT BLACK EDITION
- Work protection/PPE



# » GRANIT PartStream

## Smart search function in the GRANIT webshop

With the interactive spare parts catalogue **PartStream**, we have created an intelligent search function in the GRANIT web shop with which you can easily and, above all, quickly find the right spare part. You can access the **PartStream** search with just a few clicks on the tab *Special searches* in the GRANIT web shop.

Of course, the function is also available in the mobile view.

Our spare parts search is specifically designed for motorized equipment for gardening and forestry, such as small engines, lawn mowers, riding mowers, chainsaws, brush cutters and much more. Through **PartStream** you can find OEM spare parts data from ten market-leading suppliers in the small equipment sector:

- Alpina
- Briggs & Stratton
- Briggs & Stratton Power Products
- Briggs & Stratton Yard Power
- Castलगarden
- Husqvarna Handheld
- Husqvarna Power Equipment
- Kohler Engine
- Snapper
- Stiga

With the help of flexible search criteria, including model, part number or part description, identifying the right spare part is easy. Interactive illustrations provide additional help in this regard. After a successful search, you can easily place the desired spare part in your shopping cart directly from the spare part illustration or from the parts list.

Try it out right now and search for your spare parts via our smart webshop function **PartStream!**




**» AGM 12 volt batteries**


Sealed and low-maintenance



Part no.	Reference no.	Voltage / capacity (V/Ah)	Dimensions L x W x H (mm)	Terminal type	Pins	Fig. no.	PP
57970005	-	12 / 7,2	150 x 65 x 95	blade terminal	+ / -	1	1
57951214	-	12 / 4,5	90 x 69 x 100	blade terminal	+ / -	2	1
57953051	-	12 / 14	150 x 89 x 166	Square terminal	+ / -	3	1
57970034	-	12 / 22	181 x 76 x 167	Flat terminal	- / +	4	1
57962030	U1R-9 SLA	12 / 28	195 x 125 x 176	Flat terminal	- / +	5	1
57962035	U1L-9 SLA	12 / 28	195 x 125 x 175	Flat terminal	+ / -	6	1

**» Ca/Ca 12 volt batteries**
**ENDURANCE LINE**



Part no.	Reference no.	Voltage / capacity (V/Ah)	Cold cranking current EN (A)	Dimensions L x W x H (mm)	Terminal type	Pins	Fig. no.	PP
5796U1L9	U1L9	12 / 24	250	195 x 130 x 183	Flat terminal	+ / -	1	1
5796U1R9	U1R9	12 / 24	250	195 x 130 x 183	Flat terminal	- / +	2	1
57963034	U1L60M	12 / 30	290	195 x 130 x 183	Flat terminal	+ / -	3	1
57963030	U1R60M	12 / 30	290	195 x 130 x 183	Flat terminal	- / +	4	1

**» Gel batteries**


Part no.	Reference no.	Voltage / capacity (V/Ah)	Dimensions L x W x H (mm)	Terminal type	Pins	Fig. no.	PP
57950615	FTX7A-BS	12 / 7	150 x 87 x 93	Square terminal	+ / -	1	1
57951814 GEL	DIN51814	12 / 18	182 x 75 x 167	Flat terminal	- / +	2	1

### » To fit as **Castelgarden**

#### Mower unit repair sets



Part no.	Description	Reference no.	Types	Contents	Fig. no.	PP
13271619	<b>Mower repair set 92 cm</b>	182004344/1, 182004345/1, 125463200/0, 135065700/0	J 92, J 92 Hydro, JP 92, JP 92 Hydro, JT 92, JT 92 Hydro, JR 92, JR 92 Hydro	1x blade left 460 mm 1x blade right 460 mm 2x blade holder 1x double V-belt 13 x 2212	1	1
13271620	<b>Mower repair set 102 cm</b>	182004340/1, 182004341/1, 125463200/0, 135065605/0	TC 102, TC 102 Hydro, TCP 102, TCP 102 Hydro, TCR 102, TCR 102 Hydro, TCX 102, TCX 102 Hydro	1x blade left 520 mm 1x blade right 520 mm 2x blade holder 1x double toothed belt 1600DS8M20	2	1
13271621	<b>Mower repair set 122 cm</b>	182004342/0, 182004343/0, 125463200/0, 135065601/0	TC 122, TC 122 Hydro, TCP 122, TCP 122 Hydro, TCR 122, TCR 122 Hydro, TCX 122, TCX 122 Hydro	1x blade left 620 mm 1x blade right 620 mm 2x blade holder 1x double toothed belt 1800DS8M25	2	1


#### Mower blades



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13270209	<b>Blade</b> Mounted on left in direction of travel	182004344/1, 82004344/1, 82004344/0	Twin Cut 92	460	18	8,5	65	1	1
13270210	<b>Blade</b> Mounted on right in direction of travel	182004345/1, 82004345/1, 82004345/0	Twin Cut 92	460	18	8,5	65	2	1
13270988	<b>Blade</b> High-lift version, mounted on left in direction of travel	182004344/1, 82004344/1, 82004344/0, BUN-194.1L	Twin Cut 92	460	18	8,5	65	3	1
13270989	<b>Blade</b> High-lift version, mounted on right in direction of travel	182004345/1, 82004345/1, 82004345/0, BUN-194.1R	Twin Cut 92	460	18	8,5	65	4	1
13270045	<b>Blade</b>	181004398/0, 81004398/0, 1111-9194-01	R 534, RL 534, TD 534	505	18	8,5	65	5	1
13270211	<b>Blade</b> Mounted on left in direction of travel	182004340/1, 82004340/1, 82004340/0	Twin Cut 102, TC 102, TCP 102 Hydro	520	18	8,5	65	6	1

### » To fit as **Castelgarden**

#### Mower blades




Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13270212	<b>Blade</b> Mounted on right in direction of travel	182004341/1, 82004341/1, 82004341/0	Twin Cut 102, TC 102, TCP 102 Hydro	520	18	8,5	65	1	1
13270992	<b>Blade</b> High-lift version, mounted on left in direction of travel	182004340/1, 82004340/1, 82004340/0, BUN-194.0L	Twin Cut 102, TC 102, TCP 102 Hydro	520	18	8,5	65	2	1
13270993	<b>Blade</b> High-lift version, mounted on right in direction of travel	182004341/1, 82004341/1, 82004341/0, BUN-194.0R	Twin Cut 102, TC 102, TCP 102 Hydro	520	18	8,5	65	3	1
13270213	<b>Blade</b> Mounted on left in direction of travel	182004342/0, 82004342/0	TC 122, TC 122 Hydro, TCP 122, TCP 122 Hydro	620	18	8,5	65	4	1
13270214	<b>Blade</b> Mounted on right in direction of travel	182004343/0, 82004343/0	TC 122, TC 122 Hydro, TCP 122, TCP 122 Hydro	620	18	8,5	65	5	1

#### Blade holders




Part no.	Description	Reference no.	Types	Shaft Ø (mm)	Height (mm)	Insertion depth (mm)	Pulley Ø (mm)	Fig. no.	PP
13270704	<b>Blade holder</b>	122465607/4, 122465607/3, 1136-0674-01	Various	22,2	68	43	58	1	1
13271803	<b>Blade holder</b>	122465611/0, 22465611/0, 1111-9163-01	504, 534	22,2	68	43	58	2	1
13270781	<b>Blade holder</b>	122465608/3, 122465608/2	484, 534	25	68	43	58	3	1
13270093	<b>Blade holder</b>	125463200/0, 25463200/0	F 72, JP 92, TC 102, TC 122	20	35	27		4	1

#### Spindle



Part no.	Description	Reference no.	Types	Length (mm)	Fig. no.	PP
25270021	<b>Spindle</b> Mounted on right in direction of travel	382207201/2LC, 382207201/2, 1136-0480-01	TC 102, 122	188	1	1
25270022	<b>Spindle</b> Mounted on left in direction of travel	382207200/1LC, 382207200/1, 1136-0479-01	TC 102, 122	225	2	1

#### » To fit as **Honda**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13270069	Blade	72511-VA2-505, 72511-960-004, 72511-VA2-690, 72511-960-000	HR 215, HR 217	525	21	10,5	88	1	1
13270745	Blade	72511-VG0-C50, 72511-VG0-B50, 72511-VE1-650, 72511-VE1-651, 72511-VE1-652, 72511-VF0-000	HRB 535, HRB 536, HRD 535, HRD 536, HRG 536 C, HRH 536	530	22,1	10,5 x 11,8	91,4	2	1
13271462	Mulching blade Upper blade for mulching combination	72531-VH7-000	HRX 537, HRX 537 C1, HRX 537 C2, HRB 535, HRD 536, IZY 53	530	32	10,5	88	3	1
13299919	Mulching blade Bottom blade for mulching combination	72511-VH7-000	HRX 537, HRX 537 C1, HRX 537 C2, HRB 535, HRD 536, IZY 53	530	21	10,5	88	4	1

#### » To fit as **Husqvarna**


##### Mower unit repair sets



Part no.	Description	Reference no.	Types	Contents	Fig. no.	PP
13289631	Mower repair set 92 cm	532 18 63-85, 532 18 63-86, 532 16 55-79, 532 13 07-94, 532 40 20-08	CT 135, CTH 135, CT 151, CTH 151, CTH 155	1x blade left 13271299 1x blade right 13271298 1x blade spindle 25270012 1x blade spindle 25270013 1x V-belt 57270342	1	1
13289632	Mower repair set 97 cm	532 42 79-84, 532 42 79-85, 532 16 55-79, 532 13 07-94	CT 131, CT 141, CT 150, CT 151, CT 153, CT 154, CTH 140 Twin	1x blade left 13286603 1x blade right 13286604 1x blade spindle 25270012 1x blade spindle 25270013 1x V-belt 55170206	2	1
13289633	Mower repair set 107 cm	532 18 05-83, 532 18 05-84, 532 16 55-79, 532 13 07-94, 532 40 20-09	CTH 150 XP, CTH 170, CTH 172, CTH 180 XP, CTH 191, CTH 200, CTH 210 XP	1x blade left 13270197 1x blade right 13270198 1x blade left 13270986 1x blade right 13270987 1x blade spindle 25270012 1x blade spindle 25270013 1x V-belt 57275123	3	1

» To fit as **Husqvarna**

**Mower blades**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13270207	Blade	532 13 84-96, 532 12 63-38, 532 12 78-41, 126338, 127841, 138496, 56002	36" mower	460	5 *			1	1
13271296	Blade Mounted on right in direction of travel	532 18 63-88	92 cm / 36" Collect, CT130, CT131, CT135, CTH130, CTH135, CTH140	464	10	13/10	85/80	2	1
13271297	Blade Mounted on left in direction of travel	532 18 63-87	92 cm / 36" Collect, CT130, CT131, CT135, CTH130, CTH135, CTH140	464	10	13/10	85/80	3	1
13271298	Blade Mounted on right in direction of travel	532 18 63-86	92 cm / 36" Collect, CT130, CT131, CT135, CTH130, CTH135, CTH140	464	6 *	13	85	4	1
13271299	Blade Mounted on left in direction of travel	532 18 63-85	92 cm / 36" Collect, CT130, CT131, CT135, CTH130, CTH135, CTH140	464	5 *	13	85	5	1
13270186	Mulching blade Mounted on left in direction of travel	532 42 63-23, 532 17 00-37, 532 16 55-60, 165560, 170037	92 cm / 36" Collect, CT130, CT131, CT135, CTH130, CTH135, CTH140	464	5 *			6	1
13270187	Mulching blade Mounted on right in direction of travel	532 42 63-22, 532 18 72-10, 532 17 00-38, 532 16 55-61, 165561, 170038	92 cm / 36" Collect, CT130, CT131, CT135, CTH130, CTH135, CTH140	464	6 *			7	1
13270208	Blade	532 13 89-71, 532 13 84-98, 532 12 78-43, 532 00 50-85, 531 01 31-34	42" mower	533	5 *			8	1
13270197	Mulching blade Mounted on left in direction of travel	532 18 05-83, 532 18 28-52, 532 17 57-92, 532 17 54-50, 532 16 87-20, 168720, 175450, 180583	107 cm / 42" Collect, CT150, CT160, CTH150, CTH160, CTH170, CTH180	543	5 *	13	85	9	1
13270198	Mulching blade Mounted on right in direction of travel	532 18 05-84, 532 18 28-52, 532 17 57-93, 532 17 54-51, 532 16 87-21, 168721, 175451, 180584	107 cm / 42" Collect, CT150, CT160, CTH150, CTH160, CTH170, CTH180	543	6 *	13	85	10	1

### » To fit as **Husqvarna**


#### Spindles



Part no.	Description	Reference no.	Types	Length (mm)	Fig. no.	PP
13271804	Spindle	581 65 05-01, 581 65 08-01	CTH184T, CTH194, CTH224T, CTH224TFI, CTH2642 TRE, TC142, TC238, TC242, TC338, TC342	136	1	1
25270012	Spindle	532 16 55-79, 165579	36" mower unit, 38" mower unit, 42" mower unit	178	2	1
25270013	Spindle	532 13 07-94, 130794	36" mower deck, 38" mower deck, 42" mower deck	178	3	1
13271540	Blade spindle	587 81 97-01, 587 25 33-01, 532 19 28-70, 532 18 72-81, 532 18 72-92, 539 11 20-57	Mower deck with 4-hole mounting	190	4	1


### » To fit as **MTD**

#### Mower unit repair sets



Part no.	Description	Reference no.	Types	Contents	Fig. no.	PP
13289626	Mower repair set	742-04053C, 742-04053B, 742-04053A, 742-04053, 754-04044A, 754-04044	RZT 22, RZT 50, RZT 50 VT	3x blade 13286638 1x V-belt 57276033	1	1
13289634	Mower repair set 92 cm	742-04021A, 742-04020A, 754-04075	GLX 92 RA, JLX 92 RH, JE 145 A	1x blade left 13270301 1x blade right 13270302 1x V-belt 57275168	2	1
13289635	Mower repair set 105 cm	742-04081, 742-04080, 754-04069	GL 15,5-105 H, GL 20-105 H	1x blade left 13270304 1x blade right 13270303 1x V-belt 57275170	2	1

#### Mower blade



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13271795	Blade	742-05052A, 942-05052A	50" mower, LX 50", MF50-22 ZT, RZT50, RZT L50	438	6 *	10	76	1	1
13270301	Blade Mounted on left in direction of travel	742-04021A, 742-0673, 742-0659, 742-04021	AE5135, AE5150K, GLX92RA, JLX92RH, JE125H, JE135A, JE145A	470	6 *			2	1




### » To fit as MTD

#### Mower blade



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13270302	Blade Mounted on right in direction of travel	742-04020A, 742-0672, 742-0660, 742-04020	AE5135, AE5150K, GLX92RA, J LX92RH, JE125H, JE135A, JE145A	470	6 *			1	1
13289597	Blade	742-05024B, 742-05024	Optima 53 SPB, Smart 53 SPO	539	4 *	8	63,5	2	1



#### Fan wheel

Part no.	Description	Reference no.	Types	Outer Ø (mm)	Shaft Ø (mm)	Height (mm)	Fig. no.	PP
13271750	Fan	731-1583	30" mower, 12/76 T, BL 125/76 T, J 125, J 126, J 130, J LX 76 R, J LX 76 RA, J LX 76 RH, Mastercut 76, RH 115/76, SLX 76 R, SLX 76 RH, SLX 76 RHL, Spider 76 R, Sprint 1400, Sprint 1500, Sprint 1700, T 76	445	25,4	49,5	1	1

#### Spindle

Part no.	Description	Reference no.	Types	Length (mm)	Fig. no.	PP
25270028	Spindle	753-05405, 917-0900A, 717-0900, 717-0900A	11/81, 11/91, 12/36, 12/81, 12/91, 110/810, 111/910 N, 112/910, 112/910 N, 115/81, 665 E, 1450 E, AM 1150, B 10, B 11, B 12, B 100, B 114, B 115, B 117, B 118, B 120, B 125, B 128, Golden Sprint, Junior 92, L 120, Sprint 800, Sprint 850, Sprint 900, T 81, TD 4115, TD 4125	138	2	1

#### Coupling


Part no.	Description	Reference no.	Types	Shaft Ø (mm)	Height (mm)	Pulley Ø (mm)	V-belt width (mm)	Fig. no.	PP
25271534	Clutch	717-05284, 717-04947	220/105 H, 272-105 TWIN H, 282-105 TWIN KH, CC 917 HE, CC 917 HN, CC 1018 BHE, CC 1020 BHN, CC 1022 KHI, CC 1023 HNK, CC 1024 KHN, Expert 92. 155 H, Expert 92. 180 H, Expert 105. 175 H, Expert 105. 180 H, Expert 105. 185 H, Expert 105. 220 H, GL15.5/92 H, GL 17.5/92 H, GLX 92 RHK, GLX 105 RH-K, MF 36-16 RH, MF41-18 RH, MF41-22 RD, MF41-22RH, V 180 I, V 220 I	25,4	170	90 / 170	12,7 / 15,9	3	1
25271535	Clutch	717-05283, 717-04686	CC 917 AE, CC 917 AN, CC 1016 AE, CC 1018 AN, CC 1020 ANK, Expert 92. 155 A, Expert 92. 165 A, Expert 105. 165 A, Expert 105. 175 A, GLX 105 RA, LTEX 92 A, LTEX 105 A, MF 36-16 ARD, MF 41-18 ARD, VL 92 GCA, VL 105 GCA	25,4	170	90 / 170	15,9	4	1

### » To fit as **Stiga**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Fig. no.	PP
13270399	<b>Blade set</b> Contents: 2 pcs. Including bolts and nuts	1134-9053-01, 1134-3764-01	Park 102 M, Park 121 M, Villa 85 M, Villa II 85 M, Villa 102 M	120	8,2	6,3	1	1
13280003	<b>Blade set</b> Contents: 2 pcs.	1134-9130-01, 1134-6604-01	PRIMO	152	11,2	6,5	2	1
13271573	<b>Blade set</b> Contents: 2 pcs. Including bolts and nuts	1134-9119-01, 1134-6238-01	Ready 85 Combi, Villa 85 Combi, Villa 95 Combi, Park 95 Combi, Park 105 Combi	165	11,2	6,3	3	1
13270400	<b>Blade set</b> Contents: 2 pcs. Including bolts and nuts	1134-9063-01, 1134-4475-01	Park 107 M, Villa 92M, Villa 107M	170	11,5	6,5	4	1
13270402	<b>Blade set</b> Contents: 2 pcs. Including bolts and nuts	1134-9123-01, 1134-9074-01, 1134-5073-01	Park 92 M, Park 107 M, Ready 92 M, Villa 92 M, Villa 107 M	170	11,5	11,5 x 6,5	5	1
13270403	<b>Blade set</b> Contents: 2 pcs. Including bolts and nuts	1134-9082-01	Park 121 M, Ready 85 M, Villa 85 M	170	9,5	11,5 x 6,5	6	1

### » To fit as **Sabo**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Fig. no.	PP
13270115	<b>Blade</b>	SAA34454, SA12368, SA31214	43-2, 43-Compact, 43-EL Compact, 43-OHV, 43-OHV Vario, 43-Vario	420	32	1	1
13270117	<b>Blade</b>	SAA15166, SA15166	43-Centura Classic, 43-4 Economy, 43-4 Special, 43-4 Standard	429	32	2	1
13270118	<b>Blade</b>	SAA34454, SA34454	43-2, 43-40, 43-Compact, 43-EL Compact, 43-OHV, 43-OHV Vario, 43-Vario	430	32	3	1
13270119	<b>Blade</b>	SAA33214, SA33214	47-2A, 47-4, 47-4A, 47-4EA, 47-OHV, 47-OHVA, 47-OHVEA, 47-EL	469	32	4	1
13270121	<b>Blade</b> Heavy-duty	SAA17487, SA17487	52-152 H.m.A., 52-OHV, 52-Pro 2A, 52-Pro Vario, C52T, C52V	510	32	5	1

### » To fit as Sabo




Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13270123	Blade	SAA10681, SAA37552, SA17208, SA29770, SA37552	52-2 Vario, 52-Economy, 52-A Economy, 52-K Vario, 52-KAT m.A., 52-KAT Vario, 52-OHV Vario, 52-Vario	520	32			1	1
13271734	Blade	SAA10538, SAU10319	JS 63, JS 63 C, JS 63 V, JS 63 VC	530	10	12,3	50	2	1
13286663	Blade	SAA10544, SAU10546	54-A Economy, 54-Vario, 54-Vario E, R54S, R54VE	537	32			3	1

### » To fit as Viking




Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13271774	Mower blade	6358 702 0100	MB 448.1 PT, MB 448.1 T, MB 448.1 TC, MB 448.1 TX, MB 448.1 VC	456	4 *	8,5 / 8,5	45,2 / 65	1	1
13299943	Blade Mounted on right in direction of travel	6160 702 0105	MT 5097.0, MT 5097.0 C, MT 5097.0 Z	482	16,2	9,1	70	2	1
13299944	Blade Mounted on left in direction of travel	6160 702 0100	MT 5097.0, MT 5097.0 C, MT 5097.0 Z	482	16,2	9,1	70	3	1
13271767	Mower blade Mounted on left in direction of travel	6170 702 0130	MT 5112. 1 Z, MT 6112. 1 C, MT 6112. 1 ZL	566	16	8,5 x 9,5	70	4	1
13271768	Mower blade Mounted on right in direction of travel	6170 702 0135	MT 5112. 1 Z, MT 6112. 1 C, MT 6112. 1 ZL	566	16	8,5 x 9,5	70	5	1
13271769	Mower blade Mounted on left in direction of travel	6170 702 0140	MT 6127. 1 ZL, RT 6127.0 ZL	641	16,3	8,5 x 9,5	70	6	1
13271770	Mower blade Mounted on right in direction of travel	6170 702 0145	MT 6127. 1 ZL, RT 6127.0 ZL	641	16,3	8,5 x 9,5	70	7	1
13271759	Blade holder	6105 702 5021	Various					8	1

» To fit as **Castelgarden**




Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13299950	<b>Blades</b> High-lift version, mounted on left as seen in direction of travel	BUN-194.1L	Twin Cut 92	460	18	8,8	65	1	1
13299951	<b>Blades</b> High-lift version, mounted on right as seen in direction of travel	BUN-194.1R	Twin Cut 92	460	18	8,5	65	2	1
13299952	<b>Blades</b> High-lift version, mounted on left as seen in direction of travel	BUN-CG122-L	TC 122, TC 122 Hydro, TCP 122, TCP 122 Hydro	620	18,2	8,5	65	3	1
13299953	<b>Blades</b> High-lift version, mounted on right as seen in direction of travel	BUN-CG122R	TC 122, TC 122 Hydro, TCP 122, TCP 122 Hydro	620	18,2	8,5	65	4	1

» To fit as **Honda**




Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13299956	<b>Blade</b> High-lift	BUN-IZY41	HRG 415 C, IZY 41	410	21	10,5	88	1	1
13299949	<b>Blade</b> High-lift	BUN-IZY46	HRG 465 C, HRG 465 PD, IZY 46	460	21	10,5	88	2	1
13299951	<b>Blades</b> High-lift version, mounted on right as seen in direction of travel	BUN-194.1R	HF2113, HF2315 HM, HF2315 SB	460	18	8,5	65	3	1
13299950	<b>Blades</b> High-lift version, mounted on left as seen in direction of travel	BUN-194.1L	HF2113, HF2315 HM, HF2315 SB	460	18	8,8	65	4	1
13299955	<b>Blade</b> High-lift	BUN-195	HRB 475, HRB 476	477	24	10,5	88	5	1



» To fit as **Honda**

**BUNKOWSKI**




Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13299945	<b>Blades</b> High-lift version, mounted on left as seen in direction of travel	BUN-194-OL	HF2415 SB, HF2417 HAT, HF2216, HF2417 HM	515	18	8,5	65	1	1
13299946	<b>Blades</b> High-lift version, mounted on right as seen in direction of travel	BUN-194-OR	HF2415 SB, HF2417 HAT, HF2216, HF2417 HM	515	18	8,5	65	2	1
13299954	<b>Blade</b> High-lift	BUN-193	HR 214, HR 216, HR 2150, HR 2160	529	16,2	10,2	48	3	1
13299957	<b>Blades</b>	BUN-192	HRB 535, HRB 536, HRD 535, HRD 536, HRG 536 C, HRH 536	541	23,5	13,5	91	4	1
13299958	<b>Blades</b>	BUN-192-1	HRB 535, 536 PROFI, HRB 536	541	23,5	13,5	91	5	1
13299952	<b>Blades</b> High-lift version, mounted on left as seen in direction of travel	BUN-CG122-L	HF 2218, HF 2220, HF 2620	620	18,2	8,5	65	6	1
13299953	<b>Blades</b> High-lift version, mounted on right as seen in direction of travel	BUN-CG122R	HF 2218, HF 2220, HF 2620	620	18,2	8,5	65	7	1

## GARDEN & FORESTRY

### CATALOGUE 7



» **Pro Cut**

- High-quality nylon copolymer material for professional use
- Long life
- High resistance to fraying
- Low tendency towards melting



All items on this page  
are shop-ready.



**Round profile**

Round profile for versatile use



**Star profile (5-point)**

Star profile with sharp cutting edges for improved cutting performance and reduced engine loading



Part no.	Cord Ø (mm)	Roll length (m)	Fig. no.	PP
13281110	1,3	15	1	1
13282110	1,6	15	1	1
13283110	2,0	15	1	1
13283112	2,0	126	1	1
13284110	2,4	15	1	1
13284112	2,4	88	1	1
13284113	2,4	176	2	1
13284115	2,4	349	2	1
13285110	2,7	15	1	1
13285112	2,7	72	1	1
13285113	2,7	143	2	1
13285115	2,7	286	2	1
13286110	3,0	15	1	1
13286112	3,0	56	1	1
13286113	3,0	112	2	1
13286115	3,0	223	2	1
13287112	3,3	46	1	1
13289112	4,0	30	1	1
13280112	4,5	22	1	1

Part no.	Cord Ø (mm)	Roll length (m)	Fig. no.	PP
13281210	1,3	15	1	1
13282210	1,6	15	1	1
13283210	2,0	15	1	1
13283212	2,0	130	1	1
13284210	2,4	15	1	1
13284212	2,4	90	1	1
13284213	2,4	180	2	1
13284215	2,4	360	2	1
13285210	2,7	15	1	1
13285212	2,7	69	1	1
13285214	2,7	205	2	1
13286210	3,0	15	1	1
13286212	3,0	60	1	1
13286213	3,0	116	2	1
13286215	3,0	240	2	1



**Square profile**

Robust square profile with sharp cutting edges for versatile use

Part no.	Cord Ø (mm)	Roll length (m)	Fig. no.	PP
13281310	1,3	15	1	1
13282310	1,6	15	1	1
13280210	2,0	15	1	1
13284211	2,4	15	1	1
13287210	2,7	15	1	1
13285211	2,7	57	1	1
13285213	2,7	163	2	1
13285215	2,7	281	2	1
13286216	3,0	15	1	1

Part no.	Cord Ø (mm)	Roll length (m)	Fig. no.	PP
13286217	3,0	44	1	1
13286218	3,0	132	2	1
13286219	3,0	219	2	1
13287212	3,3	36	1	1
13287213	3,3	109	2	1
13287214	3,3	181	2	1
13289212	4,0	25	1	1
13289213	4,0	74	2	1
13289214	4,0	123	2	1



» Pro Cut


**NEW**

- High-quality nylon copolymer material for professional use
- Long life
- High resistance to fraying
- Low tendency towards melting

**Performance**

Special aerodynamic spiral shape creates less air resistance than conventional designs

- This results in fuel savings and extended battery life
- Less vibrations
- Less noise
- Longer service life due to high abrasion resistance
- High temperature resistance prevents melting of the threads
- Suitable for grass, shrubs and dense bushes



Part no.	Cord Ø (mm)	Roll length (m)	Fig. no.	PP
13290463	2,4	15	1	1
13290466	2,4	78	1	1
13290472	2,4	215	2	1
13290478	2,4	351	2	1
13290464	2,7	15	1	1
13290467	2,7	63	1	1
13290473	2,7	173	2	1
13290479	2,7	283	2	1
13290465	3,0	15	1	1
13290468	3,0	46	1	1
13290474	3,0	127	2	1
13290480	3,0	207	2	1

Part no.	Cord Ø (mm)	Roll length (m)	Fig. no.	PP
13290469	3,5	35	1	1
13290475	3,5	97	2	1
13290481	3,5	158	2	1
13290470	4,0	27	1	1
13290476	4,0	75	2	1
13290482	4,0	122	2	1
13290471	4,5	20	1	1
13290477	4,5	56	2	1
13290483	4,5	92	2	1

» Energy Cut

Especially suitable for cordless lawn trimmers  
Corrugated profile

**Properties:**

- High-quality nylon copolymer material
- Significant improvement in energy efficiency and noise reduction
- Long life
- High resistance to fraying
- Aerodynamic cord profile increases engine efficiency and significantly reduces fuel consumption



All items on this page are shop-ready.



Part no.	Cord Ø (mm)	Roll length (m)	PP
13282460	1,6	15	1
13283460	2,0	15	1
13284460	2,4	15	1
13284462	2,4	87	1
13285460	2,7	15	1
13285462	2,7	72	1

Part no.	Cord Ø (mm)	Roll length (m)	PP
13286460	3,0	15	1
13286462	3,0	56	1
13287462	3,3	46	1
13288462	3,5	41	1
13290462	4,0	31	1

» **EASY Work Tap-N-Go cord trimmer head**

- High-performance trimmer head with reinforced adjustment button
- Fastload cord replenishment system
- Easy mounting
- Trimmer head can be taken apart for maintenance work without fully disassembling it
- Vibration damping adaptor pin system
- Wear-resistant, specially shaped aluminium eyes prevent the trimmer cord from bending



Adaptor pin type C

All items on this page are shop-ready.



Part no.	Cord head Ø (mm)	Connection	Brush cutter displacement (ccm)	Cord Ø round/star max. (mm)	Cord Ø square max. (mm)	PP
13286784	109	Without adaptor	25 - 33	3,0	3,0	1
13286786	109	M8 x 1,25 LGI	25 - 33	3,0	3,0	1
13286787	109	M10 x 1 LGI	25 - 33	3,0	3,0	1
13286788	109	M10 x 1,25 LGI	25 - 33	3,0	3,0	1
13289567	130	Without adaptor	> 33	4,0	4,0	1
13289570	130	M10 x 1 LGI	> 33	4,0	4,0	1
13289571	130	M10 x 1,25 LGI	> 33	4,0	4,0	1
13289572	130	M12 x 1,5 LGI	> 33	4,0	4,0	1

» **Cord trimmer**


» **8-cord trimmer Attilina**

- Universal Attilina cord trimmer made of aluminium / plastic
- Bolt-free mounting
- Reducing rings for mounting included
- The crossed nylon cords ensure longer cord life and increased flexibility



Part no.	Description	Brush cutter displacement (ccm)	Cord Ø (mm)	PP
13271604	8-cord trimmer Attilina	> 33	4,4	1




**» To fit as Brushcutters**


Part no.	Description	Cutting width (mm)	Central hole (mm)	Thickness (mm)	Fig. no.	PP
13270201	3-tooth thick blade	255	20	3,0	1	1
13270576	3-tooth thick blade	255	25,4	3,0	1	1
13270202	3-tooth thick blade	300	20	3,0	1	1
13271628	3-tooth thick blade	300	20	4,0	1	1
13270383	3-tooth thick blade	300	25,4	3,0	1	1
13271629	3-tooth thick blade	300	25,4	4,0	1	1
13270834	3-tooth thick blade	350	20	4,0	1	1
13270835	Thicket blade	350	25,4	4,0	1	1
13270956	2-tooth mulching blade	300	20	3,0	2	1
13270958	2-tooth mulching blade	300	20	4,0	2	1
13270957	2-tooth mulching blade	300	25,4	3,0	2	1
13270959	2-tooth mulching blade	300	25,4	4,0	2	1

**» Weed brushes**
**» Universal**
**Premium conical brush, metal**

New optimised version

**Features:**

- Reduction of the clamping height to 3.5 mm
- Braids angled more steeply
- Up to 15% lower weight


**Advantages:**

- Safe assembly with the original pressure disc from the brushcutter manufacturer
- Loose stones or objects are not thrown as far
- Even braid wear
- Longer service life
- Significantly stronger weed removal with less effort
- More pleasant work as the brushes run more smoothly
- Brushcutter gearbox protected
- Can be used on less powerful brushcutters

**Conical brush, plastic**

Plastic weed brushes for brushcutters

The conical brushes with synthetic bristles mounted on the brushcutters are ideal for manually removing weeds from grass pavers, kerbs, paved areas or other hard-to-reach areas.









These special brushes will effortlessly clean larger areas such as driveways, terraces or long paths. With long-lasting results. Removing moss and weeds with brushes is also more environmentally friendly.

Conventional weed killers are sometimes very aggressive. They can cause chemical groundwater pollution or harm wild animals. Brushes remove harmful plants quickly and effectively.

In sensitive areas such as agriculture, the synthetic bristle trim is a key feature. Synthetic bristles are ideal for sensitive surfaces as they are soft and leave no scratches.

Brushes with synthetic bristles are also ideal for cordless brushcutters as they are lightweight and boast a longer service life and even wear.



Part no.	Description	To fit as	Outer Ø (mm)	Hole (mm)	Min. brushcutter power (HP)	max. speed (rpm)	PP
13271900	Premium conical brush, metal	Universal	155	20	0,8	10.000	 1
13271901	Premium conical brush, metal	Universal	155	25,4	0,8	10.000	 1
13271902	Premium conical brush, metal	Universal	180	20	1,5	8.000	 1
13271903	Premium conical brush, metal	Universal	180	25,4	1,5	8.000	 1
13299940	Conical brush, plastic	Universal	180	20	1,2	10.000	 1
13299939	Conical brush, plastic	Universal	180	25,4	1,2	10.000	 1
13299942	Conical brush, plastic	Universal	210	20	1,8	10.000	 1
13299941	Conical brush, plastic	Universal	210	25,4	1,8	10.000	 1

**NEW**  
**NEW**  
**NEW**  
**NEW**

### » To fit as Husqvarna



Part no.	Description	Reference no.	Types	PP
13271754	Bevel gear	537 33 38-02, 537 19 92-02, 537 19 92-01, 537 04 10-01, 503 94 11-01	Various	1

### » To fit as Stihl









Part no.	Description	Reference no.	Types	Thread	Fig. no.	PP
13271756	Bevel gear	4148 640 0107, 4148 640 0103	FS 510 C, FS 560 C	M14 x 1,5	1	1
13271755	Bevel gear	4147 640 0104, 4148 640 0103, 4148 640 0100	FS 260, FS 260 C, FS 311, FS 360 C, FS 410 C, FS 460 C, FS 490 C	M12 x 1,5	2	1
13271757	Bevel gear	4140 640 0110, 4140 640 0100	FS 55, FS 55 2-MIX, FS 55 C, FS 55 R, FS 55 RC, FS 55 T	M10L	3	1

### » Universal

- Suitable for clockwise rotating brush cutters up to 45 cc
- Adaptor for pipe connections and a template to determine the appropriate shaft adaptor are included
- Shaft adaptors must be ordered separately
- Can be reduced or extended to the following shaft housing dimensions:  
28/24 mm  
28/25 mm  
28/25.4 mm  
28/26 mm  
28/27 mm



Part no.	Description	Profile	PP
13271225	Angled gear head universal		1
13271226	Shaft adaptor M6 right-hand thread, 7 splines		1
13271227	Shaft adaptor M6 right-hand thread, 9 splines		1
13271228	Shaft adaptor M6 right-hand thread, 10 splines		1
13271230	Shaft adaptor M6 right-hand thread, 5.4 mm		1
13271231	Shaft adaptor M6 right-hand thread, 6 mm		1
13271232	Shaft adaptor M6 right-hand thread, Stihl		1



### » Universal



Part no.	Description	Shaft Ø (mm)	No. of splines	Attachment	Fig. no.	PP
13271610	Bevel gear head	25	7	B	1	1
13271613	Bevel gear head	26	9	C	2	1
13271614	Bevel gear head	26	6x6 mm square	A	3	1

### » Bevel gear grease




Part no.	Container	PP
13271233	125 g	1

## 4-stroke engine parts


### » Air filters

#### » To fit as BRIGGS & STRATTON




Part no.	Reference no.	Types	Length (mm)	Width (mm)	Height (mm)	Fig. no.	PP
33270067	272235S, 272235	090100, 092500, 092900, 093900, 095900, 096500, 096900, 098900, 09C900, 09D900, 09H900, 10A900, 10B900, 10C900, 10D900, 10E900, 10F900	145	95	30	1	1
33270302	698369	098900, 09B900, 09C900, 09D900, 09E900, 09F900, 09J900, 09L500, 09L600, 09L900, 09M900, 09S500, 09T500, 09T600, 09T700, 10A900, 10D900, 10E900, 10F900, 10G900, 10H900, 10J900, 10K900, 10L500, 10L600, 10L800, 10L900, 10M900, 10T500, 10T600, 10T700, 10T800	130	73	32	2	1
33270552	799579	08P500, 09P600, 09P700	108	85	25	3	1
33270110	491588S, 494245, 399959, 4101	Various	130	113	20	4	1

### » To fit as **BRIGGS & STRATTON**



Part no.	Reference no.	Types	Length (mm)	Width (mm)	Height (mm)	Outer Ø (mm)	Inner Ø (mm)	Fig. no.	PP
<b>33270104</b>	697775, 794421, 797007, 698413, 697152, 695643	212700, 212900, 215700, 215800, 215900, 216900, 217700, 217800, 217900, 218700, 219800, 219900, 21A800, 21A900, 21B700, 21B800, 21B900	182	78	38			1	1
<b>33270102</b>	794422, 797008, 697634, 697014, 698083, 795115, 697153	280H00, 281H00, 282H00, 283H00, 284H00, 285H00, 286H00, 31A500, 31A600, 31A700, 31B700, 31C700, 31D700, 31E600, 31E700, 31F700, 31G700, 31H700, 31L700, 31M700, 31N700, 31P600, 31P700, 31P800, 31P900, 31Q600, 31Q700	225	80	38			2	1
<b>33270119</b>	496894S, 496894, 493909	282700, 283700, 286700, 287700, 28M700, 28N700, 28P700, 28Q700, 28R700, 28T700, 28V700, 28S700	184	72/60	78			3	1
<b>33270448</b>	795066	111P00, 112P00, 114P00, 11P900, 121Q00, 121S00, 122Q00, 122R00, 122S00, 124Q00, 124S00, 12Q900, 12R900, 12S900, 14B900	140	70	57		36	4	1
<b>33270435</b>	792038, 790388	090600, 100600, 100800, 101600	120	77	57		36	5	1
<b>33270868</b>	597265	115P00, 123P00, 125P00	85	92	62		32	6	1
<b>33270087</b>	697029, 690610, 498596	110400, 111400, 111600, 113400, 120200, 120300, 120400, 121000, 121300, 121400, 121600, 122000, 122300, 122600, 123300, 126300, 126400, 127300, 128600, 129600, 12H600, 12K600, 12Q500, 12R500, 12S100, 12S400, 12S500, 12T100, 12T400	90	64	76			7	1
<b>33270549</b>	092J00, 093J00,	093J00, 09P700	111	67	34			8	1
<b>33270550</b>	591583, 796032	215800, 217800, 217900, 219800, 219900, 21B800, 21B900			100	77	40	9	1
<b>33270551</b>	594201, 591334, 796031, 590825	31A500, 31A600, 31C700, 31E500, 31E600, 31G700, 31N700, 31P600, 31P700			126	76	39	10	1
<b>33270232</b>	820263	358700, 385400, 386400, 386700, 433400, 473100, 474100, 582400, 584400, 588400, 58A400			185	88	48	11	1
<b>33270116</b>	394018S, 394018, 392642	290400, 294400, 303400, 303700, 305400, 350700, 350400, 351400, 351700, 354400, 356700, 400400, 422400			55	180	140	12	1

### » To fit as **Honda**



Part no.	Description	Reference no.	Types	Length (mm)	Width (mm)	Height (mm)	Fig. no.	PP
33270331	Air filter	17211-Z0A-013, 17211-Z0A-003	GCV 520, GCV 530, GXV 520, GXV 530	215	120	22	1	1
33270131	Air filter	17211-ZL8-023, 17211-ZL8-000, 17211-ZL8-003, 06510-ZL8-105, 06510-ZL8-040	GC 135, GC 160, GC 190, GCV 135, GCV 160, GCV 190, GS 160, GS 190, GSV 160, GSV 190	130	110	23	2	1
33270327	Air filter	17211-ZG9-M00, 06510-ZG9-M05	GXV 140, GXV 160	145	88	24	3	1
33270336	Air filter	17210-ZE6-505, 17210-ZE6-003, 17210-888-505, 17211-888-013, 17211-888-003, 17211-888-010	GXV 120, HR 194, HR 214, HRA 214, HRA 1250, HRF 464	187	60	50	4	1
33270313	Air filter	17210-ZE0-505, 17210-ZE0-822, 17210-ZE0-820	GX 110, GX 120 K1	102	73	53	5	1
33270315	Air filter	17210-ZE1-505, 17210-ZE1-822, 17210-ZE1-821, 17210-ZE1-820	GX 140, GX 160 K1, GX 160 T1, GX 160 U1, GX 200, GX 200 T, GX 200 U, GX 200 UT	102	73	70	6	1
33270319	Air filter	17210-ZE3-505, 17210-ZE3-010, 17210-ZE3-000	GX 340 K1, GX 390 K1, GX 390 T1, GXV 270, GXV 340, GXV 390	112	97	92	7	1

### » Oil filters

### » To fit as **BRIGGS & STRATTON**



Part no.	Description	Reference no.	Types	Height (mm)	Outer Ø (mm)	Thread	Fig. no.	PP
33270001	Engine oil filter Short	492932S, 492932, 691041, 4154	Various	58	76	3/4" - 16 UNF	1	1
33270002	Engine oil filter	491056, 491056S, 807894, 4153	Various	90	76	3/4" - 16 UNF	2	1
33270005	Engine oil filter	692513, 499532, 820314, 70185	121600, 122600, 123600, 124600, 125600, 12D600, 12H600, 12Q500, 12Q600, 432400, 522400, 582400	73	70	3/4" - 16 UNF	3	1


» To fit as **Honda**



Part no.	Description	Reference no.	Types	Height (mm)	Outer Ø (mm)	Thread	PP
33270003	Engine oil filter	15400-PFB-014, 15400-PFB-004, 15400-PJ7-015, 15400-PJ7-010	GCV 520, GCV 530, GXV 520, GXV 530	65	65	M20 x 1,5	1

» Fuel filters

» To fit as **BRIGGS & STRATTON, Hatz, Kubota, Toro**



Part no.	Reference no.	Version	Types	Height (mm)	Outer Ø (mm)	Connection Ø (mm)	Fig. no.	PP
33270036	298090S, 298090, 005018, 4105, 395018, 297298	150 micron	Various	43,5	33	6,8	1	1
33270037	394358S, 394358, 805008, 56679MA, 4115	75 micron	Various	44	33	6,8	2	1
33270038	84001895, 691035, 493629, 695666, 4129	60 micron	Various	68	30	7	3	1
33270039	1258143012, 1258143013, 1258143010, 1335143012		Various	100	45	8	4	1
33270050	25 050 22-S, 25 050 08-S, 25 050 03-S		Various	115	20 / 40,5	6,2 / 8	5	1
33270422	821026, 692983		Various	115	45 / 55,5	6,5 / 8	6	1



**OUR SYMBOL FOR SHOP PRODUCTS**




All items with this symbol are suitable for sale in your shop (POS), and are supplied in shop-ready packaging.

This may be GRANIT standard or premium packaging in the form of a box, blister pack, polybag or spray can.

All shop-ready items have an EAN code (barcode).




### » To fit as **BRIGGS & STRATTON**



Part no.	Reference no.	Types	Fig. no.	PP
<b>30270694</b>	498809, 494775, 494407	093900, 095900, 096900, 098900, 09B900, 09C900	1	1
<b>30270671</b>	799868, 498170, 498254	120H00, 120K00, 121K00, 122H00, 122K00, 122T00, 123K00, 124K00, 124L00, 124T00, 125K00, 126L00, 126M00, 126T00, 127700, 127800, 128800, 129800, 129H00, 12A800, 12J900, 12B800, 12C800, 12E800, 12F700, 12F800, 12G700, 12G800, 12H800, 12J700, 12J800, 12M800, 12Q800, 12T800	2	1
<b>30270823</b>	799728, 498027, 498231, 499161	282700, 283700, 285700, 286700, 28B700, 28D700, 28M707	3	1
<b>30270824</b>	594593, 591731, 796109	31A500, 31A600, 31A700, 31R700, 31R800, 31S700	4	1
<b>30270826</b>	799871, 790845	122M00, 122T00, 124T00, 126T00	5	1
<b>30271068</b>	498298, 490533, 492611, 495426, 495951, 692784	112200, 130200, 132200, 133200, 135200, 136200, 137200	6	1
<b>30271123</b>	595509, 591852, 793493, 793463	090600, 100600, 100800, 101600	7	1
<b>30271067</b>	796608	111P00, 11P900, 121Q00, 121R00, 121S00, 12Q900, 12R900, 12S900	8	1
<b>30271197</b>	498965	122H00, 127700, 127800, 128700, 128800, 12F700, 12F800, 12H700, 12H800, 12T700, 12T800	9	1
<b>30271069</b>	593433, 699916, 794294	215800, 217800, 219900, 21B700, 21B800, 21B900, 21R500, 21R600, 21R700, 21R800	10	1
<b>30271118</b>	590400, 796078	219900, 21B700, 21B800, 21B900, 21R600, 21R700, 21R800	11	1
<b>30271120</b>	799727, 791886, 698620, 690194	287700, 28N700, 28P700, 28Q700, 28S700, 28U700, 28W700, 310700, 311700, 312700, 313700	12	1
<b>30271122</b>	791230, 699709, 499804	405700, 406700, 407600, 407700, 40F700, 40G700, 40H700, 441700, 442500, 445500, 445600, 445700, 445800, 445900, 446600, 446700, 446800, 446900	13	1

### » To fit as **Honda**




Part no.	Reference no.	Types	Fig. no.	PP
30270340	16100-ZH8-W41, 16100-ZH8-812	GX 160	1	1
30270341	16100-ZL0-W51, 16100-ZL0-W50	GX 200	2	1
30271079	16100-ZM5-809, 16100-ZM5-808, 16100-ZM5-807, 16100-ZM5-806, 16100-ZM3-805, 16100-ZM3-804, 16100-ZM5-803, 16100-ZM5-802, 16100-ZM5-801	GX 22, GX 31	3	1
30270843	16100-Z0H-053, 16100-Z0H-825	GX 25, UMK 425, UMS 425	4	1
30270345	16100-Z0L-023, 16100-Z0L-013, 16100-ZM0-013, 16100-ZM0-003	GCV 135, GCV 160	5	1
30271101	16100-Z0L-876, 16100-Z0L-875	GCV 160	6	1
30271100	16100-Z0A-815, 16100-Z0A-814, 16100-Z0A-813, 16100-Z0A-812	GCV 520, GCV 530, GXV 530	7	1

### » To fit as **Honda**

#### Carburettor service kits

Part no.	Reference no.	Contents	Types	PP
30271125	16100-ZH8-W61, 16100-ZH8-W60, 16100-ZK8-W81	1x carburettor 1x choke lever 1x carburettor flange gasket 1x filter connection gasket 1x isolator gasket 1x air filter 1x fuel filter 1x fuel hose (4.76 mm x 305 mm) 2x hose clamp 1x spark plug (BPR6ES)	GX 160	1
30271126	16100-ZL0-W51	1x carburettor 1x choke lever 1x carburettor flange gasket 1x filter connection gasket 1x isolator gasket 1x air filter 1x fuel filter 1x fuel hose (4.76 mm x 305 mm) 2x hose clamp 1x spark plug (BPR6ES)	GX 200	1






### » To fit as **Honda**

#### Carburettor service kits

Part no.	Reference no.	Contents	Types	PP
30271127	16100-ZE2-W71, 16100-ZE2-W70	1x carburettor 1x choke lever 1x carburettor flange gasket 1x filter connection gasket 1x isolator gasket 1x air filter 1x air filter 1x fuel filter 1x fuel hose (4.76 mm x 305 mm) 2x hose clamp 1x spark plug (BPR6ES)	GX 240	1
30271128	16100-ZH9-W21, 16100-ZH9-W20	1x carburettor 1x choke lever 1x carburettor flange gasket 1x filter connection gasket 1x isolator gasket 1x air filter 1x air filter 1x fuel filter 1x fuel hose (4.76 mm x 305 mm) 2x hose clamp 1x spark plug (BPR6ES)	GX 270	1
30271129	16100-ZE3-V01, 16100-ZE3-V00	1x carburettor 1x choke lever 1x carburettor flange gasket 1x filter connection gasket 1x isolator gasket 1x air filter 1x fuel filter 1x fuel hose (4.76 mm x 305 mm) 2x hose clamp 1x spark plug (BPR6ES)	GX 340	1
30271130	16100-ZF6-V01, 16100-ZF6-V00	1x carburettor 1x choke lever 1x carburettor flange gasket 1x filter connection gasket 1x isolator gasket 1x air filter 1x fuel filter 1x fuel hose (4.76 mm x 305 mm) 2x hose clamp 1x spark plug (BPR6ES)	GX 390	1

### » To fit as **Tecumseh**




Part no.	Reference no.	Types	Fig. no.	PP
30270484	632795A, 632795, 632744, 632750, 632046A, 632046, 631612, 631699, 631784, 632050, 23011006, 23099003, 23099004, 23099009, 23060604, 23060609, 23060612, 23011002, 23011506, 23011511	Prisma, Vantage, ECV 100, LAV 30, LAV 35, LAV 404, LAV 50, TNT 120, TV S90, TVS 100, TVS 105, TVS 115, TVSL 90, TVXL 105, TVXL 115	1	1
30270686	640065A, 640065, 640000	OHV 125, OHV 130, OHV 135, OV 358 EA	2	1

### » Werkzeuge für Motorenservice

#### Carburettor screwdriver sets

Part no.	Description	Profile	Contents	PP
37271025	<b>Carburettor screwdriver set</b> 11 pcs.	D D, small Double D Notch Notch, small Slotted Slotted, small Slotted, large Star Star, small Hexagonal	1x carburettor screwdriver, D 1x carburettor screwdriver, D, small 1x carburettor screwdriver, double D 1x carburettor screwdriver, notch 1x carburettor screwdriver, notch, small 1x carburettor screwdriver, slotted 1x carburettor screwdriver, slotted, small 1x carburettor screwdriver, slotted, large 1x carburettor screwdriver, star 1x carburettor screwdriver, star, small 1x carburettor screwdriver, hexagonal	1



**NEW**


### » Carburettor diaphragms and repair sets

#### » To fit as **BRIGGS & STRATTON**



Part no.	Description	Reference no.	Types	Fig. no.	PP
30270060	<b>Diaphragm</b>	795083, 495770, 272372, 281028	093900, 095900, 096900, 098900, 09B900, 09C900, 09D900, 09L900, 09T500, 09T600, 09T700, 10A900, 10B900, 10D900, 10F900, 10G900, 10H900, 10J900, 10M900, 10T500, 10T600, 10T700, 10T800, 120T00	1	1
30270061	<b>Diaphragm</b> for Pulsa-Jet	272538S, 272538, 4168	080200, 082200, 090200, 091200, 092200, 093200, 094200, 095200, 133200, 134200, 135200, 136200, 137200	2	1
30270062	<b>Diaphragm</b> for older Pulsa-Jet	270026, 027910, 4157	060200, 061200, 080200, 080900, 081200, 081900, 082200, 090200, 091200, 100200, 111200, 112200, 130200, 130900, 131200, 131900, 132200, 132900, 140200, 141200, 145200	3	1
30270064	<b>Diaphragm</b> for Pulsa-Jet	391681, 299636, 391643	090900, 092900, 093900, 094900, 110900, 111900, 112900, 113900, 114900	4	1
30271048	<b>Repair set</b> For Nikki carburettor	796184	215700, 215800, 217700, 217800, 217900, 219700, 219800, 21B700, 21B800, 21B900, 21D800, 21R500, 21R600, 21R700, 21R800, 31A500, 31A600, 31A700, 31A800, 31B700, 31C700, 31E500, 31E600, 31E700, 31E800, 31F700, 31G700, 31H700, 31L700, 31M900, 31N700, 31N800, 31P600, 31P700, 31Q500, 31Q600, 31Q700, 31R500, 31R600, 31R700, 31R800, 31R900, 31S700, 31S800, 31S900, 31U900, 331700, 331800, 331900, 33M600, 33M700, 33R700, 33R800, 33S700, 33S800	5	1
30271090	<b>Repair set</b>	498260, 398183, 490937, 493762	083400, 090700, 091700, 093400, 099700, 09A400, 09K400, 100700, 110700, 111700, 112700, 114700, 120500, 120H00, 120K00, 121700, 121800, 121H00, 121K00, 122700, 122800, 122H00, 122K00, 122L00, 122M00, 122T00, 123700, 123800, 123H00, 123J00, 123K00, 124700, 124800, 124H00, 124K00, 124L00, 124T00, 125700, 125H00, 125K00, 126700, 126800, 126K00, 126L00, 126M00, 126T00, 127700, 127800, 127H00, 128700, 128800, 128H00, 128L00, 128M00, 128T00, 129700, 129800, 129H00, 12B800, 12C700, 12C800, 12D800, 12E700, 12E800, 12F700, 12F800, 12G700, 12G800, 12H700, 12H800, 12J700, 12J800, 12J900, 12K700, 12L800, 12L900, 12M800, 12M900, 12P800, 12Q800, 12S700, 12S800, 12T700, 12T800, 12U800, 12V800, 12W800, 12X800, 12Y800, 12Z800, 130700, 131700, 133400, 133700, 134400, 135400, 135700	6	1


» To fit as **BRIGGS & STRATTON**



Part no.	Description	Reference no.	Version	Types	Fig. no.	PP
30270022	Primer	694395, 496115, 4180	Long, With hole and fixing ring	Various	1	1
30270023	Primer	694394, 494408, 4178	Short, With fixing ring	Various	2	1

» Engine gasket sets


» To fit as **BRIGGS & STRATTON**



Part no.	Description	Reference no.	Types	PP
30271211	Seal kit	796187, 794150, 792621, 697191	319700, 31A500, 31A600, 31A700, 31A800, 31B700, 31C700, 31D700, 31E500, 31E600, 31E700, 31E800, 31F700, 31G700, 31H700, 31K700, 31L700, 31M700, 31M800, 31M900, 31N600, 31N700, 31N800, 31P600, 31P700, 31P800, 31P900, 31Q500, 31Q600, 31Q700, 31R500, 31R600, 31R700, 31R800, 31R900, 31S700, 31S800, 31S900, 31U900, 31X700, 331700, 331800, 331900, 33M600, 33M700, 33M900, 33R700, 33R800, 33S700, 33S800	1

» Fuel pumps


» To fit as **BRIGGS & STRATTON, Honda, Kawasaki, Kohler**



Part no.	Description	Types	Fig. no.	PP
30270059	Fuel pump	Various	1	1
30271114	Fuel pump	Various	2	1

### » Fuel hose

**Universal**  
Hose length 7.6 m



Part no.	Version	Inner Ø (mm)	Outer Ø (mm)	Fig. no.	PP
33270052	Rubber sheath, Non-hardening	6,3	12	1	1
30270493	Rubber sheath, Non-hardening, E10 compatible	6,3	12	1	1
33270560	Transparent polyurethane, Non-hardening	2,0	3,5	2	1
33270053	Transparent polyurethane, Non-hardening	2,4	4,8	2	1
33270054	Transparent polyurethane, Non-hardening	3,2	5,3	2	1
33270055	Transparent polyurethane, Non-hardening	4,8	8,0	2	1
33270056	Transparent polyurethane, Non-hardening	6,0	9,0	2	1

### » Fuel taps

#### » Fuel taps

**Universal**



Part no.	Hose Ø (mm)	PP
33270057	6,3	1

### » Starters, complete

#### » BRIGGS & STRATTON



Part no.	Reference no.	Types	Fig. no.	PP
30270595	499706, 690101	090100, 091200, 092200, 093300, 093400, 094000, 094300, 095200, 095400, 096300, 097300, 098900, 09D900, 09E900, 09F900, 09J900, 09K900, 09L500, 09L900, 09M900, 09S500, 09T500, 09T600, 09T700, 10A900, 10C900, 10D900, 10E900, 10F900, 10G900, 10J900, 10K900, 10L500, 10L800, 10L900, 10M900, 10N900, 10T500, 10T600, 10T700, 10T800	1	1
30270414	497680	099700, 110600, 111600, 11A600, 120600, 120H00, 120K00, 120T00, 121600, 121K00, 122600, 122H00, 122K00, 122L00, 122M00, 122T00, 123600, 123H00, 123K00, 124600, 124H00, 124K00, 124L00, 124T00, 125600, 125K00, 126600, 126L00, 126M00, 126T00, 127700, 127800, 128800, 128H00, 128L00, 128M00, 128T00, 129600, 129700, 129800, 129H00, 12A600, 12A800, 12C600, 12C800, 12D600, 12E700, 12E800, 12F700, 12F800, 12G800, 12H700, 12H800, 12J800, 12J900, 12L800, 12M800, 12Q500, 12S500, 12S700, 12S800, 12T800, 12V800, 204400, 205400	2	1
30270609	692299, 557058, 281503	Various	3	1

» To fit as **Honda**



Part no.	Description	Reference no.	Types	Fig. no.	PP
30270004	Recoil starter	28400-ZH8-013YA, 28400-ZH8-013ZA, 28400-ZH8-003ZA, 28400-ZH8-000	GX 120, GX 160, GX 200	1	1
30270727	Recoil starter	28400-ZL8-023ZC, 28400-ZL8-023ZA, 28400-ZL8-013ZA, 28400-ZL8-003ZA	GC 135, GC 160, GCV 135, GCV 160, EN 2000	2	1
30270755	Recoil starter	28400-Z0D-V04ZC, 28400-Z0D-V03ZC, 28400-Z0D-V02ZC, 28400-Z0D-V02ZB, 28400-Z0D-013ZC, 28400-Z0D-003ZC, 28400-Z0D-013ZB	GX 100	3	1

» To fit as **Tecumseh**



Part no.	Description	Reference no.	Types	PP
30270277	Recoil starter	590732A, 590732, 590666, 590739, 14210090, 14210056, 14210076, 14210095, 590621, 590686, 590737, 590785, 590739, 590732A, 590732, 590666	H 30, H 35, H 40, H 50, H 60, LEV 115, LEV 120, LV 195 EA, TV 085 XA, TVM 125, TVM 140, VLV 126, LEV 80, LEV 120, LV 148, LV 195, OV 195, OVRM 60, OVRM 65, OVRM 105, OVRM 120, TVS 90, TVS 115, TVS 120, TVS 600, VLV 60, VLV 66, VLV 126, Synergie, Prisma, Vantage	1



» To fit as **BRIGGS & STRATTON**

Part no.	Reference no.	Types	Fig. no.	PP
30270210	281434S	Various	1	1

» To fit as **Honda**

Part no.	Reference no.	Types	Fig. no.	PP
30270291	28461-ZE1-013, 28461-ZE1-003	Various	2	1

» To fit as **Stihl**

Part no.	Reference no.	Types	Fig. no.	PP
40270114	1121 195 3400	Various	3	1

» GRANIT starter cables Classic

- Economy quality
- Low-stretch weave
- Resistant to wear and abrasion
- Wound on a plastic spool
- Suitable for use with lawnmowers, chainsaws, brush cutters, outboard motors, etc.



Part no.	Cable Ø mm	Roll length (m)	PP
30271139	2,8	60	1
30271140	3,0	60	1
30271141	3,5	60	1

Part no.	Cable Ø mm	Roll length (m)	PP
30271142	4,0	60	1
30271143	4,5	60	1
30271144	5,0	60	1


**Electrics**

» Starters and replacement parts


» To fit as **BRIGGS & STRATTON**



Part no.	Description	Reference no.	Types	No. of pinion teeth	Fig. no.	PP
18270001	<b>Starter</b> Housing length 3 5/8"	497595, 394805, 392749, 693054, 390838, 391177, 494325	Various	16	1	1
18270190	<b>Starter</b> Housing length 3 13/16"	593934, 693551	Various	14	2	1
18270008	<b>Starter pinion</b> Plastic	695708, 693059, 280104	Various	16	3	1
18270009	<b>Ring gear</b> Repair set	696537, 399676, 392134	170000, 190000, 19E400, 19G400, 220700, 221400, 222400, 226400, 250400, 251700, 252000, 253700, 254400, 255700, 256000, 257700, 280700, 281700, 282700, 283700, 284700, 285700, 286700, 287700, 288700, 289700, 28A700, 28B700, 28C700, 28D700, 28M700, 28N700, 28P700, 28Q700, 28R700, 28S700, 28U700, 28V700, 312700	16	4	1
18270010	<b>Repair set</b> For starter with roll pin	696540, 495878	170000, 190000, 19E400, 19F400, 19G400, 221400, 222400, 226400, 243400, 250400, 252000, 253700, 254000, 255700, 256000, 257700, 258700, 259700, 282700, 283700, 284700, 285700, 286700, 287700, 288700, 289700, 28A700, 28B700, 28C700, 28D700, 28M700, 28N700, 28P700, 28Q700, 28R700, 28S700, 28T700, 290400, 294000, 303000, 326400, 350000, 351000, 354400, 422000, 42A700, 42B700, 42D700	16	5	1
18270011	<b>Repair set</b> For starter with C-ring	696541, 497606	195700, 196000, 19E400, 19F400, 19G400, 243400, 283700, 284700, 286700, 287700, 289700, 28B700, 28D700, 28M700, 28N700, 28P700, 28Q700, 28R700, 28S700, 28T700, 28U700, 28V700, 294000, 303000, 312700, 326400, 350400, 351000, 354400, 380400, 381400, 386700, 401500, 404500, 405000, 406500, 407700, 40F700, 40G700, 40H700, 441000, 445000, 446700, 44H700, 44K700, 44L700, 44M700, 44P700, 44Q700, 49M700	16	6	1


**» Solenoid switches**


Part no.	Version	Fig. no.	PP
18270012	<ul style="list-style-type: none"> <li>• 12 V</li> <li>• Main connection 2 x 1/4" 20UNF</li> <li>• Ignition cable connection with ring eye 5 mm or flat connector</li> </ul>	1	1
18270013	<ul style="list-style-type: none"> <li>• 12 V</li> <li>• Negative on mounting foot, main connection 2 x 1/4" 20UNF</li> <li>• Ignition cable connection with ring eye 5 mm or flat connector</li> </ul>	2	1

**» Ignition coils and modules**
**» Briggs and Stratton**


Part no.	Description	Reference no.	Types	Hole spacing (mm)	Fig. no.	PP
18270072	Ignition coil	591459, 715231, 690248, 495859, 492341, 491312, 490586	Various	64,5	1	1
18270073	Ignition coil	398811, 398265, 395492, 395326, 394963, 393993	Various	63	2	1
18270080	Ignition coil	590454, 802574, 491760, 692605, 790817, 493237, 792631, 799381, T802574, 802559	Various	58,7	3	1
18270104	Ignition coil	591420, 799471, 793352, 793281, 792594, 792395, 697036, 496914, 398593, 397316, 395489, 395488, 298502	various	63,7	4	1

## GARDEN & FORESTRY

### CATALOGUE 7







» Spark plugs

CHAMPION spark plugs



All items on this page are shop-ready. 

Part no.	Champion reference no.	Suitable for BOSCH	Suitable for Denso	Suitable for NGK	Thread size (mm)	Thread length (mm)	AF (mm)	Suppressed resistor	PP
15270085	CJ7Y	WS5F, WS6F, WS7F	W22MP-U	BPM7A	M14	9,5	19	No	10
15270050	J19LM	W9E0, W11E0	W9LM-US	B2LM	M14	9,5	21	No	24
15270086	RJ19LM	WR11E0		BR2LM	M14	9,5	21	yes	10
15270087	RJ19LM	WR11E0		BR2LM	M14	9,5	21	Yes	24
15270096	RC12YC	FR8DC	Q16PR-U	BCPR5ES	M14	19	16	yes	10
15270414	XC92YC	FR8D+,FR8DC+	K16PR-U, K16R-U	BKR5E, BKR5EY	M14	19	16	Yes	4

NGK spark plugs



NGK SPARK PLUG EUROPE GmbH

Part no.	NGK reference no.	Suitable for BOSCH	Suitable for Champion	Suitable for Denso	Thread size (mm)	Thread length (mm)	AF (mm)	Suppressed resistor	PP
15270123	B2LM	W9E0, W11E0	J19LM	W9LM-US	M14	9,5	21	No	10
15270124	B4LM	W9EC, W9ECO	J17LM	W14LMUS	M14	11,2	21	No	10
15270126	B6HS	W6AC	L82C	W20FP-U	M14	12,7	21	No	10
15270196	BCPR5ES	FR8DC	RC9YC, RC12YC	Q16PR-U	M14	19	16	Yes	10
15270143	BKR5ES	F8DC0R, FR8DC, FR8DC0, FR8DE, FR9DC	QC12YC	K16PR-U	M14	19	16	Yes	10
15270134	BPM7A	WS5F, WS6F, WS7F	CJ6Y, CJ7Y	W22MP-U	M14	9,5	19	No	10
15270135	BPMR6A	WSR7F	RCJ7Y		M14	11,2	19	Yes	10
15270136	BPMR7A	WSR6F	RCJ7Y	W22MPR-U	M14	9	19	Yes	10
15270139	BPR5ES	WR8DC, WR8DC4, WR9DS	RN11YC, RN11YCC, RN12YC	W16EPR-U	M14	19	21	Yes	10
15270140	BPR6ES	W7DCR / WR7DC	RN9YC / RN9YCC / RN10YC	W20EPR-U	M14	19	21	Yes	10
15270141	BR2LM	WR11E0	RJ19LM	W9LMR-US	M14	9,5	21	Yes	10
15270237	CMR6H	USR7AC	RZ7C		M10	12,7	16	Yes	10
15270330	CMR7H	USR4AC	RZ7C		M10	12,7	16	Yes	10
15270142	CR5HSB	U4AC, U5AC, U6AC	Z9Y	U16FSR-UB	M10	12,7	16	Yes	10




**» Spark plug connectors**

**To fit as Champion**

Part no.	Description	Reference no.	Fig. no.	PP
15270270	<b>Spark plug connector</b> Rubber version For 7 mm ignition cable	WCX300	1	1

**Original NGK**

Part no.	Description	Reference no.	Spark plug thread	Fig. no.	PP
15270038	<b>Spark plug connector</b> Short version Angled 90° 5 kohm resistance Splashproof	LB05EH	14 mm for connection nut	2	1

**To fit as BRIGGS & STRATTON**

Part no.	Description	Reference no.	Types	Fig. no.	PP
18270074	<b>Spark plug connector</b> complete	66538S, 493880S	Various	3	1

**To fit as Honda**

Part no.	Description	Reference no.	Types	Fig. no.	PP
18270076	<b>Spark plug connector</b>	30700-ZE1-013, 30700-ZE1-003	Various	4	1


**Original LONCIN**

Part no.	Description	Reference no.	Types	Fig. no.	PP
55800312	<b>Spark plug connector</b>	270950040-0001	G 160 F, G 200 F, G 200 FD, G 240 F, G 240 FD, G 270 F, G 270 FD, G 340 F, G 340 FD, G 390 F, G 390 FD, G 420 F, G 420 FD, LC 168 F-1, LC 168 F-2, LC 168 F-2H	5	1

### » To fit as **Ambrogio**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Fig. no.	PP
13299927	4-tooth blade	50D001802	L 50	240	10,1	4,5	1	1
13299931	4-tooth blade	CSD011202	L 200	290	10,1	4,2 x 5,1	2	1
13299932	8-tooth blade	200Z05300A	L 200, L 300	290	10,1	4,5	3	1



### » To fit as **Belrobotics**

Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Contents	Fig. no.	PP
13271647	Mower blade set	BR12370	BIGMOW, GREENMOW, PARCMOW	42,7	7	9 piece Including screws	1	1

### » To fit as **Bosch**

Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Contents	Fig. no.	PP
13271645	Mower blade set	F016800321	Indego	49,5	7,2	9 piece Including screws	2	1

### » To fit as **Honda**

Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Contents	Fig. no.	PP
13271646	Mower blade set	06511-VP7-310	Miimo HRM 300, 310, 500, 520	39,2	10	9 piece Including screws	3	1


### » To fit as **Husqvarna**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Contents	Fig. no.	PP
13289581	Mower blade set	577 86 46-03, 577 86 46-02, 577 60 64-03, 577 86 44-02, 535 13 87-03, 535 13 87-02, 535 13 87-01	Various	35	5	9 piece Including bolts, in blister pack	1	1
13271605	Mower blade set	577 60 65-05, 577 60 65 04, 577 60 65 03, 577 60 65 02	Various	35	5	45 piece Including screws	2	1
13271607	Mower blade set	577 60 66-04, 577 60 66-03, 505 12 78-02, 505 12 78-01	Various	35	5	315 piece Including screws	3	1



### » To fit as **Viking**



Part no.	Description	Reference no.	Types	Length (mm)	Central hole (mm)	Outer hole (mm)	Distance centre - centre (mm)	Fig. no.	PP
13271793	Mower blade	6301 702 0101	MI 422.0, MI 422.0 P, MI 422.1, MI 422.1 P, MI 422.1 PC	198	8 x 16	8 x 10	95	1	1
13271794	Mower blade	6309 702 0102, 6309 702 0101	MI 632.0, MI 632.0 C, MI 632.0 P, MI 632.1, MI 632.1 C, MI 632.1 M, MI 632.1 P, MI 632.1 PC	279	8 x 16	8 x 10	95	2	1

### » Battery packs for robotic mowers

#### » To fit as **Husqvarna**




Part no.	Reference no.	Types	Fig. no.	PP
57970013	535 12 09-02, 535 12 09-01	G2, 220 AC, 230 ACX, Solar Hybrid	1	1
57953066	589 58 61-01, 586 57 62-01, 586 57 62-02, 574 47 68-01	Automower 105, 305, 308	2	1
57953068	589 58 57-01, 588 14 64-01	Automower 440, 550, 430X, 450X	3	1

#### » To fit as **Stiga**



Part no.	Reference no.	Types	Voltage (V)	Capacity (Ah)	Fig. no.	PP
57953064	1126-9137-01	Autoclip 125, 127, 145, 200, 221, 223, 225S, 228S	25,2	2,3	1	1
57953062	1126-9138-01	Autoclip 140, 325, 328S, 520, 522, 523, 524S, 526	25,2	8,7	2	1
57953063	1126-9165-01	Autoclip 720S, 920S	25,2	13,8	3	1

#### » To fit as **WORX**



Part no.	Reference no.	Types	Voltage (V)	Capacity (Ah)	Fig. no.	PP
57953071	WA3551.1	Landroid L2000, M1000, M700	20	2,0	1	1
57953072	WA3556	Landroid L2000, M1000, M700	20	5,0	2	1

» Limiting cables for demarcating the working area of robotic mowers

**Replacement spools CLASSIC**

- Aluminium copper alloy
- Printed metre marking on the cable makes it easier to determine the amount used



Part no.	Description	Cable length (m)	Cable cross section (mm <sup>2</sup> )	Outer Ø (mm)	Colour	PP
5070010012	Limiting cable CLASSIC	250	1,5	2,7	Green	2
5070010013	Limiting cable CLASSIC	500	1,5	3,5	Green	1
5070010014	Limiting cable CLASSIC	800	1,5	3,5	Green	1
5070010013OR	Limiting cable CLASSIC	500	1,5	3,5	Orange	1
5070010007OR	Limiting cable CLASSIC	500	1,5	3,8	Orange	1

**Replacement spools PREMIUM**

- High copper content
- Printed metre marking on the cable makes it easier to determine the amount used



Part no.	Description	Cable length (m)	Cable cross section (mm <sup>2</sup> )	Outer Ø (mm)	Colour	PP
5070010012P	Limiting cable PREMIUM	250	1,5	2,7	Green	2
5070010013P	Limiting cable PREMIUM	500	1,5	3,5	Green	1
5070010014P	Limiting cable PREMIUM	800	1,5	3,5	Green	1
5070010013POR	Limiting cable PREMIUM	500	1,5	3,5	Orange	1
5070010009OR	Safety limiting cable PREMIUM	500	1,5	3,8	Orange	1

**Replacement spools Safety CLASSIC**

- Aluminium copper alloy
- Equipped with 3 high-quality protective levels with constant signal strength
- Outer protective metal mesh layer effectively protects against rodents and garden tools
- Printed metre marking on the cable makes it easier to determine the amount used
- Spool fits all professional cable laying machines
- Colour: green



Part no.	Description	Cable length (m)	Cable cross section (mm <sup>2</sup> )	Outer Ø (mm)	PP
5070010003	Safety limiting cable CLASSIC	100	1,5	2,6	1
5070010006	Safety limiting cable CLASSIC	250	1,5	3,7	1
5070010007	Safety limiting cable CLASSIC	500	1,5	3,7	1



» Limiting cables for demarcating the working area of robotic mowers

Replacement spools Safety PREMIUM

- High copper content
- Equipped with 3 high-quality protective levels with constant signal strength
- Outer protective metal mesh layer effectively protects against rodents and garden tools
- Printed metre marking on the cable makes it easier to determine the amount used
- Spool fits all professional cable laying machines
- Colour: green



Part no.	Cable length (m)	Cable cross section (mm <sup>2</sup> )	Outer Ø (mm)	PP
5070010008	250	1,5	3,7	1
5070010009	500	1,5	3,7	1

» Cable repair kit



Part no.	Description	Contents	PP
18270506	Repair kit	<ul style="list-style-type: none"> <li>• 25 m cable</li> <li>• 10 ground spikes</li> <li>• 5 cable connectors</li> </ul>	1

» 3M Scotchlok™ cable connectors



Part no.	Description	Version	Cable cross section (mm <sup>2</sup> )	Connection	Contents	Fig. no.	PP
18270354	Scotchlok™ 314 cable connector	Moisture-resistant, flame-retardant, blue, 600 V	0,35 - 2,5	Max. 3.8 mm	1 pcs.	1	1
18270354/50	Scotchlok™ 314 cable connector	Moisture-resistant, flame-retardant, blue, 600 V	0,35 - 2,5		50 pcs.	1	1
18270353	Scotchlok™ MGC connector	Moisture-resistant, flame-retardant, black, 600 V	2x External connection: 1,0 - 2,0 (multi-wire), 1,0 - 1,6 (single-wire*) 1x Centre connection: 0,8 - 1,0 (multi-wire), 1,0 mm (single-wire*)	External connection: max. 5.3 mm Central connection: max. 3.8 mm	1 pcs.	2	1
* For cables with thermoplastic insulation, copper conductors only							
18270355	Scotchlok™ 951 connector For plug-in branch connection	Red, 600 V	0,35 - 1,0	Max. 3.7 mm	1 pcs.	3	1

» GRANIT thermal cable connectors



Part no.	Description	Version	Contents	PP
18270379	Thermal cable connector	<ul style="list-style-type: none"> <li>Waterproof low-temperature soldering sleeve</li> <li>Protects the cable for decades and leaves the cable 100% oxidation-free</li> </ul>	100 pcs.	1

» GRANIT cable detectors

With the professional cable detectors you can find damage to your limiting cable much faster than with conventional cable detectors.



Part no.	Description	Version	Included in delivery	Fig. no.	PP
37270793	<b>Cable detector</b> A-M Pro Tracker	<ul style="list-style-type: none"> <li>Tracks cables up to 20 km long</li> <li>Location of cable breaks in the ground, down to a depth of 2 metres</li> <li>Gain buttons for sensitivity adjustment</li> <li>Can be used for multi-core or single-core wires</li> <li>The headphones enable work in noisy environments</li> <li>Cable routing and socket can be used at the same time</li> <li>Display function for weak batteries</li> <li>Rechargeable lithium battery for the transmitter</li> <li>Transmitter power supply: 3.7V lithium battery</li> </ul>	1 transmitter 1 receiver 1 test cable (red/black) 1 crocodile clip (red/black)	1	1
37270766	<b>Cable detector</b>	<ul style="list-style-type: none"> <li>Location and tracking of power cable and sockets, junction boxes</li> <li>Identification of the mains voltage and search for interruptions in the circuit; location of line breaks, detection of short circuits</li> <li>Detection of fuses</li> <li>Tracking of underground circuits</li> <li>Fault detection in underfloor heating, location of metallic water or heating pipes</li> </ul>	1 transmitter 1 receiver 1 test cable (red/black) 1 test probe (red/black) 1 crocodile clip (red/black) 1 ground spike (Batteries included)	2	1

» Ground spikes for limiting cables




Part no.	Description	Version	Contents	PP
37270767	Ground spikes	<ul style="list-style-type: none"> <li>For fixing robotic mower induction lines</li> <li>Made of weatherproof plastic</li> </ul>	100 pcs.	100



## » Blades for cable laying machine

To fit as Lizard, Stiga, Wiper, Zucchetti



Part no.	Description	Reference no.	Types	Length (mm)	Width (mm)	Contents	Fig. no.	PP
13271811	Drilling blades Standard	1126-8018-01, ZCSZ7403, 7403	Lizard XLINT60, Stiga NT60, Wiper CLH 60	120	25	3 pcs.	1	1
13271812	Cutting blade Hardened	1126-8019-01, ZCSZ7403H, 7403H	Lizard XLINT60, Stiga NT60, Wiper CLH 60	120	25	3 pcs.	2	1

## » Foam rubber seal

- Ideal for use as a seal between the housing and chassis
- Replacement recommended at each inspection

Part no.	Roll length (m)	Ø (mm)	PP
30270901	200	4,0	1
30270902	200	4,5	1
30270903	200	5,0	1



## » Robotic mower accessories

### » Robotic mower cover CLASSIC

- Optimum protection against weather for robotic mower and charging station
- Suitable for robotic mowers up to approx. 5000 m<sup>2</sup> area output
- Protects against rain, hail and UV rays
- Easy installation on lawns or paved areas
- Modern design

Part no.	Dimensions L x W x H (mm)	PP
37270792	1030 x 770 x 455	1




### » Robotic mower cover PREMIUM

- Mechanical connection
- Automatic opening and closing
- Made of high-quality wood
- Access to the robotic mower from above
- Protects your robotic mower all year round



Part no.	Dimensions L x W x H (mm)	Colour	Fig. no.	PP
37270804	1090 x 760 x 700	White	2	1
37270805	1090 x 760 x 700	Wood look	1,3	1

All items on this page are shop-ready.



### » To fit as **Castelgarden**

#### Walk-behind mowers

Part no.	Drive	Reference no.	Types	Dimensions	Fig.	PP
57270032	Drive	135063800/0, 35063800/1	CL 484 TR/TRE, GB 464/504 TR/TRE, NG 464/504 TR/TRE, R/TD 484 TR/TRE	Z 27, 10 x 685 Li	A	1
57270035	Drive	135064100/0, 35064100/0	T 484 TR/TRE	Z 30, 10 x 765 Li	A	1
57270038	Drive	135064150/0, 35064150/0, 1136-1949-01	F 502/504 TR/TRE, PA 502/504 TRE, RAN 504 TR/TRE	Z 32, 10 x 815 Li	A	1

#### Ride-on mowers

Part no.	Drive	Reference no.	Types	Dimensions	Fig.	PP
57270031	Drive	135061502/0, 35061502/0, 35061501/1	TC 102/122 Manual transmission, until model year 2000	A 60, 13 x 1525 Li	A	1
57270039	Drive	135062000/1, 35062000/1, 35062000/0, 1134-9161-01, 1136-0433-01	J92, JP92 from model year 1997, 98S from Model year 2002	A 96, 13 x 2443 Li	A	1
57270041	Drive	135062001/0, 35062001/0, 1136-0434-01	TC 102/122 Hydrostatic From model year 2000	A 96,5, 13 x 2486 La	A	1
57270029	Mower drive	135061423/0G, 135061423/0, 35061423/0, 35061424/0	F72, F72 Hydrostat	A 50, 13 x 1300 La	A	1
57270048	Mower drive	135062814/0, 135062812/0, 35062814/0, 35062812/0, 1136-1023-01	TC 122	B 54, 17 x 1372 Li	A	1
57270047	Mower drive	135062813/1, 135062813/0, 135062811/0, 35062813/0, 35062811/0, 1136-0435-01	TC 102	B 55-K, 17 x 1400 Li	A	1
57270340	Mower drive	135065700/0, 35065700/0, 1136-0437-01	J92, J92 Hydrostat, JP92, JP92 Hydrostat	AA 85, 13 x 2159 Li	D	1
57270345	Mower drive	135061508/0, 135065701/0, 35065701/0	N 92 from model year 2007, MP 84, MP 84 Hydro	AA 86, 13 x 2184 Li	D	1
57270226	Blade drive	135065605/0, 135065600/0, 35065600/0, 1136-0436-01	TC 102	1600DS8M20	H	1
57270227	Blade drive	135065601/0, 35065601/0, 1136-1024-01	TC 122	1800DS8M25	H	1


### » To fit as **Husqvarna**

Part no.	Drive	Reference no.	Types	Dimensions	Fig.	PP
57270342	Mower drive	532 40 20-08, 532 18 02-17, 532 16 55-55	Mower 36" rear discharge CRD, RER1236A	AA 105, 13 x 2667 Li	D	1
57275123	Mower drive	532 16 91-78, 532 40 20-09	CTH150, CTH171, CTH180, CTH182T, CTH191, CTH192, CTH200, CTH220, CTH222T, CTH2542T, CTH2642, CTH2642TE	AA 112, 13 x 2845 Li	D	1
57270343	Mower drive	AA114	Various	AA 114, 13 x 2900 Li	D	1





All items on this page are shop-ready.



» MTD

Part no.	Drive	Reference no.	Types	Dimensions	Fig.	PP
57270228	Drive	754-0280A, 754-0280, 954-0280A, 954-0280	11/81, 12/76HN, 12/91, 12N, 13/96, 76/13, 110/760HA, 110/960N, 111/910N, 111/960, 112/910N, 112/960, 112/960N, 112ESL, 114N, 114/107, 114/107N, 115/76, 125/76N, 125/81, 145/107, 4600/107, B10, B12, B100, B125, B160, B180, G185, J120, J125, J130, J130, Novotrac 11-76HN, Novotrac 111, Sprint 500, Sprint 850, Sprint 870, Sprint 1700, Super 12-96 I/C, Super 14-107V, T76, TA4145, TC4125, TG6160, Yard Man 10/76	5/8" x 53", 15,9 x 1346 La	A	1
57275166	Drive	754-0626, 954-0626	13/92, 155/92A, 180/105A, AE5150, AE5150K, AG5150K, AN5185, AJ5200, JE135A, JE150/92A, JN135AT, JN155A, GLX92RA, GLX105RA, GLX105RALK, , GLX107SAL, SE135A, SE160AT, SN210A	5/8" x 68,1", 15,9 x 1730	A	1
57270015	Mower drive	754-0631, 954-0631	908, AMH1650, AN5150, AN5150K, AN5175, GLX105RA, GLX105RHL, HN5180, HN5200, RD516N, RD1750 Hydro, RMH514-105A, SN150A, SN155H, SN170A, SN135A, SN170A, SN180H, SN180AT, SN210A	5/8" x 105,2", 15,9 x 2672	A	1
57270355	Mower drive	754-04175	135/92 H, 155/92 T	13 x 2318	D	1
57270338	Mower drive	754-0443A, 754-0443, 954-0443A	Mower unit 40" N-deck (102 cm), rear discharge, series 700, old version with 1st tensioner on right in direction of travel, 13/102, 16/102, 125/40, 125/102, 130/102, 160/102, 906, 4600/102H, E125, E145, E160, E/165, EH/130, EH155, EH160, EH/180, ET13, ET145, ET155, ET160, HN7155, Sprint 2000, Sprint 3000, TN7135, TN7160	AA 88, 13 x 2235 Li	D	1



OUR SYMBOL FOR SHOP PRODUCTS



All items with this symbol are suitable for sale in your shop (POS), and are supplied in shop-ready packaging.

This may be GRANIT standard or premium packaging in the form of a box, blister pack, polybag or spray can.


All shop-ready items have an EAN code (barcode).



» **Universal V-belts True Blue**

**GRANIT universal True Blue V-belts are characterised by:**

- High resilience as V-belts are reinforced by additional Kevlar cords
- High temperature resistance
- Good oil resistance
- Rapid breakdown of static charge thanks to electrical conductivity
- High mechanical protection thanks to double fabric covering
- Optimum coefficient of friction exhibited by the belt surface



**3/8"**

Part no.	Reference no.	Outer length (inches)	Outer length (mm)	Inner length (mm)	Effective length (mm)	Fig. no.	PP
57273024	3LK24	24"	610	572	594	1	1
57273025	3LK25	25"	635	597	619	1	1
57273026	3LK26	26"	660	622	644	1	1
57273027	3LK27	27"	686	648	670	1	1
57273028	3LK28	28"	711	673	695	1	1
57273029	3LK29	29"	737	699	721	1	1
57273030	3LK30	30"	762	724	746	1	1
57273031	3LK31	31"	787	749	771	1	1
57273032	3LK32	32"	813	775	797	1	1
57273033	3LK33	33"	838	800	822	1	1
57273034	3LK34	34"	864	826	848	1	1
57273035	3LK35	35"	889	851	873	1	1
57273036	3LK36	36"	914	876	898	1	1
57273038	3LK38	38"	965	927	949	1	1
57273042	3LK42	42"	1067	1029	1051	1	1
57273043	3LK43	43"	1092	1054	1076	1	1
57273044	3LK44	44"	1118	1080	1102	1	1
57273045	3LK45	45"	1143	1105	1127	1	1

**1/2"**




Part no.	Reference no.	Outer length (inches)	Outer length (mm)	Inner length (mm)	Effective length (mm)	Fig. no.	PP
57274030	4LK30	30"	762	712	748	2	1
57274031	4LK31	31"	787	737	773	2	1
57274033	4LK33	33"	838	788	824	2	1
57274035	4LK35	35"	889	839	875	2	1
57274036	4LK36	36"	914	864	900	2	1
57274037	4LK37	37"	940	890	926	2	1
57274038	4LK38	38"	965	915	951	2	1
57274039	4LK39	39"	991	941	977	2	1
57274040	4LK40	40"	1016	966	1002	2	1
57274041	4LK41	41"	1041	991	1027	2	1
57274042	4LK42	42"	1067	1017	1053	2	1
57274043	4LK43	43"	1092	1042	1078	2	1
57274045	4LK45	45"	1143	1093	1129	2	1
57274046	4LK46	46"	1168	1118	1154	2	1
57274049	4LK49	49"	1245	1195	1231	2	1
57274050	4LK50	50"	1270	1220	1256	2	1
57274051	4LK51	51"	1295	1245	1281	2	1
57274076	4LK76	76"	1930	1880	1916	2	1



» Universal V-belts True Blue

GRANIT universal True Blue V-belts are characterised by:

- High resilience as V-belts are reinforced by additional Kevlar cords
- High temperature resistance
- Good oil resistance
- Rapid breakdown of static charge thanks to electrical conductivity
- High mechanical protection thanks to double fabric covering
- Optimum coefficient of friction exhibited by the belt surface



1/2"

Part no.	Reference no.	Outer length (inches)	Outer length (mm)	Inner length (mm)	Effective length (mm)	Fig. no.	PP
57274077	4LK77	77"	1956	1906	1942	2	1
57274078	4LK78	78"	1981	1931	1967	2	1
57274079	4LK79	79"	2007	1957	1993	2	1
57274082	4LK82	82"	2083	2033	2069	2	1
57274083	4LK83	83"	2108	2058	2094	2	1
57274084	4LK84	84"	2134	2084	2120	2	1
57274086	4LK86	86"	2184	2134	2170	2	1
57274087	4LK87	87"	2210	2160	2196	2	1
57274088	4LK88	88"	2235	2185	2221	2	1
57274089	4LK89	89"	2261	2211	2247	2	1
57274090	4LK90	90"	2286	2236	2272	2	1
57274095	4LK95	95"	2413	2363	2399	2	1
57274096	4LK96	96"	2438	2388	2424	2	1
57274097	4LK97	97"	2464	2414	2450	2	1
57274098	4LK98	98"	2489	2439	2475	2	1
57274110	4LK110	110"	2794	2744	2780	2	1
57274112	4LK112	112"	2845	2795	2831	2	1
57274113	4LK113	113"	2870	2820	2856	2	1

5/8"

Part no.	Reference no.	Outer length (inches)	Outer length (mm)	Inner length (mm)	Effective length (mm)	Fig. no.	PP
57275036	5LK36	36"	914	845	888	3	1
57275040	5LK40	40"	1016	947	990	3	1
57275042	5LK42	42"	1067	998	1041	3	1
57275047	5LK47	47"	1194	1125	1168	3	1
57275050	5LK50	50"	1270	1201	1244	3	1
57275053	5LK53	53"	1346	1277	1320	3	1

All items on this page are shop-ready.




#### » To fit as **Castelgarden**



Part no.	Description	Reference no.	Types	Outer Ø (mm)	Inner Ø (mm)	Height (mm)	Fig. no.	PP
31270021	Guide roller For drive	325601570/1, 25601570/0, 25601558/2, 1136-0915-01	TC92, 102, 122	52	15	15	1	1
31270313	Idler pulley	127604008/0, 27604008/0, 1136-1271-01	F72 H, XE866 B, XE966 HDB, XF130, XF130 HD, XF135 HD, XF140, XF140 HD	88	8,5	73	2	1
31270023	Tensioning pulley For mower drive	125601555/0, 25601555/0, 1136-0290-01	TC92, 102, 122	62/89	15,85	21	3	1
31270022	Tensioning pulley For drive	125601554/0, 25601554/0, 1136-0289-01	F72, 92, TC102, 122	70/85	17	27	4	1

#### » To fit as **Husqvarna**



Part no.	Description	Reference no.	Types	Outer Ø (mm)	Inner Ø (mm)	Height (mm)	Fig. no.	PP
31270072	Tensioning pulley	532 16 56-26, 532 16 56-36, 165626	CT130, CTH130, CTH150, CTH16	63,5	9,5	18,5	1	1
31270025	Tensioning pulley	532 17 34-38, 532 15 51-91, 532 13 14-94	Various	96,8	9,5	28,6	2	1
31270069	Pulley	532 19 95-34, 532 19 95-32, 532 17 90-50, 532 18 60-07	Various	63	8,2	17,8	3	1
31270058	V-belt pulley	532 14 67-63	CT 150, CTH 160II, GTVH 200, YTH 180, QGT 2046 A, QP 20H46 B	108	9,5	24	4	1

#### » To fit as **Stiga**



Part no.	Description	Reference no.	Types	Outer Ø (mm)	Inner Ø (mm)	Height (mm)	PP
31270100	Tensioning pulley	387605008/0, 1134-9027-02, 1134-9027-01, 1134-2989-02, 1134-2989-01, 1134-0702-02, 1134-1794-01	Park, Villa	44,7/73	10	16,7	1



» **Lawnmower lift**

**Clip Lift**

- Simplifies mower deck maintenance
- Easy lifting via pedal
- Lift lowered via hydraulics
- High level of safety thanks to bolts
- Wheels secured with belts supplied
- Easy to transport thanks to rollers
- Everything in its place - removable pedal
- Space-saving thanks to wall mounting
- Continuous lifting via hydraulics
- Simplifies mower deck cleaning and maintenance

- Lifting process stops automatically at 45° which prevents tipping
- Extremely safe thanks to double mechanical safety lock, mower cannot fall in the event of a loss of pressure in the hydraulics
- Space-saving - folding and easy to mount on the wall
- Easy to transport thanks to attached rollers
- CE tested



Part no.	Load capacity (kg)	PP
37270593	300	1

**Clip Lift Magnum**

- Clean and care for your lawn tractor more easily (up to a maximum weight of 500 kg)
- Easy to move thanks to its 2 rollers and handy design
- Automatic locking and safety support features mean that you can carry out cleaning and maintenance work worry-free
- Compact and safe storage using hook and safety peg

**Double the safety**

Automatic locking and safety support features mean that you can carry out cleaning and maintenance work worry-free

**Safe storage**

Compact and safe storage using hook and safety peg.

**Cleaning and maintenance**

Clean and care for your lawn tractor more easily with the Clip Lift Magnum (up to a maximum weight of 500 kg)

**Easy and effortless**

The Clip Lift tool is easy to move around thanks to its 2 rollers and handy design.



Part no.	Load capacity (kg)	PP
37270698	500	1

**Clip Lift Pro**

Compatible with most ride-on mowers and lawn tractors, including zero turn models and quad bikes.

**Cleaning and maintenance**

Clean and care for your lawn tractor more easily with the Clip Lift Pro. Effortless lifting using the hydraulic lifting pump.

**Easy and effortless**

The Clip Lift tool is easy to move around thanks to its 4 rollers and handy design. Adjustable lifting arms with a width of 115 cm to 135 cm (measured at the outer edge of the front wheels).

**Double the safety**

The straps supplied secure the tractor front wheels in the lifting arms' front wheel mount. The safety peg offers additional security, and allows you to carry out cleaning and maintenance work worry-free.

**Safe storage**

The Clip Lift Pro can be stored compactly in an upright position.



Part no.	Load capacity (kg)	PP
37270781	800	1

» **Lawnmower lift**

**Extension platform for Clip Lift Pro**

- Manual lawnmower extension/workshop platform for Clip Lift Pro
- Max. lifting height: 80 cm



Part no.	Load capacity (kg)	PP
37270780	60	1

» **Wheel and tyre mounting**

**Tyre mounting equipment for lawn tractors, wheelbarrows and sack barrows, etc.**

- Suitable for rims Ø 4 to 16.5 inches (100 to 420 mm)
- Disassembly tool included
- Sturdy processing guarantees a secure hold and a long service life

**Dimensions:**

Length: 572 mm  
Width: 130 mm  
Height: 675 mm  
Weight: 30 kg



Part no.	PP
37270576	1



» Cans

**Fuel can (UN) 5 l, HD-PE**

- Meets the strictest safety requirements
- TÜV tested production
- Including outlet pipe and child-safe closure ZU-231330
- From 01/06/2015 all fuel cans (UN/RKK) must be marked by the end user according to GHS/CLP regulations



Part no.	Contents (l)	Colour	Fig. no.	PP
50099051	5	Black	1	1
50099052	5	Natural	2	1
50099053	5	Red	3	1

» Lawnmower engine oil SAE 30

**Description:**

GRANIT engine oil SAE 30 is a modern single-grade engine oil for diesel engines, diesel turbochargers and four-stroke petrol engines.

**Areas of application:**

The design takes into account the requirements of the latest high-performance engines by selecting high-quality solvent raffinates (primary raffinates) and an internationally tested additive package. High cleaning effect, wear and corrosion protection, sludge carrying capacity and heavy-duty lubricating film formation are key features of this oil. GRANIT engine oil SAE 30 can also be used as hydraulic oil and gear oil, in converter and ship transmissions, in compliance with SAE viscosities and the unit manufacturer's instructions.

**Specifications:**

Mercedes-Benz 228.0, MAN 270, Allison C4, Caterpillar TO-2, MTU MTL 5044 type 1, ZF TE-ML 04B

**Classifications:**

ACEA E2, API CF, API CF-2, API SF

**Labelling:**

Single-grade engine oil



Part no.	Container	Technical data	Fig. no.	PP
210SAE30 GEB0.6	0.6 litre	Quality / performance: API CD / SF	1	1
210SAE30 GEB1	1.0 litre	Quality / performance: API CD / SF	1	1
210SAE30 GEB1.4	1.4 litre	Quality / performance: API CD / SF	2	1
210SAE30 GEB5	5 litres	Quality / performance: API CD / SF	3	1

All items on this page are shop-ready.




» **Handheld shears**

**BLACK EDITION**

For cutting fresh flowers and branches

Supplied in packs of 6.



Part no.	Description	Cutting capacity (branch Ø, mm)	Description	Fig. no.	PP
7541000001	Bypass pruning shears (pack of 6)	22	<ul style="list-style-type: none"> <li>• Easy cutting due to pulling cut</li> <li>• Blade with non-stick coating for minimal friction</li> </ul>	1	6
7541000002	Anvil pruning shears (pack of 6)	22	<ul style="list-style-type: none"> <li>• Ideal for right- and left-handed users</li> <li>• Glass fibre-reinforced plastic handles</li> <li>• One-handed safety lock</li> </ul>	2	6
7541000003	Bypass pruning shears (pack of 6)	12 / 24	<ul style="list-style-type: none"> <li>• Easy cutting due to pulling cut</li> <li>• Blade with non-stick coating for minimal friction</li> </ul>	3	6
7541000004	Anvil pruning shears (pack of 6)	12 / 24	<ul style="list-style-type: none"> <li>• Ideal for right- and left-handed users</li> <li>• Glass fibre-reinforced plastic handles</li> <li>• Adjustable handle opening for small and large palms</li> <li>• Ideal for quick cutting of small branches, as well as powerful cutting of thick branches</li> <li>• Upper handle with non-slip surface for a secure grip</li> <li>• One-handed safety lock</li> </ul>	4	6

» **Hedge shears**

**BLACK EDITION**

- Blades made of carbon steel
- Upper blade with non-stick coating to reduce friction
- Lower blade hard chrome-plated
- Lightweight aluminium handles with soft grips

Supplied in packs of 4.



Part no.	Description	Version	Fig. no.	PP
7541000032	Hedge shears GHES01-S	For cutting back bushes and shrubs	1	4
7541000033	Telescopic hedge shears GHES01-T	For cutting back bushes and shrubs with a longer reach	2	4
7541000034	Hedge shears GHES01-G	For easily cutting back bushes and shrubs	3	4





All items on this page are shop-ready.



» **Branch loppers**

4 pcs.

**BLACK EDITION**

- Blades made of carbon steel
- Upper blade with non-stick coating to reduce friction
- Lower blade hard chrome-plated
- Lightweight aluminium handles with soft grips



Part no.	Description	Cutting capacity (branch Ø, mm)	Version	Fig. no.	PP
7541000035	<b>Bypass branch loppers</b> GL01-B	40	For cutting back green branches	1	4
7541000036	<b>Telescopic bypass branch loppers</b> GL01-TB	50	For cutting back branches with a longer reach	2	4
7541000037	<b>Bypass branch loppers</b> GL01-GB	50	For easily cutting back green branches	3	4
7541000038	<b>Anvil branch loppers</b> GL01-A	40	For cutting back dry branches	4	4
7541000039	<b>Telescopic anvil branch loppers</b> GL01-TA	50	For cutting back dry branches with a longer reach	5	4
7541000040	<b>Anvil branch loppers</b> GL01-GA	55	For easily cutting back dry branches	6	4


All items on this page are shop-ready.



» Folding saw

**BLACK EDITION**

Supplied in packs of 4.




Part no.	Version	Blade length (mm)	Tooth pitch (mm)	Fig. no.	PP
11017828	<ul style="list-style-type: none"> <li>Folding saw with straight blade</li> <li>Cutting blade made of SK5 steel</li> <li>Quadruple ground and impulse hardened teeth</li> <li>Saw blade with PTFE coating for high cutting performance</li> <li>Handle made of chrome-plated steel for high strength and durability</li> <li>Non-slip grip for a secure grip even when wet</li> <li>The blade locks securely in place and folds up when not in use</li> </ul>	180	3,7	1	4
11014815	<ul style="list-style-type: none"> <li>Folding saw with straight blade</li> <li>Cutting blade made of SK5 steel</li> <li>Quadruple ground and impulse hardened teeth</li> <li>Saw blade with PTFE coating for high cutting performance</li> <li>Handle made of chrome-plated steel for high strength and durability</li> <li>Non-slip grip for a secure grip even when wet</li> <li>The blade locks securely in place and folds up when not in use</li> </ul>	270	3,7	2	4

» Telescopic pruning saw

**BLACK EDITION**

- Saw blade with curved blade and hard chrome-plated surface
- Triple ground and impulse hardened teeth
- Telescopic tube made of aluminium with anodised surface
- Supplied including saw blade guard



Part no.	Version	Total length (mm)	Blade length (mm)	Fig. no.	PP
754000012	Three-piece telescopic tube	4900	450	1	1
754000013	Four-piece telescopic tube	6300	450	2	1





## » Special gloves

### Landscape gardening gloves WORK

- Palms, fingers and thumbs made of soft goatskin leather
- Reinforced thumb saddle for additional protection and durability
- Palms and fingers reinforced with PVC pads for a secure grip
- Comfortable to wear thanks to the breathable, padded stretch spandex
- Backs of the hands with additional knuckle protection made of neoprene
- Neoprene hook and loop fastening for a snug fit around the wrist



Part no.	Glove size	Material	PP
52470149-8	8 (M)	Kid leather	1
52470149-9	9 (L)	Kid leather	1
52470149-10	10 (XL)	Kid leather	1

### Landscape gardening gloves BASIC

- Palms, fingers and thumbs made of Amara synthetic leather
- Palms and fingertips reinforced with PVC pads for a secure grip and optimum protection
- Backs of the hands made of breathable spandex and additional knuckle protection made of Amara
- Neoprene hook and loop fastening for a snug fit



Part no.	Glove size	Material	PP
52470152-8	8 (M)	Imitation leather	1
52470152-9	9 (L)	Imitation leather	1
52470152-10	10 (XL)	Imitation leather	1

### Anti-vibration gloves PREMIUM

- Soft and durable cowhide leather
- Palms with gel padding for optimum absorption of vibrations and shocks
- Backs of the hands with spandex and additional leather protection on the fingers
- Elasticated cuffs



Part no.	Glove size	Material	PP
52470146-8	8 (M)	Premium leather	1
52470146-9	9 (L)	Premium leather	1
52470146-10	10 (XL)	Premium leather	1
52470146-11	11 (2XL)	Premium leather	1

## BATTERIES

Page 3



## CUTTING TECHNOLOGY

Page 4 - 19



## ENGINE PARTS

Page 19 - 30



## REPLACEMENT PARTS FOR WALK-BEHIND, RIDE-ON AND ROBOTIC MOWERS

Page 30 - 44



## WORKSHOP SUPPLIES / OIL AND LUBRICATION TECHNOLOGY

Page 45 - 47



## GRANIT BLACK EDITION / WORK PROTECTION/PPE

Page 48 - 51



These replacement parts are not intended to be sold as OEM parts. OEM part numbers are given for reference purposes only. All prices are in £, excluding VAT. © 2022 Reproduction, in full or in part, with our written permission only. All prices are subject to change. Technical alterations and errors reserved. Delivery subject to availability.