

T 01609 771124 E info@jjmetcalfeandson.com www.jjmetcalfeandson.com

DIRECT DRILL COULTERS



SPECIALISTS IN PERFORMANCE PARTS FOR AGRICULTURE



J.J.Metcalfe & Son Ltd Willow Garth Farm, Newby Wiske, Northallerton, North Yorkshire, DL7 9ET



INDEX

> ABC	UT DIRECT DRILL COULTERS	3 - 4
> ALL	DIRECT DRILL OPTIONS	5 - 8
> T0	FIT HORSCH	9 - 12
> T0	FIT AMAZONE CAYENA	13 - 16
> T0	FIT OTHER DRILL MAKES	17 - 18
> DIR	ECT DRILL SELF BUILD	19 - 20
> T0	FIT SIMBA FREEFLOW	21
> PRE	PARING FOR DIRECT DRILLING With the NG System	22





ABOUT J.J.METCALFE & SON LTD

With a wealth of 'in field' knowledge dating back to 1947, family run company J.J.Metcalfe & Son Ltd believe in achieving the best possible crop yield from the most economically viable solutions.

Specialising in the application of tungsten carbide, J.J.Metcalfe & Son Ltd focus on manufacturing wearing parts for agriculture that provide a consistently high performance throughout a long life using high grade steels, heat treatment methods and hard facing alongside tungsten carbide.

J.J.Metcalfe & Son's extensive knowledge on the manufacture of castings and the application of tungsten carbide, means that they now supply some of the industry's largest brand names.

> PLEASE NOTE

.....

Throughout this brochure manufacturers names are used for reference only, all parts are designed and manufactured by J.J.Metcalfe & Son Ltd.



THE BENEFITS OF MOVING LESS SOIL

RUNS VERTICAL WHEN IN THE GROUND

THE FRONT TUNGSTEN CARBIDE TIP OPTIMISES THE ULTIMATE TINE ANGLE, WHICH IS CRUCIAL FOR THE BEST BALANCE BETWEEN THROW AND SMEARING ORGANIC MATTER REMAINS ON THE SURFACE

WORM POPULATION LEFT UNDISTURBED TO AERATE SOIL

SEEDS PLACED UNDER ORGANIC MATTER



J.J.Metcalfe & Son Ltd provide one of the lowest disturbance drill coulters on the market, moving only 12mm of soil in every row width, but what are the benefits of this?

- Using a narrow tine greatly improves seed placement and seed to soil contact. Moving less soil means there is less soil to replace, which makes filling the slot easier. Minimal disturbance also leaves a level seed bed which further promotes soil contact over the seeds, and in turn helps to prevent slug damage.
- Moving less soil means that very few weed seeds are disturbed, reducing the germination of bothersome varieties such as black grass and brome.
- The angle of the tip is crucial as it gives the least amount of throw and keeps smearing to a minimum, retaining moisture in the process.
- Low disturbance drilling goes hand in hand with conservation agriculture, which helps fix and increase carbon or organic matter in the soil and supports the worm population.
- Aside from the agronomic benefits, there are a wide range of advantages to the farmer. If you move less soil, you also use less labour, wearing parts and fuel.



ALL DIRECT DRILL OPTIONS

HORSCH



JJMDDHSPCO





JJMDDHAMCAY





JJMDDHAMCON



ULTIMA

JJMDDHULTI



DD	HSHF/SHS	JIMDDHJOCK	JJMDDHVIRK	JJMDDHVERS
	PARTID			PRICE
	JJMDDHSPC	0		£32.00
	JJMDDHAM	CAY		£38.30
	JJMDDHAM	CON		£40.68
	JJMDDHULT	1		£38.34
	JJMDDHSHF	/ JJMDDHSHS		£32.00
	JIMDDHJOO	CK (requires SPCC) coulter pages 9-12)	£99.34
	JJMDDHVIR	К		£32.00
	JJMDDHVER	RS		£40.68



JJMDDT004

JJMDDT005

JJMDDT009

```
JJMDDT0011
```

MULTIPLE TUBE OPTIONS!

We have a variety of tubes available including granular and liquid fertiliser.

The liquid fertiliser tube can be internal, external or both depending on which tip you are using.

The bracket on the tube can be at either 125mm or 154mm - dependant on the point length.

PARTID	PRICE
JJMDDT001 Standard tube, Bracket: 125mm	£9.54
JJMDDT001HF Standard Tube with Hard Facing: Bracket: 125mm	£15.00
JJMDDT002 Granular fert, Bracket: 125mm/154mm	£22.50
JJMDDT003 Int. Liquid fert, Bracket: 125mm/154mm	£18.08
JJMDDT004 Ext. Liquid fert, Bracket: 125mm/154mm	£18.08
JJMDDT005 Standard tube, Bracket: 154mm	£9.54
JJMDDT009 Int. & Ext. Liquid fert, Bracket: 125mm/154mm	£25.43
JJMDDT011 Curved Standard Tube, Bracket: 125mm	£10.00



ALL DIRECT DRILL OPTIONS



JJMDDP001



JJMDDP001-50W



JJMDDP001-75W



JJMDDP001-100W



JJMDDP001-125W



JJMDDP001-175W




JJMDDP002



JJMDDP002-50W



JJMDDP002-75W



JJMDDP002-100W



JJMDDP002-125W



JJMDDP002-175W



JJMDDP003







JJMDDP003-75W



JJMDDP003-100W



EASILY SWITCH BETWEEN TIPS JUST BY CHANGING A SINGLE ROLL PIN!

Tips available in three different lengths: 175mm, 200mm and 225mm. 200mm and 225mm now come with two tungsten tiles on the leading edge. Winged points available in 50mm, 75mm, 100mm, 125mm and 175mm on any length point.

PART ID	PRICE
JJMDDP001 12mm tungsten carbide tip (175mm)	£44.02
JJMDDP002 12mm tungsten carbide tip (200mm)	£55.13
JJMDDP003 12mm tungsten carbide tip (225mm)	£56.10
JJMDDP001-50W 50mm tungsten carbide winged tip (175mm)	£63.01
JJMDDP001-75W 75mm tungsten carbide winged tip (175mm)	£67.27
JJMDDP001-100W 100mm tungsten carbide winged tip (175mm)	£76.53
JJMDDP001-125W 100mm tungsten winged carbide tip (175mm)	£88.84
JJMDDP001-175W 175mm tingsten winged carbide tip (175mm)	£97.41
JJMDDP002-50W 50mm tungsten carbide winged tip (200mm)	£74.12
JJMDDP002-75W 75mm tungsten carbide winged tip (200mm)	£78.38
JJMDDP002-100W 100mm tungsten carbide winged tip (200mm)	£80.57
JJMDDP002-125W 125mm tungsten carbide winged tip (200mm)	£93.19
JJMDDP002-175W 175mm tungsten carbide winged tip (200mm	£108.50
JJMDDP003-50W 50mm tungsten carbide winged tip (225mm)	£75.09
JJMDDP003-75W 75mm tungsten carbide winged tip (225mm)	£79.48
JJMDDP003-100W 100mm tungsten carbide winged tip (225mm)	£81.32
JJMDDP003-125W 125mm tungsten carbide winged tip (225mm)	£93.94
JJMDDP003-175W 175mm tungsten carbide winged tip (225mm)	£109.25



TO FIT HORSCH CO AND SPRINTER

CODE PREFIX: JJMDDCOMP-



SPCO-12S-T001



SPCO-12S-T002



SPCO-12S-T003



SPCO-12S-T009



SPCO-12M-T001

SPCO-12L-T005



SPCO-12M-T002

SPCO-12L-T006



SPCO-12M-T003



SPCO-12L-T007



SPCO-12M-T009



SPCO-12L-T010



Drilled with 12mm horsch conversion coulters by Richard Raper, Thirsk.



PARTID	PRICE
JJMDDCOMP-SPCO-12S-T001	£85.56
JJMDDCOMP-SPCO-12S-T002	£98.52
JJMDDCOMP-SPCO-12S-T003	£94.10
JJMDDCOMP-SPCO-12S-T009	£101.45
JJMDDCOMP-SPCO-12M-T001	£96.67
JJMDDCOMP-SPCO-12M-T002	£109.63
JJMDDCOMP-SPCO-12M-T003	£105.21
JJMDDCOMP-SPCO-12M-T009	£112.56
JJMDDCOMP-SPCO-12L-T005	£97.64
JJMDDCOMP-SPCO-12L-T006	£110.60
JJMDDCOMP-SPCO-12L-T007	£106.18
JJMDDCOMP-SPCO-12L-T010	£113.53





TO FIT HORSCH CO AND SPRINTER

CODE PREFIX: JJMDDCOMP-



SPCO-100S-T001



SPCO-100S-T002



SPCO-100S-T004



SPCO-100S-T009



SPCO-100M-T001



SPCO-100M-T002



SPCO-100M-T004



SPCO-100M-T009



SPCO-100L-T005



SPCO-100L-T006



SPCO-100L-T008



SPCO-100L-T010

Drilled with 100mm horsch conversion coulters, image courtesy of Aaron Hogsbjerg.



PART ID	PRICE
JJMDDCOMP-SPCO-100S-T001	£118.07
JJMDDCOMP-SPCO-100S-T002	£131.03
JJMDDCOMP-SPCO-100S-T004	£126.61
JJMDDCOMP-SPCO-100S-T009	£130.65
JJMDDCOMP-SPCO-100M-T001	£122.11
JJMDDCOMP-SPCO-100M-T002	£135.07
JJMDDCOMP-SPCO-100M-T004	£130.65
JJMDDCOMP-SPCO-100M-T009	£138.00
JJMDDCOMP-SPCO-100L-T005	£122.86
JJMDDCOMP-SPCO-100L-T006	£135.82
JJMDDCOMP-SPCO-100L-T008	£131.40
JJMDDCOMP-SPCO-100L-T010	£138.75





TO FIT AMAZONE CAYENA OR BRACKET



AMCAY-12S-T001



AMCAY-12M-T001



AMCAY-12L-T005



AMCAY-125-T002



AMCAY-12M-T002

AMCAY-12L-T006



AMCAY-12S-T003



AMCAY-12M-T003



AMCAY-12L-T007

CODE PREFIX: JJMDDCOMP-



AMCAY-125-T009



AMCAY-12M-T009



AMCAY-12L-T010



Drilled into stubble with 12mm horsch conversion coulters by Richard Raper, Thirsk.



PARTID	PRICE
JJMDDCOMP-AMCAY-12S-T001	£91.86
JJMDDCOMP-AMCAY-12S-T002	£104.82
JJMDDCOMP-AMCAY-12S-T003	£100.40
JJMDDCOMP-AMCAY-12S-T009	£107.75
JJMDDCOMP-AMCAY-12M-T001	£102.97
JJMDDCOMP-AMCAY-12M-T002	£115.93
JJMDDCOMP-AMCAY-12M-T003	£111.51
JJMDDCOMP-AMCAY-12M-T009	£118.86
JJMDDCOMP-AMCAY-12L-T005	£103.94
JJMDDCOMP-AMCAY-12L-T006	£116.90
JJMDDCOMP-AMCAY-12L-T007	£112.48
JJMDDCOMP-AMCAY-12L-T010	£119.83



TO FIT AMAZONE CAYENA OR BRACKET



AMCAY-100S-T001



AMCAY-100M-T001





AMCAY-100M-T002



AMCAY-100S-T004



AMCAY-100M-T004



AMCAY-100L-T008

CODE PREFIX: JJMDDCOMP-



AMCAY-100S-T009



AMCAY-100M-T009



AMCAY-100L-T010

AMCAY-100L-T005

AMCAY-100L-T006



Stubble after using 100mm coulter, image courtesy of Tom Reynolds, Salbstein Farms.



PART ID	PRICE
JJMDDCOMP-AMCAY-100S-T001	£124.37
JJMDDCOMP-AMCAY-100S-T002	£137.33
JJMDDCOMP-AMCAY-100S-T004	£132.91
JJMDDCOMP-AMCAY-100S-T009	£136.95
JJMDDCOMP-AMCAY-100M-T001	£128.41
JJMDDCOMP-AMCAY-100M-T002	£141.37
JJMDDCOMP-AMCAY-100M-T004	£136.95
JJMDDCOMP-AMCAY-100M-T009	£144.30
JJMDDCOMP-AMCAY-100L-T005	£129.16
JJMDDCOMP-AMCAY-100L-T006	£142.12
JJMDDCOMP-AMCAY-100L-T008	£137.70
JJMDDCOMP-AMCAY-100L-T010	£145.05





TO FIT OTHER DRILL MAKES

CODE PREFIX: JJMDDCOMP-



AMCON-125-T0011



JOCK-12S-T0011



AMCON-125-T0012



JOCK-100S-T001



AMCON-1005-T0011



VERSA-12S-T001



AMCON-50S-T0011



VERSA-100S-T001



SHF-12S-T001



SHS-100S-T001



ULTI-125-T001



VIRK-12S-T001

Wheat sown after peas using 50mm winged coulter, image courtesy of Roman Magg, Latvia



PART ID	PRICE
JJMDDCOMP-AMCON-12S-T0011	£95.87
JJMDDCOMP-AMCON-12S-T0012	£108.83
JJMDDCOMP-AMCON-100S-T0011	£128.38
JJMDDCOMP-AMCON-50S-T0011	£114.86
JJMDDCOMP-JOCK-12S-T0011	£185.36
JJMDDCOMP-JOCK-100S-T0011	£218.33
JJMDDCOMP-VERSA-12S-T001	£95.41
JJMDDCOMP-VERSA-100S-T001	£126.75
JJMDDCOMP-SHF-12S-T001	£85.56
JJMDDCOMP-SHS-100S-T001	£118.07
JJMDDCOMP-ULTI-12S-T001	£91.90
JJMDDCOMP-VIRK-12S-T001	£85.56





DIRECT DRILL SELF BUILD

With many people self building drills or repurposing an old drill, we offer a range of different parts to help you achieve this goal. We can fit our coulters onto varying size of box section, in either a square or diamond configuration.











JJMDDTOPB050

JJMDDTOPB002

JJMDDTOPB050D with AMCAY-100S-T001



JJJMAD-100-360

We also offer spare parts for the disc system.



JJMFD-100-360



JJMAD-100-360/5





JJMFD-80-360



Horsch Drill Conversion, picture courtesy of Kiwi Agronomy



PARTID	PRICE
JJMDDTOPB050	£95.87
JJMDDTOPB002	£87.06
JJMDDTOPB100	£100.13
JJMDDTOPB050D	£99.55
JJMAD-100-360	£299.00
JJMFD-100-360	£274.76
JJMAD-100-360/5	£290.78
JJMFD-80-360	£205.11
JJMFD-BEARINGHUB	£41.00
JJMDDBSAU001 (price each - 40mm x 152mm)	£6.32
JJMDDBSAU002 (price each - 50mm x 152mm)	£9.88
JJMFD-360SCALDISC	£33.36





TO CONVERT SIMBA



FULL FREEFLOW CONVERSION COULTER

The 'Metflow' coulters allows Simba Freeflow and Mini-flow machines to direct drill by fitting to the bottom of the spring tine.

The cost for a complete unit is $\pounds 82.64$.

......





Spring beans drilled with horsch conversion coulters by Richard Raper, Thirsk.

21

THE NG CULTIVATION SYSTEM

It is easy to understand why many farmers and growers are choosing to switch to direct drilling. However, the transition can be daunting and not always easy, yield can suffer in the first few years if the land is not ready.

Eventually, crop rotation and a healthy worm population will take the place of tillage, but initially the NG System from J.J.Metcalfe & Son Ltd can improve soil structure to prepare for direct drilling.

In order for direct drilling to be a success the soil must be free of compaction, have a healthy worm population and plenty of organic matter.

Direct drilling requires the seed to be placed directly beneath the residues of the previous crop with minimal soil disruption. Worms help aerate the soil and reduce compaction therefore must not be disturbed.

The low disturbance nature of the NG System is the perfect transitional subsoiler point. The NG System has the ability to relieve compaction without mixing soil zones, it creates fissures through the soil allowing air flow, water and nutrients to penetrate. The narrow shin retains the summer tilth providing good seed to soil contact which is essential for germination, and keeps the disruption of worms as low as possible.







J.J.METCALFE & SON LTD T 01609 771124 | E info@jjmetcalfeandson.com

WHERE TO FIND US



NEXT DAY SERVICE ON ALL IN STOCK PARTS WWW.JJMETCALFEANDSON.COM

J.J.Metcalfe & Son Ltd Willow Garth Farm, Newby Wiske, Northallerton, North Yorkshire, DL7 9ET