



PRODUCT GUIDE
DIESEL STORAGE RANGE



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM
LANCASHIRE
LA3 3FH*

*TEL: +44 (0)1524 850685
WEB: WWW.FUELPROOF.CO.UK
EMAIL: SALES@FUELPROOF.CO.UK*

INFORMATION

- ▶ Details on our range of tanks and bowsers and their product codes are shown on **pages 1 - 85**
- ▶ Available colours and their codes are listed on **page 89**
- ▶ Pumping equipment options and codes are listed after each product range

An example product code for a complete unit:

1000 Litre Fuelstore (Grey) with Dispensing package 1 = **0120-020-FS010**

0120

020

FS010

CONTENTS

ITEM	PAGE
● FUELCUBES	1
● SOLAR FUELCUBES	5
● FORESTRY SPEC FUELCUBES	9
● GENERATOR TANKS	13
● STATIC BUNDED FUELSTORES	17
● FUELSTORES WITH 3 POINT LINKAGE SYSTEM	19
● FORESTRY SPEC BUNDED FUELSTORES	21
● WASTE OIL TANKS	23
● HIGHWAY TOW DIESEL BOWSERS	25
● SITE TOW DIESEL BOWSERS - 1000 TO 2500 LITRES	27
● FUEL DISPENSING PACKAGES - FUELSTORES / HIGHWAY / DE-MOUNT / SITE	29
● SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES	37
● BULK DIESEL TANKS - HORIZONTAL	43
● BULK DIESEL TANKS - VERTICAL	55
● CONTAINERISED BULK DIESEL TANKS	65
● HORIZONTAL BULK DIESEL TANKS WITH ADBLUE STORAGE	75
● STATIC BUNDED FUELSTORES WITH ADBLUE STORAGE	77
● HIGHWAY DIESEL BOWSERS WITH ADBLUE STORAGE	81
● SITE TOW DIESEL BOWSERS WITH ADBLUE STORAGE - 4000 TO 8000 LITRES	85
● COLOUR OPTIONS	89

STATIC BUNDED FUELCUBES

TOUGH, SECURE AND COMPACT




900L STATIC BUNDED FUELCUBE, MADE IN BRITAIN



900L FUELCUBES WITH PROTECTION FRAMES



STANDARD TANK CONNECTIONS, ROTARY FUEL GAUGE AND A CHOICE OF DISPENSING KITS



LOCKABLE LID WITH INTERNAL HINGES AND GAS STRUT ASSISTED OPENING



SHOT-BLASTED TO SA 2.5 STANDARD AND FINISHED IN A TOUGH 2-PACK POLYURETHANE COATING



4 X GALVANISED LIFTING EYES FOR SAFE MOVING, EASY STACKING AND EFFICIENT TRANSPORT

OVERVIEW

Used and trusted by thousands, our bestselling Fuelcubes are the perfect compact fuel tank. Ideal for any small to medium application, these all-steel tanks are British-made, 110% banded and fully U.N. approved to transport diesel on the highway. Available in 250, 500 and 900L capacities, our Fuelcubes are expertly designed and manufactured to the latest regulations. They can even be lifted and stacked when full of fuel, using their four galvanised lifting eyes or integrated forklift pockets. Choose from 230V, 12/24V or hand pump dispensing kits to suit your needs on-site.

KEY FEATURES

- ▶ All-steel construction for unrivalled strength and security
- ▶ Compact, durable and stackable design
- ▶ U.N. approved for transporting diesel on the highway
- ▶ Fully banded and compliant with current environmental regulations
- ▶ Ideal for refuelling small plant and machinery, groundcare equipment, generators and traffic control equipment
- ▶ Lockable anti-vandal lid with internal hinges and gas strut opening
- ▶ Rotary tank contents gauge plus generator flow and return connections
- ▶ 4 x galvanised lifting eyes and forklift pockets for safe lifting and moving
- ▶ Optional protection frame reinforces your Fuelcube for the toughest sites
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY		U.N. APPROVED	CODE
250 LITRE	(55 GALLON)	✓	0010
500 LITRE	(110 GALLON)	✓	0015
900 LITRE	(197 GALLON)	✓	0020

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 3

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
250 LITRES [55 GALLONS]	784	1,024	922	265	475	3	3 & 4	3
500 LITRES [110 GALLONS]	784	1,024	1,282	320	740	3	3 & 4	3
900 LITRES [197 GALLONS]	1,016	1,220	1,362	460	1,243	5	3 & 4	3



250 LITRE



500 LITRE



900 LITRE


STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016


020

For full details on colour options, codes and lead times please turn to **page 89**



REINFORCED BASE WITH IMPROVED WEIGHT DISTRIBUTION AND TANK PROTECTION

INNER TANK CONNECTIONS



STATIC BUNDED FUEL CUBES

TOUGH, SECURE AND COMPACT

FUEL DISPENSING PACKAGES

HAND-OPERATED AND 12/24V PUMP OPTIONS

PACKAGE CODE	COMPATIBLE WITH	PUMP	FLOW METER	HOSE	TRIGGER	FILTER
FC010	✓ 250L ✓ 500L ✓ 900L					
		GPI HP-100 HAND PUMP 2000-040		3M X 3/4" DIESEL HOSE 2400-280	MANUAL TRIGGER 2100-080	
FC020	✓ 250L ✓ 500L ✓ 900L					
		GPI HP-100 HAND PUMP 2000-040	K24 DIGITAL FLOW METER 2200-010	3M X 3/4" DIESEL HOSE 2400-280	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-050
FC050	✓ 250L ✓ 500L ✓ 900L					
		12/24V 50L/MIN PUMP 2001-500		3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	
FC051	✓ 250L ✓ 500L ✓ 900L					
		12/24V 50L/MIN PUMP 2001-500	K24 DIGITAL FLOW METER 2200-010	3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050

FUEL DISPENSING PACKAGES

STATIC BUNDED FUELCUBES

TOUGH, SECURE AND COMPACT

PACKAGE CODE	COMPATIBLE WITH	PUMP	FLOW METER	HOSE	TRIGGER	FILTER
FC090	✓ 250L ✓ 500L ✓ 900L					
		56L/MIN 230V PUMP 2020-040		3M X 1" DIESEL HOSE 2400-285	AUTO SHUT-OFF TRIGGER 2150-100	
FC091	✓ 250L ✓ 500L ✓ 900L					
		56L/MIN 230V PUMP 2020-040	K24 DIGITAL FLOW METER 2200-010	3M X 1" DIESEL HOSE 2400-285	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050

SOLAR FUEL CUBES

STATIC BUNDED DIESEL TANKS




900L ALL-STEEL STATIC BUNDED FUEL CUBE, MADE IN BRITAIN WITH U.N. APPROVAL FOR HIGHWAY USE



LOCKABLE FUEL DISPENSING CABINET WITH 12/24V 50L/MIN PUMP AND SOLAR-CHARGED BATTERY



LID-MOUNTED SOLAR PANEL CHARGES FUEL PUMP BATTERY FOR SELF-POWERED DIESEL DISPENSING



FORKLIFT POCKETS AND GALVANISED LIFTING EYES FOR EASY STACKING AND EFFICIENT TRANSPORT

OVERVIEW

Used and trusted by thousands, our bestselling Fuelcubes are the perfect compact fuel tank – and now feature a lid-mounted solar charger, providing self-powered fuel dispensing with a constant passive charge. Ideal for any small to medium application, these all-steel tanks are British-made, 110% bunded and fully U.N. approved to transport diesel on the highway. Offering a 900 litre (197 gallon) max capacity, the Solar Fuelcube is expertly designed and manufactured to the latest regulations. It can even be lifted and stacked when full of fuel, using its four galvanised lifting eyes or integrated forklift pockets. Its lockable, gas-strut-assisted steel cabinet with internal hinges keeps your fuel and dispensing equipment secure when not in use.

KEY FEATURES

- ▶ All-steel construction for unrivalled strength and security
- ▶ Compact, durable and stackable design
- ▶ U.N. approved for transporting diesel on the highway
- ▶ Fully bunded and compliant with current environmental regulations
- ▶ Ideal for refuelling vehicles, generators, small plant and machinery
- ▶ Lockable fuel dispensing cabinet with internal hinges and gas strut opening
- ▶ Lid-mounted solar panel provides constant charge to 12/24V dispensing pump
- ▶ Rotary tank contents gauge plus generator flow and return connections
- ▶ 4 x galvanised lifting eyes and forklift pockets for safe lifting and moving
- ▶ Optional protection frame reinforces your Fuelcube for the toughest sites
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODE

CAPACITY		U.N. APPROVED	CODE
900 LITRE	(197 GALLON)	✓	0020S

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 7

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
900 LITRES (197 GALLONS)	1,016	1,220	1,362	460	1,243	5	3 & 4	3

SOLAR CHARGING

RECHARGE TIME (FULL TANK) (MINUTES)	PUMP RUN TIME (MINUTES)	900L TO EMPTY (MINUTES)
90	30	30

PERFORMANCE BASED ON PERFECT SOLAR CONDITIONS AT 15-20°C AMBIENT TEMPERATURE


STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016


020

For full details on colour options, codes and lead times please turn to **page 89**



REINFORCED BASE WITH IMPROVED WEIGHT DISTRIBUTION AND TANK PROTECTION













INNER TANK CONNECTIONS



SOLAR FUELCUBES

STATIC BUNDED DIESEL TANKS

FUEL DISPENSING PACKAGES


PACKAGE CODE	COMPATIBLE WITH	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	SOLAR CHARGER	BATTERY
SFC01	✓ 900L							
		12/24V 50L/MIN PUMP 2001-500		3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100		35W SOLAR CHARGER 2560-150	12V BATTERY 2550-056
SFC02	✓ 900L							
		12/24V 50L/MIN PUMP 2001-500	IN LINE DIGITAL FLOW METER 2200-235	3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050	35W SOLAR CHARGER 2560-150	12V BATTERY 2550-056

FORESTRY SPEC BUNDED FUEL CUBES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE IN FORESTRY AND AGRICULTURE



900 AND 500 LITRE FUEL CUBES WITH FORESTRY-SPEC GRAB HANDLES



GRAB HANDLE AND BASH GUARD



SUCTION POINT AVAILABLE ON REQUEST

OVERVIEW

Our forestry-specific bunded Fuelcubes include a host of innovative features tailored specifically to forestry and related applications. Constructed from steel throughout, these super tough units provide an extremely safe and secure solution for storing diesel fuel on forestry sites. Features include a low ground pressure steel base with integrated forklift pockets, and a heavy-duty grab handle with steel bash guard, available with either a solid or hollow top bar.

KEY FEATURES

- ▶ All-steel construction for unbeatable strength and durability
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Steel base with low ground pressure design and forklift pockets
- ▶ Heavy-duty grab handle for lifting and moving tank with timber grabs
- ▶ Plastic protector tube (optional) when lifting with harvesting head blades
- ▶ Secure lockable lid with anti-vandal door and internal hinges
- ▶ Bash guard provides additional protection to top of tank
- ▶ Optional solid or hollow top bar available
- ▶ Available with a range of dispensing equipment
- ▶ 3-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY / ITEM		CODE
500 LITRE	(110 GALLON)	0015C
900 LITRE	(197 GALLON)	0020C
SOLID TOP BAR UPGRADE		
BLADE PROTECTOR TUBE*		2725-020

*Only required when tank is to be lifted/moved by machines with harvesting heads

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 11

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
500 LITRES [110 GALLONS]	784	1,024	2,091	391	819	3	3 & 4	3
900 LITRES [197 GALLONS]	1,016	1,220	2,091	511	1,302	3	3 & 4	3



500 LITRE



900 LITRE

Standard Fuelcubes without grab handle shown for illustrative purposes


STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016


020

For full details on colour options, codes and lead times please turn to **page 89**



REINFORCED BASE WITH IMPROVED WEIGHT DISTRIBUTION AND TANK PROTECTION

INNER TANK CONNECTIONS



STATIC BUNDED FUEL CUBES

TOUGH, SECURE AND COMPACT

FUEL DISPENSING PACKAGES

HAND-OPERATED AND 12/24V PUMP OPTIONS

PACKAGE CODE	COMPATIBLE WITH	PUMP	FLOW METER	HOSE	TRIGGER	FILTER
FC010	✓ 250L ✓ 500L ✓ 900L					
		GPI HP-100 HAND PUMP 2000-040		3M X 3/4" DIESEL HOSE 2400-280	MANUAL TRIGGER 2100-080	
FC020	✓ 250L ✓ 500L ✓ 900L					
		GPI HP-100 HAND PUMP 2000-040	K24 DIGITAL FLOW METER 2200-010	3M X 3/4" DIESEL HOSE 2400-280	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-050
FC050	✓ 250L ✓ 500L ✓ 900L					
		12/24V 50L/MIN PUMP 2001-500		3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	
FC051	✓ 250L ✓ 500L ✓ 900L					
		12/24V 50L/MIN PUMP 2001-500	K24 DIGITAL FLOW METER 2200-010	3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050

FUEL DISPENSING PACKAGES

STATIC BUNDED FUELCUBES

TOUGH, SECURE AND COMPACT

12


PACKAGE CODE	COMPATIBLE WITH	PUMP	FLOW METER	HOSE	TRIGGER	FILTER
FC090	✓ 250L ✓ 500L ✓ 900L					
		56L/MIN 230V PUMP 2020-040		3M X 1" DIESEL HOSE 2400-285	AUTO SHUT-OFF TRIGGER 2150-100	
FC091	✓ 250L ✓ 500L ✓ 900L					
		56L/MIN 230V PUMP 2020-040	K24 DIGITAL FLOW METER 2200-010	3M X 1" DIESEL HOSE 2400-285	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050

BUNDED GENERATOR TANKS

SUPER TOUGH, RELIABLE AND VERSATILE



STACKABLE DESIGN MAKES GENERATOR TANKS IDEAL FOR TRANSPORTING AND STORING DIESEL FUEL



LOCKABLE LID WITH ANTI-VANDAL LOCK COVER AND GAS STRUT OPENING KEEPS DISPENSING EQUIPMENT AND TANK INLETS/OUTLETS SECURE



MULTIPLE GENERATOR FEED AND RETURN CONNECTIONS FOR A WIDE RANGE OF APPLICATIONS

OVERVIEW

In developing our range of bundled generator supply tanks we've focused on producing a tough, user-friendly product with exceptional longevity, designed to provide excellent value for money. Featuring a compact and stackable design, these fuel tanks can be used in a wide variety of applications – ranging from the events and power generation industries, to groundworks, heavy construction and even the provision of emergency power. Constructed from 3mm and 4mm steel, these bundled diesel tanks are extremely tough and built to withstand heavy use.

KEY FEATURES

- ▶ Heavy duty design with all-steel construction
- ▶ U.N. approved for transporting diesel on the highway
- ▶ Fully compliant with current environmental regulations
- ▶ 3 pairs of generator feed and return connections
- ▶ Compact and stackable design for efficient transport and storage
- ▶ 4 x lifting eyes and forklift pockets for safe and easy lifting and moving
- ▶ Secure lid with anti-vandal padlock cover and gas strut opening
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
1,000 LITRE (220 GALLON)	✓	0030
2,000 LITRE (330 GALLON)	✓	0035
3,000 LITRE (440 GALLON)	✓	0040

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 15

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
1,000 LITRES (220 GALLONS)	1,262	1,262	1,300	470	1,320	3	3	3
2,000 LITRES (440 GALLONS)	2,315	1,262	1,300	725	2,425	3	3	3
3,000 LITRES (660 GALLONS)	2,315	1,705	1,300	865	3,475	3	3	3



1,000 LITRE




2,000 LITRE



3,000 LITRE

INNER TANK CONNECTIONS



STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016







020

For full details on colour options, codes and lead times please turn to **page 89**

BUNDED GENERATOR TANKS

SUPER TOUGH, RELIABLE AND VERSATILE

FUEL DISPENSING PACKAGES

PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER		
GT010						
	12/24V 50L/MIN PUMP 2001-500	3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100			
GT011						
	12/24V 50L/MIN PUMP 2001-500	3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050		

STATIC BUNDED FUELSTORES

UNBEATABLE SECURITY, DURABILITY AND VALUE



LOCKABLE CABINET KEEPS DISPENSING EQUIPMENT AND TANK INLETS/OUTLETS SECURE



GALVANISED TUBULAR STEEL BASE WITH INTEGRATED FORKLIFT POCKETS FOR EASY LIFTING AND MOVING



4 X HEAVY-DUTY LIFTING EYES FOR LIFTING AND MOVING SAFELY ON SITE



SUPER-STRONG CYLINDRICAL DESIGN REPELS RAIN; GALVANISED STEEL BASE RESISTS SURFACE MOISTURE

OVERVIEW

Featuring a super-strong cylindrical design, our industry-leading Fuelstores are the toughest and most secure bunded fuel tanks on the market. Manufactured on-site at our UK facility, they repel rainwater and resist surface moisture for a significantly longer service life. Constructed in steel throughout, and fully compliant with current environmental regulations, these widely trusted diesel tanks provide unbeatable durability and value for money.

KEY FEATURES

- ▶ The strongest and most secure diesel tanks on the market
- ▶ U.N. approved for transporting fuel on the highway (500L-2500L models only*)
- ▶ Fully compliant with current environmental regulations
- ▶ Lockable door with anti-vandal padlock cover
- ▶ Heavy-duty galvanised steel base with integrated forklift pockets
- ▶ All-steel construction with 2-pack polyurethane finish for long-term reliable service
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
500 LITRE (110 GALLON)	✓	0110
1,000 LITRE (220 GALLON)	✓	0120
1,500 LITRE (330 GALLON)	✓	0130
2,000 LITRE (440 GALLON)	✓	0140
2,500 LITRE (550 GALLON)	✓	0150
3,000 LITRE* (660 GALLON)	×	0160
4,500 LITRE* (1,000 GALLON)	×	0170

*3000 and 4500 litre Fuelstores cannot be transported on the highway if they contain any fuel

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 29

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
500 LITRES [110 GALLONS]	1,327	1,072	1,278	450	885	6*	450	3	3
1,000 LITRES [220 GALLONS]	1,587	1,309	1,506	595	1,465	6*	470	3	3
1,500 LITRES [330 GALLONS]	2,087	1,309	1,507	699	2,085	6*	470	3	3
2,000 LITRES [440 GALLONS]	2,087	1,489	1,712	820	2,620	6*	470	3	4
2,500 LITRES [550 GALLONS]	2,597	1,489	1,712	1,000	3,225	12	650	3	4
3,000 LITRES [660 GALLONS]	2,597	1,584	1,835	1,210	3,984	12	650	3	4
4,500 LITRES [1,000 GALLONS]	2,837	1,979	1,958	1,499	5,416	12	610	4	4

* Extended cabinet option is available if longer hose length is required (see page 36)




STANDARD COLOUR

ANTHRACITE
GREY
RAL7016

020

For full details on colour options, codes and lead times please turn to page 89

INNER TANK CONNECTIONS



FUELSTORES WITH 3 POINT LINKAGE SYSTEM

VERSATILE, SECURE AND SUPER TOUGH



ALL THE STRENGTH, SECURITY AND LONGEVITY OF OUR STANDARD DIESEL FUELSTORES, ADAPTED FOR 3 POINT LIFTING AND REINFORCED WITH GALVANISED PROTECTION TUBES



TANK CAN BE LIFTED AND MOVED EASILY BY ANY MACHINE WITH A 3 POINT LINKAGE



CENTRAL LIFTING EYE PROVIDES ADDITIONAL OPTION FOR LIFTING AND MOVING TANK

OVERVIEW

Available in 500, 1,000 and 1,500 litre volumes, our Fuelstores with galvanised 3 point linkage system give you the freedom to move your diesel tank quickly and easily, using any tractor or machinery with a 3 point linkage lift. This market-leading linkage system gives you radically increased efficiency and fuel tank flexibility, making these tough and versatile Fuelstores the ideal diesel tank for agricultural use.

KEY FEATURES

- ▶ Heavy duty 3 point linkage frame enables tank to be lifted and moved easily by any vehicle with a 3 point linkage
- ▶ Tank can also be lifted and moved using its forklift pockets, central lifting eye or 4 x side-mounted lifting eyes
- ▶ 110% bunded tank in accordance with current environmental regulations
- ▶ Steel frame provides additional protection to super-tough Fuelstore tank
- ▶ Secure lockable door with anti-vandal lock cover
- ▶ U.N. approved for transporting diesel on the highway
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY		U.N. APPROVED	CODE
500 LITRE	(110 GALLON)	✓	0111
1,000 LITRE	(220 GALLON)	✓	0121
1,500 LITRE	(330 GALLON)	✓	0131

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
500 LITRE (110 GALLON)	1,327	1,534	1,509	550	985	6*	450	3	3
1,000 LITRE (220 GALLON)	1,577	1,654	1,706	695	1,565	6*	468	3	3
1,500 LITRE (330 GALLON)	2,078	1,706	1,654	799	2,185	6*	480	3	3

* Extended cabinet option is available if longer hose length is required (see page 36)



500 LITRE




1,000 LITRE



1,500 LITRE

INNER TANK CONNECTIONS



STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**

FORESTRY SPEC BUNDED FUELSTORES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE IN FORESTRY & AGRICULTURE



1,000 AND 1,500 LITRE FUELSTORES WITH FORESTRY SPEC



ALL MODELS FEATURE LOCKABLE FUEL DISPENSING CABINET WITH FOLD DOWN DOOR



LOW GROUND PRESSURE SKID BASE



GRAB HANDLE AND BASH GUARD



1000 LITRE MODEL AVAILABLE WITH DRUM STORAGE CABINET FOR STORING OIL DRUMS & TOOLS

OVERVIEW

Our forestry-spec bundled Fuelstores combine multiple industry-leading innovations, tailored specifically to forestry and its related applications. Constructed from steel throughout, these robust cylindrical units provide extremely secure diesel storage for use at forestry sites. Features include a heavy-duty grab handle with steel bash guard, for use with timber grabs, along with a low ground pressure galvanised steel skid base with integrated forklift pockets, a super-strong water-resistant design and even an optional drum store for expanded secure storage on-site (1000 litre model only).

KEY FEATURES

- ▶ All-steel construction for unbeatable strength and durability
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Galvanised steel base with low ground pressure design and forklift pockets
- ▶ Heavy-duty grab handle for lifting and moving tank with timber grabs
- ▶ Plastic protector tubes (optional) when lifting with harvesting head blades
- ▶ Bash guard provides additional protection to top of tank
- ▶ Lockable fuel dispensing cabinet with fold-down door and anti-vandal cover
- ▶ Optional drum storage cabinet with mesh floor & storage shelves (1000L only)
- ▶ Available with a range of fuel dispensing equipment to suit your needs
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY / ITEM	U.N. APPROVED	CODE
1,000 LITRE (220 GALLON)	✓	0124
1,000 LITRE (220 GALLON) WITH DRUM STORAGE CABINET	✓	0125
1,500 LITRE (330 GALLON)	✓	0135
BLADE PROTECTOR TUBES*		2725-020

* Only required when tank is to be lifted/moved by machines with harvesting heads

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 29

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
1,000 LITRE (220 GALLON)	1,930	1,388	2,115	753	1,613	6	470	3 & 4	3 & 4
1,000 LITRE (220 GALLON) WITH DRUM STORAGE CABINET	2,430	1,388	2,115	900	1,740	6	510 / 510	3 & 4	3 & 4
1,500 LITRE (330 GALLON)	2,430	1,388	2,115	875	2,150	6	480	3 & 4	3 & 4



1500 LITRE FORESTRY SPEC
BUNDED FUELSTORE



1000 LITRE FORESTRY SPEC
BUNDED FUELSTORE



1000 LITRE FORESTRY SPEC
BUNDED FUELSTORE WITH
DRUM STORE (OPTIONAL)

STANDARD COLOUR:


ANTHRACITE
GREY

RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**

INNER TANK CONNECTIONS



WASTE OIL SPEC BUNDED FUELSTORES

SUPER TOUGH DIESEL TANKS ADAPTED FOR USE WITH WASTE OIL



1,000 AND 1,500 LITRE WASTE OIL SPEC BUNDED FUELSTORES




CYLINDRICAL DESIGN RESISTS SURFACE WATER



SAFE STEP ACCESS POINT TO MANWAY FILLING POINT



MANWAY FILLING POINT WITH SECURING POINTS AS STANDARD



ALL MODELS AVAILABLE WITH MESH STRAINER SYSTEM TO PREVENT OBJECTS ENTERING TANK

OVERVIEW

With waste oil disposal, safety and security are paramount. Our industry-leading waste oil Fuelstores are fully bunded and constructed in cylindrical steel, giving you the strongest and most durable solution on the market for secure waste oil storage. Features include a galvanised steel base with integrated forklift pockets, a manway access point with steel securing pegs, a mesh strainer system to prevent objects from entering the tank, plus a safe-access folding step and bund drain access point.

KEY FEATURES

- ▶ All-steel construction for unbeatable strength and durability
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Galvanised steel base with forklift pockets for easy lifting and movement
- ▶ Manway access pouring point with safe-access step system
- ▶ Lockable manway access point with mesh strainer
- ▶ Optional bund alarm available on request
- ▶ Oil transfer pump kit available on request
- ▶ 3-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
1,400 LITRE (308 GALLON)	✓	0910
2,500 LITRE (550 GALLON)	✓	0915

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
1,400 LITRE (308 GALLON)	2,087	1,309	1,607	597	1,894	N/A	N/A	3 & 4	3 & 4
2,500 LITRE (550 GALLON)	2,597	1,489	1,812	913	3,029	N/A	N/A	3 & 4	3 & 4



1,400 LITRE WASTE OIL SPEC BUNDED FUELSTORE

STANDARD COLOUR:

For full details on colour options, codes and lead times please turn to **page 89**

ANTHRACITE
GREY

RAL7016

020



2,500 LITRE WASTE OIL SPEC BUNDED FUELSTORE

HIGHWAY TOW DIESEL BOWSERS

THE INDUSTRY STANDARD FOR TRANSPORTING FUEL



1,000 LITRE SINGLE AXLE HIGHWAY BOWSER



HEAVY-DUTY GALVANISED MUDGUARDS WITH SIDE REFLECTOR AND TRAILER LIGHTING CONNECTION



LOCKABLE FUEL DISPENSING CABINET



HARD-WEARING HITCH AND RUNNING GEAR



HIGH-STRENGTH GALVANISED TUBULAR STEEL CHASSIS WITH HIGHWAY-COMPLIANT LIGHTING



DE-MOUNT FORKLIFT POCKET OPTION ALLOWS TANK TO BE LIFTED OR MOVED SAFELY AND EASILY

OVERVIEW

Our range of highway-towable diesel bowzers are the most durable, secure and innovative products of their type on the market. Widely trusted and built to last, these British-made units are fully U.N. approved for transporting diesel on the highway. These bowzers' baffled inner tank provides excellent stability on the move, while their super-strong cylinder design and high-quality running gear ensure years of reliable service. Available with a range of fuel dispensing kits to match your needs precisely.

KEY FEATURES

- ▶ U.N. approved for transporting diesel on the highway
- ▶ Fully compliant with current environmental regulations
- ▶ Highway-compliant LED Lighting
- ▶ Steel tank and heavy-duty galvanised tubular steel chassis make these units the strongest and most durable on the market
- ▶ Galvanised mudguards for strength and durability
- ▶ Secure lockable door with anti-vandal padlock cover
- ▶ High-quality, hard-wearing tow hitch and running gear
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	AXLES	CODE
500 LITRE (110 GALLON)	✓	SINGLE	0305
1,000 LITRE (220 GALLON)	✓	SINGLE	0310
1,000 LITRE (220 GALLON)	✓	TWIN	0320
2,000 LITRE (440 GALLON)	✓	TWIN	0330
1,000 LITRE (220 GALLON) DE-MOUNT	✓	TWIN	0122-250

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 29

TECHNICAL DETAILS

CAPACITY	AXLES	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
500 LITRES (110 GALLONS)	SINGLE	2,895	1,744	1,495	495	945	6*	450	3	3
1,000 LITRES (220 GALLONS)	SINGLE	3,175	1,815	1,683	640	1,500	6*	468	3	3
1,000 LITRES (220 GALLONS)	TWIN	3,175	1,760	1,568	740	1,590	6*	480	3	3
2,000 LITRES (440 GALLONS)	TWIN	3,838	1,819	1,895	1,235	2,835	6*	460	3	4
1,000 LITRES (220 GALLONS) DE-MOUNT	TWIN	3,175	1,760	1,942	865	1,726	6*	480	3	3

* Extended cabinet option is available if longer hose length is required (see page 36)



500 LITRE




1,000 LITRE SINGLE AXLE




1,000 LITRE TWIN AXLE



2,000 LITRE



DE-MOUNT TANK FEET


DE-MOUNT TOP BRACKETS
AND FORKLIFT POCKETS

STANDARD COLOUR:


ANTHRACITE
GREY

RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**

INNER TANK CONNECTIONS



SITE TOW DIESEL BOWSERS - 1000 TO 2500 LITRES

THE TOUGHEST SITE TOW BOWSERS ON THE MARKET



1,000 LITRE SITE TOW DIESEL BOWSER



LOCKABLE FUEL DISPENSING CABINET WITH FOLD DOWN DOOR



REINFORCED GALVANISED TUBULAR STEEL CHASSIS FOR EXTRA STRENGTH AND DURABILITY



FLOTATION TYRES FOR ROUGH TERRAIN



HEAVY DUTY AXLES, WHEELS AND TYRES



HEAVY DUTY TOWING HITCH

OVERVIEW

Our range of market-leading site tow bowzers combine safe and secure fuel storage with a super-strong, water-resistant cylindrical design and great on-site mobility. Both their inner and outer tanks are constructed from steel throughout, complete with 110% bund capacity in accordance with current environmental regulations. Each Fuel Proof site tow diesel bowser features flotation tyres for off-road use, along with a reinforced, galvanised tubular steel chassis, providing extreme structural strength and durability. Available with a wide range of fuel dispensing options to match your needs on-site.

KEY FEATURES

- ▶ The toughest site-towable bowzers on the market
- ▶ Fully compliant with current environmental regulations
- ▶ All-steel cylindrical construction for unrivalled strength and durability
- ▶ Reinforced, heavy duty galvanised tubular steel chassis
- ▶ Tough site specification with superior off-road running gear
- ▶ Baffled inner tank for increased stability during transit
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
1,000 LITRE (220 GALLON)	✓	0410
2,000 LITRE (440 GALLON)	✓	0420
2,500 LITRE (550 GALLON)	✓	0430

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 29


TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
1,000 LITRE (220 GALLON)	3,148	1,779	1,675	737	1,598	6*	470	3	3
2,000 LITRE (440 GALLON)	3,693	1,879	1,886	1,040	2,743	6*	470	3	4
2,500 LITRE (550 GALLON)	3,918	2,002	1,933	1,167	3,301	12	650	3	4

* Extended cabinet option is available if longer hose length is required (see page 36)



INNER TANK CONNECTIONS






STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS010						
	GPI HP-100 HAND PUMP 2000-040		4M X 3/4" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	
FS020						
	GPI HP-100 HAND PUMP 2000-040	3 DIGIT FLOW METER 2200-040	4M X 3/4" DIESEL HOSE 2400-290	MANUAL TRIGGER 2100-080	PARTICLE FILTER 2300-020	

FUEL DISPENSING PACKAGES





12V PUMP OPTIONS

FUELSTORE / HIGHWAY / DE-MOUNT / SITE

30

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	BATTERY AND CARRIER
FS050						
	12/24V 50L/MIN PUMP 2001-500		4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS060						
	12/24V 50L/MIN PUMP 2001-500	3 DIGIT FLOW METER 2200-040	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS070						
	12/24V 50L/MIN PUMP 2001-500		4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	12V BATTERY / CARRIER 2550-040
FS080						
	12/24V 50L/MIN PUMP 2001-500	3 DIGIT FLOW METER 2200-040	4M X 3/4" DIESEL HOSE 2400-290	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	12V BATTERY / CARRIER 2550-040

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	BATTERY AND CARRIER
FS 130						
	12V 85 LITRE/MIN PUMP 2010-100		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS140						
	12V 85 LITRE/MIN PUMP 2010-100	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS 150						
	12V 85 LITRE/MIN PUMP 2010-100		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
FS160						
	12V 85 LITRE/MIN PUMP 2010-100	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS250						
	72L/MIN 230V PUMP 2020-080		4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	
FS260						
	72L/MIN 230V PUMP 2020-080	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-020	

PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
FS340						
	PETROL ENGINE PUMP 2030-020	3 DIGIT FLOW METER 2200-040	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
FS350						
	PETROL ENGINE PUMP 2030-020		4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	

OPTIONAL EQUIPMENT

WATER FILTER / SOLAR PANEL / MUDGUARDS / WHEEL CHOCKS

FUELSTORE / HIGHWAY / DE-MOUNT / SITE

34

PACKAGE CODE	FILTER	
W TO BE FITTED IN ADDITION TO PARTICLE FILTER		
	2 MICRON WATER BLOCKING FILTER + FILTER HEAD 2300-375 / 2300-383	
ITEM CODE	OPTIONAL EQUIPMENT	
2560-102		
	20W 12V SOLAR PANEL C/W CHARGE CONTROLLER AND MOUNTING BRACKET	
SITEMUD		
	MUDGUARDS (2,500L SITE TOW ONLY)	
3700-270 + 3700-271		
	2 X TRIPUS WHEEL CHOCKS WITH HOLDERS	

ITEM CODE	OPTIONAL EQUIPMENT	
5300-100		
	SPARE WHEEL AND CARRIER - FITTED (HIGHWAY FUEL BOWSERS ONLY)	
4065-050 + 4065-053		
	HEAVY DUTY POLYETHYLENE TOOLBOX (250L CAPACITY) WITH MOUNTING BRACKET - FITTED (FOR USE ON 1000L/2000L HIGHWAY BOWSERS ONLY)	

ITEM	CODE
EXTENDED CABINET ON FUELSTORES	5100-100
SPLIT COMPARTMENT ON FUELSTORES	5101-100

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES

THE TOUGHEST SITE TOW BOWSERS ON THE MARKET



9,000 LITRE SITE TOW DIESEL BOWER



4,500 LITRE SITE TOW DIESEL BOWER



HEAVY-DUTY INTEGRAL STEEL CHASSIS BUILT FOR USE ON ROUGH TERRAIN



IMPROVED REAR LIGHTING



LARGE FLOTATION TYRES FOR OFF-ROAD USE, PLUS GALVANISED REFUELLING PLATFORM (6000 & 9000L)



FULL-HEIGHT CABINET ON ALL MODELS ALLOWS FOR EASY ACCESS TO FUEL DISPENSING EQUIPMENT

OVERVIEW

The Fuel Proof range of bunded site tow bowzers combines safe, secure fuel storage with excellent on-site mobility and superior structural strength. Both the inner and outer tanks are constructed from steel throughout, with a 110% bund capacity in accordance with Control of Pollution Regulations.

KEY FEATURES

- ▶ Fully compliant with current environmental regulations
- ▶ Steel tank and heavy-duty integral chassis make these units the strongest and most durable on the market
- ▶ Baffled inner tank ensuring excellent stability
- ▶ Full-height cabinet for access to dispensing equipment
- ▶ Galvanised refuelling platform (6,000 and 9,000 litre models)
- ▶ Manway for tank cleaning and inspection
- ▶ Heavy-duty running gear and steel mudguards
- ▶ Hydraulic brakes
- ▶ Improved LED rear lights and brighter LED work lights
- ▶ Shot-blasted to SA 2.5 and painted in 2-pack polyurethane finish
- ▶ 3-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	ACCESS PLATFORM	CODE
3,000 LITRE (660 GALLON)	×	0440
4,500 LITRE (1,000 GALLON)	×	0450
6,000 LITRE (1,310 GALLON)	✓	0460
9,000 LITRE (1,978 GALLON)	✓	0470


FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 39

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
3,000 LITRES (660 GALLONS)	4,639	2,202	2,313	1,759	4,287	12	886	3	4
4,500 LITRES (1,000 GALLONS)	5,589	2,383	2,535	2,754	6,665	12	793	5	4
6,000 LITRES (1,310 GALLONS)	5,935	2,700	2,712	3,380	8,516	30	991	5	5
9,000 LITRES (1,978 GALLONS)	6,733	2,738	2,713	4,167	11,902	30	1,001	5	5



3,000 LITRE



4,500 LITRE



6,000 LITRE



9,000 LITRE

TANK CONNECTIONS

- ▶ Rotary tank contents gauge
- ▶ 3" BSP fill point
- ▶ 2" BSP fill point
- ▶ 2" suction line with overfill

STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016

020















For full details on colour options, codes and lead times please turn to **page 89**

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES

THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

FUEL DISPENSING PACKAGES

PETROL ENGINED PUMP OPTIONS

PACKAGE CODE	PUMP	FLOW METER	HOSE / REEL	TRIGGER	FILTER	
ST010						
	120 L/MIN					
	PETROL ENGINED PUMP 2030-020	3 DIGIT FLOW METER 2200-040	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST020						
	100 L/MIN					
	PETROL ENGINED PUMP 2030-020	3 DIGIT FLOW METER 2200-040	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST030						
	150 L/MIN					
	PETROL ENGINED PUMP 2030-020	4 DIGIT FLOW METER 2200-080	REEL WITH 10M X 1 1/2" HOSE 2500-140 / 2400-200	HIGH FLOW 1 1/2" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	
















FUEL DISPENSING PACKAGES

HYDRAULIC POWERED PUMP OPTIONS

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES

THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

40



















PACKAGE CODE	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	
ST040	 120 L/MIN					
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	3 DIGIT FLOW METER 2200-040	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST050	 110 L/MIN					
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	3 DIGIT FLOW METER 2200-040	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	
ST060	 150 L/MIN					
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	4 DIGIT FLOW METER 2200-080	REEL WITH 10M X 1 1/2" HOSE 2500-140 / 2400-200	HIGH FLOW 1 1/2" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES

THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

FUEL DISPENSING PACKAGES

DIESEL ENGINED PUMP OPTIONS

PACKAGE CODE	PUMP	FLOW METER	HOSE / REEL	TRIGGER	FILTER	BATTERY AND CARRIER
ST070						
	120 L/MIN					
	DIESEL ENGINED PUMP 2033-100	3 DIGIT FLOW METER 2200-040	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
ST080						
	110 L/MIN					
	DIESEL ENGINED PUMP 2033-100	3 DIGIT FLOW METER 2200-040	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040
ST090						
	150 L/MIN					
	DIESEL ENGINED PUMP 2033-100	4 DIGIT FLOW METER 2200-080	REEL WITH 10M X 1 1/2" HOSE 2500-140 / 2400-200	HIGH FLOW 1 1/2" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	12V BATTERY / CARRIER 2550-040

OPTIONAL EQUIPMENT

WATER FILTER OPTION

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES

THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

PACKAGE CODE	FILTER	
<div>W</div> <div>TO BE FITTED IN ADDITION TO PARTICLE FILTER</div>		
	2 MICRON WATER BLOCKING FILTER + FILTER HEAD 2300-375 / 2300-383	

BULK DIESEL TANKS - HORIZONTAL

THE ULTIMATE FUEL STORAGE SOLUTION



HORIZONTAL BULK DIESEL TANK WITH GALVANISED ACCESS PLATFORM



ROLLER SHUTTER DOOR OPTION ALSO AVAILABLE



FULL-HEIGHT LOCKABLE CABINET FOR EASY ACCESS TO DISPENSING EQUIPMENT AND TANK CONNECTIONS



HIGH SECURITY STEEL DOOR FEATURES CONCEALED HINGES AND HEAVY-DUTY SLIDING LOCK BOLT TO KEEP FUEL SAFE AND SECURE



AVAILABLE WITH A WIDE RANGE OF DISPENSING EQUIPMENT INCLUDING FUEL MANAGEMENT AND COMBINED ALARM SYSTEMS

KEY FEATURES

- ▶ All-steel construction for unbeatable security and durability
- ▶ 110% bunded & fully compliant with current environmental regulations
- ▶ Available with advanced management systems for total fuel control
- ▶ Full-height cabinet for easy access to fuel dispensing equipment
- ▶ Self-supporting design for low cost and fast installation
- ▶ Unique external overfill prevention system for safe tank filling
- ▶ Electrical connection panel for easy connection to mains power supply
- ▶ Shot-blasted and finished in 2-pack polyurethane paint
- ▶ 15-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY		CODE
		ROLLER SHUTTER DOOR / STEEL DOOR OPTION
5,000 LITRE	(1,098 GALLON)	0220 / 0221
7,500 LITRE	(1,648 GALLON)	0225 / 0226
10,000 LITRE	(2,200 GALLON)	0227 / 0228
15,000 LITRE	(3,300 GALLON)	0232 / 0233
22,500 LITRE	(5,000 GALLON)	0240 / 0241
27,500 LITRE	(6,000 GALLON)	0244 / 0245
32,000 LITRE	(7,000 GALLON)	0247 / 0248
42,000 LITRE	(9,230 GALLON)	0273 / 0276
50,000 LITRE	(10,990 GALLON)	0274 / 0277
60,000 LITRE	(13,185 GALLON)	0278 / 0279

STANDARD COLOURS:

ANTHRACITE GREY	DEEP BRONZE GREEN
RAL7016	BS381C/224
020	060

For full details on colour options, codes and lead times please turn to **page 89**

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 45
FOR FUEL MANAGEMENT OPTIONS PLEASE TURN TO PAGE 49

TECHNICAL DETAILS

TANK CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
5,000 LITRES [1,098 GALLONS]	3,147	2,079	2,169	1,834	6,087	30	981	4	4
7,500 LITRES [1,648 GALLONS]	4,137	2,079	2,169	2,187	8,646	30	964	4	4
10,000 LITRES [2,200 GALLONS]	4,137	2,339	2,416	2,638	11,175	30	964	4	4
15,000 LITRES [3,300 GALLONS]	5,647	2,220	2,430	3,361	16,116	30	964	4	4
22,500 LITRES [5,000 GALLONS]	6,655	2,534	2,874	5,450	24,933	30	900	5	5
27,500 LITRES [6,000 GALLONS]	7,653	2,534	2,865	6,062	29,057	30	978	5	5
32,000 LITRES [7,000 GALLONS]	8,666	2,534	2,877	6,752	34,540	30	968	5	5
42,000 LITRES [9,230 GALLONS]	9,290	2,804	3,216	9,315	45,146	30	970	6	6
50,000 LITRES [10,990 GALLONS]	10,810	2,804	3,226	10,514	52,194	30	974	6	6
60,000 LITRES [13,185 GALLONS]	12,969	2,804	3,225	12,190	63,440	30	1,124	6	6



22,500 LITRE HORIZONTAL BULK DIESEL TANK



HEAVY-DUTY STEEL CONSTRUCTION PROVIDES OUTSTANDING DURABILITY AND RELIABILITY EVEN IN THE HARSHTEST CONDITIONS

TANK CONNECTIONS

- ▶ 2" BSP offset fill point
- ▶ External overfill prevention system
- ▶ 1½" suction line dip tube for fuel delivery
- ▶ 1" port for tank level sensor
- ▶ 1" bund drain point
- ▶ ½" port for high level sensor

BULK DIESEL TANKS - HORIZONTAL

THE ULTIMATE FUEL STORAGE SOLUTION

FUEL DISPENSING PACKAGES

230V FUEL DISPENSING SYSTEM OPTIONS

PACKAGE CODE	DISPENSING SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION	
BH090						
	CUBE 70L/MIN 230V 2070-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040	
BH100						
	CUBE 70L/MIN 230V 2070-080	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040	
BH130						
	CUBE 70L/MIN 230V 2070-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025	
BH140						
	CUBE 70L/MIN 230V 2070-080	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025	

FUEL DISPENSING PACKAGES

230V FUEL DISPENSING SYSTEM OPTIONS

BULK DIESEL TANKS - HORIZONTAL

THE ULTIMATE FUEL STORAGE SOLUTION

46

PACKAGE CODE	DISPENSING SYSTEM	FLOW METER	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BH150						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH160						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	REEL WITH 8M X 1" HOSE 2500-092	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH170						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025
BH180						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	REEL WITH 8M X 1" HOSE 2500-092	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025

FUEL MANAGEMENT – TAG SYSTEM

TAKE FULL CONTROL OF YOUR FUEL TANK USE



PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK



PIUSI FUEL MANAGEMENT SYSTEM



USER KEY TAGS



SOFTWARE PACKAGE
(DOWNLOAD OR USB)



PC KEY READER

KEY FEATURES

- ▶ Limits pump access to users with a key tag or PIN code (if purchased)
- ▶ Records transaction data including user, date, time and fuel quantity
- ▶ One-time purchase – no subscription fee
- ▶ Provides access for up to 50 or 120 users (depending on model)
- ▶ Pump start/stop and pre-set dispense features
- ▶ Local unit memory records the last 255 fuel tank interactions
- ▶ Option to record vehicle registration number and odometer readings
- ▶ Available in 12V / 24V / 230V
- ▶ Easy and direct system setup at the unit itself
- ▶ Software package allows data to be exported to a local PC or laptop

ABOUT THE PIUSI CUBE 70MC

Gain full oversight of your team's fuel usage with the Piusi Cube 70MC. This advanced fuel management system is a compact diesel dispenser and monitoring unit, which ensures fast and precise dispensing only by authorised personnel.

The Cube 70MC gives you market-leading fuel security, allowing only authorised users with a key tag or PIN code to access the contents of your bundled fuel tank. The unit comes complete with nozzle holder, internal diesel transfer pump, motor and electronic meter, which records the date, time and amount of fuel dispensed for the past 255 interactions.

This system provides fuel access and tank usage data for up to 50 users as standard, with optional access for up to 120 users depending on the model installed. View all usage data on-screen at the unit itself, or export data to a local laptop or PC via the unit's software package, available to download or on USB.

DOWNLOAD THE APP:  Google Play  App Store



TWIN PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK

B.SMART



MANAGEMENT SYSTEM



MANAGEMENT PORTAL



DRIVER APP SCREENS

OPTIONAL UPGRADES

UPGRADE	FEATURES
WATCHDOG MODULE	REAL-TIME TANK LEVEL MONITORING; LOW TANK LEVEL ALARM; REAL-TIME INVENTORY VALUATION; SUPPLIER & DELIVERY MANAGEMENT
FUEL ECONOMY UPGRADE	REMOTELY MONITOR CONSUMPTION; SET CONSUMPTION LIMITS; GENERATE REPORTS BY DRIVER/VEHICLE; ADD/CHECK/MANAGE REFUELLINGS
EXTRA APP LICENCES	PRE-SET FUEL DISPENSING VOLUME OR SET TO FILL; DATA RECORDING; RECORD VEHICLE MILEAGE UPON FILLING

KEY FEATURES

- ▶ Dispense fuel securely via Bluetooth connection with driver's mobile device
- ▶ Online portal allows you to monitor real-time fuel use
- ▶ Ability to export reports into .pdf or .xlsx files
- ▶ No need to visit fuel tanks on-site or compile multiple separate reports
- ▶ Records usage data including date, driver, vehicle and fuel quantity
- ▶ One-time purchase – no ongoing fees to use the software
- ▶ Includes 10 or 20 driver app licences (more on request)
- ▶ For use with diesel, gasoil and AdBlue storage tanks
- ▶ Available in 12V / 24V / 230V

ABOUT THE PIUSI B.SMART SYSTEM

The Piusi MC Box B.SMART is a cloud-based add-on fuel monitoring unit, designed to give you or your fleet manager real-time online data about your fuel use – including each driver, vehicle, fuel quantity dispensed, and when.





















Piusi B.SMART uses a licenced app on the driver's Android or iOS mobile device to activate fuel dispensing via Bluetooth connection. Once complete, each fuelling transaction is recorded and sent via network connection to the cloud. This allows for real-time monitoring of multiple fuel or AdBlue dispensers across unlimited locations – all of which is accessible with a user-friendly web portal for PC, tablet or smartphone.

BULK DIESEL TANKS - HORIZONTAL

THE ULTIMATE FUEL STORAGE SOLUTION

FUEL DISPENSING PACKAGES

230V FUEL MANAGEMENT SYSTEM OPTIONS

PACKAGE CODE	MANAGEMENT SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BH330*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH340*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH370*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021
BH380*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021

*Cube 70MC software also available on USB drive (£POA)

FUEL DISPENSING PACKAGES

230V FUEL MANAGEMENT SYSTEM OPTIONS

BULK DIESEL TANKS - HORIZONTAL

THE ULTIMATE FUEL STORAGE SOLUTION

50

PACKAGE CODE	PUMP	MANAGEMENT SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BH330BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH340BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH370BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021
BH380BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021




Note: B.SMART fuel management packages include K600/3 Pulsar

BULK DIESEL TANKS - HORIZONTAL
THE ULTIMATE FUEL STORAGE SOLUTION

OPTIONAL EQUIPMENT
WATER FILTER OPTION

PACKAGE CODE	FILTER	
<div>W</div> <div>TO BE FITTED IN ADDITION TO PARTICLE FILTER</div>	<div></div>	
	<div>2 MICRON WATER BLOCKING FILTER + FILTER HEAD</div> <div>2300-375 / 2300-383</div>	

ITEM	CODE
SPLIT COMPARTMENT ON 5000L TO 15000L HORIZONTAL BULK TANKS	5101-120
SPLIT COMPARTMENT ON 22500L TO 32000L HORIZONTAL BULK TANKS	5101-140
SPLIT COMPARTMENT ON 42000L TO 60000L HORIZONTAL BULK TANKS	5101-200

ITEM CODE	OPTIONAL EQUIPMENT	
2981-020		
	FUEL PROOF TANK PACK FOR BULK DIESEL TANKS: 45 LITRE SPILL KIT, 6KG FIRE EXTINGUISHER & GLOVE PARK	
2071-100		
	MANAGER KEY FOR PIUSI CUBE 70MC SYSTEM	
2071-080		
	PACK OF 10 USER KEYS FOR PIUSI CUBE 70MC SYSTEM	

BULK DIESEL TANKS - VERTICAL

BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT



12,500 LITRE VERTICAL BULK DIESEL TANK



FULL-HEIGHT CABINET PROVIDES SECURE ACCESS TO DISPENSING EQUIPMENT AND TANK CONNECTIONS



INDUSTRY-LEADING 2-PACK PAINT FINISH PROVIDES SUPERIOR DURABILITY AND TANK PROTECTION

OVERVIEW

Vertical, cylindrical bulk diesel tanks in capacities from 5,200 to 18,000 litres, ideal for large-scale fuel storage where space on-site is limited. Heavy-duty double cylinder design with an all-steel construction, providing superior structural strength. Large fuel cabinet provides access to tank connections and dispensing equipment. Features fully bonded and pressure-tested inner tank, built in accordance with current environmental regulations.

KEY FEATURES

- ▶ All-steel construction for unbeatable strength and durability
- ▶ 110% bonded and fully compliant with current environmental regulations
- ▶ Available with advanced management systems for total fuel control
- ▶ Lockable steel door keeps tank connections safe and secure
- ▶ Vertical design provides high capacity with a small footprint, ideal when space is limited
- ▶ Large fuel dispensing cabinet for access to dispensing equipment
- ▶ Available with a range of dispensing systems to suit your needs
- ▶ 15-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	CODE
5,200 LITRE (1,140 GALLON)	0212
10,000 LITRE (2,200 GALLON)	0213
12,500 LITRE (2,750 GALLON)	0214
18,000 LITRE (3,950 GALLON)	0216



FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 57
FOR FUEL MANAGEMENT OPTIONS PLEASE TURN TO PAGE 61

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
5,200 LITRE (1,140 GALLON)	2,804	1,985	2,341	1,341	5,765	10	713	3	3
10,000 LITRE (2,200 GALLON)	2,950	2,200	3,369	2,129	10,651	10	684	4	4
12,500 LITRE (2,750 GALLON)	3,234	2,468	3,376	3,000	13,755	10	684	5	5
18,000 LITRE (3,950 GALLON)	3,769	2,956	3,434	4,127	19,434	10	700	6	6



12,500 LITRE VERTICAL BULK DIESEL TANK



5,200 LITRE VERTICAL BULK DIESEL TANK
WITH FULL-HEIGHT FUEL DISPENSING CABINET

STANDARD COLOURS:

ANTHRACITE GREY	DEEP BRONZE GREEN
RAL7016	BS381C/224
020	060

For full details on colour options, codes and lead times please turn to **page 89**

TANK CONNECTIONS

- ▶ Rotary tank contents gauge
- ▶ 2" BSP fill point with overflow prevention valve
- ▶ 1½" suction line dip tube

BULK DIESEL TANKS - VERTICAL

BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

FUEL DISPENSING PACKAGES

230V FUEL DISPENSING SYSTEM OPTIONS

PACKAGE CODE	DISPENSING SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION	
BV090						
	CUBE 70L/MIN 230V 2070-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040	
BV100						
	CUBE 70L/MIN 230V 2070-080	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040	
BV130						
	CUBE 70L/MIN 230V 2070-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025	
BV140						
	CUBE 70L/MIN 230V 2070-080	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025	

FUEL DISPENSING PACKAGES

230V FUEL DISPENSING SYSTEM OPTIONS

BULK DIESEL TANKS - VERTICAL

BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

58

PACKAGE CODE	DISPENSING SYSTEM	FLOW METER	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BV150						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BV160						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	REEL WITH 8M X 1" HOSE 2500-092	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BV170						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025
BV180						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	REEL WITH 8M X 1" HOSE 2500-092	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025

FUEL MANAGEMENT – TAG SYSTEM

TAKE FULL CONTROL OF YOUR FUEL TANK USE



PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK



PIUSI FUEL MANAGEMENT SYSTEM



USER KEY TAGS



SOFTWARE PACKAGE
(DOWNLOAD OR USB)



PC KEY READER

KEY FEATURES

- ▶ Limits pump access to users with a key tag or PIN code (if purchased)
- ▶ Records transaction data including user, date, time and fuel quantity
- ▶ One-time purchase – no subscription fee
- ▶ Provides access for up to 50 or 120 users (depending on model)
- ▶ Pump start/stop and pre-set dispense features
- ▶ Local unit memory records the last 255 fuel tank interactions
- ▶ Option to record vehicle registration number and odometer readings
- ▶ Available in 12V / 24V / 230V
- ▶ Easy and direct system setup at the unit itself
- ▶ Software package allows data to be exported to a local PC or laptop

ABOUT THE PIUSI CUBE 70MC

Gain full oversight of your team's fuel usage with the Piusi Cube 70MC. This advanced fuel management system is a compact diesel dispenser and monitoring unit, which ensures fast and precise dispensing only by authorised personnel.

The Cube 70MC gives you market-leading fuel security, allowing only authorised users with a key tag or PIN code to access the contents of your bundled fuel tank. The unit comes complete with nozzle holder, internal diesel transfer pump, motor and electronic meter, which records the date, time and amount of fuel dispensed for the past 255 interactions.

This system provides fuel access and tank usage data for up to 50 users as standard, with optional access for up to 120 users depending on the model installed. View all usage data on-screen at the unit itself, or export data to a local laptop or PC via the unit's software package, available to download or on USB.

DOWNLOAD THE APP:  Google Play  App Store



TWIN PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK

B.SMART



MANAGEMENT SYSTEM



MANAGEMENT PORTAL



DRIVER APP SCREENS

OPTIONAL UPGRADES

UPGRADE	FEATURES
WATCHDOG MODULE	REAL-TIME TANK LEVEL MONITORING; LOW TANK LEVEL ALARM; REAL-TIME INVENTORY VALUATION; SUPPLIER & DELIVERY MANAGEMENT
FUEL ECONOMY UPGRADE	REMOTELY MONITOR CONSUMPTION; SET CONSUMPTION LIMITS; GENERATE REPORTS BY DRIVER/VEHICLE; ADD/CHECK/MANAGE REFUELLINGS
EXTRA APP LICENCES	PRE-SET FUEL DISPENSING VOLUME OR SET TO FILL; DATA RECORDING; RECORD VEHICLE MILEAGE UPON FILLING

KEY FEATURES

- ▶ Dispense fuel securely via Bluetooth connection with driver's mobile device
- ▶ Online portal allows you to monitor real-time fuel use
- ▶ Ability to export reports into .pdf or .xlsx files
- ▶ No need to visit fuel tanks on-site or compile multiple separate reports
- ▶ Records usage data including date, driver, vehicle and fuel quantity
- ▶ One-time purchase – no ongoing fees to use the software
- ▶ Includes 10 or 20 driver app licences (more on request)
- ▶ For use with diesel, gasoil and AdBlue storage tanks
- ▶ Available in 12V / 24V / 230V

ABOUT THE PIUSI B.SMART SYSTEM

The Piusi MC Box B.SMART is a cloud-based add-on fuel monitoring unit, designed to give you or your fleet manager real-time online data about your fuel use – including each driver, vehicle, fuel quantity dispensed, and when.





















Piusi B.SMART uses a licenced app on the driver's Android or iOS mobile device to activate fuel dispensing via Bluetooth connection. Once complete, each fuelling transaction is recorded and sent via network connection to the cloud. This allows for real-time monitoring of multiple fuel or AdBlue dispensers across unlimited locations – all of which is accessible with a user-friendly web portal for PC, tablet or smartphone.

BULK DIESEL TANKS - VERTICAL

BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

FUEL DISPENSING PACKAGES

230V FUEL MANAGEMENT SYSTEM OPTIONS

PACKAGE CODE	MANAGEMENT SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BV330*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BV340*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BV370*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021
BV380*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021

*Cube 70MC software also available on USB drive (£POA)

FUEL DISPENSING PACKAGES

230V FUEL MANAGEMENT SYSTEM OPTIONS

BULK DIESEL TANKS - VERTICAL

BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

62

PACKAGE CODE	PUMP	MANAGEMENT SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BV330BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BV340BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BV370BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021
BV380BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021

Note: B.SMART fuel management packages include K600/3 Pulsar

BULK DIESEL TANKS - VERTICAL
BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

OPTIONAL EQUIPMENT
WATER FILTER OPTION




PACKAGE CODE	FILTER	
<div>W</div> <div>TO BE FITTED IN ADDITION TO PARTICLE FILTER</div>		
	2 MICRON WATER BLOCKING FILTER + FILTER HEAD 2300-375 / 2300-383	

OPTIONAL EQUIPMENT / ACCESSORIES

FUEL PROOF TANK PACK / FUEL MANAGEMENT SYSTEM ACCESSORIES

BULK DIESEL TANKS - VERTICAL

BIG STORAGE CAPACITY WITH A SMALL FOOTPRINT

ITEM CODE	OPTIONAL EQUIPMENT	
2981-020		
	FUEL PROOF TANK PACK FOR BULK DIESEL TANKS: 45 LITRE SPILL KIT, 6KG FIRE EXTINGUISHER & GLOVE PARK	
2071-100		
	MANAGER KEY FOR PIUSI CUBE 70MC SYSTEM	
2071-080		
	PACK OF 10 USER KEYS FOR PIUSI CUBE 70MC SYSTEM	

CONTAINERISED BULK DIESEL TANKS

SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE



34,000 LITRE BUNDED AND CONTAINERISED BULK DIESEL TANKS, DESIGNED AND MANUFACTURED IN THE UK



INDUSTRY-LEADING CYLINDRICAL TANK DESIGN, AVAILABLE WITH HIGH-SECURITY REMOTE FUEL MANAGEMENT SYSTEMS – SO WITHOUT AN APP LICENCE OR USER KEY, NO FUEL CAN BE DISPENSED

OVERVIEW

Rapidly becoming a bestselling product in the Fuel Proof range, our Containerised Bulk Diesel Tanks give you all the trusted performance and security of our standard bulk diesel tanks, now with the added benefits of a specially adapted steel shipping container secured around the tank's exterior. Integrally bundled with an all-steel high-security construction, a Fuel Proof Containerised Tank combines advanced fuel management and keyholder-only dispensing with all the protection, discretion and global mobility of a locking-bar shipping container.

KEY FEATURES

- ▶ Integrally bundled steel tank fitted inside a 20ft or 40ft shipping container
- ▶ All-steel, high-security tank construction with 15-year warranty for peace of mind
- ▶ 110% bunded and fully compliant with current environmental regulations
- ▶ Available with advanced fuel management systems for total fuel control
- ▶ Also available with a range of fuel dispensing systems to suit your needs
- ▶ Painted, vented container with flush manway and internal drains



PRODUCT CODES

CAPACITY	SHIPPING CONTAINER LENGTH
10,000 LITRE (2,200 GALLON)	20 FT
15,000 LITRE (3,300 GALLON)	20 FT
22,500 LITRE (4,950 GALLON)	40 FT
34,000 LITRE (7,480 GALLON)	40 FT
37,000 LITRE (8,140 GALLON)	40 FT

FOR FUEL DISPENSING OPTIONS PLEASE TURN TO PAGE 67
FOR FUEL MANAGEMENT OPTIONS PLEASE TURN TO PAGE 71

TECHNICAL DETAILS

CAPACITY	LENGTH (MM) (CONTAINER)	WIDTH (MM) (CONTAINER)	HEIGHT (MM) (CONTAINER)	EMPTY WEIGHT (KG) (APPROX)	FULL WEIGHT (KG) (APPROX)	CABINET DEPTH (MM) (APPROX)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
10,000 LITRE (2,200 GALLON)	6,060	2,440	2,890	5,020	13,520	1,330	4	4
15,000 LITRE (3,300 GALLON)	6,060	2,440	2,890	6,100	18,850	1,105	4	4
22,500 LITRE (4,950 GALLON)	9,120	2,440	2,890	8,555	26,830	890	5	5
34,000 LITRE (7,480 GALLON)	12,190	2,440	2,890	11,565	40,465	1,335	5	5
37,000 LITRE (8,140 GALLON)	12,190	2,440	2,890	11,850	43,304	825	5	5



CONTAINER PROVIDES ADDED SECURITY WITHOUT DRAWING ATTENTION



FUEL MANAGEMENT SYSTEMS AVAILABLE FOR TOTAL FUEL CONTROL

STANDARD COLOURS:

ANTHRACITE GREY	DEEP BRONZE GREEN
RAL7016	BS381C/224
020	060

For full details on colour options, codes and lead times please turn to **page 89**

TANK CONNECTIONS




- ▶ Standard 2" BSP fill point with mechanical overfill valve
- ▶ 1" BSP bund drain
- ▶ 1" BSP sump drain
- ▶ Additional connection available on request

CONTAINERISED BULK DIESEL TANKS

SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE

FUEL DISPENSING PACKAGES

230V FUEL DISPENSING SYSTEM OPTIONS

PACKAGE CODE	DISPENSING SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION	
BH090						
	CUBE 70L/MIN 230V 2070-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040	
BH100						
	CUBE 70L/MIN 230V 2070-080	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040	
BH130						
	CUBE 70L/MIN 230V 2070-080	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025	
BH140						
	CUBE 70L/MIN 230V 2070-080	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025	

FUEL DISPENSING PACKAGES

230V FUEL DISPENSING SYSTEM OPTIONS

CONTAINERISED BULK DIESEL TANKS
SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE

68

PACKAGE CODE	DISPENSING SYSTEM	FLOW METER	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BH150						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH160						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	REEL WITH 8M X 1" HOSE 2500-092	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH170						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	4M X 1" DIESEL HOSE 2400-295	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025
BH180						
	PIUSI E120 90L/MIN 230V 2020-200	4 DIGIT FLOW METER 2200-080	REEL WITH 8M X 1" HOSE 2500-092	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-025

FUEL MANAGEMENT – TAG SYSTEM

TAKE FULL CONTROL OF YOUR FUEL TANK USE



PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK



PIUSI FUEL MANAGEMENT SYSTEM



USER KEY TAGS



SOFTWARE PACKAGE
(DOWNLOAD OR USB)



PC KEY READER

KEY FEATURES

- ▶ Limits pump access to users with a key tag or PIN code (if purchased)
- ▶ Records transaction data including user, date, time and fuel quantity
- ▶ One-time purchase – no subscription fee
- ▶ Provides access for up to 50 or 120 users (depending on model)
- ▶ Pump start/stop and pre-set dispense features
- ▶ Local unit memory records the last 255 fuel tank interactions
- ▶ Option to record vehicle registration number and odometer readings
- ▶ Available in 12V / 24V / 230V
- ▶ Easy and direct system setup at the unit itself
- ▶ Software package allows data to be exported to a local PC or laptop

ABOUT THE PIUSI CUBE 70MC

Gain full oversight of your team's fuel usage with the Piusi Cube 70MC. This advanced fuel management system is a compact diesel dispenser and monitoring unit, which ensures fast and precise dispensing only by authorised personnel.

The Cube 70MC gives you market-leading fuel security, allowing only authorised users with a key tag or PIN code to access the contents of your bundled fuel tank. The unit comes complete with nozzle holder, internal diesel transfer pump, motor and electronic meter, which records the date, time and amount of fuel dispensed for the past 255 interactions.

This system provides fuel access and tank usage data for up to 50 users as standard, with optional access for up to 120 users depending on the model installed. View all usage data on-screen at the unit itself, or export data to a local laptop or PC via the unit's software package, available to download or on USB.

DOWNLOAD THE APP:



TWIN PIUSI FUEL MANAGEMENT SYSTEM INSTALLED IN BULK DIESEL TANK

B.SMART



MANAGEMENT SYSTEM



MANAGEMENT PORTAL



DRIVER APP SCREENS

OPTIONAL UPGRADES

UPGRADE	FEATURES
WATCHDOG MODULE	REAL-TIME TANK LEVEL MONITORING; LOW TANK LEVEL ALARM; REAL-TIME INVENTORY VALUATION; SUPPLIER & DELIVERY MANAGEMENT
FUEL ECONOMY UPGRADE	REMOTELY MONITOR CONSUMPTION; SET CONSUMPTION LIMITS; GENERATE REPORTS BY DRIVER/VEHICLE; ADD/CHECK/MANAGE REFUELLINGS
EXTRA APP LICENCES	PRE-SET FUEL DISPENSING VOLUME OR SET TO FILL; DATA RECORDING; RECORD VEHICLE MILEAGE UPON FILLING

KEY FEATURES

- ▶ Dispense fuel securely via Bluetooth connection with driver's mobile device
- ▶ Online portal allows you to monitor real-time fuel use
- ▶ Ability to export reports into .pdf or .xlsx files
- ▶ No need to visit fuel tanks on-site or compile multiple separate reports
- ▶ Records usage data including date, driver, vehicle and fuel quantity
- ▶ One-time purchase – no ongoing fees to use the software
- ▶ Includes 10 or 20 driver app licences (more on request)
- ▶ For use with diesel, gasoil and AdBlue storage tanks
- ▶ Available in 12V / 24V / 230V

ABOUT THE PIUSI B.SMART SYSTEM

The Piusi MC Box B.SMART is a cloud-based add-on fuel monitoring unit, designed to give you or your fleet manager real-time online data about your fuel use – including each driver, vehicle, fuel quantity dispensed, and when.





















Piusi B.SMART uses a licenced app on the driver's Android or iOS mobile device to activate fuel dispensing via Bluetooth connection. Once complete, each fuelling transaction is recorded and sent via network connection to the cloud. This allows for real-time monitoring of multiple fuel or AdBlue dispensers across unlimited locations – all of which is accessible with a user-friendly web portal for PC, tablet or smartphone.

CONTAINERISED BULK DIESEL TANKS

SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE

FUEL DISPENSING PACKAGES

230V FUEL MANAGEMENT SYSTEM OPTIONS

PACKAGE CODE	MANAGEMENT SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BH330*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH340*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH370*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021
BH380*					
	CUBE 70MC 230V C/W 10 USER KEYS, MANAGER KEY, SOFTWARE (DOWNLOAD*) & KEY READER - 2070-100	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021

*Cube 70MC software also available on USB drive (£POA)

FUEL DISPENSING PACKAGES

230V FUEL MANAGEMENT SYSTEM OPTIONS

CONTAINERISED BULK DIESEL TANKS
SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE

72

PACKAGE CODE	PUMP	MANAGEMENT SYSTEM	HOSE / REEL	TRIGGER	FILTER	ELECTRICAL CONNECTION
BH330BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH340BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL WITH OCIO GAUGE 2570-040
BH370BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	4M X 1" DIESEL HOSE 2400-295	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021
BH380BS						
	72L/MIN 230V PUMP 2020-080	PIUSI B.SMART MOBILE 70L/MIN 230V C/W 20 DRIVER APP LICENCES	REEL WITH 8M X 1" HOSE 2500-092	AUTO SHUT-OFF TRIGGER 2150-100	HIGH FLOW PARTICLE FILTER 2300-380	MAINS PANEL + OCIO + ALARM 2591-021

Note: B.SMART fuel management packages include K600/3 Pulsar

CONTAINERISED BULK DIESEL TANKS

SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE

OPTIONAL EQUIPMENT






WATER FILTER OPTION

PACKAGE CODE	FILTER	
<div>W</div> <div>TO BE FITTED IN ADDITION TO PARTICLE FILTER</div>	<div></div>	
	<div>2 MICRON WATER BLOCKING FILTER + FILTER HEAD</div> <div>2300-375 / 2300-383</div>	

OPTIONAL EQUIPMENT / ACCESSORIES

FUEL PROOF TANK PACK / FUEL MANAGEMENT SYSTEM ACCESSORIES

CONTAINERISED BULK DIESEL TANKS
SUPER SECURE & DISCREET FUEL STORAGE, DESIGNED TO BE SHIPPED WORLDWIDE

ITEM CODE	OPTIONAL EQUIPMENT	
2981-020	  	
	FUEL PROOF TANK PACK FOR BULK DIESEL TANKS: 45 LITRE SPILL KIT, 6KG FIRE EXTINGUISHER & GLOVE PARK	
2071-100		
	MANAGER KEY FOR PIUSI CUBE 70MC SYSTEM	
2071-080		
	PACK OF 10 USER KEYS FOR PIUSI CUBE 70MC SYSTEM	

HORIZONTAL BULK DIESEL TANKS WITH ADBLUE STORAGE

ALL-IN-ONE SYSTEM FOR STORING AND DISPENSING BOTH DIESEL AND ADBLUE



DISPENSING EQUIPMENT, ADBLUE FILL POINT
AND DISTRIBUTION BOARD



ADBLUE AND DIESEL DISPENSING SYSTEMS



FULL-HEIGHT CABINET HOUSING DUAL DISPENSING
SYSTEMS FOR BOTH DIESEL AND ADBLUE



MADE IN BRITAIN, SHIPPED WORLDWIDE

IMAGES ABOVE FOR ILLUSTRATIVE PURPOSES ONLY

OVERVIEW

Our ultimate diesel storage tank is now available with its own AdBlue storage and dispensing system, giving you total refuelling efficiency on-site. Featuring our market-leading angled cylinder design, combined with a range of dispensing options to suit your needs, our horizontal bulk tanks with AdBlue storage are British-made and widely trusted for their superior quality and service life. These fuel tanks come complete with manway access, secure full-height cabinet and dual-configuration dispensing systems, keeping your fleet running and emissions-compliant from a single location.

KEY FEATURES

- ▶ Fully compliant with current environmental regulations
- ▶ All-steel construction in our superior-strength cylindrical design
- ▶ Dual storage: 110% bunded diesel tank and stainless-steel AdBlue tank
- ▶ Dual dispensing systems – one for each tank
- ▶ Choice of pump options to match your requirements
- ▶ Secure full-height fuel and AdBlue dispensing cabinet
- ▶ Manway access for tank cleaning and inspection
- ▶ Shot-blasted to SA 2.5 and coated in a 2-pack polyurethane finish
- ▶ 15-year tank warranty for peace of mind

ABOUT ADBLUE

AdBlue, otherwise known as DEF (Diesel Exhaust Fluid), is a liquid substance composed of urea and de-ionised water. European Emission Standards have made it a legal requirement for the majority of trucks, buses, agricultural/plant machinery and some passenger cars to use this fluid in conjunction with diesel, in order to reduce diesel exhaust emissions to a certain level.

ADBLUE COMPARTMENT OPTIONS:

ADBLUE TANK CAPACITY	900L	1,200L	2,000L	3,200L	4,000L
BASE DIESEL TANK	5,000L	10,000L	10,000L	22,500L	42,000L
	7,500L	15,000L	15,000L	32,000L	50,000L
					60,000L

- AdBlue compartments include the standard AdBlue dispensing package listed below

STANDARD ADBLUE DISPENSING PACKAGE:

PACKAGE CODE	PUMP	HOSE	TRIGGER	LEVEL GAUGE
AB100				
	230V 35 LITRE/MIN PUMP 2080-100	4M X ADBLUE HOSE 2080-020	AUTOMATIC ADBLUE NOZZLE 2080-015	UNITOP LEVEL GAUGE 2580-030

STATIC BUNDED FUELSTORES WITH ADBLUE STORAGE

DIESEL AND ADBLUE STORAGE WITH UNBEATABLE SECURITY AND DURABILITY



2 X LOCKABLE CABINETS KEEP DISPENSING EQUIPMENT AND TANK INLETS/OUTLETS SECURE



OPPOSING ENDS OF FUELSTORE PROVIDE SECURE ACCESS TO BOTH DIESEL AND ADBLUE DISPENSING



GALVANISED TUBULAR STEEL BASE WITH INTEGRATED FORKLIFT POCKETS FOR EASY LIFTING



SUPER-STRONG CYLINDRICAL DESIGN REPELS RAIN AND PROVIDES UNRIVALLED PROTECTION

OVERVIEW

Our industry-leading Fuelstores are also available with dual lockable compartments, giving you the ultimate storage solution for both diesel and AdBlue in a single combination tank. Featuring an all-stainless-steel AdBlue dispensing tank, our Fuelstores' cylindrical design repels water from above and below for a significantly longer service life – and thanks to our market-leading build quality and innovation, their design also provides unrivalled durability and fuel security.

KEY FEATURES

- ▶ The strongest and most secure diesel + AdBlue tanks on the market
- ▶ U.N. approved for transporting fuel on the highway (1,000L-2500L models only*)
- ▶ Fully compliant with current environmental regulations
- ▶ 2 x Lockable doors with anti-vandal padlock cover
- ▶ Heavy-duty galvanised steel base with integrated forklift pockets
- ▶ Steel and stainless steel construction with 2-pack polyurethane finish
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	U.N. APPROVED	CODE
1,000L DIESEL / 200L ADBLUE	✓	0123
2,000L DIESEL / 200L ADBLUE	✓	0145
2,500L DIESEL / 500L ADBLUE	✓	0160D
4,000L DIESEL / 500L ADBLUE	✗	0168

*4,000L Fuelstore cannot be transported on the highway if it contains any fuel

FOR DIESEL TANK DISPENSING OPTIONS PLEASE TURN TO PAGE 29
FOR STANDARD ADBLUE TANK DISPENSING KIT PLEASE SEE PAGE 79

STATIC BUNDED FUELSTORES WITH ADBLUE STORAGE

DIESEL AND ADBLUE STORAGE WITH UNBEATABLE SECURITY AND DURABILITY

78

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)	DIESEL CABINET		ADBLUE CABINET	
								MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)
1,000L DIESEL 200L ADBLUE	1,927	1,309	1,506	597	1,675	3	3	6*	470	4	270
2,000L DIESEL 200L ADBLUE	2,375	1,489	1,712	873	2,743	3	4	6*	470	4	220
2,500L DIESEL 500L ADBLUE	2,764	1,489	1,871	1,218	3,894	3	4	12	470	4	220
4,000L DIESEL 500L ADBLUE	2,910	1,979	1,958	1,417	5,415	4	4	12	647	4	295

* Extended cabinet option is available if longer hose length is required (see page 36)



1,000L DIESEL
200L ADBLUE



2,000L DIESEL
200L ADBLUE




2,500L DIESEL
500L ADBLUE



4,000L DIESEL
500L ADBLUE

INNER TANK CONNECTIONS



STANDARD COLOUR

ANTHRACITE
GREY
RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**

STATIC BUNDED FUELSTORES WITH ADBLUE STORAGE

STANDARD ADBLUE DISPENSING PACKAGE

PACKAGE CODE	PUMP	HOSE	TRIGGER	LEVEL GAUGE		
AB010						
	12V 35 LITRE/MIN PUMP 2081-050	4M X ADBLUE HOSE 2080-020	AUTOMATIC ADBLUE NOZZLE 2081-150	UNITOP LEVEL GAUGE 2580-030		

HIGHWAY DIESEL BOWSERS WITH ADBLUE STORAGE

FOR STORING, TRANSPORTING AND DISPENSING BOTH DIESEL AND ADBLUE



1,000 LITRE HIGHWAY DIESEL BOWSER WITH 200L ADBLUE TANK



HEAVY-DUTY GALVANISED STEEL CHASSIS



TWIN LOCKABLE DISPENSING CABINETS



STANDARD ADBLUE DISPENSING KIT: 12V PUMP, 4M HOSE, AUTO NOZZLE, UNITOP LEVEL GAUGE



ADBLUE DISPENSING EQUIPMENT / ADBLUE FILL POINT

OVERVIEW

Our range of dual-compartment highway bowzers are all-in-one units built to store, transport and dispense both diesel and AdBlue. These units feature an all-steel construction with 110% bunded diesel tank, stainless steel AdBlue tank, twin dispensing systems and a tough galvanised chassis with heavy-duty running gear. With full U.N. approval these bowzers are fully compliant with current regulations, and thanks to Fuel Proof's industry-leading build quality and innovation, provide unrivalled security, durability and efficiency.

KEY FEATURES

- ▶ U.N. approved for transporting diesel on the highway
- ▶ Fully compliant with current environmental regulations
- ▶ All-steel construction and heavy-duty galvanised tubular steel chassis make these units the strongest and most durable on the market
- ▶ Dual storage: 110% bunded diesel tank and stainless steel AdBlue tank
- ▶ Dual dispensing systems – one for each tank
- ▶ Choice of pump options to match your machines, vehicles and application
- ▶ Galvanised mudguards for strength and durability
- ▶ Secure lockable doors with anti-vandal padlock covers
- ▶ High-quality running gear for years of reliable service
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	AXLES	U.N. APPROVED	CODE
1,000L DIESEL / 200L ADBLUE	TWIN	✓	0325
1,800L DIESEL / 200L ADBLUE	TWIN	✓	0335

FOR DIESEL TANK DISPENSING OPTIONS PLEASE TURN TO PAGE 29
FOR STANDARD ADBLUE TANK DISPENSING KIT PLEASE SEE PAGE 79

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)	DIESEL CABINET		ADBLUE CABINET	
								MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)
1,000L DIESEL 200L ADBLUE	3,214	1,730	1,609	855	1933	3	3	6*	480	4	-
1,800L DIESEL 200L ADBLUE	3,717	1,800	1,773	1250	2950	3	4	6*	460	4	-

* Extended cabinet option is available if longer hose length is required (see page 36)




HIGHWAY COMPLIANT LIGHTING / TOUGH, GALVANISED MUDGUARDS



HYDROSTATIC CONTENTS GAUGE ON ADBLUE TANK FOR LEVEL READING

INNER TANK CONNECTIONS (DIESEL TANK)



STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**



1,000 LITRE



2,000 LITRE

HIGHWAY DIESEL BOWSERS WITH ADBLUE STORAGE

STANDARD ADBLUE DISPENSING PACKAGE

PACKAGE CODE	PUMP	HOSE	TRIGGER	LEVEL GAUGE		
AB010						
	12V 35 LITRE/MIN PUMP 2081-050	4M X ADBLUE HOSE 2080-020	AUTOMATIC ADBLUE NOZZLE 2081-150	UNITOP LEVEL GAUGE 2580-030		

SITE TOW DIESEL BOWSERS WITH ADBLUE STORAGE

FOR STORING, TRANSPORTING AND DISPENSING BOTH DIESEL AND ADBLUE



8,000 LITRE SITE TOW DIESEL BOWSER WITH 1,000L ADBLUE TANK, MANWAY AND FULL-HEIGHT CABINET



STAINLESS STEEL ADBLUE TANK / LOCKABLE DOOR



HIGH-QUALITY DIESEL & ADBLUE DISPENSING EQUIPMENT



SECURE CABINET HOUSES TANK CONNECTIONS AND DUAL DISPENSING SYSTEMS FOR DIESEL & ADBLUE

OVERVIEW

Our range of Diesel+AdBlue site towable bowzers are an all-in-one unit built to store, transport and dispense both diesel and AdBlue. These units feature an all-steel construction with 110% bunded diesel tank, stainless steel AdBlue tank, twin dispensing systems and an integral chassis with heavy-duty running gear, along with large flotation tyres for rough terrain. These bowzers are fully compliant with current environmental regulations, and ideal for applications where both diesel and AdBlue need to be transported around sites quickly and efficiently.

KEY FEATURES

- ▶ Fully compliant with current environmental regulations
- ▶ All-steel construction and reinforced integral chassis
- ▶ Dual storage: 110% bunded diesel tank and stainless steel AdBlue tank
- ▶ Baffled inner diesel tank ensures excellent stability
- ▶ Dual dispensing systems – one for each tank
- ▶ Choice of pump options to match your machines, vehicles and application
- ▶ Secure full height cabinet for access to dispensing equipment and tank connections
- ▶ Access steps and galvanised refuelling platform (6,000 and 8,000 litre models only)
- ▶ Manway for tank cleaning and inspection
- ▶ Heavy-duty running gear and steel mudguards
- ▶ Hydraulic brakes
- ▶ Shot-blasted to SA 2.5 and painted in a 2-pack polyurethane finish
- ▶ 3-year tank warranty for peace of mind

PRODUCT CODES

CAPACITY	CODE
4,000L DIESEL / 500L ADBLUE	0445
6,000L DIESEL / 1000L ADBLUE	0462
8,000L DIESEL / 1000L ADBLUE	0465

FOR DIESEL TANK DISPENSING OPTIONS PLEASE TURN TO PAGE 39
FOR STANDARD ADBLUE TANK DISPENSING KIT PLEASE SEE PAGE 87

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)	DIESEL CABINET		ADBLUE CABINET	
								MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)	MAX. HOSE LENGTH (M)	CABINET DEPTH (MM)
4,000L DIESEL 500L ADBLUE	5,520	2,350	2,350	2,995	6,961	5	4	12	818	4	256
6,000L DIESEL 1000L ADBLUE	5,875	2,687	2,665	3,902	9,823	5	5	12	908	4	502
8,000L DIESEL 1000L ADBLUE	6,733	2,739	2,871	4,195	11,816	5	5	12	829	4	502



FOLD DOWN STEP FOR ACCESS TO DIESEL DISPENSING CABINET



HIGH FLOW DIESEL ENGINE PUMP OPTION ON DIESEL TANK

DIESEL TANK CONNECTIONS

- ▶ Rotary tank contents gauge
- ▶ 3" BSP fill point
- ▶ 2" BSP fill point
- ▶ 2" suction line with overfill

ADBLUE TANK CONNECTIONS

- ▶ 2" BSP fill point

STANDARD COLOUR:

ANTHRACITE
GREY

RAL7016

020

For full details on colour options, codes and lead times please turn to **page 89**



SITE TOW DIESEL BOWSERS WITH ADBLUE STORAGE

STANDARD ADBLUE DISPENSING PACKAGE

*ONLY APPLICABLE TO PETROL/HYDRAULIC PUMPS

PACKAGE CODE	PUMP	HOSE	TRIGGER	LEVEL GAUGE	BATTERY*	SOLAR PANEL*
AB010						
	12V 35 LITRE/MIN PUMP 2081-050	4M X ADBLUE HOSE 2080-020	AUTOMATIC ADBLUE NOZZLE 2081-150	UNITOP LEVEL GAUGE 2580-030		
AB011						
	12V 35 LITRE/MIN PUMP 2081-050	4M X ADBLUE HOSE 2080-020	AUTOMATIC ADBLUE NOZZLE 2081-150	UNITOP LEVEL GAUGE 2580-030	12V BATTERY / CARRIER 2550-040	20W 12V SOLAR PANEL 2560-102
AB012 *UNABLE TO ACCOMMODATE HOSE REEL IN 4,500L						
	12V 35 LITRE/MIN PUMP 2081-050	10M X 3/4" DIESEL HOSE WITH RETRACTABLE REEL*	AUTOMATIC ADBLUE NOZZLE 2081-150	UNITOP LEVEL GAUGE 2580-030		
AB013 *UNABLE TO ACCOMMODATE HOSE REEL IN 4,500L						
	12V 35 LITRE/MIN PUMP 2081-050	10M X 3/4" DIESEL HOSE WITH RETRACTABLE REEL*	AUTOMATIC ADBLUE NOZZLE 2081-150	UNITOP LEVEL GAUGE 2580-030	12V BATTERY / CARRIER 2550-040	20W 12V SOLAR PANEL 2560-102

Please Note: All information and images in this brochure are for illustrative purposes only and designs depicted are subject to change at any time. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.


FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS

SHORTEST
LEAD TIME



020

← ADDITIONAL 10 DAYS LEAD TIME →



010

040

060

080

100

ADDITIONAL 14 DAYS
LEAD TIME




500

£100 charge per unit
*Customer must
provide RAL code*

BULK TANKS

← SHORTEST LEAD TIME →



020

060

010

040

080

100

ADDITIONAL 14 DAYS
LEAD TIME



500

£100 charge per unit
*Customer must
provide RAL code*



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM
LANCASHIRE
LA3 3FH*

*TEL: +44 (0)1524 850685
WEB: WWW.FUELPROOF.CO.UK
EMAIL: SALES@FUELPROOF.CO.UK*