




*PRODUCT GUIDE*  
*MOBILE STORAGE TANKS* **DIESEL**



# MOBILE DIESEL TANKS

IDEAL FOR TRANSPORTING DIESEL ON THE HIGHWAY AND REFUELLING MACHINERY



RE-FUEL MACHINERY SAFELY AND EFFICIENTLY



440 LITRE MOBILE DIESEL TANK



SPECIALY MOULDED MOBILE DIESEL TANK DESIGNED TO FIT AROUND PICK-UP WHEEL ARCHES

## OVERVIEW

Our range of lightweight diesel transport tanks are compliant with ADR regulations, and are fully equipped with fuel dispensing equipment for filling vehicles and machines. Integrated forklift pockets enable safe and easy lifting and moving around site, with recesses for securing for transport.

## KEY FEATURES

- ▶ For Diesel fuel transport, in exemption from ADR – paragraph 1.1.3.1.C
- ▶ Compact and light, manufactured in roto-molded linear polyethylene
- ▶ For use with Diesel and gas oil
- ▶ Single skin tank
- ▶ Hinged, weatherproof cover
- ▶ Fuel dispensing kit for filling vehicles and machines
- ▶ 12V electric pump with 4 metre hose and automatic nozzle
- ▶ Integrated recesses for securing with ratchet lashing strap during transport
- ▶ Integrated forklift pockets
- ▶ Handles for lifting and carrying tank when empty
- ▶ 2" fill point, equipped with emergency vent valve (air vent valve)

## PRODUCT CODES

CAPACITY	ADR COMPLIANT	CODE
220 LITRE	✓	0005-025
440 LITRE	✓	0005-040
400 LITRE + 50L ADBLUE	✓	0005-120
440 LITRE PICK-UP	✓	0005-050
400 + 50 LITRE ADBLUE PICK-UP	✓	0005-130
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CARRY



## TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)	WALL THICKNESS (MM)
220 LITRES [48 GALLONS]	912	601	622	24	211	4	5
440 LITRES [96 GALLONS]	1200	800	785	52	426	4	6.5
400 + 50 LITRES ADBLUE [88 + 11 GALLONS]	1200	800	785	57	460	4 + 4	6.5
440 LITRES PICK-UP [96 GALLONS]	1200	800	830	52	426	4	6.5
400 + 50 LITRES ADBLUE PICK-UP [88 + 11 GALLONS]	1200	800	830	57	460	4 + 4	6.5
BASE DIMENSIONS FOR PICK-UP		1010	770				



DUAL DIESEL / ADBLUE DISPENSING SYSTEM -  
(ON 400 + 50L TANKS)



FUEL DISPENSING PUMP



DISPENSING CABINET

## STANDARD SPECIFICATION

- ▶ 12V 40 litre/min electric pump flow rate 40 l/m
- ▶ Battery power cable (4m) and clamps
- ▶ 4 metre anti-static rubber hose
- ▶ Automatic shut-off nozzle

STANDARD COLOUR:



# MOBILE DIESEL DISPENSERS

COMPACT, LIGHT AND EASY TO USE



IDEAL FOR RE-FUELING ALL TYPES OF DIESEL ENGINED VEHICLES AND MACHINERY



VERSATILE AND EASY TO TRANSPORT / MOVE



REINFORCED RIBS GIVE GREAT STRENGTH AND RESISTANCE



HAND PUMP DISPENSING SYSTEM WITH HOSE AND NOZZLE



PUNCTURE PROOF WHEELS SUITABLE FOR TRANSPORT ON ANY SURFACE



THE PERFECT SOLUTION FOR SMALL SCALE DIESEL STORAGE REQUIREMENTS

## OVERVIEW

The Fuel Proof range of polyethylene mobile tanks for Diesel transport are ideal for use with generators and the re-fueling of small and light operating vehicles and machines. Featuring a unique design with ergonomic grip for excellent handling and lifting, the units are equipped with puncture proof wheels suitable for transport on any surface. The structure is devoid of sharp corners and the reinforcement ribs give great strength and resistance.

## KEY FEATURES

- ▶ For Diesel fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Top handle for easy gripping and lifting
- ▶ Fixing with straps
- ▶ Lower safety tap
- ▶ Non-spill vent plug
- ▶ Lower housing for lifting
- ▶ Wheels and foot support

## PRODUCT CODES

CAPACITY	ADR COMPLIANT	CODE
55 LITRE	✓	0005-306
110 LITRE	✓	0005-311
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CADDY

## TECHNICAL DETAILS

CAPACITY		WIDTH (MM)	DEPTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)
55 LITRE	(12 GALLON)	460	360	900	8	54	3
110 LITRE	(24 GALLON)	460	440	1,100	12	104	3



FUEL DISPENSING NOZZLE AND HOLDER



FUEL DISPENSING HOSE



EASY CARRYING HANDLES

**STANDARD COLOUR:**



## STANDARD SPECIFICATION

- ▶ Top handle for easy gripping and lifting
- ▶ Integrated recesses for securing with ratchet lashing straps
- ▶ Suction/drain safety ball valve
- ▶ Filling plug with integrated non-spill vent
- ▶ Lower handle for manual lifting operations
- ▶ Puncture proof wheels
- ▶ Front nozzle holder
- ▶ Manual rotary vane pump made in aluminum with manual nozzle and 3m of hose



*FUEL PROOF LTD  
MIDDLETON BUSINESS PARK  
MIDDLETON ROAD  
HEYSHAM  
LANCASHIRE  
LA3 3FH*

*TEL: +44 (0)1524 850685  
WEB: [WWW.FUELPROOF.CO.UK](http://WWW.FUELPROOF.CO.UK)  
EMAIL: [SALES@FUELPROOF.CO.UK](mailto:SALES@FUELPROOF.CO.UK)*