



*PRODUCT GUIDE*

*MOBILE STORAGE TANKS* *ADBLUE*

# MOBILE ADBLUE TANKS

## COMPACT MOBILE TANKS FOR ADBLUE STORAGE



ALL THE FITTINGS ARE MADE OF ALUMINUM OR MATERIALS COMPATIBLE WITH ADBLUE FLUIDS



ADBLUE DISPENSING CABINET, INCLUDING PUMP, HOSE, LEVEL GAUGE & MANUAL NOZZLE



SPECIALLY MOULDED MOBILE DIESEL TANK DESIGNED TO FIT AROUND PICK-UP WHEEL ARCHES

## OVERVIEW

These tanks are tough yet lightweight, compact, and very easy to use. Popular in farming, construction, contracting, forestry, haulage, groundcare and many other industries. An efficient and safe solution to replace jerry cans and fuel drums - the tank can easily be placed in the back of a van, pickup, trailer etc.

## KEY FEATURES

- ▶ For Diesel or adblue fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Compact and light, manufactured in roto-molded linear polyethylene
- ▶ For use with AdBlue
- ▶ Single skin tank
- ▶ Integrated forklift pockets
- ▶ Integrated recesses for securing with ratchet lashing strap during transport
- ▶ Handles for lifting and carrying tank when empty

## PRODUCT CODES

CAPACITY	ADR COMPLIANT	CODE
220 LITRE	✓	0005-225
440 LITRE	✓	0005-240
400 LITRE + 50 LITRE ADBLUE	✓	0005-120
440 LITRE PICK-UP	✓	0005-245
400 + 50 LITRE ADBLUE PICK-UP	✓	0005-130
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CARRY



TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)	WALL THICKNESS (MM)
220 LITRES (48 GALLONS)	912	601	622	24	264	4	5
440 LITRES (96 GALLONS)	1200	800	785	52	532	4	6.5
400 + 50 LITRES ADBLUE (88 + 11 GALLONS)	1200	800	785	57	452	4 + 4	6.5
440 LITRES PICK-UP (96 GALLONS)	1200	800	830	52	532	4	6.5
400 + 50 LITRES ADBLUE PICK-UP (88 + 11 GALLONS)	1200	800	830	57	452	4 + 4	6.5
BASE DIMENSIONS FOR PICK-UP		1010	770				



12V ELECTRIC PUMP



ADR COMPLIANT  
(EXEMPT FROM ADR - PARAGRAPH 1.1.3.C)



4 METRE HOSE AND MANUAL NOZZLE

STANDARD SPECIFICATION

- ▶ 12V electric pump with 4 metre hose and manual nozzle
- ▶ 2" fill point, equipped with air vent device
- ▶ DC fuel transfer pump 12V, flow rate 40 l/m
- ▶ Battery power cable (4m) and clamps
- ▶ 4m of hose for AdBlue
- ▶ Manual AdBlue nozzle

STANDARD COLOURS:



# MOBILE ADBLUE DISPENSERS

IDEAL FOR FILLING SMALL AND LIGHT VEHICLES AND MACHINES



IDEAL FOR TRANSPORTING AND DISPENSING ADBLUE INTO MANY TYPES OF VEHICLES AND MACHINES



INTEGRATED HAND PUMP FOR EASE OF USE



FRONT NOZZLE HOLDER SUPPORT

## OVERVIEW

Tanks made in roto-molded linear polyethylene, ideal for filling small and light operating vehicles or crafts.

Featuring a unique design with ergonomic grip for excellent handling and lifting, these tanks are equipped with puncture proof wheels suitable for transport on any surface. The structure, devoid of sharp corners, and the reinforcement ribs give great strength and resistance.

## KEY FEATURES

- ▶ For Diesel or adblue fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Top handle for easy gripping and lifting
- ▶ Fixing with straps
- ▶ Lower safety tap
- ▶ Non-spill vent plug
- ▶ Lower housing for lifting
- ▶ Wheels and foot support
- ▶ Front nozzle holder support

## PRODUCT CODES

CAPACITY	ADR COMPLIANT	CODE
55 LITRE	✓	0005-305
110 LITRE	✓	0005-310
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CADDY

# TECHNICAL DETAILS

CAPACITY		WIDTH (MM)	DEPTH (MM)	HEIGHT (KG)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)
55 LITRES	[12 GALLONS]	460	360	900	8	68	3
110 LITRES	[24 GALLONS]	460	440	1100	12	132	3



CARRY HANDLES FOR EASY LIFTING AND MOVING



DISPENSING HOSE OUTLET CONNECTION POINT

STANDARD COLOUR:



# STANDARD SPECIFICATION

- ▶ Top handle for easy gripping and lifting
- ▶ Integrated recesses for securing with ratchet lashing straps
- ▶ Suction/drain safety ball valve
- ▶ Filling plug with integrated non-spill vent
- ▶ Lower handle for manual lifting operations
- ▶ Puncture proof wheels
- ▶ Front nozzle holder
- ▶ Manual rotary vane pump made in aluminum with manual nozzle and 3m of hose



*FUEL PROOF LTD  
MIDDLETON BUSINESS PARK  
MIDDLETON ROAD  
HEYSHAM  
LANCASHIRE  
LA3 3FH*

*TEL: +44 (0)1524 850685  
WEB: [WWW.FUELPROOF.CO.UK](http://WWW.FUELPROOF.CO.UK)  
EMAIL: [SALES@FUELPROOF.CO.UK](mailto:SALES@FUELPROOF.CO.UK)*