



Your Machinery Hire Specialists

Events & Shows





In this pdf, find a range of machinery in our fleet to cater for you show or event.

Whether you need **one** additional machine or a **full fleet** for the set-up, open period or breakdown of your event.

With each hire contract individual to each customer, create a personalised hire solution package to suit you.

### 1. Trailers

- a. People Carrier Trailers
- b. Flatbed Trailers
- c. Plant/low-loader Trailers

### 2. Telehandlers

- a. 6 Meter
- b. 7 Meter
- c. 14 Meter
- d. 18 Meter
- e. 21 Meter

### 3. Tractors

- a. 6100M
- b. 6120M
- c. 6130M / 6R 130
- d. 6155M / 6R 155
- e. 180-400hp

### 4. Tankers

- a. 1,700 gallon
- b. 2,200 gallon
- c. 2,400 gallon

### 5. Gators

- a. HPX 4x4 Gator
- b. Electric Gator
- c. XUV855M S4 Gator

### 6. Toppers

- a. 2.8m Topper



# Trailers

# Trailers

## People Carrier Trailer

### Key Features

- 23 seats
- Hydraulic brakes
- Wooden forward facing seats
- Canvas roof and canvas side windows
- LED lights
- Front mounted access for safe boarding and exiting
- Retractable lap belts
- Anti-slip gangway and step covering
- Ring hitch



# Trailers

## Flatbed Trailers

### Key Features

- Chequer plate floor for enhanced grip
- Strap points
- LED light and beacons
- Sprung drawbar
- Parking brakes
- 24-36ft length

### Available attachments

- Bale Ladders
- Personnel barriers



# Trailers

## Plant/low-loader Trailers

### Key Features

- 23 seats
- Hydraulic brakes
- Wooden forward facing seats
- Canvas roof and canvas side windows
- LED lights
- Front mounted access for safe boarding and exiting
- Retractable lap belts
- Anti-slip gangway and step covering
- Ring hitch



# Telehandlers

# Telehandlers

6m reach



14m reach





# Telehandlers

18m reach



21m reach



# Telehandlers

## Construction spec

Model	MT625	MT1440	MT1840	MRT2150
Height (mm)	1,920	2,450	2,450	3,050
Width - without stabilisers extended (mm)	1,810	2,360	2,360	2,490
Length (mm)	3,830	6,020	6,150	6,870
Weight (kg)	4,800	10,900	11,710	17,930
Lift Height (mm)	5.85	13,530	17,550	20,900
Max. Outreach (mm)	3,400	9,460	13,080	17,900
Lift capacity - maximum (kg)	2,500	4,000	4,000	4,999

# Tractors

# Tractors

6100M



6120M



# Tractors

6130R



6155M / 6R 155



# Tractors

## Larger Horsepower Available

Our fleet of tractors ranges from 100 - 400hp.

Larger horsepower models:

- 6R 185
- 6R 195
- 6R 215
- JCB 4220 iCON Fastrac
- 6R 250
- 7R 310
- 7R 350
- 8R 370



# Tractors

## 100-150hp specs

Model	6100M	6120M	6130M	6R 130	6155M
Max Power (hp)	111	133	144	143	172
Max Speed (kph)	40	40	40	50	40
Height (mm)*	2,900	2,900	2,940	2,910	3,030
Length (mm)*	4,327	4,327	4,485	4,540	4,730
Wheelbase (m)	2.4	2.4	2.58	2.58	2.76
Shipping Weight (kg)	5,750	5,750	5,800	6,500	6,700
Transmission	AutoQuad	AutoQuad	AutoQuad	AutoPowr	AutoQuad

# Tractors

## 150-250hp specs

Model	6R 155	6R 185	6R 195	6R 215	6R 250
Max Power (hp)	171	204	215	237	275
Max Speed (kph)	50	50	50	50	50
Height (mm)*	2,950	2,950	3,160	3,160	3,250
Length (mm)*	4,930	4,930	5,050	5,050	5,190
Wheelbase (m)	2.765	2.765	2.8	2.8	2.9
Shipping Weight (kg)	7,900	7,900	8,600	8,600	9,500
Transmission	AutoPowr	AutoPowr	AutoPowr	AutoPowr	AutoPowr



# Tractors

## 300-400hp specs

Model	7R 310	7R 350	8R 370
Max Power (hp)	341	388	407
Max Speed (kph)	50	50	50
Maximum Height (mm)*	3,424	3,424	3,550
Maximum Length (mm)*	5,910	5,910	6,640
Wheelbase (m)	2.925	2.925	3.05
Shipping Weight (kg)	11,400	11,400	14,000
Transmission	AutoPowr	AutoPowr	AutoPowr

# Bowers

# Bowers

1,700 gallon

**Capacity** - 1,685 gallon

**Length (hitch to coupling ball)** - 6.4m

**Width** - 2.6m

**Height (add tactor hitch)** - 3m

**Weight (empty)** - 2,250kg

**Weight (empty)** - 10,210kg

**Hydraulic brakes** - no

**Air brakes** - yes

**Pump** - PTO driven

## Available attachments

- Dust plate
- 4, 6 & 8 inch pipes



# Bowers

2,200 gallon

**Capacity** - 2,200 gallon

**Length (hitch to coupling ball)** - 6.5m

**Width** - 2.4m

**Height (add tactor hitch)** - 3.2m

**Weight (empty)** - 4,050kg

**Weight (empty)** - 14,086kg

**Hydraulic brakes** - yes

**Air brakes** - yes

**Pump** - Hydraulic

## Available attachments

- Rain gun
- Dust plate
- 4, 6 & 8 inch pipes



# Bowers

2,400 gallon

**Capacity** - 2,400 gallon

**Length (hitch to coupling ball)** - 6.9m

**Width** - 2.6m

**Height (add tractor hitch)** - 3.4m

**Weight (empty)** - 4,250kg

**Weight (full)** - 15,160kg

**Hydraulic brakes** - yes

**Air brakes** - yes

**Pump** - Hydraulic

## Available attachments

- Atomiser
- Dust plate
- 4, 6 & 8 inch pipes



# Gators



# Gators

## HPX815E



## TE (electric)



## XUV855M S4



# Gators

## HPX815E

### Key features

The John Deere HPX815E Gator is work utility vehicle with four-wheel drive. Perfect for events and job sites, with operator conveniences including bucket seats, operator protection system, cup holders, glove box, and 12-V outlet.

- Cargo box capacity: 454 kg
- Cargo box dimensions: 1,143 x 305 x 1,320 mm
- Fuel capacity: 42.4 L (Diesel)
- Displacement: 854cc
- Power: 22.8 hp - 40 kph
- 2 persons seating capacity
- Fully independent front suspension
- Clear over shock rear suspension
- 2 speed CVT transmission
- Dash switch actuated four-wheel drive system
- Road safe

## TE (electric)

### Key features

The John Deere TE Gator is an electric Gator, producing zero-emissions without compromising on functionality. Perfect for golf courses, work premises and enclosed spaces.

- Cargo box capacity: 227kg
- Payload capacity: 409kg
- 2 persons seating capacity
- Manual cargo box tilt
- Dual rear wheel mechanical drum brakes
- 48V electrical system
- 8 Trojan batteries
- Turf tyres
- Complete cab hard door kit



# Gators

## XUV855M S4

### Key features

The John Deere XUV885M S4 Gator is Crossover utility vehicle with four-wheel drive and extra seating, catering for 4 people.

- Cargo box capacity: 454 kg
- Cargo box dimensions: 1143 x 304.8 x 1320 mm
- Towing capacity: 680 kg
- Fuel capacity: 27.6 L
- Displacement: 854cc
- Power: 22.8 hp
- Fully independent front and rear suspension
- CVT transmission
- Dash switch actuated four-wheel drive system
- Road safe



# Toppers

# Toppers

## 2.8m flail topper

The Maschio 2.8m flail topper is heavy duty, suitable for both front and rear mounting, making it a versatile machine for mowing.

Complete with front chains and rubber guards which allow material into the cutting chamber without being thrown back out again.

- **Working width:** 2.8m
- **Total width:** 2.99m
- **Weight:** 1,250kg
- **PTO/RPM:** 1,000
- Front and rear mounting
- Side skids
- 120-200hp
- Hydraulic offset
- 28 hammer flails





Your Machinery Hire Specialists

## Contact Details

Email: [hire@sw-hire.co.uk](mailto:hire@sw-hire.co.uk)

Phone: 01249 730927

Contact form: [www.sw-hire.co.uk/contact/](http://www.sw-hire.co.uk/contact/)

## Follow us

Facebook - SW Machinery Hire Ltd

Instagram - sw.hire

LinkedIn - SW Machinery Hire Ltd

TikTok - sw.hire

X - @SWHire

Threads - sw.hire

## Stay in the know

Sign up to our newsletter

<http://eepurl.com/iEDG9-/>

Or scan ->

