ANIMAL HANDLING PRODUCT RANGE



ABOUT US

Clipex Fencing and Animal Handling products have been at the heart of innovation in the agricultural industry since 2007 when the company's founder, Ashley Olsson, made the decision to create a company capable of providing affordable engineered solutions for rural families. Since then, Clipex has revolutionised fencing and animal handling products.

Each product has been developed with a focus on safe handling, efficient farming practises and affordability. All our products from design concept to farm yards are created with the end user in mind.

Thorburn Group, based in Duns in the Scottish Borders, are one of the main Clipex Dealers in the United Kingdom, having specialised in Livestock Handling Solutions for over 20 years, they are well experienced and know exactly what equipment will work well for your farm. Thorburns create bespoke handling systems which can be designed around a specific Clipx Handling Solution.

To discuss individual enquiries, please contact our sales team and find out how Thorburn Group and Clipex can make your farm safer.

CLIPEX.

PERSONALISED SOLUTIONS BUILT & COMPLETED BY OUR VERY OWN CLIPEX TEAM

GET A QUOTE

CALL

01361 883245

EMAIL

enquiries@thorburngroup.co.uk

ONLINE

www.thorburngroup.co.uk

VISIT

Thorburn Group, Unit 1,

Duns Industrial Estate, Station Road,

Duns, Berwickshire, TD11 3HS

CONTENTS

CATTLE

- HDX 900 Series Cattle Crush
- HDX 1100 Series Cattle Crush
- HD 1500 Cattle Crush
- HD 2000 Cattle Crush
- Cattle Accessories
 - Head Bail
 - Head Scoop
 - Gates
 - Cattle Crush Components
- Forcing Tub
 - Manual & Pneumatic
- Permanent Cattle Yards

SHEEP

- Automatic Sheep Handler
- Auto Sheep Drafter
- Sheep Yards
 - Permanent & Semi-Permanent
- Sheep Components

EQUINE

• Equine Range





HDX 900 SERIES Manual Crush



The HDX 900 SERIES CATTLE CRUSH is a single squeeze, and our most affordable Clipex Crush. Featuring silent operation, ideal for keeping cattle at ease. Nylon brushes are used to create a maintenance free process and it even includes the heavy duty 100x series Head Bail.

SINGLE SQUEEZE

- Chin Bar included.
- Heavy duty 100x series head bail.
- Fool proof operation with nylon brushes for silent and maintenace free operation.
- Single parallel squeeze.
- Infinite, silent lock on head bail
 & squeeze.
- Slam catches on all swinging doors.
- Head bail handle at front and rear.
- Galvanised heavy duty construction.
- Full vet section.
- 120mm anti-bruise rail.
- Split gates both sides.
- Sheeted slide gate and bottom doors.
- Load Bar mounts on feet.
- In-built floor section.
- 12 month warranty.



FEATURES & SPECIFICATIONS

Product Code
VET Section
Internal Lenth
Internal Width
Minimum Squeeze Width
Manual Operation
Pneumatic Operation
Squeeze
Headbail Lock
Headbail
Total Height
Weight
Corrosion Protection
Steel Corner Castings
Entry Gate
Slam Catches
Rump Bar
Side Access Doors
Head Holder
Floor
Access Door Options
Offside Option
Automation Options
Front Adapter Posts
Warranty

YES	
2980MM	
770MM	
500MM	
YES	
NO	
SINGLE SIDE PARALLEL	
ULTRA LOCK HYDRAULIC C	ELL
MANUAL	
2250MM	
840KG	
HOT DIPPED	
NO	
MANUAL SINGLE SLIDE	
SLAM CATCHES	
YES	
7	
INCLUDED	
WELDED FLOOR INCLUDED	
NO	
YES	
N/A	
OPTIONAL	
12 MONTHS	

HDX 1100 SERIES



The HDX 1100 SERIES CATTLE CRUSH is a double squeeze, and the best Cattle Crush in the PGX Series. This durable design allows you to squeeze the animal in the middle, to ensure safer and easier operations. The squeeze can also be used to slow down cattle to enable an easier catch.

DOUBLE SQUEEZE

- Head Scoop Included.
- Double Parallel Squeeze.
- Infinite, silent lock on head bail
 & squeeze.
- Anti-rattle catches on all swinging doors.
- Front & Rear head bail handle.
- Hot dip galvanised.
- Full Vet Section.
- 120mm anti-bruise rail.
- Split gates both sides.
- Sheeted slide gate and bottom doors.
- Load bar mounts on feet.
- In-built floor section.
- Rubber flooring over sheet metal.
- Lifting eyes on top of crush for easy transportation.
- Weighing options.
- Available in both left and right hand access.



FEATURES & SPECIFICATIONS

Product Code
VET Section
Internal Lenth
Internal Width
Minimum Squeeze Width
Manual Operation
Pneumatic Operation
Squeeze
Headbail Lock
Headbail
Total Height
Weight
Corrosion Protection
Steel Corner Castings
Entry Gate
Slam Catches
Rump Bar
Side Access Doors
Head Holder
Floor
Access Door Options
Offside Option
Automation Options
Front Adapter Posts
Warranty

YES	
2980MM	
770MM	
320MM	
YES	
VO	
DOUBLE SIDE PARALLEL	
JLTRA LOCK HYDRAULIC CE	LL
MANUAL	
2250MM	
950KG	
HOT DIPPED	
VO	
MANUAL SINGLE SLIDE	
SLAM CATCHES	
YES	
7	
NCLUDED	
NELDED FLOOR INCLUDED	
VO	
YES	
V/A	
OPTIONAL	
2 MONTHS	

HD 1500 SERIES Pneumatic Crush



The HD1500 SERIES CATTLE CRUSH is a double parallel squeeze, Pneumatic model built to last and engineered to perform. Manufactured using 120x40 hot dip galvanised HD rail type, to create an extremely strong and durable crush, while reducing bruising and animal stress.

PARALLEL SQUEEZE


- Pneumatic Operation.
- 450 grade steel.
- Double Parallel Squeeze.
- Hot dip galvanised.
- Anti-rattle catches on all swinging doors.
- Super duty head scoop.
- Animal inspecting doors.
 - Nylon brushes in all hinges.
- Three unique side doors for easy animal access.
- Infinite, silent lock on head scoop.
- Slam catches on all swinging doors.
- Clipex castings on steel corners.
- Full Vet section.
- Anti-bruise rail.
- Sheeted slide gate and bottom doors.
- Weigh bar mounting points.
- Excellent for calf access.
- Floor HD Expanded mesh with polyurethane.
- Customisable door configurations.
- 1500kg construction.
- Lifting eyes on top of crush for easy transportation.
- Available in both left and right hand access.

FEATURES & SPECIFICATIONS


	FEATURES Q
•	Product Code
	VET Section
	Internal Lenth
1	Internal Width
1	Minimum Squeeze Width
1	Manual Operation
1	Pneumatic Operation
	Squeeze
	Headbail Lock
I	Headbail
	Total Height
-	Weight
-	Corrosion Protection
-	Steel Corner Castings
-	Entry Gate
-	Slam Catches
	Rump Bar
-	Side Access Doors
	Head Holder
	Floor
;	Access Door Options
-	Offside Option
	Automation Options
-	Front Adapter Posts
-	Warranty

CH-HD1500VC
YES
3150MM
750MM
350MM
NO
YES
PARALLEL SQUEEZE
DOUBLE INFINITE LOCKING BAR
HYBRID LOW AIR PRESSURE WITH
MECHANICAL LOCK
2290MM
1480KG
HOT-GAL
YES
PNEUMATIC SINGLE SIDE
CLIPX RATTLE FREE SLAM CATCHES
INDEPENDENT RUMP BAR DOOR
10 SERVICEABLE DOORS
INCLUDED
INCLUDED RUBBER FLOOR
YES
YES
N/A
OPTIONAL
5 YEARS









CALL US 01361 883245

HD 2000 SERIES Pneumatic Crush



The HD2000 SERIES CATTLE CRUSH is a double parallel squeeze, Pneumatic model built to last and engineered to perform. Manufactured using 120x40 hot dip galvanised HD rail type, to create an extremely strong and durable crush, while reducing bruising and animal stress.

PARALLEL SQUEEZE

- 450 grade steel.
- Hot dip galvanised.
- Anti-rattle catches on all swinging doors.
- Super duty head scoop.
- Animal inspecting doors.
- Nylon brushes in all hinges.
- 3 unique side doors for easy access.
- Infinite, silent lock on head scoop.
- Slam catches on all swinging doors.
- Manual override option.
 - Clipex castings on steel corners.
- Auto lock rear sliding gate.
- Removable floor standard.
- Full Vet section.
- Anti-bruise rail.
- Weigh scale mounting points.
- Excellent for calf access.
- Floor HD Expanded mesh with polyurethane.
- Customisable access door configurations.
- Weighing options.
- 2000kg construction.
- Lifting eyes on top of crush for easy transportation.
- Available in both left and right hand access.
- Heavy duty "split" entry gate.
- Auto locking rear sliding gate.
- Large control panel available on AUTO model.
- Automated weighing with auto drafting capabilities.
- Side draft capability.
- 4-6 way draft capable.
- Reduce labour costs.

FEATURES & SPECIFICATIONS

	ILAIONES
Code	Product Co
ection	VET Sect
Lenth	Internal Le
Width	Internal Wi
Width	Minimum Squeeze Wi
ration	Manual Operat
ration	Pneumatic Operat
Jeeze	Sque
Lock	Headbail Lo
adbail	Head
leight	Total Hei
/eight	Wei
ection	Corrosion Protect
stings	Steel Corner Casti
Gate	Entry G
tches	Slam Catcl
ip Bar	Rump
Doors	Side Access Do
lolder	Head Hol
Floor	FI
otions	Access Door Optic
Option	Offside Opt
otions	Automation Optio
Posts	Front Adapter Po
rranty	Warra

CH-HD200VC
YES
3450MM
750MM
350MM
NO
YES
PARALLEL SQUEEZE
DOUBLE INFINITE LOCKING BAR
HYBRID LOW AIR PRESSURE WITH
MECHANICAL LOCK
2290MM
1860KG
HOT-GAL
YES
PNEUMATIC SPLIT DOORS
CLIPX RATTLE FREE SLAM CATCHES
INDEPENDENT RUMP BAR DOOR
10 SERVICEABLE DOORS
INCLUDED
INCLUDED RUBBER FLOOR
YES
YES
OPTIONAL
OPTIONAL
5 YEARS

2000 Geries

3450MM - INTERNAL LENTH

2340MM - LENGTH TO KICK GATE



3800MM - EXTERNAL LENGTH

AUTOMATIC DRAFTING OPTION

The HD 2000 series crush comes with an automatic option that enables auto drafting on weight or EID, either through the side draft, or through our 5 way drafter module. The auto upgrade also includes remote control ability, to control the crush.

- Fully pneumatic with autonomous control.
- Comes complete with heavy duty floor & chin bar.
 - Included load bar mount points for recommended 4500kg load bars.

750MM INTERNAL

WIDTH

1100MM

CATTLE ACCESSORIES Head Bail, Head Scoop, Gates, Components



HDX HEAD BAIL

If you only require the Head Bail, you can purchase our highly rated HDX Series Head Bail on it's own, we can even fit it into your cattle yard, if that is something you require. Not only is the Head Bail more responsive, the sound is kept to an absolute minimum.

FEATURES:

- Infinite locking system.
- Rubber Design.
- Minimal gaps.
- Nylon brushes.
- Noise dampening panelling.
- Silent operations.
- HD galvanised construction.
- Heavy duty construction.
- Drop-down safety handle.
- Included with: HDX900 & HDX1100.



EMAIL US enquiries@thorburngroup.co.uk

GATES

The Clipex Studman Gates and Panels are Hot Dip Galvanised to improve strength and durability, complete with anti-bruising for animal and handler. To find out the size options available, get in touch on 01361 883245.



HEAD SCOOP

The Clipex Head Scoop can be bought separately, or with one of the Crushes, featuring a lock release and extendable handle.

FEATURES:

- Head brace.
- Lock release.
- Infinite locking mechanism.
- Extendable handle.
- Adjustable width.
- Nylon brushes in chin bar.

CATTLE CRUSH COMPONENTS

Each of the different crush components are hot dip galvanised to improve strength and longevity, ensuring your cattle systems will last for years to come. Hot Dip Galvanising has approximately 600% more bonding strength than zinc rich paint, preventing the steel from rusting quickly. We have a range components to suit your individual system, get in touch for more details.














FORCING TUB

Pneumatic & Manual



Our patent featuring Forcing Tub - available in Pneumatic or Manual, was developed from the ground up to be the most efficient in its class featuring automatic processing. Both models are made from a hot dipped construction to improve strength and longevity. Suitable for 150-200 cattle, the tub automatically guides the cattle to the next section, streamlining the handling process.

FEATURES:

- HD Rotary Crowd Tub.
- Hot dip galvanised construction for longevity.
- Curved panels improves flow and reduces bruising.
- Walkway and platform.
- Adjustable with curved race.
- Adjustable v-straight race before crush improves flow.
- Designed to work with our HD2000 series auto crush for autonomous weighing and drafting.
 With compatible indicator, includes remote for head bail and draft (crush sold separately).
- Sheeted curved race.
- HD Sliding gates.
- 3-Way air draft module with access gates.
 Optional 5 way draft available.

AUTOMATIC TUB

- Air operated via remote or control panel.
- Doors will automatically engage and disengage
 seamlessly to maximise flow.
- 360° rotation on doors, without need to return. •
- Full walkway with multiple on and off areas
- Standard or wet-dry options available for internal race.
- Industrial rubber bumpers on doors for animal safety and reduced bruising.

MANUAL TUB

- Ratchet operated.
- Doors automatically engage and disengage seamlessly to maximise flow.
- 360° rotation on doors, without need to return.
- Full walkway with multiple on and off areas.

SCAN THE QR CODE TO WATCH US BUILD THE SYSTEM ON YOUTUBE.






CATTLE YARDS Permanent Solutions

We are driven by our on-going commitment to produce innovative farming solutions that make farming life easier, safer and are built to last. The dedicated team of Solutions Specialists, Engineering and Installations experts at Clipex work hand-in-hand with our clients to ensure that our purpose-built turnkey solutions are tailored to meet their individual needs.

The Clipex patented permanent yards were created from the ground up in consultation with farmers to become the most efficient in it's class. Featuring a choice of pneumatic or manual operations and automatic processes, this range of premium quality solutions has been developed to be one of the safest, easiest and longest-lasting systems avilable.



HOT DIP GALVANISED

Galvanised materials to 600g/m²

HEAVY DUTY CONSTRUCTION

Utilising premium 450 grade steel

PATENTED TUB SYSTEM

Pneumatic operated with auto engaging doors

CONCRETED POSTS

Rock solid heavy duty end posts

BOLT & CLAMP SYSTEM

Panels bolted one side & clamped on other

PREMIUM MANUFACTURING

All welds are welded in a horizontal position

FLOATING RAIL 180 RACE

Made from super heavy duty 80mm tube and steel castings.

HD WORK AREA SYSTEM

Lighter & cost effective alternative





- V-Race with width adjust on both sides.
- Pneumatic split slide gate.
- Ensuring single animal feed into cattle crush.

180° RACE SYSTEM

- Super heavy duty design
- 180° race & V-Race
- 2 air adjustable operating widths
- Floating rail system enables access to the animal while in the race.
- Made from super heavy duty 80mm tube and steel castings.
- Standard or wet-dry options available for internal race.

MAN GATE SYSTEM

- Enables fast access to the either side of race.
- Includes safety pin locks on man gates
- Creates ability to lock off access to race.
- Draft for race or ramp direction.
- Ensuring operator safety.



3M TUB SYSTEM

- Air operated via remote or control panel.
- Doors will automatically engage and disengaged seamlessly to maximise flow.
- 360° rotation on doors, without need to return.
- Full walkway with multiple on and off areas
- Standard or wet-dry option available for race.
- Industrial rubber bumpers on doors for animal safety and reduced bruising.

BUGLE SYSTEM

- Near 180° bugle
- Fully sheeted on both sides
- Walkway coverage of entire bugle area
- Allows space to effectively control animal stress & control stock movement.
- Rear full width entry gate with pneumatic options.



AUTOMATIC SHEEP HANDLER Contractor or Fixed Models



FEATURES:

- Automatic drafting.
- Tilt table.
- Head access.
- Auto catching. •
- Patented & auto pre-catch.
- Tail access.
- Tow hitch.
- Unique folding design.
- Weigh scale attachment.
- Electric jacks.
- Optional wireless foot pedal.
- Built to travel & increase productivity.
- Automated data collection.
- Included 3 way draft.
- Add a wireless foot pedal for full control.

The Clipex Sheep Handler is one of the best on the market, weigh and drafting up to 800 sheep an hour, handling up to 400 sheep an hour and crutching up to 120 sheep an hour. It includes a full tilt function which gives you access to the whole animal at a standing height and the patented pre-catch section revolutionises sheep handling.

The handler can easily be adjusted for different sized sheep and has automatic weighing for up to five way drafting. There are nylon brushes on all moving parts creating a truly silent operation to help sheep move through stress free.



www.thorburngroup.co.uk

PATENTED PRE-CATCH

MACHINE CONTROL



CONTRACTOR OR FIXED MODEL?

If you opt for the Contractor Model, your Sheep Handler comes with features not included in the Fixed Model. A fully portable and mobile trailer, with off road axles and tow-bar, attaching to your vehicle for portable flexibility. This model comes with three electric jacks, which are height adjustable allowing you to lower the trailer to a more comfortable height for the operator and the wheels remove easily out of the way.

	Contractor Model	Fixed Model
Weight	800KG	700KG
Auto Catch	YES	YES
Tilt	YES	YES
Anti-Backing Flap	YES	YES
Head Flap Access	YES - FULLY TILTED	YES
Tail Flap Access	YES - FULLY TILTED	YES
Auto Pre-Catch Area	YES	YES
Electric Jacks	YES	NO - UPGRADE TO CONTRACTOR
		MODEL
Load Bars	YES	OPTIONAL UPGRADE
Hungry Board	OPTIONAL UPGRADE	OPTIONAL UPGRADE
Remote Foot Pedal	OPTIONAL UPGRADE	OPTIONAL UPGRADE
З Way Auto Draft	YES	YES
Rubber Matting	YES	YES
Can be towed	YES	NO (UPGRADE TO CONTRACTOR)
Wireless Remote	YES	OPTIONAL UPGRADE
5 Way Draft	OPTIONAL UPGRADE	OPTIONAL UPGRADE

EMAIL US enquiries@thorburngroup.co.uk

AUTO SHEEP DRAFTER 6 in 1 Auto Drafter

The Clipex 6 in 1 Auto Sheep Drafter is not only an incredibly fast auto drafter, but also to perform most critical tasks with ease. The Handler enables weighing, drafting, drenching, needling, mouthing & dagging in a compact design that can fit into most sheep yards.




FEATURES:

- Affordable workhorse.
- Improve your flock data.
- Easy accurate weight gain mapping.
- Save your back & body.
- Included 3 way draft.
- Stationary catch platform.
- Straight lead up race.
- Rear access standing up.



INCLUDED 3 WAY DRAFT

- Front access standing up.
- Includes anti-backing hock bar.
- Catch and hold ensuring accurate weights.
- Auto Draft up to 800 sheep an hour.
- Drench up to 400 sheep per hour.
- Fully restrained, easy access needling.
- Open front access for easy mouthing.
- Stand up dagging with rear ccess.




STATIONARY CATCH PLATFORM



STRAIGHT LEAD UP RACE



FITS MOST YARDS The Clipex Drafter suits most yard designs, simply put the drafter in place, and start drafting!



AUTO DRAFTING Using a weigh indicator, the handler can draft up to 5 ways with a supported weigh scale indicator. The handler comes standard with 3 way drafting.



AUTO CATCHING

Automatically catches and clamps the sheep quickly for weighing accuracy. The catch position is also fully adjustable.



MAXIUMUM FLOW

Using our Backing Flap and Entry Gate system, sheep flow through effortlessly without weight errors or double catches.

WHAT IS THE DIFFERENCE BETWEEN THE SHEEP HANDLER & AUTO DRAFTER?

6 in 1 Auto Sheep Drafter



NO TILT FUNCTION

- Rear access standing up
- Front access standing up

STRAIGHT RACE

• Short race lead up area to extend exisiting race. Includes anti-backing hock bar.

All in One Sheep Handler



FULL TILT ACCCESS

- Full Tilt
- Better Rear Access
- Better Front Access

PRE-CATCH AREA

- Auto catch and preload sheep.
- Ability to easily drench in area.

SHEEP YARDS Permanent & Semi-Permanent



PERMANENT YARD FEATURES:

HOT DIP GALVANISED Galvanised materials to 600g/m²

HEAVY DUTY CONSTRUCTION Utilising premium 450 grade steel.

PREMIUM MANUFACTURING All welds are welded in a horizontal position.

SHEEP HANDLER INTEGRATION

Yard designs to work with Clipex handles & drafters.

PANEL & CLAMP SYSTEM Minimising on site welding for increased life.

CONCRETED POSTS

Rock solid heavy duty end posts.

CUSTOMISED DESIGNS

We have our own in house draftsman team.

TURNKEY INSTALLATION

We provide turnkey options for all permanent yards.

SEMI-PERMANENT SHEEP YARDS

The Clipex semi-permanent sheep yards are extremely strong and durable. Made from high quality steel and cnc precision cut jigs. All sheep hurdles include 16mm pins. They also have an extended foot plate with a hole which the pin can be put through or used to bolt to the ground.



- Holds up to 400 Sheep.
- Includes V race with 3 way draft.
- 4 contained areas.
- 189M²



- Holds up to 650 Sheep.
- Includes V race with 3 way draft.
- 6 contained areas.
- 263M²
- Straight drenching race
- Permanent sheep rail.

INSTALLING A PERMANENT SHEEP YARD



EMAIL US enquiries@thorburngroup.co.uk

SHEEP COMPONENTS Gates & Hurdles

All our Sheep components can be used to create a bespoke Sheep Handling System, whether that involves building into an existing system or creating a fully tailored solution that suits your farms requirements. We can also create any gate or hurdle to match the Clipex range to finish a bespoke system. If designing a bespoke system using the Clipex hurdles is something you are interested in, please get in touch by phoning us on 01361 883245 or emailing enquiries@thorburngroup.co.uk.



BENEFITS OF CLIPEX SHEEP HURDLES

OVAL RAIL PANELS Premium quality oval rail sheep hurdles.

PREMIUM MANUFACTURING

All welds are welded in a horizontal position.

INCLUDED HEAVY PINS

16mm pins are used on all hurdles and gates.

ZINC PAINTED WELDS

All welds are coated with a heavy zinc bsed coating.

GALVANISED

Hot Dip Galvanised as standard.


HEAVY DUTY CONSTRUCTION

Utilising high grade premium steel with 5mm lugs.




SCAN THE QR CODE TO HEAD TO THE WEBSITE TO VIEW THE FULL RANGE OF SHEEP COMPONENTS.











SHEEP HURDLE

SHEEP GATE IN FRAME WITH SLAM LATCH



SHEETED SHEEP HURDLE



SHEEP HURDLE ADAPTER POST



DOUBLE RACE BOW

V-DRAFT

- V-race with 3 way draft module.
- Hot dip galvanised for longevity.
- Flat packed for easy relocation and freight.
- Permanent or semipermanent.
- Improve sheep flow and stop sheep walking backwards with our antibacking bars.
- Ergonomic draft handles.
- Draft gates available separately.
- Long draft gates for ease of drafting.

DOUBLE RACE GATE



SHEEP MAN GATE



RACE BOW





WORKING RACE

WORKING SHEEP CURVE HURDLES









EQUINE RANGE Gates & Yards




The whole Clipex Equine range was designed for optimum access and safety for when you are in the horse yard. Our equine gates and panels are designed using oval rail to minimise bruising while maintaining strength. The equine gates feature an adjustable top frame adjusting from a height of 2 metres to 2.7 metres.

	ADJUSTABLE FRAME Height 2000MM- 2700MM	THE CLIPEX® EQUINE PANELS ARE DESIGNED FOR OPTIMIMUM ACCESS AND SAFETY WHEN YOU ARE IN THE HORSE YARDS.	
EQUINE GATE	S	EQUINE PANE	LS

 ${\sf EMAIL}\ {\sf US}\ {\sf enquiries} \\ {\rm {\textcircled otherwise}}\ {\sf thorburngroup.co.uk}$

EQUINE YARDS






- Breaking in
- Lunging
- General Purpose
- 15 Panels & I Gate
- 11.28m Diameter

14M EQUINE YARD

- Lunging
- Exercise
- General Purpose
- 20 Panels & I Gate
- 14.71m Diameter



18M EQUINE YARD

- Lunging
- Exercise
- 25 Panels & I Gate
- 18.18m Diameter

INNOVATION

We pride ourselves in creating Australia's best, most innovative agricultural products. We focus on creating products with unique, often patented features, designed to make farming easier and more efficient.

QUALITY

Clipex® sheep equipment is designed and manufactured in house at our own factory.

COATINGS

All Clipex Animal Handling Solutions incorporate hot dip galvanising to ensure gauranteed performance and longevity. Hot dip galvanising is the pinnacle of today's steel coatings.

CALL

01361 883245

EMAIL

enquiries@thorburngroup.co.uk

ONLINE

www.thorburngroup.co.uk

VISIT

Thorburn Group, Unit 1, Duns Industrial Estate, Duns, TD11 3HS

FOLLOW

@thorburngroup



