

Prattley™

Part of the **DATAMARS** Group. Exclusively distributed by



July 2024


CONTENTS

Buying Prattley Product in the UK	3
Spare & Replacement Parts	4
8ft Intermediate Mobile Yard System	5-6
10ft Standard Mobile Yard System	7-8
10ft Super Mobile Yard System	9-10
12ft Super Mobile Yard System	11-12
14ft Mobile Yard System	13-14
7ft 3 Point Linkage Yard System	15-16
3-way Swing Gate AutoDrafter Pneumatic	17-18
3-way Manual Drafter	19-20
3-way Electric AutoDraft	21-22
Standard Sheep Handler	23-24
Calf Weigh Crate	25-26
Weigh Scales and Indicators	27-29
EID Stick Readers	30

Prattley

IAE





Originating from Temuka on the South Island of New Zealand, Prattley is a world leading manufacturer of livestock handling equipment. With a globally trusted reputation, Prattley offer robust, portable and durable solutions for livestock handling.

Owned by Datamars, Prattley products are exclusively distributed across the UK by IAE.

BUYING PRATTELEY PRODUCT IN THE UK

All Prattley products are available from IAE's extensive network of distributors throughout the United Kingdom.

Prices

Our price list can be viewed by scanning the QR code which will scan to a full price list of every product in this brochure.



All prices shown are RRP and exclusive of VAT.

Terms & Conditions

Customers must accept that F. Klucznik & Son Ltd's (T/A IAE) Terms and Conditions apply when placing any order.

The full Terms & Conditions are available to view on our website:

www.iae.co.uk/terms-and-conditions

SPARE & REPLACEMENT PARTS

A complete range of spare and replacement parts are available for the Prattley products distributed by IAE.

To view the list of spare parts available, please scan the QR code below:



To order spare parts, please contact our sales team via telephone or email:

Prattley



+44 (0)1782 339320



sales@iae.co.uk

8FT INTERMEDIATE MOBILE YARD SYSTEM

A great starter system for small flocks and single user operation.

CODE

920 0004-006



Key Features:

- An entry level complete system which is affordable and durable as well as being a lightweight and easy to use solution for small flocks of sheep located away from the homestead
- Tow by ATV around the farm
- Use the pivot arms to raise and lower the system, allowing the wheels to be easily attached or removed

Includes:

- Mobile Unit with Drop-in Gate, Drafting Gate, Winch, Draw-bar, Gate Support Arms and Straps
- Supplied with 16 No. 7' x 36" Alloy Gates as standard
- Motorbike Wheels offer good suspension and are long lasting
- Handling Race panels fit inside race
- Race frame fully hot dip galvanised for durability and long life

10FT STANDARD MOBILE YARD SYSTEM

The 10ft standard system has capabilities of holding up to **250 ewes** when used in conjunction with an existing fence-line.

CODE

920 0004-007



Key Features:

- Heavy duty winch systems makes light-work of raising and lowering the main unit
- Suspension safety springs allow the winch to be backed off once loaded, allowing the system to sit on the suspension
- Aluminium hurdles are lightweight yet robust and concertina for a quick setup. The slotted lugs and pin assembly allow greater pen flexibility and are accommodating of rough ground
- 13" wheels allow the system to be trailed anywhere. Easily removed whilst in use
- Also available as a basic system with 10 No. Alloy Hurdles (920 0004-010)

Includes:

- A 10ft handling race which includes: Drop-in Gate, Drafting Gate, Winch, Draw-bar, Gate Support Arms, Straps, Wheels and Toolbox
- Supplied with Mudguards, Lightboard and Toolbox, making the system road legal
- 20 No. 7' x 36" Alloy Gate as standard (yard can hold up to 24 gates)
- 1 No. Diamond Gate
- 2 No. Drop in Gates
- 1 No. 33" Swing Back Gate
- 4 No. L Posts
- 16ft Drenching Race
- 1 No. Prattley custom moulded Toolbox
- Fully removable draw-bar, winch and wheel arms
- Race frame fully hot dip galvanised for durability and long life

10FT SUPER MOBILE YARD SYSTEM

The 10ft Super System has capabilities of holding up to **500** ewes when used in conjunction with an existing fence-line.

CODE

920 0004-008



Key Features:

- Heavy duty winch systems makes light-work of raising and lowering the main unit
- Suspension safety springs allow the winch to be backed off once loaded, allowing the system to sit on the suspension
- Aluminium hurdles are lightweight yet robust and concertina for a quick setup. The slotted lugs and pin assembly allow greater pen flexibility and are accommodating of rough ground
- 13" wheels allow the system to be trailed anywhere and are easily removed whilst in use

Includes:

- A 10ft handling race which includes: Drop-in Gate, Drafting Gate, Winch, Draw-bar, Gate Support Arms, Straps, Wheels and Toolbox
- Supplied with Mudguards, Lightboard and Toolbox, making the system road legal
- 40 No. 5' x 36" Alloy Gates as standard
- 1 No. Diamond Gate
- 2 No. Drop in Gates
- 1 No. 33" Swing Back Gate
- 6 No. L Posts
- 1 No. 16ft two section handling race
- 1 No. Prattley Custom moulded Toolbox
- Fully removable draw-bar, winch and wheel arms
- Race frame fully hot dip galvanised for durability and long life

12FT SUPER MOBILE YARD SYSTEM

Suitable for holding up to 750 ewes, the 12ft Super Mobile Sheep Yard is a robust solution for sheep systems running large number of sheep in one group.

CODE

920 0004-009



Key Features:

- 12ft durable race with capability of manual 3 way drafting
- Heavy duty winch systems makes light-work of raising and lowering the main unit
- Suspension safety springs allow the winch to be backed off once loaded, allowing the system to sit on the suspension
- Aluminium hurdles are lightweight yet robust and concertina for a quick setup. The slotted lugs and pin assembly allow greater pen flexibility and are accommodating of rough ground
- 13" wheels allow the system to be trailed anywhere and are easily removed whilst in use

Includes:

- Mobile Unit with 3 Way Drafting, Geared Winch, Strong Drawbar, Gate Support Arms, Retaining Straps, Wheels, Toolbox, Electric Brakes and Mudguards
- 40 No. 6' x 36" Alloy Gates as standard
- 1 No. Diamond Gate
- 2 No. Drop in Gates
- 1 No. 33" Swing Back Gate
- 8 No. L Posts
- 1 No. 24 ft three- section handling race
- 1 No. Prattley custom moulded Toolbox
- Fully removable draw-bar, winch and wheel arms
- Race frame fully hot dip galvanised for durability and long life

14ft MOBILE YARD SYSTEM

The 14ft mobile sheep yard is suitable for holding approximately **1500 ewes** and makes in-the-field sheep management more efficient and safe.

CODE

920 0004-012



Key Features:

- 14ft durable race with capability of manual 3 way drafting
- Heavy duty winch systems makes light-work of raising and lowering the main unit
- Suspension safety springs allow the winch to be backed off once loaded, allowing the system to sit on the suspension
- Aluminium hurdles are lightweight yet robust and concertina for a quick setup. The slotted lugs and pin assembly allow greater pen flexibility and are accommodating of rough ground
- 13" wheels allow the system to be trailed anywhere and are easily removed whilst in use

Options:

- Mobile Unit with 3 Way Drafting, Geared Winch, Strong Drawbar, Gate Support Arms, Retaining Straps, Wheels, Toolbox, Electric Brakes and Mudguards
- 52 No. 7' x 36" Alloy Gates as standard
- 1 No. Diamond Gate
- 1 No. 33" Swing Back Gate
- 10 No. L Posts
- 1 No. 24ft Three Section Double Handling Race
- 1 No. Prattley custom moulded Toolbox
- Fully removable draw-bar, winch and wheel arms
- Race frame fully hot dip galvanised for durability and long life

7ft 3 POINT LINKAGE YARD SYSTEM

Designed to fit onto a tractor 3 point linkage, this set up has capabilities of holding up to **100 ewes** when used in conjunction with an existing fence-line.

CODE

920 0004-005



Key Features:

- Easy to use Tractor Hitch Yard allowing 2 or 3 way drafting
- Versatile yard that can be taken anywhere on the farm for on the spot farm management, reducing labour costs and stress to animals
- Easily transported, assembled and operated by one person
- Aluminium hurdles are lightweight yet robust and concertina for a quick setup. The slotted lugs and pin assembly allow greater pen flexibility and are accommodating of rough ground
- Custom moulded Toolbox for storage

Includes:

- 7' Drafting Race
- Tractor Unit for 3 point linkage
- 10 No. 7' x 36" Alloy Gates
- 2 No. 3'6" x 36" Gates
- 2 No. L Post
- Drench Race components can also be purchased to suit

3-WAY SWING GATE AUTODRAFTER PNEUMATIC

The Prattley Swing Gate AutoDraft is a powerful tool allowing a single operator to control weighing and drafting. The Prattley Swing Gate AutoDraft co-ordinates with an external Indicator/recorder and loadbars to produce a seamless package.

CODE 3-WAY
MOBILE (pictured)
880 0050-976
STATIONARY
920 0004-003



Key Features:

- Quiet pneumatic operation promotes good stock flow
- Rear gates incorporate rollers allowing the gate to roll around the sheep as they close and allow the following sheep to pull back before becoming trapped
- Capabilities of auto weighing approx. 600 sheep per hour
- Overall design makes the crate any hand
- Improved crate design promotes accurate weighing from anywhere inside of the crate
- Conventional drafting with remote
- EID compatible
- Drafting options: by weight, by weight gain, on EID tag database, by sight (remote manual drafting)
- Selective weighing/drafting
- Selective bypassing of weighing cycle
- Weigh-then-HOLD to allow inspection before drafting
- Remote override of indicators draft range
- Versatile design that works in multiple yards and will integrate with any handling system

Options:

- Available as a stationary or mobile unit (pictured left)
- A 5-way Swing Gate AutoDraft unit is also available, incorporating all of the great features above, as well as the ability to draft sheep in 5 different directions
- Indicator and load bars sold separately

3-WAY MANUAL DRAFTER

The Prattley 3-Way Manual Weigh Crate allows effortless weighing and sorting of sheep and is manufactured with lightweight aluminium for optimum strength and easy manoeuvrability.

CODE

880 0004-526



Key Features:

- Enables up to 3-way drafting and weight recording
- Practical design keeps operator out of sheep's vision
- One person can easily set up and move
- Sliding gates move easily and quietly maximising sheep flow
- Simple no-tool adjustment from biggest ram to smallest lamb
- Non corrosive, lightweight aluminium alloy (44kg)
- Fits most load bar weigh systems
- Easy to reach controls
- Easy access to stock in crate
- Supplied as left or right hand option

Options:

- Purchased as left or right hand option (right hand pictured)
- Isolation frame can also be purchased as an addition
- For easier transportation, a wheel kit can be purchased
- Indicator and load bars sold separately

3-WAY ELECTRIC AUTODRAFT

The Prattley Electric AutoDrafter is operated by electric motors powered by a 12volt battery, and will operate on a fully charged battery for a full day. Automatically draft sheep in 3 different directions based upon a predefined criteria.

CODE 3-WAY

880 0050-981

CODE 2-WAY

880 0050-971



Drafting Options:

Full Auto Drafting Mode:

- Indicator can be programmed for 3-Way drafting
- Sheep enter weigh crate
- Back gates automatically shut behind sheep
- Indicator will select which gate to open
- Back gate opens automatically again for next sheep
- While in this mode you can override drafter with remote

Auto Drafting By Remote:

- Indicator is programmed for 3-Way drafting.
- Open back gate with remote
- Shut back gate with remote once sheep has entered crate
- Indicator will select which gate to open
- Use remote to open back gate again
- While in this mode you can override drafter with remote

Options:

- A 2-way Electric AutoDraft unit is also available, incorporating all of the great features above, with the ability to draft sheep in 2 different directions
- For easier transportation, a wheel kit can be purchased
- Indicator and load bars sold separately

STANDARD SHEEP HANDLER

Make easy work of managing your sheep with the Prattley Sheep Handler. Designed to mitigate the manual work associated with foot pairing and daggging, the Sheep Handler improves efficiency and safety.

CODE

880 0004-303



Key Features:

- Fully adjustable to suit any size ewe, lamb or ram
- Sheep lie without struggling in a safe, secure position
- Adjustable working height means no bending for the operator
- Lightweight, easy to move around the farm
- Full access to the rear and feet of the animal, making routine tasks like dagging and foot pairing effortless
- Suitable for use in conjunction with Prattley handling systems, or alternative systems

Options:

- To support good stock flow, an Entry Guide (below left) and panels (below right) can be purchased



Entry Guide

CODE
880 0004-352



Panels

CODE
880 0004-353

CALF WEIGH CRATE

The Prattley Calf Weigh Crate is a robust yet lightweight solution to weighing calves on the farm. Available with or without drafting gates, sorting calves can be an efficient and easy task to complete.

CODE

880 0004-337



Key Features:

- Lightweight alloy frame for easy moving around the farm
- Durable uni-board
- Slatted sides provide calves with a view beyond the crate, helping to minimise stress and improve flow
- Ergonomically designed to make it easy to operate
- Suitable for calves up to 115kg

Options:

- The Calf Weigh Crate is also available with 2-way (below left) or 3-way (below right) drafting to meet your requirements



CODE

880 0050-114

*2-way Drafting Calf
Weigh Crate*



CODE

880 0050-113

*3-way Drafting Calf
Weigh Crate*

MP600 Loadbars

CODE

880 0000-202



- Can be temporarily installed and when used with the lightweight Tru-Test aluminium platform can be easily transported between different weighing sites
- Can be used with any weigh scale in the Tru-Test range without calibration
- Galvanised steel housing protects the bars in the tough agricultural environment
- Sealed load cell is protected against moisture damage allowing the load bars to remain outside
- Simply requires a firm level surface and a rigid crate or platform

S3 Indicator

CODE

880 0002-591



- Easy to read weights, no matter the conditions
- Bluetooth® low energy connectivity
- Record weights and configure settings using the app
- Rugged and waterproof, to withstand the toughest environments
- Rechargeable battery with approx. 15 hours of life

EziWeigh 7i

CODE

880 0000-705



S3

- New and improved weighing- the weights of lively animals can be gathered rapidly
- Identify top and poor performers by monitoring and comparing weight gains
- Efficient information collection with wireless connection to EID readers
- Maximise throughput with fast weight lock and auto weight recording
- Designed to withstand the harshest of environments
- Easily download record information using Data Link

JR5000

CODE

880 0010-832



- Store up to 1 million records in 1000 weighing sessions
- Calculate and view an animal's weight gain
- Simple and quick to set up
- Use the pre-defined set-ups to easily switch between jobs
- Up to 5-way drafting by weight, weight gain and single criteria
- Link wirelessly or by cables to other devices such as Electronic ID readers, auto drafters and more

ID5000

CODE

880 0000-787



- Store up to 1 million records in 1000 x weighing sessions and record up to three IDs and three pieces of information for each animal
- Track performance through calculating and visualising an animal's weight gain
- Up to 5-way drafting by weight, weight gain and single criteria
- Pre-loaded common set-ups or save own favourite set-ups to easily switch between jobs

XR5000

CODE

880 0000-182



- Store up to 1 million records in 1000 weighing sessions and record up to 100 pieces of information for each animal
- Range of features to calculate and visualise performance
- Up to 10-way drafting by any criteria
- Pre-loaded common setups, or save own favourite set-ups
- Calculate target weights
- Track, apply and manage treatments

XRP2I Panel Reader

CODE

880 0004-604



- Reads all HDX and FDX-B tags with options to record tags or send to your weigh scale indicator
- Wirelessly connect with your weigh scale indicator using Bluetooth® technology, for easy data transfer eliminating cables
- Easily download recorded information to a PC, laptop or smart phone
- Plug and play setup, with unique auto tuning function
- Antenna options to suit your setup (small antenna shown)

Stick Readers

- Large sunlight viewable 2.7" colour LCD screen making them easy to read
- Fast tag reads with feedback through vibrating handle
- Robust and ergonomic design
- Easily download recorded information to a PC, laptop or smart phone



CODE

880 0004-657

SRS2i Stick Reader

- Quick access keys for simple navigation
- Wirelessly connect with your weigh scale indicator using Bluetooth®
- Practical and safe to use with long reach



CODE

880 0004-656

XRS2i Stick Reader

- Alphanumeric keypad for flexible data entry
- Customisable alerts such as cull
- Add and edit session names to keep track of each session
- Capture animal information such as condition scores, in up to 15 custom data fields

Prattley™

Part of the **DATAMARS** Group. Exclusively distributed by



+44 (0)1782 339 320

sales@iae.co.uk

