

The journey becomes easy
when your co-traveller
is an expert

01/2025

International Range



ASCENSO

never stop rising

"Never Stop Rising: THE ASCENSO COMMITMENT TO EXCELLENCE"

AGRICULTURE

**INDUSTRIAL &
CONSTRUCTION**

**MATERIAL
HANDLING**

**EARTH
MOVER**

FORESTRY



Ascenso, one of the leading brands of high-performance tyres, for the **Industrial Construction, Material Handling, and Earthmover sectors**. With a focus on quality, durability, and innovation, Ascenso offers tyre solutions designed to perform in the most demanding environments. Our tyres are engineered for optimal efficiency, longer lifespan, and reduced downtime, ensuring improved productivity and reduced operational costs for businesses.



www.ascensotyres.co.uk



AGRICULTURE



FORESTRY



» Tractor



TSB 110 (TT)

No	Tyre Size	PR & LI/SI	
1	5.00-15	6	76A8
2	5.50-16	6	82A8
3	6.00-16	6	85A8
4	6.00-16	8	91A8
5	6.50-16	6	88A8
6	7.50-16	8	99A8
7	7.50-16	10	104A8
8	9.00-16	10	111A8
9	10.00-16	10	115A8
10	11.00-16	10	118A8
11	7.50-18	8	102A8
12	4.00-19	6	72A8
13	6.00-19	6	89A8
14	7.50-20	8	105A8



TSB 112 (TL)

No	Tyre Size	PR & LI/SI	
1	9.5L-15 SL	8	102A8
2	11L-15 SL	8	106A8
3	10.00-16 SL	8	110A8
4	11.00-16 SL	8	114A8
5	11.00-16 SL	12	123A8

Note: SL- Standard Load



BOSS TS 10 (TT)

No	Tyre Size	PR & LI/SI	
1	6.00-16	8	94A6
2	6.50-16	8	98A6
3	7.50-16	8	103A6



TSB 111 (TT)

No	Tyre Size	PR & LI/SI	
1	4.50-16	6	74 A8
2	5.00-16	6	76 A8
3	5.50-16	6	82 A8
4	6.00-16	8	91 A8
5	6.00-16 (HD)	8	91 A8
6	6.50-16	8	94 A8
7	6.50-16 (HD)	8	94 A8
8	7.50-16	8	99 A8
9	7.50-16 (HD)	8	99 A8
10	7.50-16	14	119 A8
11	7.50-18	8	102 A8
12	6.00-19	8	91 A8
13	6.50-20	8	93 A8
14	7.50-20	8	105 A8

HD- Heavy Duty



TDB 120 (TT/TL)

No	Tyre Size	PR & LI/SI	
1	6.50-16	8	94 A8
2	8.00-16	6	88 A8
3	8'-18	12	109 A8
4	8.00-18 HD	12	116 A8
5	8.3-20	6	92 A8
6	9.5-20	6	99 A8
7	11.2-20	8	107 A8
8	11.2-20 (SB) (SG)	8	107 A8
9	8.3-24*	8	105 A8
10	8.3-24	8	105 A8
11	9.5-24*	8	112 A8
12	9.5-24	8	112 A8
13	9.5-24	12	116A8
14	11.2-24*	8	116 A8
15	11.2-24	8	116 A8
16	11.2-24	12	124 A8
17	12.4-24*	8	121 A8
18	12.4-24	8	121 A8
19	12.4-24	12	128 A8
20	13.6-24*	8	123 A8
21	13.6-24	8	123 A8
22	13.6-24	12	130 A8
23	14.9-24*	8	128 A8
24	14.9-24	8	128 A8
25	14.9-24	12	136 A8
26	16.9-24*	8	133 A8
27	16.9-24	8	133 A8
28	16.9-24	12	143 A8
29	14.9-26	10	129 A8
30	14.9-26	12	134 A8
31	16.9-26	10	133 A8
32	11.2-28*	8	118 A8
33	11.2-28	8	118 A8
34	12.4-28*	8	123 A8
35	12.4-28	8	123 A8
36	12.4-28	12	131 A8
37	13.6-28*	8	125 A8
38	13.6-28	8	125 A8
39	14.9-28*	8	130 A8
40	14.9-28	8	130 A8
41	14.9-28	12	137 A8
42	16.9-28*	8	135 A8
43	16.9-28	8	135 A8
44	16.9-28	12	143 A8
45	7.2-30	6	96 A8
46	9.5-30	6	111 A8
47	14.9-30	8	127 A8
48	16.9-30*	8	137 A8
49	16.9-30	8	137 A8



TDB 120 (TT/TL)

No	Tyre Size	PR & LI/SI	
50	16.9-30	12	144 A8
51	16.9-30	14	146 A8
52	18.4-30*	8	139 A8
53	18.4-30	8	139 A8
54	18.4-30	14	152 A8
55	18.4-30	16	154 A8
56	8.3-32	8	107 A8
57	8.3-32 HD	8	107 A8
58	9.5-32	6	106 A8
59	12.4-32	8	125 A8
60	16.9-34*	8	139 A8
61	16.9-34	8	139 A8
62	16.9-34*	12	144 A8
63	16.9-34	14	149 A8
64	18.4-34*	8	142 A8
65	18.4-34	8	142 A8
66	18.4-34	14	153 A8
67	12.4-36	8	126 A8
68	12.4-36	14	139 A8
69	13.6-36	8	129 A8
70	13.6-36	12	138 A8
71	13.6-36	14	142 A8
72	13.6-38*	8	131 A8
73	13.6-38	8	131 A8
74	13.6-38	10	136 A8
75	13.6-38	14	138 A8
76	15.5-38*	8	133 A8
77	15.5-38	8	133 A8
78	15.5-38	10	138 A6
79	15.5-38	12	141 A6
80	16.9-38*	8	141 A8
81	16.9-38	8	141 A8
82	16.9-38	14	151 A8
83	18.4-38*	8	143 A8
84	18.4-38	8	143 A8
85	18.4-38	14	155 A8

Note: SB - Steel Belted, SG- Stubble Guard,
HD- Heavy Duty, The size * marked in star is TL



TDB 121 (TT/TL)

No	Tyre Size	PR & LI/SI
1	5-12	6 64A6/60A8
2	6-12	6 71A6/67A8
3	6-14*	4 66A6/63A8
4	9.5-18	8 105A6/101A8
5	8.3-20	8 101A6/98A8
6	9.5-20	8 107A6/103A8
7	9.5-24	8 111A6/108A8
8	12.4-24	8 120A6/117A8
9	13.6-26	8 126A6/123A8
10	12.4-28	12 131A6/127A8
11	13.6-28	12 134A6/130A8
12	14.9-28	12 137A6/133A8
13	16.9-28	12 143A6/139A8

Note: The size marked in star is TL



BOSS TD 15 (TT)

No	Tyre Size	PR & LI/SI
1	12.4-28	12 125A6
2	13.6-28	12 128A6
3	14.9-28	12 134A6
4	16.9-28	12 143A6
5	18.4-30*	14 152A8

Note: Star marked size is also for Harvester Machinery



BOSS TD 16 (TT)

No	Tyre Size	PR & LI/SI
1	13.6-28	12 128A6
2	14.9-28	12 134A6
3	16.9-28	12 143 A6



TDB 123 (TT/TL)

No	Tyre Size	PR & LI/SI
1	23.1-26*	12 153 A8
2	23.1-26**	16 159 A8
3	20.8-38	8 148 A8
4	20.8-38	14 159 A8

Note: (1) The size marked in star is TT.
(2) The size marked in double star is TT/TL and rest of the sizes are in TT



XLR 880 (TL)

No	Tyre Size	LI/SI
1	600/65R28	154 D
2	600/70R28	161 D
3	600/70R30	152 D
4	600/70R34	160 D
5	650/75R38	169D
6	710/70R38	172 D
7	710/70R38	178 D
8	710/70R38	166D
9	800/70R38	178 D
10	650/85R38	173 D
11	650/85R38 (SB) (SG)	173 D
12	620/70R42	166 D
13	710/70R42	173 D
14	710/70R42 (SB)	173 D
15	710/75R42	175 D
16	620/70R46	167 D

Note: SB- Steel Belted, SG- Stubble Guard



TDB 124 (TL)

No	Tyre Size	PR & LI/SI
1	24.5-32	12 159A6



TDR 650 (TL)

No	Tyre Size	LI/SI
1	420/65R20	135D
2	440/65R20	138D
3	440/65R24	135D
4	480/65R24	140D
5	540/65R24	146D
6	440/65R28	138D
7	480/65R28	142D
8	540/65R28	149D
9	540/65R30	150D
10	540/65R34	152D
11	600/65R34	157D
12	540/65R38	153D
13	600/65R38	159D
14	650/65R38	163D
15	650/65R38 (SB)	171D
16	650/65R42	165D

Note: SB- Steel Belted



TDR 700 (TL)

No	Tyre Size	LI/SI
1	360/70R20	129D
2	380/70R20	122D
3	320/70R24	116D
4	360/70R24	122D
5	380/70R24	125D
6	420/70R24	130D
7	420/70R24 (SB) (SG)	130D
8	480/70R24	138D
9	360/70R28	125D
10	380/70R28	127D
11	420/70R28	133D
12	480/70R28	140D
13	420/70R30	134D
14	480/70R30	141D
15	480/70R34	143D
16	480/70R34 (SB) (SG)	157D
17	520/70R34	148D
18	400/75R38	138D
19	480/70R38	145D
20	520/70R38	150D
21	580/70R38	155D
22	580/70R38 (SB)	180D

Note: SB- Steel Belted, SG- Stubble Guard



TDR 800 (TL)

No	Tyre Size	LI/SI
1	380/80R38	142 D
2	380/80R38 (SB) (SG)	152 D
3	420/80R46	159 D
4	480/80R42	156 D
5	480/80R46	158 D
6	480/80R50	159 D
7	480/80R50	165 D

Note: SB- Steel Belted, SG- Stubble Guard



TDR 850 (TL)

No	Tyre Size	LI/SI
1	250/85R20	116D
2	280/85R20	116 D
3	320/85R20	119 D
4	250/85R24	109 D
5	280/85R24	115 D
6	280/85R24 (SB)	130D
7	320/85R24	122 D
8	340/85R24	125 D
9	380/85R24	131 D
10	420/85R24	137 D
11	280/85R28	118 D
12	320/85R28	124 D
13	340/85R28	127 D
14	380/85R28	133 D
15	380/85R28	141 D
16	420/85R28	139 D
17	380/85R30	135 D
18	420/85R30	140 D
19	460/85R30	145 D
20	320/85R32	126 D
21	320/85R32 (SB)	145 D
22	380/85R34	137 D
23	420/85R34	142 D
24	420/85R34 (SB) (SG)	152 D
25	460/85R34	147 D
26	320/85R36	128 D
27	320/85R36	148 D
28	340/85R36	132 D
29	320/85R38	143 D
30	340/85R38	133 D
31	420/85R38	144 D
32	460/85R38	149 D

Continued overleaf...



TDR 850 (TL)

No	Tyre Size	LI/SI
33	460/85R38 (SB) (SG)	149 D
34	520/85R38	155 D
35	520/85R42	157 D
36	520/85R42	165 D
37	520/85R42	169 D
38	520/85R46	158 D
39	520/85R46	169 D

Note: SB- Steel Belted, SG- Stubble Guard



VDR 2000 (TL)

No	Tyre Size	LI/SI
32	VF 710/70R38 CFO (SB)	183 A8
33	VF 710/70R42 CFO (SB)	190 A8

Note: VF- Very High Flexion
SB- Steel Belted / SG- Stubble Guard
CFO-Cyclical Field Operation, NRO- Narrow Rim Option



VDR 2000 (TL)

No	Tyre Size	LI/SI
1	VF 600/60R28 NRO (SB)	160 D
2	VF 600/65R28 NRO (SB)	163 D
3	VF 540/65R30 NRO (SB)	161 D
4	VF 600/60R30 NRO (SB)	162 D
5	VF 600/65R30 NRO (SB)	161 D
6	VF 600/70R30 NRO (SB)	170 D
7	VF 380/85R34 (SB)	149 D
8	VF 420/85R34 (SB)	159 D
9	VF 600/60R34 (SB)	160 D
10	VF 600/70R34 NRO (SB)	170 D
11	VF 650/60R34 NRO (SB)	168 D
12	VF 650/65R34 NRO (SB)	170 D
13	VF 710/60R34 NRO (SB)	173 D
14	VF 380/80R38 (SB)	167 D
15	VF 380/95R38 NRO (SB)	159 D
16	VF 420/85R38 (SB)	155 D
17	VF 650/65R38 (SB)	180 D
18	VF 710/60R38 NRO (SB)	174 D
19	VF 710/70R38 NRO (SB)	181 D
20	VF 800/70R38 NRO (SB)	187 D
21	VF 650/65R42 NRO (SB)	174 D
22	VF 710/60R42 NRO (SB)	176 D
23	VF 710/70R42 NRO (SB)	185 D
24	VF 900/60R42 NRO (SB)	189 D
25	VF 750/70R44 (SB)	186 D
26	VF 380/85R46 NRO (SB)	162 D
27	VF 480/80R46 (SB)	177 D
28	VF 480/95R54 NRO (SB)	180 D
29	VF 600/65R28 CFO (SB)	166 A8
30	VF 540/65R30 CFO (SB)	161 A8
31	VF 800/70R38 CFO (SB)	190 A8

Continued top right...



CDR 700 (TL)


No	Tyre Size	LI/SI
1	240/70R16	104D
2	260/70R16	109D
3	280/70R16	112D
4	280/70R18	114D
5	340/65R18	113D
6	260/70R20	113D
7	280/70R20	116D
8	300/70R20	120D
9	320/70R20	123D



TDR 900 (TL)

No	Tyre Size	LI/SI
1	210/90R24	107 A8/B
2	210/95R28	116 A8/B
3	420/90R30	147A8/B
4	210/95R32	116D/119A8
5	230/95R32	128D
6	270/95 R32	136D
7	320/85R34	141D
8	230/95R36	130D
9	270/95R36	139D
10	270/95R38	140D
11	380/95R38	147D/150A8
12	230/95R40	132D/135A8
13	270/95R42	139D
14	320/80R42	141A8/141B
15	320/90R42	144D/147A8
16	230/95R44	134D
17	270/95R44	142D
18	300/95R46	148D
19	320/90R46	148D
20	340/85r46	150
21	380/90R46 (SB)	159D
22	380/90R46 (SB)	173D
23	230/95R48	136D
24	270/95R48	144D
25	340/85R48	151D
26	320/90R50	150D
27	480/95R50	164D/167A8
28	300/95R52 (SB)	156D
29	270/95R54 (SB)	156D


Note: SB- Steel Belted



VDR 900 (TL)

No	Tyre Size	LI/SI
1	VF580/85R42 (SB)	183D
2	VF380/90R46 (SB)	173D
3	VF520/85R46 (SB)	173D
4	VF320/90R50 (SB)	169D
5	VF380/90R50 (SB)	175D
6	VF 380/105R50 (SB)	179 D
7	VF 420/95R50 (SB)	177 D
8	VF480/80R50 (SB)	179D
9	VF 480/95R50 SB	176 D
10	VF320/90R54 (SB)	168D
11	VF380/105R54 (SB)	180 D


Note: VF- Very High Flexion SB- Steel Belted



VDR 901 (TL)

No	Tyre Size	LI/SI
1	VF380/90R46 (SB)	173D

Note: VF- Very High Flexion SB- Steel Belted



MDR 1000 (TL)

No	Tyre Size	LI/SI
1	250/75R16 (SB)	120G
2	340/80R18 (SB)	143A8/138D
3	360/80R20 (SB)	147A8/143D
4	360/80R24 (SB)	143A8/138D
5	400/70R24 (SB)	152A8/146D
6	400/80R24 (SB)	149A8/144D
7	440/80R24 (SB)	154A8/149D
8	500/70R24 (SB)	164A8/159D
9	400/80R28 (SB)	151A8/146D
10	440/80R28 (SB)	156A8/151D
11	480/65R28 (SB)	154A8/149D
12	540/65R28 (SB)	160A8/155D
13	440/80R30 (SB)	157A8/153D
14	480/80R30 (SB)	162A8/157D
15	540/65R30 (SB)	161A8/156D
16	600/70R30 (SB)	171A8/166D
17	440/80R34 (SB)	159A8/155D
18	480/80R34 (SB)	164A8/159D
19	480/80R38 (SB)	166A8/161D
20	540/80R38 (SB)	172A8/167D
21	600/65R38 (SB)	170A8/166D
22	650/65R38 (SB)	175A8/170D
23	650/65R38 (SB) (SG)	175A8/170D
24	650/85R38 (SG)	183A8/178D
25	650/65R42 (SB)	176A8/171D
26	710/70R42 (SB)	185A8/180D

Note: SB- Steel Belted SG - Stubble Guard

Harvester



HRB 210 (TL)

No	Tyre Size	PR & LI/SI
1	23.1-26	16 159A6
2	30.5L-32	18 170A6



No	Tyre Size	LI/SI
1	500/85R24 (IMP) (SB)	171A8/158A8
2	620/75R26 (SB)	167A8
3	500/85R30 (IMP) (SB)	176A8/164A8
4	620/75R30 CHO (SB)	169A8/B
5	650/75R32 (SB)	172A8
6	680/85R32 (SB)	179A8
7	800/65R32 (SB)	181A8
8	800/70R32 (SB)	175A8
9	900/60R32 (SB)	191 D
10	710/75R34 CHO (SB)	184A8/B

Note: SB- Steel Belted, CHO- Cyclic Harvesting Operation, IMP- Implement

Implement



No	Tyre Size	PR & LI/SI
1	7.50-10	12 111/99A8
2	10.0/80-12	8 116/104A8
3	10.0/80-12	10 121/109A8
4	10.0/75-15.3	10 123/111A8
5	10.0/75-15.3	12 126/114A8
6	10.0/75-15.3	14 130/118A8
7	10.0/75-15.3	18 135/122A8
8	11.5/80-15.3	10 131/119A8
9	11.5/80-15.3	12 135/123A8
10	11.5/80-15.3	14 139/126A8
11	11.5/80-15.3	16 142/129A8
12	11.5/80-15.3	18 144/132A8
13	12.5/80-15.3	14 142/129A8
14	12.5/80-15.3	18 151/139A8
15	400/60-15.5	16 146/133A8
16	10.5/65-16	14 130/118A8
17	13.0/75-16	12 138A8
18	14.0/65-16	14 142/129A8
19	15.0/55-17	10 134/122A8
20	15.0/55-17	14 141/128A8
21	19.0/45-17	14 144/131A8
22	500/50-17	14 149/136A8
23	500/50-17	18 154/142A8
24	10.5/80-18	14 138A8
25	12.5/80-18	16 148/135A8
26	13.0/65-18	16 144/131A8
27	15.0/70-18	16 151/139A8

Note: The size marked in star is TT



No	Tyre Size	PR & LI/SI
1	260/70-15.3	10 122 A8 / 110 A8
2	260/70-15.3	14 131 A8 / 119 A8
3	300/80-15.3	14 139 A8
4	400/60-15.5	14 145 A8 / 132 A8
5	400/60-15.5	16 148 A8 / 135 A8
6	400/60-15.5	18 149 A8 / 136 A8
7	340/55-16	12 133 A8 / 121 A8
8	340/55-16	14 136 A8 / 124A8
9	340/55-16	18 140 A8 / 128 A8
10	380/55-17	10 134 A8 / 122 A8
11	380/55-17	14 141 A8 / 128 A8
12	380/55-17	18 146 A8 / 134 A8
13	480/45-17	14 146 A8 / 134 A8
14	480/45-17	18 149 A8 / 136 A8
15	500/50-17	10 143 A8 / 131 A8
16	500/50-17	14 149 A8 / 137 A8
17	500/50-17	18 154 A8 / 142 A8
18	400/70-20	16 156 A8 / 144 A8
19	500/55-20	10 150 A8 / 138 A8
20	500/55-20	12 155 A8 / 143 A8



No	Tyre Size	PR & LI/SI
1	6.5/80-12*	6 93/80A8
2	7.00-12	6 95/83A8
3	5.00-15	6 88/75A8
4	7.5L-15	8 113/100A8
5	10.0/75-15.3	10 123/111A8
6	10.0/75-15.3 HLV	10 129/123A8
7	10.0/75-15.3	14 130/118A8
8	10.0/75-15.3	18 135/123A8
9	11.5/80-15.3	12 135/123A8
10	11.5/80-15.3	14 139/126A8
11	11.5/80-15.3 HLV	14 145/139A8
12	6.00-16	8 103/91A8
13	6.50-16*	8 105/93A8
14	7.50-16	8 112/99A8
15	19.0/45-17	10 138/125A8
16	19.0/45-17	16 146/133A8
17	7.50-18*	8 114/101A8
18	10.5/80-18	10 131/119A8
19	12.5/80-18	12 142/129A8
20	7.50-20*	8 116/103A8

Note: The size marked in star is TT, HLV: High Load Variant



IMB 163 (TL)

No	Tyre Size	PR & LI/SI	
1	9.5L-14 SL	8	111 B
2	6.70-15 SL	6	97 B
3	7.60-15 SL	10	110 B
4	9.5L-15 SL	8	112 B
5	9.5L-15 SL	12	121 B
6	11L-15 SL	8	113 B
7	11L-15 SL	12	121 B
8	12.5L-15 SL	12	127 B
9	12.5L-16 SL	14	130 B
10	14L-16.1SL	14	138 B
11	16.5L-16.1 SL	12	141B
12	21.5L-16.1 SL	14	152 B
13	11.25-24 SL	12	138 B
14	11.25-28 SL	12	139 B

SL- Standard Load



IMB 168 (TL)

No	Tyre Size	LI/SI
1	9.5L-15 FI	123J
2	11L-15 FI	128J
3	12.5L-15 FI	134J



BOSS TR 20 (TT)

No	Tyre Size	PR & LI/SI	
1	9.00-16	16	137A6
2	9.00-16	18	138A6



IMB 164 (TT/TL)

No	Tyre Size	PR & LI/SI	
1	200/60-14.5	10	106A8
2	200/60-14.5*	14	113A8
3	200/60-14.5	14	113A8
4	250/65-14.5*	12	119A8

Note: The size marked in star is TL



BOSS TR 21 (TT)

No	Tyre Size	LI/SI
1	10.00-20	18



IMB 165 (TL)

No	Tyre Size	PR & LI/SI	
1	23X8.50-12	6	89A6
2	26X12.00-12	8	112A6
3	26x12.00-12	10	117A6
4	29x12.50-15	6	98B
5	31X15.50-15	10	121B



IMR 140 (TL)

No	Tyre Size	LI/SI
1	31X15.50 R15	122B
2	33X15.50 R15	126B
3	425/55R17	134D
4	500/50R17 (SB)	145D

Note: SB- Steel Belted



IMB 166 (TL)

No	Tyre Size	LI/SI
1	280/60-15.5	128/116 A8
2	320/60-12	132/120 A8



VIR 2500 (TL)

No	Tyre Size	LI/SI
1	VF 280/70R15 (SB) (SG)	140D
2	VF 320/70R15 (SB) (SG)	145D
3	VF 380/70R15 (SB) (SG)	152D
4	VF 380/55R16.5 (SB) (SG)	148D
5	VF 380/60R16.5 (SB) (SG)	147D

Note: VF- Very High Flexion, SB- Steel Belted, SG- Stubble Guard



SPR 250 (TL)

No	Tyre Size	LI/SI
1	31X15.50 R15	122B
2	33X15.50 R15	126B
3	440/50R17 (SB)	135D
4	480/45R17 (SB)	137D
5	500/50R17 (SB)	147D

Note: SB- Steel Belted



FCR 185 (TL)

No	Tyre Size	LI/SI
1	560/60R22.5 HD (SB)	169 D
2	600/55R26.5 HD (SB)	173 D
3	650/55R26.5 HD (SB)	178 D
4	600/60R30.5 HD (SB)	178 D

Note: SB- Steel Belted, HD- Heavy Duty



Flotation



FTB 190 (TL)

No	Tyre Size	PR & LI/SI
1	300/65-12	8 122 A8
2	400/60-15.5	14 145A8
3	400/60-15.5	16 148A8
4	400/60-15.5	18 151A8
5	480/45-17	16 150 A8
6	500/50-17	14 149A8
7	500/50-17	18 157A8
8	400/55-22.5	14 150A8
9	400/55-22.5	16 152A8
10	550/45-22.5	16 159A8
11	550/45-22.5	20 159A8
12	500/45-22.5	16 154A8
13	500/50-22.5	20 163A8
14	500/60-22.5	16 163A8
15	500/60-22.5	20 170A8
16	550/60-22.5 V	16 166A8
17	550/60-22.5	16 166A8
18	550/60-22.5	20 171A8
19	600/50-22.5	16 165A8
20	600/55-22.5	16 169A8
21	700/40-22.5	16 166A8
22	700/50-22.5	16 174A8
23	600/55-26.5	16 170A8
24	700/50-26.5	16 174A8
25	800/45-26.5	16 177A8

Note: V- Value Plus



FTR 170 (TL)

No	Tyre Size	LI/SI
1	500/50R17 (SB)	149 D
2	400/45R17.5 (SB)	139 D
3	500/60R22.5 (SB)	155 D
4	560/45R22.5 (SB)	152 D
5	560/60R22.5 (SB)	165 D
6	580/65R22.5 (SB)	166 D
7	600/50R22.5 (SB)	159 D
8	600/50R22.5 (SB)	167 D
9	620/40R22.5 (SB)	154 D
10	650/50R22.5 (SB)	163 D
11	710/40R22.5 (SB)	165 D
12	710/45R22.5 (SB)	165 D
13	600/55R26.5 (SB)	165 D
14	650/55R26.5 (SB)	170 D
15	650/55R26.5 (SB)	178 D
16	650/60R26.5 (SB)	180 D
17	650/65R26.5 (SB)	174 D
18	650/65R26.5 (SB)	181 D
19	710/50R26.5 (SB)	170 D
20	750/45R26.5 (SB)	170 D
21	800/45R26.5 (SB)	174 D
22	600/60R30.5 (SB)	173 D
23	710/50R30.5 (SB)	176 D
24	750/60R30.5 (SB)	181 D
25	750/60R30.5 (SB) (WS)	181 D
26	800/45R30.5 (SB)	176 D
27	850/50R30.5 (SB)	182 D
28	800/60R32 (SB)	185 D

Note: SB- Steel Belted, WS: Wide Section Width

» AGRICULTURE

» Irrigation



IRB 260 (TL)

No	Tyre Size	PR & LI/SI	
1	11.2-24	6	110A8
2	14.9-24	8	128A8
3	11.2-38	6	114A8

Note: SB- Steel Belted



MPR 390 (TL)

No	Tyre Size	PR & LI/SI	
1	355/60R18 (SB)	16	142J

Note: SB- Steel Belted

» Telehandler



THB 230 (TT/TL)

No	Tyre Size	PR & LI/SI	
1	405/70-20	14	149B
2	405/70-24	14	152B
3	405/70-24 (SB) (SG)*	14	152B
4	15.5/80-24	12	163A8
5	15.5/80-24	16	163A8

Note: SB- Steel Belted, SG- Stubble Guard
Note: The size marked in star is TT



THB 230 HD (TL)

No	Tyre Size	PR & LI/SI	
1	15.5/80-24 HD	12	157A8
2	15.5/80-24 HD	16	163A8

Note: HD- Heavy Duty

» Multi-Purpose



SPB 260 (TL)

No	Tyre Size	PR & LI/SI	
1	23.1-26 (DB)	18	170A8
2	620/75-30 (DB)	16	161A6
3	620/75-30 (DB)	18	164A6
4	650/75-32 (DB)	16	164A6
5	650/75-32 (DB)	18	167A6

Note: DB- Dual Bead

» Lawn & Garden



UTR 240 (TL)

No	Tyre Size	LI/SI
1	220/55R12	82A8/B
2	240/60R12	89A8/B
3	315/55R12	85A8/B
4	220/55R14	105A8/B
5	215/65R14	90A8/B
6	200/60R15	83A8/B
7	200/65R16	94A8/B
8	200/70R16	94A8/B
9	240/70R16	104A8/B
10	260/70R16	109A8/B
11	280/70R16	112A8/B
12	305/70R16.5	105A8/B
13	355/65R17.5	130A8/B
14	260/70R18	114A8/B
15	280/70R18	114A8/B
16	385/65R19.5	130A8/B
17	300/70R20	110A8/B
18	320/70R20	113A8/B
19	380/70R20	122A8/B
20	380/70R24	125A8/B
21	420/70R24	130A8/B

Agro Forestry



AFB 820 (TL)

No	Tyre Size	PR & LI/SI	
1	18.4-26	16	156A8



AFB 821 (TL)

No	Tyre Size	PR & LI/SI	
1	12.4-24 (SB) (CR)	16	130A8
2	13.6-24 (SB) (CR)	16	136A8
3	14.9-24 (SB) (CR)	16	140A8
4	16.9-30 (SB) (CR)	16	149A8
5	18.4-30 (SB) (CR)	16	151A8
6	16.9-34 (SB) (CR)	16	151A8
7	18.4-34 (SB) (CR)	16	155A8

Note: SB - Steel Belted, CR - Cut Resistant

Log Skidder



LSB 780 (TL)

No	Tyre Size	PR & LI/SI	
1	23.1-26 (SB)	16	160A6/172A2
2	18.4-26 (SB)	16	152 A6
3	28L-26 (SB) (DB)	20	165A6
4	28L-26 (SB) (DB)	26	173 A6
5	24.5-32 (SB) (DB)	20	169A6 /181A2
6	30.5L-32 (SB) (DB)	20	170A6
7	30.5L-32 (SB) (DB)	26	176A6
8	30.5L-32 (SB) (DB)	32	180A6
9	35.5L-32 (SB) (DB)	26	183A6
10	35.5L-32 (SB) (DB)	32	187A6

Note: SB - Steel Belted DB- Dual Bead



Forestry Forwarder



FFB 840 (TL)

No	Tyre Size	PR & LI/SI	
1	710/40-22.5 (SB)	20	161A8 HT -161A2\LT 168A2
2	600/55-26.5 (SB)	20	165A8 HT -165A2\LT 172A2
3	710/45-26.5 (SB)	20	168A8 HT -168A2\LT 175A2
4	800/40-26.5 (SB)	20	170A8 HT -170A2\LT 177A2

Note: SB - Steel Belted



- » INDUSTRIAL & CONSTRUCTION
- » EARTH MOVER
- » MATERIAL HANDLING



INDUSTRIAL & CONSTRUCTION

Backhoe Loader



BHB 310 (TL) *R-4*

No	Tyre Size	PR & LI/SI
1	10.5/80-18	12 123B
2	12.5/80-18	12 142/129A8
3	12.5/80-18	14 145/132A8
4	12.5/80-18 (CR)	16 148/135A8
5	400/70-20	16 149A8
6	14.9-24	12 145A8
7	16.9-24	12 149A8
8	17.5L-24	10 144A8
9	18.4-24	12 155A8
10	18.4-26	12 156A8
11	18.4-26	14 159A8
12	16.9-28	12 152A8
13	16.9-30	12 153A8

Note: CR: Cut Resistant



BHB 310 HD (TL) *R-4*

No	Tyre Size	PR & LI/SI
1	12.5/80-18 HD	12 142/129A8
2	16.9-24 HD	12 149A8
3	18.4-26 HD	12 156A8
4	16.9-28 HD	12 152A8

Note: HD- Heavy Duty



BHB 311 (TL) *IND*

No	Tyre Size	PR & LI/SI
1	18.4-26	12 156A8



BHB 312 (TL) *R-4*

No	Tyre Size	PR & LI/SI
1	19.5L-24	12 151A8
2	21L-24	12 155A8
3	21.3/70-24	16 160 A8



BHB 313 (TL) *F-3*


No	Tyre Size	PR & LI/SI
1	11L-16	10 112A8



BHB 314 (TT/TL) *R-4*

No	Tyre Size	PR & LI/SI
1	340/80-18	14 145A8
2	340/80-18	12 142A8 FR/129A8 DW
3	340/80-18	16 148A8 FR/135A8 DW
4	16.9-24	12 149A8
5	16.9-24	14 152A8
6	480/80-26	14 158A8
7	16.9-28	12 152A8
8	16.9-28*	12 152A8
9	16.9-28	14 156A8

Note: The Size marked in * is available in both TT & TL.
The rest sizes are TL.



BHB 315 (TL) *IND*

No	Tyre Size	PR & LI/SI
1	12.5/80-18	14 132A8
2	19.5L-24	14 154A8
3	18.4-26	14 160A8
4	16.9-28	14 156A8



BOSS BH 30 (TL/TT)

No	Tyre Size	PR & LI/SI
1	12.5/80-18*	12 142A8/129A8
2	12.5/80-18	14 145A8/132A8
3	12.5/80-18	16 148/135A8
4	405/70-20 (CR)	14 155A8
5	16.9-24	14 152A8
6	17.5L-24	16 153A8
7	16.9-28*	12 152A8
8	16.9-28	14 156A8
9	18.4-26 IND*	14 159A8

Note: CR - Cut Resistant
The sizes marked in * are available in TT.
The rest sizes are TL.



MULTI-PURPOSE INDUSTRIAL



Compact Loader



CLR 280 (TL) *IND*

No	Tyre Size	LI/SI
1	365/70R18 (SB)	135 B/146 A2
2	405/70R18 (SB)	141 B/153 A2
3	335/80R20 (SB)	136 B/147 A2
4	405/70R20 (SB)	143 B/155 A2

Note: SB- Steel Belted



SSB 332 (TL) *NHS (L-5)*

No	Tyre Size	PR & LI/SI
1	10-16.5	10 134A2
2	12-16.5	12 145A2
3	14-17.5	14 155A2



SSB 333 (TL) *NHS*

No	Tyre Size	PR & LI/SI
1	10-16.5	10 134A2
2	12-16.5	12 145A2



Skid Steer



SSB 330 (TL) *R-4*

No	Tyre Size	PR & LI/SI
1	10-16.5	8 130A2
2	10-16.5	10 134A2
3	12-16.5	10 140A2
4	12-16.5	12 145A2
5	12-16.5	14 147A2



SSB 334 (TL) *NHS*

No	Tyre Size	PR & LI/SI
1	10-16.5	10 134A2
2	12-16.5	12 145A2



SSB 331 (TL) *R-4*

No	Tyre Size	PR & LI/SI
1	23X8.50-12	8 87A8
2	23X8.50-12	12 98 A8
3	26X12.00-12	12 114A8
4	27x8.50-15	8 102A8
5	27x10.50-15	8 105A8
6	31X15.50-15	10 125A8
7	10-16.5	8 130A2
8	10-16.5	10 134A2
9	12-16.5	10 140A2
10	12-16.5	12 145A2
11	12-16.5	14 147A2
12	33X15.50-16.5	12 148A2
13	14-17.5	14 155A2
14	15-19.5	14 146A8



Smooth Compactor



SCB 430 (TT/TL) *IND*

No	Tyre Size	PR & LI/SI
1	7.50-15*	14 145 A2
2	8.5/90-15 K	6 128 A2
3	9.5/65-15	6 118A2
4	10.5/80-16	6 129A2
5	9.00-20*	16 162 A2
6	11.00-20*	18 169A2
7	14/70-20*	12 156 A2
8	14/70-20	20 167A2

Note: The size marked with * are available in TT
The rest sizes are TL

» MULTI-PURPOSE INDUSTRIAL

» Paving & Compactor



PCB 360 (TL) ^{R-3}

No	Tyre Size	PR & LI/SI	
1	23.1-26	8	145A8
2	23.1-26	12	162A8
3	23.1-26	16	168A8
4	28L-26	16	173A8

» Boom Lift



BLB 730 (TL)

No	Tyre Size	PR & LI/SI	
1	IN315/55D20	12	151A2
2	IN355/55D625	14	157A2
3	IN445/50D710	18	177A2
4	15-625	16	168A2
5	18-625	16	175A2

» Excavator



EXB 380 (TT) ^{E-2}

No	Tyre Size	PR & LI/SI	
1	8.25-20	14	133B
2	9.00-20	14	140B
3	10.00-20	16	148B
4	11.00-20	16	153B



EXB 386 (TL) ^{IMP}

No	Tyre Size	PR & LI/SI	
1	550/60-22.5	18	165A8 FR 161B 153A8 DW 149B
2	500/60-22.5	18	169A8 FR 165B 156A8 DW 152B
3	600/40-22.5	18	173A6 169A8
4	600/40-22.5(SB)	20	175A6 171A8
5	600/50-22.5	18	174A6 170A8
6	650/45-22.5	18	173A6 169A8
7	650/45-22.5(SB) (DB)	20	175A6 171A8
8	700/40-22.5 (DB)	18	177A6 173A8

Note: SB- Steel Belted, DB-Dual Bead



MULTI-PURPOSE INDUSTRIAL

Concrete Mixer/Mini Dumper



MPB 400 (TL) MPT

No	Tyre Size	PR & LI/SI	
1	10.0/75-15.3	18	135A8 FR 123A8 DW
2	11.5/80-15.3	14	139A8 FR 126A8 DW
3	11.5/80-15.3	18	143A8 FR 130A8 DW
4	12.0/75-18	12	139A8 FR 126A8 DW
5	10.5-18	12	130 G
6	12.5-18	12	131 G
7	12.5-18	16	136 G
8	18-19.5	16	160B
9	18-19.5	18	165B
10	10.5-20	12	131 G
11	12.5-20	12	132 G
12	12.5-20	16	143B
13	14.5-20	14	139 G
14	16.0/70-20	14	145 G
15	16.0/70-20	18	165 B

Grader/Loader/Telehandler



MIB 405 (TL)

No	Tyre Size	PR & LI/SI	
1	13.00-24	12	
2	13.00-24	16	174A2
3	14.00-24	12	
4	14.00-24	16	177A2
5	15.5-25	16	168A2
6	15.5-25	18	175A2
7	17.5-25	12	177A2
8	20.5-25	20	181A2

Telehandler/Compact Loader



MPB 401 (TL) MPT

No	Tyre Size	PR & LI/SI	
1	12.5-20	12	132G



MIB 407 (TL)

No	Tyre Size	PR & LI/SI	
1	400/80-24	20	162A8
2	440/80-24	20	168A8



MULTI-PURPOSE INDUSTRIAL

MIR 220 (TL) IND

No	Tyre Size	LI/SI
1	300/75R18 (SB)	142 A8/B
2	340/80R18 (SB)	143A8/B
3	340/80R20 (SB)	144A8/B
4	400/70R20 (SB)	149A8/B
5	400/70R24 (SB)	152 A8/B
6	400/80R24 (SB)	162A8/B
7	440/80R24 (SB)	168A8/B
8	460/70R24 (SB)	159A8/B
9	500/70R24 (SB)	164A8/B
10	480/80R26 (SB)	167A8/B
11	440/80R28 (SB)	156A8/B

Note: SB- Steel Belted

MIR 221 (TL) IND

No	Tyre Size	LI/SI
1	340/80R18 (SB)	143A8/B
2	460/70R24 (SB)	159A8/B
3	500/70R24 (SB)	164A8/B
4	480/80R/26 (SB)	167A8/B
5	440/80R28 (SB)	163A8/B

Note: SB- Steel Belted

MDR 1000 (TL) IND

No	Tyre Size	LI/SI
1	250/75R16 (SB)	120G
2	340/80R18 (SB)	143A8/138D
3	360/80R20 (SB)	147A8/143D
4	360/80R24 (SB)	143A8/138D
5	400/70R24 (SB)	152A8/ 146D
6	400/80R24(14.9R24) (SB)	149A8/144D
7	440/80R24(16.9R24) (SB)	154A8/149D
8	500/70R24 (SB)	164 A8/159 D
9	400/80R28(14.9R28) (SB)	151A8/146D
10	440/80R28(16.9R28) (SB)	156A8/151D
11	480/65R28 (SB)	154A8/149D
12	540/65R28 (SB)	160A8/155D
13	440/80R30 (16.9R30) (SB)	157A8/153D
14	480/80R30 (SB)	162A8/157D
15	540/65R30 (SB)	161A8/156D
16	600/70R30 (SB)	171A8/166D
17	440/80R34 (16.9R34) (SB)	159A8/155D
18	480/80R34 (18.4R34)(SB)	164A8/159D
19	480/80R38 (18.4R38) (SB)	166A8/161D
20	540/80R38 (20.8R38) (SB)	172A8/167D
21	600/65R38 (SB)	170A8/166D
22	650/65R38 (SB)	175A8/170D
23	650/65R38 (SG)	175A8/170D
24	650/85R38 (SB)	183A8/178D
25	620/80R42 (SB)	181 A8 /177 D
26	650/65R42 (SB)	176A8/171D
27	710/70R42 (SB)	185A8/180D

Note: SB- Steel Belted, SG- Stubble Guard



MATERIAL HANDLING



Forklift



FLB 680 (TT) *NHS*

No	Tyre Size	PR
1	5.00-8	10
2	18X7-8	16
3	6.00-9	10
4	6.00-9	12
5	21X8-9	14
6	6.50-10	12
7	7.00-12	12
8	7.00-12	14
9	7.00-15	12
10	7.50-15	12
11	8.25-15	14
12	300-15	20
13	28X9-15	14



FLB 681 (TT) *NHS*

No	Tyre Size	PR & LI/SI
1	7.50-16 (HD)	16
2	9.00-20 (HD)	16
3	10.00-20 (HD)	18
4	12.00-20 (HD)	20
5	5.00-8 (HD)	10 110A6
6	18X7-8 (HD)	16 124A6
7	28X9-15 (HD)	14 145A6
8	7.50-15 (HD)	12 141A6
9	300-15 (HD)	20 163A6
10	6.00-9 (HD)	12 121A5
11	6.50-10 (HD)	12 121A8
12	7.00-12 (HD)	14 130A8
13	7.00-15 (HD)	12 138A5
14	8.25-15 (HD)	14 145A8
15	12.00-20 (HD)	28



Port



PEB 720 (TT/TL) *IND-3*

No	Tyre Size	PR & LI/SI
1	14.00-24*	28 188A2
2	14.00-24	32
3	16.00-25	32

The size marked in * is available in both TT & TL.
The rest sizes are TL



PEB 721 (TT/TL) *IND-4*

No	Tyre Size	PR
1	12.00-24**	20
2	12.00-24*	24
3	18.00-25	40
4	18.00-33	40

The size marked in ** is available in both TT & TL. The rest size marked in * is available in TT. The rest sizes are TL



PEB 722 (TL) *IND-4 (Deep Tread)*

No	Tyre Size	PR
1	18.00-25	40



PEB 723 (TL) *IND-4S*

No	Tyre Size	PR
1	18.00-25	40


EARTH MOVER

Wheel Loader



No	Tyre Size	PR & LI/SI	
1	15.5-25	12	149B/168A2
2	17.5-25	16	158B/177A2
3	17.5-25	20	164B/181A2
4	17.5-25	24	168B/188A2
5	17.5-25	32	-
6	20.5-25	16	167B/181A2
7	20.5-25	20	170B/186A2
8	23.5-25	20	117B/191A2
9	26.5-25	28	188B/203A2
10	29.5-25	28	207/A2

Tipper



No	Tyre Size	PR & LI/SI	
1	23.00-24	20	155F

Grader



No	Tyre Size	PR & LI/SI	
1	13.00-24	12	143A8
2	13.00-24	16	149A8
3	14.00-24	12	147A8
4	14.00-24	16	153A8

MATERIAL HANDLING TYRE DESIGNED FOR SUPERIOR SOLID PERFORMANCE

Our Ascenso **FLS 692** is a premium quality three stage high performance solid tyre especially designed for 3 shift medium to hard operation.





#NeverStopRising

