



2026 Utility ATV and Side-by-Side





ACHIEVE

Total job satisfaction.

Designed for farmers, foresters and industrial users who value quality and durability, Yamaha's trustworthy Utility models give you the power to make a wide range of daily chores easier and more enjoyable.

With their proven ability to perform a variety of tasks on the most challenging terrain, the Kodiak 700 and Kodiak 450 are some of the toughest and hardest working off road vehicles ever built. Rugged, reliable and comfortable, these user-friendly ATVs will transform your working day.

And with its spacious three-seat layout and pallet-size cargo bed, the Viking Side-by-Side is the easiest, quickest and most efficient way to get the job done – even in the most inaccessible locations.

The Yamaha Difference



4WD

With Yamaha's On-Command® system, you can switch from 2WD to 4WD on-the-fly, a great advantage that means you can enjoy seamless and almost instant transition from cruising to climbing. This Yamaha-exclusive system is activated by a simple button on the handle bar of Utility and Leisure ATV's – and with an ergonomic dial knob on SxS models.

EPS

Yamaha's speed-sensitive EPS system greatly reduces the physical effort of steering while also assisting the rider control the ATV or Side-by-Side when encountering bumps and stones along the way. This extra comfort is particularly noticeable on longer working days.

DIFF LOCK

On selected Utility ATV models and all Leisure and SxS models, the Yamaha On-Command® system also features a Differential Lock which acts on the front wheels to give added traction in extreme conditions.

AUTO CVT-type transmission

Yamaha's Ultramatic transmission automatically provides the optimum drive ratio so instant power is always available. A sprag clutch engages when slowing down, giving downhill engine braking to the driven wheels, for controlled descents.

IRS

All Yamaha Utility and Leisure ATVs – and all Side-by-Side models – have double A-arm independent front suspension as well as independent rear suspension. All our shock absorbers feature an adjustable spring pre-load facility and selected SxS models are also equipped with adjustable damping. These features help to easily adjust the machine to suit your personal riding style or cargo load and to fine-tune the suspension set-up for optimum performance.

EFI

Electronic Fuel Injection

The Yamaha EFI system works with a micro-computer to ensure that a precisely metered flow of fuel/air mixture enters the engine's combustion chamber at all times and under all conditions, to deliver an optimised mix of smooth power and economy.

HI/LO

Gearbox drive selection

The CVT drive line features Manual selection for Forward and Reverse. Including a High and Low ratio options for the forward gears as well as a Park position which mechanically locks the gearbox to prevent the wheels turning.



**Functionality, durability
and all-terrain ability.**



Viking EPS

It can be tough when you're working outdoors all-year round. You need the best equipment and the hardest working partners to get the job done. So it's time to consider how the Viking can make your life a little easier!

The spacious 3-seat layout and walk-through floor ensure a comfortable and safe drive every time for you and your colleagues. Its double wishbone suspension is ready to take on the most rugged terrain – while the Euro-pallet sized tipping cargo bed can carry loads up to 272 kg.

Equipped with our On-Command® drive system with 2WD, 4WD and 4WD with Diff Lock and powered by a high-torque 686cc engine, the 3-seater Viking could be the best purchase you ever made!



Yamaha Blue



Olive Green



High-torque 686cc engine

The high-torque 686cc single-cylinder engine produces plenty of controllable power for effective off-road transportation. For added confidence on slippery downhill slopes the Ultramatic® transmission features an engine braking function – while the 2WD, 4WD and Diff Lock modes can be quickly selected to suit different surface conditions.



3-mode On-Command® system

The Viking is designed to be used on a wide variety of surfaces and the 3-mode On-Command® system offers 2WD, 4WD or 4WD with Diff Lock options to suit different terrain and weather conditions. The simple rotary-type switch enables the driver to select their chosen drive mode in seconds.



3-seater / Walk-through floor

The low noise cabin features an innovative 3-seat layout with a central seat inclined 5 degrees further back than the outer seats, giving each passenger more arm and shoulder room. There's also a flat walk-through floor that gives easy access and also allows the driver to step in from either side.



Front and rear double wishbone suspension

For responsive handling combined with a comfortable ride for all three people on board, the Viking is equipped with independent double wishbone suspension at the front and rear. This rugged system allows each wheel to follow the terrain and maintain traction on extremely rough ground, allowing you to traverse extreme landscapes.

Make it yours

When you've just chosen the right Yamaha ATV or Side-by-Side that best suits your needs, why would you want to fit it out with anything other than Yamaha Genuine Parts & Accessories?

We've created a diverse range of quality accessories engineered specially to fit your machine. You can expect the same level of quality and performance that goes into every Yamaha product we build.

So whether you use your Yamaha ATV or Side-by-Side for work, leisure or competition, have just one or several Yamahas, there's a Genuine Accessory that's right for you.



Viking EPS Accessories



Viking Soft Side Cover
1XD-F17J0-V0-00



Soft Rear Window
2PG-K750A-V0-00



Folding Windshield Viking
1XD-F83J0-V0-00



Centre Mirror Mount
1XD-F6206-V0-00



Left Side Mirror
1XD-F6204-V0-00



Right Side Mirror
1XD-F6205-V0-00



Yamaha Universal Mirror Clamp
38 mm
BAS-K7135-V0-00



Centre Seat Console
1XD-F83P0-R0-00



Cargo Bed Box
1XD-F83P0-V0-00



Heavy-duty Front Brush Guard
2PG-F84L0-V0-00



Mud Flaps
1XD-F16G0-V0-00



Overfenders
1XD-F15E0-V0-00



Bed Rail Mount
1XD-F34A0-V0-00



Class 2 Trailer Hitch
ATV-W0789-01-00



VRX Winch with Wire Rope by
WARN®
DBY-10260-30-00



Winch with Synthetic Wire Rope by
WARN®
DBY-10583-00-00



Synthetic Rope by WARN® - 1,100
kg/1,500 kg (2,500/3,500 lb)
GYT-05S56-00-06



Wire Rope by WARN® - 1,100 kg
(2,500 lb)
DBY-60076-00-00



1,500 kg (3,500 lb) Wire Rope
DBY-10097-20-00



Yamaha Cam Buckle Tie-downs
ACC-05S58-40-28



60W Led light bar 15"
BG4-H4104-V0-00



LED Flood Light Set
2HC-H4104-L0-00



Aluminium Valve Cap Helical
pattern
90338-W1018-BU

**Ultimate Practicality,
Ultimate Performance**



Kodiak 700 Kiwami

The Kodiak 700 Kiwami is the pinnacle of Yamaha's Utility line, refined for those who see work as art. Combining comfort, precision, and endurance, it delivers the ultimate expression of craftsmanship and capability. #DRIVENBYRESULTS

Exclusive to the Kiwami edition, premium touches elevate every ride — heated grips and thumb warmer, hand guards, front and rear baskets, and a rugged seat cover combine comfort, protection and practicality in Yamaha's most refined Kodiak yet.

Powered by Yamaha's 686cc MK II engine and equipped with Electric Power Steering, Ultramatic® transmission and On-Command® 4WD, the Kodiak 700 Kiwami delivers incredible performance, seamless control and unstoppable strength across every landscape.



Desert Tan/Midnight Blue



Kiwami Edition: Ultimate Utility

Heated grips and thumb warmer, protective hand guards, front and rear baskets, and a rugged seat cover deliver premium comfort and practicality. Built for those who take pride in their work, this is the Kodiak elevated to its ultimate form.



MK II 686cc SOHC engine

The refined MK II SOHC engine delivers exceptional torque and responsive power. Enhanced EFI mapping ensures smoother acceleration, improved fuel efficiency, and lower vibration for a calm, confident ride.



Ultramatic® CVT transmission

Yamaha's industry-leading Ultramatic® CVT system provides durable, automatic performance with natural all-wheel engine braking, offering confident downhill control and effortless acceleration in all conditions.



On-Command 2WD/4WD/Diff-lock

Seamlessly switch between 2WD, 4WD, and full Diff-lock to match terrain and workload. Instant engagement ensures control, traction, and adaptability wherever the job takes you.

**The extraordinary
ordinary work.**



Kodiak 700 EPS

Designed for farmers, foresters and industrial users who need a tough utility vehicle for hard work in extreme conditions, featuring Electric Power Steering, the user-friendly Kodiak 700 EPS is the full spec professional utility ATV with the comfort to work all day. #DRIVENBYRESULTS

Powered by the new high torque MK II 686cc engine - and featuring a compact chassis with a plush seat for day-long riding comfort - this extraordinary worker can carry a 140kg payload plus rider, and tow up to 600kg.

The smooth-running Ultramatic® CVT transmission and 2WD/4WD mechanical system make this ATV ideal for towing and all day work.



Olive Green



MK II 686cc SOHC engine

The hard working Kodiak 700 EPS features a powerful large capacity engine that delivers class-leading torque and power. Featuring the 2nd generation MK II 686 engine 4-valve cylinder head, with EFI Throttle body, fine tuned ECU mapping, refined tolerances and other updates results in lower fuel consumption increased torque and a smoother engine performance.



Ultramatic® CVT transmission

Equipped with High, Low, Reverse, Neutral and Park modes, Yamaha's industry-leading Ultramatic® automatic transmission is one of the ATV world's most durable and efficient CVT systems. The utility oriented gearing produces excellent low speed pulling power and natural all-wheel engine braking feel, giving added confidence and control on downhills.



On-Command® 2WD/4WD/Diff-lock

The Kodiak 700 EPS models are fitted with an easy to operate On-Command® system with 2WD/4WD and 4WD with Diff Lock for full control for quick and effective switching between 2WD and 4WD, or even full Diff Lock allowing you to choose the right option to suit the terrain and surface conditions.



Comprehensive instrumentation

The Kodiak 700 EPS features a digital meter with a fuel gauge, speedometer, odometer, dual trip meters, hour meter, clock, 4WD status, gear selector and EPS warning light

**Ultimate Capability,
Ultimate Practicality**



Kodiak 450 Kiwami

Kiwami means “ultimate” or “pinnacle” and this vehicle lives up to its name. With refined features, agile handling and Yamaha’s renowned reliability, the Kodiak 450 Kiwami redefines mid-size utility performance. #DRIVENBYRESULTS

Exclusive to the Kiwami edition, practical touches elevate every ride. Heated grips and thumb warmer, hand guards, front and rear baskets, and a rugged seat cover unite comfort, protection, and practicality in Yamaha’s most refined mid-size ATV.

Born from three decades of Kodiak legacy, the Kodiak 450 Kiwami combines Yamaha craftsmanship with advanced engineering, delivering smooth torque, confident control, and comfort in every detail.



Desert Tan/Midnight Blue



Kiwami Edition: Ultimate Comfort & Control

Heated grips and thumb warmer, hand guards, and a rugged seat cover enhance rider comfort and protection. Front and rear baskets add practical versatility, making every task easier, safer, and more efficient.



Yamaha 421cc EFI engine

The proven single-cylinder, liquid-cooled 421cc EFI engine delivers strong, smooth torque at low rpm for controlled traction and dependable performance across all conditions.



Ultramatic® CVT transmission

Yamaha’s renowned Ultramatic® CVT ensures seamless acceleration and natural engine braking, giving confident downhill control and durability trusted by professionals worldwide.



On-Command® 2WD/4WD/Diff-lock

Switch effortlessly between 2WD, 4WD, and full Diff-lock with a single button. Total traction and control at your fingertips, ready for mud, snow, or rock.

A force of nature.



Kodiak 450 EPS

The versatile, mid-sized ATV featuring added comfort and full control with Electric Power Steering and Yamaha's On-Command® system with 2WD/4WD. The Kodiak 450 EPS is the comfortable utility companion who is always ready to help. #DRIVENBYRESULTS

Its easy-to-use technology, outstanding durability and Yamaha reliability enable the Kodiak 450 EPS DL to take on the toughest jobs in extreme terrain. The industry-leading On Command drive system allows you to switch seamlessly between 2WD and 4WD at the push of a button - and the Ultramatic automatic transmission makes every task more relaxing and enjoyable.

In terms of comfort and convenience, nothing comes close! The gutsy Kodiak 450 EPS Diff-lock is the perfect companion for hard work in any utility setting.



Olive Green



Yamaha 421 cc EFI engine

The Kodiak 450 EPS has the power to conquer the toughest terrain thanks to its 421 cc single cylinder liquid cooled engine that produces plenty of smooth torque at low revs. Its Electronic Fuel Injection system ensures easy starting in hot or cold conditions at a range of altitudes, giving reliable and economical performance wherever you go.



Ultramatic® CVT transmission

Ultramatic® CVT automatic transmission makes every trip easier and more enjoyable, both for seasoned riders and also for new entrants to the mid-sized utility ATV class. Its durable V-belt delivers smooth acceleration – and the Kodiak 450 EPS's sophisticated all-wheel engine braking system gives you added confidence and control on downhills.



On-Command® 2WD/4WD/Diff-lock

The Kodiak 450 EPS models are fitted with an easy to operate On-Command® system with 2WD/4WD and 4WD with Diff Lock for full control and for quick and effective switching between 2WD and 4WD, or even full diff lock allowing you to choose the right option to suit the terrain and surface conditions.



Precise and nimble handling

All day comfort comes as standard with the Kodiak 450 EPS making this mid-sized utility ATV ideal for work and play. Featuring a low centre of gravity, the designed chassis delivers precise, nimble and confident handling for maximum riding enjoyment – and for an extra smooth ride, the engine features special vibration-reducing mounts.

A force of nature.



Kodiak 450

Featuring Ultramatic® automatic transmission, On-Command® 2WD/4WD and fuel injection, the nimble yet mighty Kodiak 450 packs a host of features you probably wouldn't expect from an entry-level machine. The Kodiak 450 is truly built for those who are #DRIVENBYRESULTS.

Its easy to use technology, outstanding durability and Yamaha reliability enable the Kodiak 450 to take on the toughest jobs in extreme terrain. The industry-leading On Command drive system allows you to switch seamlessly between 2WD and 4WD at the push of a button - and the Ultramatic automatic transmission makes every task more relaxing and enjoyable.

In terms of comfort and convenience, nothing comes close! The gutsy Kodiak 450 is the perfect companion for hard work in any utility setting.

- 4WD
- AUTO
- EFI
- HI/LO
- IRS



Yamaha Blue



Olive Green



Yamaha 421 cc EFI engine

The Kodiak 450 has the power to conquer the toughest terrain thanks to its 421 cc single cylinder liquid-cooled engine that produces plenty of smooth torque at low revs. Its Electronic Fuel Injection system ensures easy starting in hot or cold conditions at a range of altitudes, giving reliable and economical performance wherever you go.



Ultramatic® CVT transmission

Ultramatic® CVT automatic transmission makes every trip easier and more enjoyable, both for seasoned riders and also for new entrants to the mid-sized utility ATV class. Its durable V-belt delivers smooth acceleration – and the Kodiak 450's sophisticated all-wheel engine braking system gives you added confidence and control on downhills.



On-Command® 2WD/4WD system

In hilly or slippery conditions, the Kodiak 450's industry-leading On-Command® drive system enables you to switch seamlessly over to the 4WD system with the push of a button. And when you're on flat or unchallenging terrain, another press on the button takes you back to 2WD, making this mid-sized utility ATV so easy and convenient to use.



Long-stroke KYB gas charged front and rear shocks

The developed all-round independent double wishbone suspension gives 171mm front wheel travel and 189mm rear wheel travel, helping to make light work of extreme terrain. And with their ability to soak up bumps, ruts and other obstacles, the KYB gas-charged shocks system with preload adjustable springs deliver all day riding comfort.

Kodiak 700 EPS Accessories



Heavy-Duty Front Brush Guard
B5K-F84L0-V0-00



Heavy-Duty Rear Grab Bar
B4F-F85E0-V0-00



Front Rack Extension
B16-F48B0-V0-00



Middle Bash Plate
ATV-3B400-00-15




Rear Bash Plate
2BG-F147F-01-00



Skid Plate A-Arm Front (Set)
ABA-3B432-00-00



Skid Plates A-Arm Rear (set)
ABA-3B433-00-00



Kodiak 700 Overfenders
B16-F15E0-V1-00




Heated grips
ATV215049000



Front Cargo Box
B16-F83P0-V0-00




Rear Cargo Box
B16-F83P0-T0-00



ATV TEK V-Grip™ Double
ABA-VFG20-00-00



Fender Bag
ABA-FENDB-AG-BK



Spot Light Kit
ABA-2HR35-10-00



VRX Winch with Wire Rope by
WARN®
DBY-10260-40-00



50 mm Tow Ball
YME-F85H0-00-00



Receiver Hitch
B16-F85H0-V0-00



Twin air pre-oiled dual layer air
filter
B16-E4451-0T-00



Yamaha Cam Buckle Tie-downs
ACC-0SS58-40-28



Universal Yamaha ATV storage
cover
YME-ATVSC-25-00

Above is a selection of bolt-on accessories available. Please contact your local Yamaha dealer for a full list of accessories and to advise you on the best accessories set-up for your Yamaha. Full list of accessories is also available on our website.

Kodiak 450 EPS Accessories



Central Frame Skidplate
BB5-F11A0-V0-00



Front A-arm Skidplate
BB5-F31A0-V0-00



Rear A-Arm Skidplate
BB5-F21A0-V0-00



Footboard Skidplates
BB5-F41A0-V0-00



Front Brush Guard with Winch Mount
B5R-F84L0-V0-00



Heavy-Duty Front Brush Guard
BB5-F85F0-V0-00




Overfenders
BB5-F15E0-V0-00



Trailer Hitch
YMETHATV2500



Demon Quad Zone Heated Grips
ATV215049000



Spot Light Kit
ABA-2HR35-10-00



Front Storage Box
DBY-ACC56-00-69



Rear Storage Box
DBY-ACC56-00-71



VRX Winch with Wire Rope by WARN®
DBY-10260-40-00



1,500 kg (3,500 lb) Wire Rope
DBY-10097-20-00



Class 2 Trailer Hitch
ATV-W0789-01-00



Receiver Hitch
B16-F85H0-V0-00



50 mm Tow Ball
YME-F85H0-00-00



Twin air pre-oiled dual layer airfilter
5ND-E4451-0T-00



Aluminium Valve Cap Helical pattern
90338-W1018-BU



ATV Storage Cover
YMEATVSC2500



Yamaha Cam Buckle Tie-downs
ACC-0SS58-40-28



Yamaha Ratcheting Tie-downs
ACC-0SS58-40-30



Metric Tool Kit
ABA-METRC-00-00

Above is a selection of bolt-on accessories available. Please contact your local Yamaha dealer for a full list of accessories and to advise you on the best accessories set-up for your Yamaha. Full list of accessories is also available on our website.

Specifications

Viking EPS		Kodiak 700 Kiwami		Kodiak 700 EPS		
Engine						
Engine type	4-valves, Liquid-cooled, Single cylinder, SOHC, 4-stroke		4-valves, Liquid-cooled, Single cylinder, SOHC, 4-stroke		4-valves, Liquid-cooled, Single cylinder, SOHC, 4-stroke	
Displacement	686cc		686 cc		686cc	
Bore x stroke	102.0 mm x 84.0 mm		102.0 mm x 84.0 mm		102.0 mm x 84.0 mm	
Compression ratio	10.0 : 1		10.0 : 1		10.1 : 1	
Lubrication system	Wet sump		Wet sump		Wet sump	
Fuel system	Electronic Fuel Injection		Electronic Fuel Injection		Electronic Fuel Injection	
Ignition system	TCI		TCI		TCI	
Starter system	Electric		Electric		Electric	
Transmission system	Yamaha Ultramatic®, CVT, Centrifugal clutch		L/H/N/R/P, Ultramatic® V-belt with front- and rear wheel engine braking		L/H/N/R/P, Ultramatic® V-belt with front- and rear wheel engine braking	
Drive system	On-Command® 2WD, 4WD, 4WD with Diff-lock		On-Command® 2WD, 4WD, 4WD with Diff-lock		On-Command® 2WD, 4WD, 4WD with Diff-lock	
Final transmission	Shaft		Shaft		Shaft	
Chassis						
Front suspension system	Independent double wishbone, 205 mm wheel travel		180 mm stroke, Independent double wishbone, 5 position preload adjustment		180 mm stroke, Independent double wishbone, 5 position preload adjustment	
Rear suspension system	Independent double wishbone, 205 mm wheel travel		230 mm stroke, Independent double wishbone, 5 position preload adjustment		230 mm stroke, Independent double wishbone, 5 position preload adjustment	
Front brake	Dual hydraulic disc		Dual ventilated hydraulic disc		Dual ventilated hydraulic disc	
Rear brake	Dual hydraulic disc		Multi-disc wet rear brake in rear gearcase		Multi-disc wet rear brake in rear gearcase	
Front tyres	AT25x8-12NHS		Maxxis MU19 AT25x8-12, E marked, aluminium wheels		Maxxis MU19 AT25x8-12, E marked / steel wheels	
Rear tyres	AT25x10-12NHS		Maxxis MU19, AT25x10-12, E Marked, aluminium wheels		Maxxis MU19, AT25x10-12, E Marked / steel wheels	
Dimensions						
Overall length	3,100 mm		2,070 mm		2,070 mm	
Overall width	1,570 mm		1,180 mm		1,180 mm	
Overall height	1,925 mm		1,240 mm		1,240 mm	
Wheelbase	2,135 mm		1,250 mm		1,250 mm	
Min. turning radius	4.5 m		3.2 m		3.2 m	
Minimum ground clearance	300 mm		275 mm		275 mm	
Wet weight (including full oil and fuel tank)	613		n/a		n/a	
Fuel tank capacity	36.7 litres		18.0 L		18 litres	
Oil tank capacity	2.6 litres		2.6 L		2.6 litres	
Seat height	792 mm		860 mm		860 mm	
Loading limits						
Cargo bed	272 kg		n/a		n/a	
Cargo Bay Dimensions (L x W x D)	n/a					
Front rack	n/a		50 kg		50 kg	
Rear rack	n/a		90 kg		90 kg	

Specifications are subject to change without notice, in accordance with national regulations and legislation.

Kodiak 450 Kiwami		Kodiak 450 EPS		Kodiak 450	
Engine					
Engine type	Liquid-cooled, Single cylinder, SOHC, 4-stroke		Liquid-cooled, Single cylinder, SOHC, 4-stroke		Liquid-cooled, Single cylinder, SOHC, 4-stroke
Displacement	421cc		421cc		421cc
Bore x stroke	84.5 mm x 75.0 mm		84.5 mm x 75.0 mm		84.5 mm x 75.0 mm
Compression ratio	10.0 : 1		10.0 : 1		10.0 : 1
Lubrication system	Wet sump		Wet sump		Wet sump
Fuel system	EFI - 34mm Mikuni		EFI - 34mm Mikuni		EFI - 34mm Mikuni
Ignition system	TCI		TCI		TCI
Starter system	Electric		Electric		Electric
Transmission system	L/H/N/R/P, Ultramatic® V-belt with front- and rear wheel engine braking		L/H/N/R/P, Ultramatic® V-belt with front- and rear wheel engine braking		L/H/N/R/P, Ultramatic® V-belt with front- and rear wheel engine braking
Drive system	On-Command® 2WD, 4WD, 4WD with Diff-lock		On-Command® 2WD, 4WD, 4WD with Diff-lock		On-Command® 2WD/4WD
Final transmission	Shaft		Shaft		Shaft
Chassis					
Front suspension system	Independent double wishbone, 171 mm wheel travel, 5 position preload adjustment		Independent double wishbone, 171 mm wheel travel, 5 position preload adjustment		Independent double wishbone, 171 mm wheel travel, 5 position preload adjustment
Rear suspension system	189 mm wheel travel, Independent double wishbone, 5 position preload adjustment		189 mm wheel travel, Independent double wishbone, 5 position preload adjustment		189 mm wheel travel, Independent double wishbone, 5 position preload adjustment
Front brake	Dual hydraulic disc		Dual hydraulic disc		Dual hydraulic disc
Rear brake	Sealed oil-bathed multi-disc		Sealed oil-bathed multi-disc		Sealed oil-bathed multi-disc
Front tyres	AT25x8-12 6ply, E marked, aluminum wheels		AT25x8-12 6ply, E marked / steel wheels		AT25x8-12 6ply, E marked / steel wheels
Rear tyres	AT25x10-12 6ply, E marked, aluminum wheels		AT25x10-12 6ply, E marked / steel wheels		AT25x10-12 6ply, E marked / steel wheels
Dimensions					
Overall length	2,035 mm		2,035 mm		2,035 mm
Overall width	1,180 mm		1,180 mm		1,180 mm
Overall height	1,160 mm		1,160 mm		1,160 mm
Wheelbase	1,240 mm		1,240 mm		1,240 mm
Min. turning radius	3.2 m		3.2 m		3.2 m
Minimum ground clearance	245 mm		245 mm		245 mm
Wet weight (including full oil and fuel tank)	n/a		n/a		n/a
Fuel tank capacity	14 litres		14 litres		14 litres
Oil tank capacity	2.6 litres		2.6 litres		2.6 litres
Seat height	855 mm		855 mm		855 mm
Loading limits					
Cargo bed	n/a		n/a		n/a
Front rack	40 kg		40 kg		40 kg
Rear rack	80 kg		80 kg		80 kg





Yamaha 10-Year Belt Warranty

The Yamaha 10-Year Belt Warranty covers all Assembled V-belts in the European models from model year 2022 with the Ultramatic® transmission, including the Wolverine RMAX 1000 lineup, Wolverine 850 lineup, Viking 700, Kodiak 450, Kodiak 700 and Grizzly 700 models.

The promise to produce Proven Off-Road ATVs and Side-by-Side vehicles provides our customers with the capability, comfort and confidence to get out and enjoy the outdoors. Whether it be for work or play, Yamaha owners can have faith that their vehicle will not only get them where they want to go, but also get them back. With the new 10-year belt warranty, Yamaha solidifies its well-earned reputation for superior durability and reliability, and further sets itself apart from the competition.


For more information on the Yamaha 10-year Belt Warranty Terms & Conditions please contact your local Dealer.


Be Smart. Keep it Genuine.

To ensure that your Yamaha delivers optimum performance with long-term reliability, we recommend that you always use Yamaha Genuine Parts. Our high-quality spare parts comply with proven safety standards, fit perfectly and have a high resistance to wear - giving you peace of mind.

By using an Official Yamaha Dealer for servicing, you can be sure that all maintenance is carried out by highly skilled Yamaha Technicians using Genuine Parts and Yamalube products.

Our technicians are regularly trained at the Yamaha Motor Academy, giving them the expert knowledge and in-depth experience needed to keep your Yamaha in factory-fresh condition. For more detailed information please consult your local Yamaha dealer or visit our website.





A Liquid Engine Component

At Yamaha we appreciate that our products instill a unique pride of ownership amongst our customers, and in recognition of their loyalty to the brand we have developed the Yamalube range of lubrication and maintenance care products.

Our Yamaha engineers consider oil as a liquid engine component that is one of the most important parts of your Yamaha engine. Choosing Yamalube really does make a difference.

By always using Yamalube you can be sure that your engine has the potential to run at peak performance, and deliver the durability and reliability that you expect from every Yamaha. We also manufacture a range of care products that keep your pride and joy in tip-top conditions. Your local Yamaha dealer can advise you on the best Yamalube product for your Yamaha or visit our website.



Never drink or otherwise consume engine oil.



www.yamaha-motor.eu/gb/en/

YOU YAMAHA MOTOR EXPERIENCE

YOU YAMAHA MOTOR SERVICES

Follow us on:



Dealer

Yamaha Motor Europe N.V., branch UK
Unit A2 & A3 Kingswey Business Park
Forsyth Road
Woking
Surrey
GU21 5SA
Tel: 0808 812 6066

ATVs with engines up to 50cc are recommended for use only by riders 6 years and older and always with adult supervision. A*TVs with engines of 110cc are recommended only for use by riders 10 years and older, and always under adult supervision. ATVs with engines of 110cc or greater are recommended for use only by riders 16 years and older.* Our Side-by-Side Vehicles are recommended for use only by riders of 16 years and older. ATVs and Side-by-Side Vehicles are built to operate within their design limits. Safe towable weights, together with maximum carrying capacity are identified in the owner's manual if applicable. For durability, reliability, but most important of all, operator and passenger (for Side-by-Side Vehicle only) safety, under no circumstances should the recommended capacities be exceeded. ATVs can be hazardous to operate. For your safety: always avoid paved surfaces. ATVs and Side-by-Side Vehicles are designed for unpaved surfaces only. Riding on paved surfaces may seriously affect handling and control and can cause loss of control. Always wear a helmet, eye protection, and protective clothing. Never carry any passengers on ATVs and always wear a seatbelt when riding a Side-by-Side Vehicle. Never engage stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. Please 'tread lightly': always ride in a responsible manner, respecting the environment as well as country and local laws. Yamaha recommends that all ATV and Side-by-Side Vehicle riders take an approved training course. For safety and training information, see your dealer or call your Yamaha Distributor in your country. The specification and appearance of Yamaha products will be varied from time to time without notice, and those shown here are for illustrative purposes only and are not contractual descriptions of products. Some models are shown with optional accessories. The riders in this brochure are professionals: don't attempt to emulate them. All ATVs and Side-by-Side Vehicles come with a 12-month Limited Factory Warranty. See your dealer for details.

