

30 YEARS OF QUALITY.

PROUDLY MADE IN GOREY, IRELAND.

30 YEARS MANUFACTURED IN GOREY, IRELAND

Visit us on Social Medias

www.silawrap.ie

Silawrap®
A SIGNODE BRAND



Silawrap®

WE WRAPPED 500 MILLION BALES WORLDWIDE.

AND WE KEEP GOING!

SILAWRAP® MAKES QUALITY SILAGE

- **Highest resin quality grade**
  We use 100% C8 resins for strength and elasticity, reducing transport damage.
- **Protecting the bale from oxygen**
  High rates of tack or glue are used to prevent Oxygen entering the bale.
- **Reduced neckdown**
  Improves film overlap and seal.
- **Compatibility**
  Our film works on all wrappers.
- **No compromise on quality**
  Stringent quality checks are performed during all manufacturing process.

MORE LAYERS ARE BETTER!

It has been proven that wrapping your forage with **a minimum of 6 layers will dramatically improve silage quality.** This improves milk and beef production as well as profitability.

TOP 10 WRAPPING TIPS

1. Wrap good quality grass, ideally 30 to 40% dry matter.

2. Make a firm well shaped bale.

3. Bind the bale with **Silawrap NRF.**

4. Set your wrapper so that the centre of the bale is in line with the centre of the roll of film.

5. Ensure a minimum of 4 layers of film are applied to the bale. Apply 6 layers when wrapping coarse crops or forage in excess of 35% dry matter.

6. The film overlap must be at least 50%.

7. Clean pre-stretch unit rollers regularly to remove tack and dirt.

8. Remove rust from bale handling equipment to avoid damaging film.

9. Repair film damage immediately.

10. Protect bales from bird and vermin damage.

The company reserves the right to make technical alterations without prior notification.
©2025 Signode Industrial Group LLC / For queries please contact **sinfo@silawrap.ie**

Silawrap®
A SIGNODE BRAND



Silawrap® NRF

UNIQUE PRE-STRETCHED NET REPLACEMENT STRETCH FILM

USED ON 70 MILLION BALES.

SILAWRAP® NRF IS UNIQUE

- **Built for strength**
  Silawrap NRF is a pre-stretched product offering superior strength. Binding a bale with 3.5 turns of film instead of 4, saving 12%.
- **High roll capacity**
  155 to 160 wrapped bales per roll at 3.5 turns on a McHale Fusion 4 plus. 2,000 meters long, 1280 or 1380 mm wide.
- **Strong load containment**
  Strong enough to hold the bale allowing time to change rolls of Silawrap without the bale bursting.
- **17µ thickness**
  Works on all grass types.
- **High elasticity**
  Binds the bale tight preventing air pockets forming in the bale prior to wrapping.
- **Easy loading**
  Core end marking for ease of loading.

HEADING BALERS COMPATIBILITY

Silawrap NRF works on Claas, Goweil, John Deere, Krone, Kverneland, Mc Hale, New Holland, Orkel and Pottinger machines.

TOP 5 TIPS FOR USE

1. Apply 3.5 turns per bale. To apply a minimum of 2 layers all over the bale.

2. Maximum stretch 18%, lower in hot conditions.

3. Keep Silawrap NRF in its packaging until time of use to avoid roll damage.

4. Centre the roll on the baler to ensure even application on both sides of the bale.

5. Make sure the roll unwinds freely after loading.



The company reserves the right to make technical alterations without prior notification.
©2025 Signode Industrial Group LLC / For queries please contact **sinfo@silawrap.ie**

Silawrap®
A SIGNODE BRAND



Visit us on Social Medias

GIVE US A CALL!

SILAWRAP
IDA Industrial Estate,
Courtown Road
GOREY, Co Wexford,
Y25 YV05,
Ireland

IRELAND
053 9483172

INTERNATIONAL
+353 539483172

sinfo@silawrap.ie

CONTACTS IN IRELAND

Maurice Keady
+353 86 2887089
mkeady@signode.com
Area Manager Ireland
Galway to Dublin North and the UK

Pat O Brien
+353 86 3821589
p.obrien@signode.com
Area Manager Ireland
Clare to Wicklow South and the UK

Authorised Silawrap distributor:

© Silawrap 2025
Silawrap has a policy of continuous product development and reserves the right to alter specifications at any time without prior notice.

www.silawrap.ie

Guaranteed Irish

Silawrap®
A SIGNODE BRAND