BAUER

FOR A GREEN WORLD



EN

IRRIGATION

eco ProRain

WWW.BAUER-AT.COM

THE NEXT GENERATION OF BAUER EFFICIENCY

The new eco ProRain — the irrigation machine that is uncompromisingly focused on the essentials: quality, performance, and user convenience. By concentrating on core functionalities, the eco ProRain is a cost-effective solution for farmers who prioritize quality and efficiency.

FEATURES

- In house made PE pipe
- Chassis and turntable galvanized
- 2-wheel chassis with fixed track width 2.0m
- Removable jack
- Revolving pipe reel
- Hydraulic machine supports
- 4 speed gear with mounted turbine
- Automatic cart lift for wheel cart
- Irrigation computer Ecostar 6000 as standard with 2 solar panels and 24Ah battery
- Bauer PE-pipe winding device



PREMIUM ECOSTAR 6000 AS STANDARD

The new eco ProRain is equipped with the premium Ecostar 6000 irrigation computer from BAUER, designed to meet the latest standards in precision agriculture. When it comes to efficient and sustainable water management, there's no room for compromise.



TOP HIGHLIGHTS OF ECOSTAR 6000

- Touchscreen simplicity with button backup.
- 12-program memory for tailored irrigation.
- Water usage tracking and USB export.
- Mobile control with error alerts.
- SmartRain integration for advanced management.

* Abbildungen dienen nur zur Veranschaulichung.

MORE VALUE. MORE PERFORMANCE. MORE BAUER.

SHORT PAYBACK PERIOD
The investment quickly pays for itself thanks to efficient performance and economic initial investment.

USER-FRIENDLY OPERATION
Easy to use, allowing customers to operate the system with extensive technical training.

AFFORDABLE PURCHASE PRICE
Cost-effective investment offering excellent value for money.

ADVANCED IRRIGATION MANAGEMENT
Enabled by high standard Irrigation Computer ECOSTAR 6000.

TECHNICAL SPECIFICATIONS

ProRain Modell	Type	PE-Pipe Ø mm	PE-pipe length m	Max. strip length m	Turbine	Connection pressure bar	Total weight kg with water	Total weight kg without water
F30	100 - 400	100	400	455	TVR60	6,0 - 11,0	5.140	2.940
	100 - 430	100	430	485	TVR60	6,0 - 11,0	5.380	3.050
	100 - 450	100	450	505	TVR60	6,0 - 11,0	5.530	3.120
	100 - 460	100	460	515	TVR60	6,0 - 11,0	5.610	3.160
	110 - 280	110	280	335	TVR60	6,0 - 11,0	4.660	2.810
	110 - 300	110	300	355	TVR60	6,0 - 11,0	4.850	2.870
	110 - 330	110	330	385	TVR60	6,0 - 11,0	5.140	2.950
	110 - 370	110	370	425	TVR60	6,0- 11,0	5.520	3.070
	110 - 400	110	400	455	TVR60	6,0- 11,0	5.800	3.150
	110 - 420	110	420	475	TVR60	6,0 - 11,0	5.990	3.210
F40	100 - 500	100	500	550	TVR60	6,0 - 11,0	6.130	3.550
	100 - 540	100	540	595	TVR60	6,0 - 11,0	6.440	3.730
	100 - 570	100	570	625	TVR60	6,0 - 11,0	6.680	3.870
	110 - 460	110	460	515	TVR60	6,0 - 11,0	6.570	3.590
	110 - 470	110	470	525	TVR60	6,0 - 11,0	6.670	3.640
	110 - 500	110	500	555	TVR60	6,0 - 11,0	6.950	3.780
	110 - 530	110	530	585	TVR60	6,0 - 11,0	7.240	3.940
	125 - 320	125	320	375	TVR60	6,0 - 11,0	6.130	3.510
	125 - 350	125	350	405	TVR60	6,0 - 11,0	6.500	3.640
	125 - 370	125	425	475	TVR60	6,0 - 11,0	6.740	3.780
F50	110 - 570	110	570	625	TVR60	6,0 - 11,0	8.120	4.700
	110 - 620	110	620	675	TVR60	6,0 - 11,0	8.985	4.985
	110 - 650	110	650	705	TVR60	6,0 - 11,0	8.880	5.170
	120 - 430	120	430	485	TVR60	6,0 - 11,0	7.560	4.280
	120 - 460	120	460	515	TVR60	6,0 - 11,0	7.900	4.400
	120 - 490	120	490	545	TVR60	6,0 - 11,0	8.240	4.580
	125 - 410	125	410	465	TVR60	6,0 - 11,0	7.730	4.380
	125 - 450	125	450	505	TVR60	6,0 - 11,0	8.220	4.540
	125 - 480	125	480	535	TVR60	6,0 - 11,0	8.650	4.650
	140 - 370	140	370	425	TVR60	6,0- 11,0	8.400	4.760
	140 - 400	140	400	455	TVR60	6,0 - 11,0	9.000	4.930

WE GO BEYOND.



BAUER

FOR A GREEN WORLD

Röhren- und Pumpenwerk Bauer GmbH

Kowaldstraße 2
A-8570 Voitsberg/Austria

bauer-at.com

Email
bauer@bauer-at.com

Phone
+43 3142 200-0

Instagram
@bauer.group