

Creating global HMI solutions

021

DEFENCE Ground vehicles, Communication and Remote Controls



For more than 70 years, APEM has been collaborating with leading Defence companies. Given this experience no one knows better that military applications require field proven and foolproof HMIs capable of operating under extreme conditions with consistent reliability. APEM provides one of the widest ranges of customisable MIL-grade and CECC certified HMI solutions, including control panels, joysticks, pushbutton and toggle switches, and LED

DEFENCE panels, joysticks, pushbutton and toggle switches, and LED indicators. Temperature, dust, water, heavy shock, vibration... No condition is too extreme for our engineered solutions. **EQUIPMENT**



FOR UNCOMPROMISED RELIABILITY









A BROAD RANGE OF PRODUCTS AND SOLUTIONS

APEM OFFERS

STAND-ALONE MIL-GRADE COMPONENTS AND PRODUCTS



CAPABILITY TO BUILD CUSTOMISED CONTROL PANEL SOLUTIONS



APEM has developed a unique expertise in the creation of integrated custom-made ruggedised control panels with MIL-grade electronics and software. Our design, qualification and testing processes are compliant with military standards such as MIL-STD-810, MIL-STD-1472 and MIL-STD-461. YOU HAVE SPECIFIC NEEDS-WE HAVE INNOVATIVE AND ROBUST SOLUTIONS





ROBUSTNESS is essential in building trust with the machine

12000 & 13000 SERIES

The 12000 & 13000 series are designed to withstand the harshest environments. These compact and robust pushbutton and toggle switches are the perfect solution to trust your military equipment.



PRECISION to perfectly interact with complex machines

THUMBSTICKS

In the military context, errors are not an option. Our thumbsticks enable users to achieve the high level of precision they require in every application.



CONTROL driven by innovation.

JOYSTICKS

Discover how our range of joysticks helps military professionals easily control a growing number of vehicle functions.



CUSTOMISATION For a simplified & unique experience

CONTROL PANELS

We understand that HMIs must simplify the way operators interact with a vehicle. By leveraging our experience, we can help you build a unique, robust and reliable control panel, perfectly designed for your requirements.

HOW OUR PRODUCTS ARE USED

ON FOUIPMENT





FG SERIES CONTROLLERS Ideal for military applications subject to high vibration



Small and robust pushbuttons, CECC and MIL approved

Proportional thumbsticks



High-performance switches for interface solutions



Metal emergency stop switches for extreme conditions

ORM AND O SERIES LED Indicators with NVIS filters



Robust rocker switches



MSG, CSG SERIES Switch Guards



12000 & 13000 SERIES Highly reliable toggle switches and pushbuttons



Switch based thumbsticks

ON FIELD INSTRUMENTS



Reliable pushbuttons

for harsh environments

Low profile pushbuttons

IX SERIES

IA SERIES





MEC PRODUCTS Rugged long-life PCB switches

IP, IZ, IA, IC, IM, IB-IS, AV Small and robust pushbuttons

12000 & 13000 ACCESSORIES Sealing boots, guards

ORM AND Q SERIES LED indicators

ON PERSON EQUIPMENT



TW, CW AND HR SERIES Thumbwheels



QRM AND Q SERIES Indicators



12000X778 & 13000X778 Small, robust lever and pushbuttons to CECC, MIL approved



13000 SERIES Metal emergency stop switches for extreme conditions



TS SERIES Proportional thumbsticks



HS AND NV SERIES Switch based thumbsticks



MEC PRODUCTS Microswitches



3000 AND HF SERIES Finger control joysticks


MORE THAN JUST MIL-GRADE COMPONENTS...

Our unique expertise enables us to go beyond only supplying HMI components. We see ourselves as partners whose goal is to help you build the perfect and reliable HMI solution based on your specific needs. Over the years, we have built many custom solutions that integrate some of the latest HMI-related technologies. For instance, custom control panels for ground vehicles, remote controllers for UAVs, etc.

TECHNOLOGIES MASTERED BY APEM FOR MILITARY APPLICATIONS



CAPABILITY TO ADD ELECTRONICS AND SOFTWARE FUNCTIONS*



* APEM assesses each project in light of export control regulations

APEM RELIABILITY

- 70 YEARS EXPERIENCE IN MILITARY HMI PRODUCTS
- VERTICALLY INTEGRATED
- PRODUCT DESIGNS AND QUALIFICATIONS BASED ON MIL STD 810, 1472 AND 461
- MILITARY PRODUCTS ARE 100% TESTED
- QPL PRODUCTS (MIL-DTL-3950 AND MIL-DTL-83731)
- CECC QUALIFIED PRODUCTS (CECC 96201 & 96401)
- NATO MANUFACTURER CODE F7507

SOME OF OUR LATEST PROJECTS INCLUDE:

MILITARY TRUCKS USED BY SEVERAL EUROPEAN ARMIES

We designed a keyboard with new functions and backlighting feature with electronic communication. Product supplied: 12000, TS, switch guards.



ARMORED VEHICLES USED BY NATO

We built the control panel used to interact with some of the vehicle functions and the HMI related to the remote weapon station. Products supplied: 12000X778, Q8, Q6.



TACTICAL HEADSET FOR A NORTH-EUROPEAN ARMY

We developed the pressel switch for soldier worn comm's unit. Product supplied: 12000X778 & IA series.



HIGH-CAPACITY RADIO RELAYS (HCRR) USED BY SEVERAL ARMIES

We created the ON-OFF function switch, cable and connector assembly needed. We also worked on the membrane keyboard used for cryptography features. Products supplied: 12000, 13000, membrane keyboard.

www.apem.com 6

OUR **PRODUCTS**LET APEM PUT ITS DECADES OF DEFENCE EXPERIENCE TO WORK FOR YOU

WHETHER IT'S A STANDARD PRODUCT OFFERING OR A CUSTOMISED SOLUTION,

CONTENT

15.

PANEL SWITCHES

F	12000X778 SERIES	9
	THE BEST TOGGLE FOR MILITARY APPLICATIONS	S
I	12000 SERIES	10
÷,	RELIABLE PRODUCTS	
1	13000X778 SERIES	11
	HIGH RELIABILITY PUSHBUTTONS	
	13000 SERIES	12
140		12
	PUSH-PULL SWITCHES	

	WP SERIES
1	LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVED-HANDS
	WPG SERIES
>	RESTRICTION OF CRITICAL FUNCTIONS
	MSG AND 90 SERIES
	TO SECURE CRITICAL FUNCTIONS

13

14

15



SEALING BOOTS 16 ADDITIONAL SEALING BARRIERS

IA, IX SERIES	17	JOYSTICKS	
IA: EXCELLENT TACTILE FEEDBACK IX: COMPACT PUSHBUTTONS WITH BACKLIGHTED LOGOS			
WITH BACKLIGHTED LOGOS		NV SERIES	
IP, IZ SERIES	18	NAVIGATOR SWITCHES FOR EASY	
FRONT OR REAR PUSHBUTTONS WITH MANY VARIANTS		AND ACCURATE MENU SELECTION	
KH SERIES	19	TS SERIES	
PROTECT AGAINST ACCIDENTAL ACTIVATION		INTUITIVE METHOD OF CONTROL	
KL SERIES	20	CW SERIES	
INTUITIVE UNLOCKING	1	SMALL ENVELOPE FOR ERGONOMIC CO	NTROL
ES SERIES	21	HR / TW SERIES	
INDESTRUCTIBLE	<u> </u>	ROBUST THUMBWHEELS	
3500 SERIES	23	IP DESKTOP SERIES	
TOGGLES FOR DEMANDING APPLICATIONS	<	DESKTOP CONTROLLERS FOR VIDEO SUR	RVEILLA
MT SERIES	24	3000 SERIES	
ERGONOMIC SELECTORS		ROBUST FOR MILITARY APPLICATIONS	
AV SERIES	25	FG SERIES	
		RUGGED OPERATION FOR HIGH	

PCB SWITCHES

	-
-	
N	
1	10-

b -		TIMEC 5 SERIES	26 NCTIONALITY
		LED INDICATORS	
Ì		SERIES MOUNTED NVIS INDICATO	27 DRS
Y	<mark>Q SE</mark> LARGE	RIES VARIETY OF SIZES AND C	28 OLOURS



RUGGEDIZED KEYBOARD 37 PRODUCT FOR THE TOUGHEST ENVIRONMENTS

38



STANDARD SOLUTION FOR MULTIPLE BUTTON APPLICATIONS

12000X778 SERIES

MIL SPEC TOGGLE SWITCHES

TOP APPLICATIONS: MILITARY VEHICLES, TACTICAL HEADSETS, UNMANNED VEHICLE CONTROLS



THE BEST TOGGLE FOR MILITARY APPLICATIONS

• CECC 96201-005 & 008 approvals

- MIL 3950 & 83731 QPL
- Compact behind panel (50% more compact (width/depth) than MS2452 products)
- Easy to customise : finish, levers with or without locking
- Suitable for immersion (IP68)

(wiui										
SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION	
12000X778	150.000 cycles (switches with 2 maintained positions) 100.000 cycles (switches with 3 maintained positions) 50.000 cycles (momentary functions 7, 8, 4-1R, 4-2R, 5)	CECC MIL-DTL-3950 MIL-DTL-83731	2,3,4	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	IP68	No	

12000 SERIES

PROFESSIONAL TOGGLE SWITCHES

TOP APPLICATIONS: REMOTE CONTROLS



RELIABLE PRODUCTS

- CECC 96201-005 & 008 approvals
- Compact behind panel

- Easy to customise : finish, levers with or without locking
- Optional sealing

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
12000	150.000 cycles (switches with 2 maintained positions) 100.000 cycles (switches with 3 maintained positions)	CECC	2,3,4	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	Optional	No

PANEL SWITCHES

13000X778 SERIES

MILITARY GRADE QUICK-BREAK MOMENTARY PUSHBUTTON SWITCHES

TOP APPLICATIONS: WEAPON FUNCTIONS, MILITARY VEHICLES, MILITARY GRIPS



HIGH RELIABILITY PUSHBUTTONS

- Up to three poles
- Suitable for immersion up to 10 m

- Large actuator version is compliant with MIL-STD-1472F
- CECC 96401-001 approval

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
13000X778	150.000 cycles	CECC	2,3	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	Up to IP68	No

13000 SERIES

MILITARY GRADE PUSH-PULL SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS



RUGGED PUSH SWITCHES

- Sealed up to IP65, IP67 & IP69K
- Large actuator for ease of operation
- MAXIMUM BUSHING TERMINAL MOUNTING APPROVALS POLES SEALING ILLUMINATION SERIES MECHANICAL LIFECYCLES DIMENSIONS RATINGS OPTIONS OPTIONS 10.000 cycles Ø15 mm Solder lugs, PCB 4 A 28 VDC 13000 N/A 2,3 Panel IP65 No (.59)

• Compact body for space saving (13000)

PANEL SWITCHES PCB SWITCHES

LED INDICATORS

WP SERIES

MILITARY GRADE MOMENTARY PUSHBUTTON SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS



LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVED-HANDS

 Sealed 	lup	to IP	67 &	IP69K
----------------------------	-----	-------	------	-------

• Large actuator for ease of operation

Compact behind the panel

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
WP	50.000 cycles	N/A	2	4 A 30 VDC	Ø22 mm (.87)	Solder lugs, PCB	Panel	IP67; IP69K	No

WPG SERIES

SWITCH GUARDS

TOP APPLICATIONS: MILITARY CONTROL PANELS



RESTRICTION OF CRITICAL FUNCTIONS

- Prevents accidental operation
- Latching

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
WPG	N/A	N/A	N/A	N/A	Ø22 mm (.87)	N/A	Panel	Yes	No

MSG AND 90 SERIES

SWITCH GUARDS

TOP APPLICATIONS: MILITARY CONTROL PANELS, MILITARY VEHICLES



TO SECURE CRITICAL FUNCTIONS

- Many switch guard types available
- Compatible with MIL3950 and MIL83731 toggles

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
MSG 90	20,000 cycles	N/A	N/A	N/A	Ø11,9 mm (15/32) Ø12 mm (.472)	N/A	Panel	N/A	No

 $15 \quad \text{apem defence} \text{ ground vehicles, communication and remote controls} \\$

SEALING BOOTS

TOGGLE & PUSHBUTTON BOOTS

TOP APPLICATIONS: ALL OUTDOOR AND HARSH ENVIRONMENTS



ADDITIONAL SEALING BARRIERS

- Available for toggle and pushbutton switches
- Wide variety of shapes & colours

- Fast customisation to accommodate any actuator length
- Available in silicone and neophrene

SERIES	BOOT MATERIAL	NUT MATERIAL	OPERATING TEMPERATURE		TEMPERAT	URE RANGE	ELASTICITY	MECHANICAL	
SERIES	BOOT MATERIAL	OUT MATERIAL NOT MATERIAL		OPERATING TEMPERATURE		High	ELASTICITY	RESISTANCE	
	Neoprepe		Silicone	-40 °C to +85 °C	Best	Best	Best	Good	
Boots	Neoprene or silicone		Neoprene	-20 °C to +50 °C	Good	Better	Good	Best	

IA, IX SERIES

DUSTPROOF PUSHBUTTON SWITCHES

TOP APPLICATIONS: REMOTE CONTROLS, GRIPS



IA: EXCELLENT TACTILE FEEDBACK IX: COMPACT PUSHBUTTONS WITH BACKLIGHTED LOGOS

on to	proof: Membrane p with no gap een actuator and I SIL2/F	• Dustpr with no	 Available with backlit marking Dustproof: Membrane on top with no gap between actuator and panel 			hydrocarbon resistant • Flush on panel • Sealed up to IP67/IP69K • SIL2/Pld capable			
SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
IA	1.000.000 cycles	N/A	NO+NC	2A 24VDC	Ø16 mm (.629)	Flying leads	Panel	IP65, IP67	No
IX	1.000.000 cycles	N/A	NO+NC	2A 28VDC	Ø12 mm (.472)	Solder lugs, wires	Panel	IP67; IP69K	Yes

IP, IZ SERIES

PUSHBUTTON SWITCHES FOR HARSH ENVIRONMENTS

TOP APPLICATIONS: GRIPS, MILITARY VEHICLES, TACTICAL HEADSETS



FRONT OR REAR MOUNTED PUSHBUTTONS WITH MANY VARIANTS

- Available with illumination
- Sealed up to IP67
- Marking option
- Momentary or latching
- Up to SIL2/Pld capable

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
IP	1.000.000 cycles	UL	1	5A 28VDC	Ø12 mm (.472)	Solder lugs, Quick connect, PCB, flying leads	Panel	IP67	Yes
IZ	1.000.000 cycles	N/A	1	5A 28VDC	Ø16 mm (.629)	Solder lugs, Quick connect, PCB, flying leads	Panel, Vertical- Through hole	IP67	Yes

KH SERIES

PROTECTED ROCKER SWITCHES

TOP APPLICATIONS: DASHBOARDS ON MILITARY VEHICLES



PROTECT AGAINST ACCIDENTAL ACTIVATION

- Protected against accidental actuation
- Customized laser etched legends

- Illuminated versions
- Up to IP68/IP69K

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
КН	150.000 cycles	N/A	1, 2	10A 24VDC	36.8 x 21.08 mm	Solder lugs, quick-connect	Panel	IP68	Yes

KL SERIES

LOCKING ROCKER SWITCHES

TOP APPLICATIONS: DASHBOARDS ON MILITARY VEHICLES



INTUITIVE UNLOCKING

- Patented locking system for safety application
- Iluminated versions

• Customised laser etched legends

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
KL	150.000 cycles	N/A	1, 2	10A 24VDC	36.8 x 21.08 mm	Solder lugs, quick-connect, screw	Panel	IP68, IP69K	Yes

ES SERIES

HEAVY DUTY METAL SAFETY SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS




INDESTRUCTIBLE

- Sealed up to IP65, IP67 & IP69K
- Compact body

- Complies with EN60947-5-1
- Impact resistant to IK10

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
ES	100.000 cycles	EN60947-5-1	2,3	1 A 24 VDC DC-14	Ø22 mm Ø28 mm	Solder lugs, PCB	Panel, Vertical- Through hole	IP65 IP67 IP69K	No

DEFENCE GROUND EQUIPMENT



APEM'S INDUSTRIAL EMERGENCY STOP PRODUCT OFFERING

APEM IS A WORLD LEADER IN INDUSTRIAL E-STOPS





EC Compact emergency stop EC COMPACT Ultra compact emergency stop




EC FOR PCB

Compact emergency stop switch with a panel cut-out of 22 mm

3500 SERIES

HIGH PERFORMANCE TOGGLE SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS



TOGGLES FOR DEMANDING APPLICATIONS

- High current rating
- CECC 96201-004 approval
- Easy to customise : finish, levers with or without locking

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
3500	40.000 cycles	CECC	1,2	15 A 28 VDC	Ø11,9 mm (15/32)	Solder lugs, Quick-connect, Screw	Panel	IP67 IP69K	No

MT SERIES

SEALED ROCKER SWITCHES

TOP APPLICATIONS: SEALED ERGONOMIC ELECTRICAL INTERFACE



ERGONOMIC SELECTORS

- Environmentally sealed (IP68)
- Multiple functions available

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
MT	100.000 cycles	N/A	1	4 A 30 VDC	Ø17,46 mm (11/16)	Solder lugs, PCB	Panel, Vertical- Through hole	IP68	No

AV SERIES

RUGGED METALLIC PUSHBUTTONS

TOP APPLICATIONS: MILITARY CONTROL PANELS



LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVED-HANDS

Robust pushbutton

• Stainless steel actuator and bushing

- Appealing aesthetics
- Easily customisable: marking, illumination

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
AV	1.000.000 cycles	N/A	1	1A 30 VDC	Ø30 mm (1.18)	Solder lugs, wires, cable	Panel	IP67	Yes

PCB SWITCHES LED INDICATORS

JOYSTICKS

DEFENCE GROUND EQUIPMENT



MULTIMEC 5 SERIES

TACTILE PCB SWITCHES

TOP APPLICATIONS: DISPLAY PANEL FOR WEAPONS SYSTEMS



ABSOLUTE RELIABILITY AND FUNCTIONALITY

- Front panel sealing to IP67 with different cap solutions
- Reliable : 10 million activations, strength of actuating tested at twice MIL-PRF-22885H requirements
- Different haptic options (including quiet option)

SERIES	POLES	FUNCTION	MAXIMUM RATING	MOUNTING OPTIONS	SEALING	MECHANICAL LIFE
Multimec 5	Single pole / Momentary	NO & NC/NO	50 mA - 24 VDC	Through hole or SMT mounting	IP67	10 million

QRM SERIES

REAR MOUNT LED INDICATORS

TOP APPLICATIONS: MILITARY VEHICLES, AVIONICS AND NIGHT VISION APPLICATIONS



REAR MOUNT NVIS LED INDICATORS

	 NVIS compliant with MIL standard 3009 Low profile body) mimic 12000X778 se I panel depth	ries toggle • IP67 sealing • Black finish	
SERIES	PANEL CUT	MAXIMUM RATINGS	BEZEL FINISH	TERMINAL OPTION	TYPE OF ILLUMINATION	LED COLOUR
QRM	6 mm 8 mm 14 mm	2 VDC – 28 VAC/DC	Black or Anodized	Pins, Wires	Fixed light, Bi-colour, Tri-colour (8 & 14 mm)	5 standard colours, 3 hyper bright colours, 6 super bright colours, 3 bi-colours 1 tri-colour
QRM NV	8 mm 14 mm	2 VDC – 28 VAC/DC	Black or Anodized	Pins (8 mm only), Wires	Night vision	6 NVIS colours

Q SERIES

PANEL MOUNT LED INDICATORS

TOP APPLICATIONS: CONTROL TOWER, DASHBOARD, BELLY BOX CONTROLS & COMMUNICATION TOWERS AND RIGS



LARGE VARIETY OF SIZES AND COLOURS

- Reverse diode protection available
- Wide variety of LED colours
- Wire customisation available
- Optional sealing up to IP67
- Many different panel cut-out sizes
- Available with custom and secret until lit legends

SERIES	PANEL CUT-OUT	MAXIMUM RATINGS	BEZEL STYLES	BEZEL FINISHES	TERMINAL OPTION	TYPE OF ILLUMINATION	LED COLOURS
Q	Ø6, 8, 10, 12, 14, 16, 19, 22, 25, 30	2VDC -220VAC	Prominent, Recessed & Flushed	Bright Chrome, Black, satin Grey & Anodized colours	Solder lugs, Fastons, Pins, Wire	Fixed light, bi-color, RGB, night vision	6 standard colours, 6 superbright colours, 4 hyperbright colours

PCB SWITCHES

NV SERIES

NAVIGATOR SWITCHES

TOP APPLICATIONS: SCREEN NAVIGATION, UNMANNED AIRCRAFT SYSTEMS / DASHBOARD



NAVIGATOR SWITCHES FOR EASY AND ACCURATE MENU SELECTION

• 16 mm cut-out

• 4 directions and validation in centre

• Excellent tactile feedback

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
NV	1 million		1, 2	Switching	Single	Drop-in	IP69K

TS SERIES

PROPORTIONAL HALL EFFECT THUMBSTICKS

TOP APPLICATIONS: ROBOTICS CONTROL, UNMANNED AIRCRAFT SYSTEMS, DRONES



INTUITIVE METHOD OF CONTROL

- Illuminated version available
- Highly reliable: up to IP67 and IP69K sealing
- Ergonomically designed for repetitive operation over extended periods
- and IP69K sealing

 Easy integration with rear
- or drop-in mounting & compact size
- Available with multiple handle options and materials

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
TS	1 million		1, 2	Hall effect	Single, Dual, Analog	Drop-in or Rear mounting	IP67

CW SERIES

PROPORTIONAL THUMBWHEELS

TOP APPLICATIONS: GRIPS & REMOTE CONTROL FOR DRONES



SMALL ENVELOPES FOR ERGONOMIC CONTROLLER

- Up to 3 million lifecycles
- Snap-in mounting

- Custom actuator on request
- Spring to centre

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
CW	3 million	Spring to centre	Single	Hall effect	Single, Dual, Analogue, PWM	Snap-in	Sealed electronics

HR / TW SERIES

PROPORTIONAL THUMBWHEELS

TOP APPLICATIONS: GRIPS



ROBUST THUMBWHEELS

- Hall effect technology for long life performance
- Electronics sealed up to IP67

- Friction, detents & backlit options available
- Different types of actuators

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
HR	- 5 million	Friction hold Spring to centre	- 1	Hall effect	Single, Dual, Analogue	Rear mounting	IP68
TW		Spring to centre				Drop-in	IP67

IP DESKTOP SERIES

USB DESKTOP CONTROLLERS

TOP APPLICATIONS: UAV, SECURITY, CCTV, SURVEILLANCE



DESKTOP CONTROLLERS FOR VIDEO SURVEILLANCE

- 3 axis joysticks for P/T/Z control
- Programmable pushbuttons

- USB 1.1 HID compliant
- For indoor environment

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
IP Desktop	3 million	3 axis joystick & 12 pushbuttons	3	Hall effect	USB	NA	NA

3000 SERIES

FINGERTIP HALL EFFECT JOYSTICKS

TOP APPLICATIONS: FORWARD LOOKING INFRARED RADARS, THERMAL IMAGING



ROBUST FOR MILITARY APPLICATIONS

• All metal	mechanism		IP66 sealing	 Rated for 10 million lifecycles 			ycles
SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
3000	10 million	Spring to centre	1, 2, 3	Hall effect	Single, Dual, Analogue, PWM, CAN bus	Drop-in or rear mounting	IP66

FG SERIES

FIXED GRIP HAND CONTROLLERS

TOP APPLICATIONS: TURRET CONTOL



RUGGED OPERATION FOR HIGH VIBRATION APPLICATIONS

- Rugged hand operation
- Custom configurable

- USB output options
- Protected index trigger

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
FG	Depends on component configuration	NA	NA	Depends on customisation	USB, Analogue, CAN bus	Panel	IP65*

DEFENCE GROUND EQUIPMENT



XD GT/RT, XP & XF SERIES

DISCOVER OUR WIDE RANGE OF JOYSTICKS

XP SERIES Robust Mid-sized Joystick





XF SERIES Small Hall Effect Joystick

XD SERIES

Shallow mounting depth < 60 mm Extremely robust, resists high axial load (1780 N - 400 lbf) PCB SWITCHES

I ED INDICATORS


JOYSTICKS

PANEL SOLUTIONS

RUGGEDISED MILITARY KEYBOARD

CONTROL SYSTEMS FOR HARSH ENVIRONMENTS

TOP APPLICATIONS: VEHICLE KEYBOARDS



PRODUCT FOR THE TOUGHEST ENVIRONMENTS

- Military qualification to MIL Std 810 G including impact resistance and finger guide to be used with gloves
- Possibility of embedded
 communication, built-in tests or power
 electronics
- Short development phase
- Integration of multiple components

MULTI FUNCTION CONTROL PANEL

Critical electronic and software design expertise

Meets critical military specifications such as MIL, STANAG, GAM...

Answers to sealing demands : IP65, IP68, IP69K

Standard communication protocols including CAN, USB, RS422, RS485...

Uniform backlighting option

KP6 CANBUS SERIES

RUBBER KEYPADS

TOP APPLICATIONS: DASHBOARD



STANDARD SOLUTION FOR MULTIPLE BUTTON APPLICATIONS

Customisable keysBacklit pictograms

- CANbus output or stand output version
 - 1 Million cycles

 EMC shielded/ESD – Passed «E» marking (ECE R10 approved)

SEALING	OPERATING VOLTAGE	COMMUNICATION PROTOCOL	MOUNTING	EXTRA FEATURES	STANDARD 6 BUTTON KEYBOARD				
		Can J1939 Snap-in front illuminatio or discrete mounting phantom mar		Special illumination/ phantom marking/ special key colours	IP65 sealing - option for IP67 and IP69K				
un to 1007	12 - 24 / 00				Can J1939 and option for CAN Open				
KP6 CANBUS up to IP67	12 to 24 VDC				9 V to 36 V operating voltage				
					Easy front mounting, with snap-in / flush design				
	SEALING up to IP67	VOLTAGE	SEALING OPERATING COMMUNICATION PROTOCOL	SEALING OPERATING COMMUNICATION MOUNTING Up to IP67 12 to 24 VDC Can J1939 Snap-in front	up to IP67 12 to 24 VDC Can J1939 or discrete MOUNTING EXTRA FEATURES Special illumination/ phantom marking/				

CONFIGURE YOUR PANEL SOLUTION WITH QUALIFIED AND RELIABLE HMI COMPONENTS

APEM develops complete interface solutions combining components (switches, keypads, indicators, joysticks), standard electronic boards and programming. An APEM team professional is happy to assist you in the development of these complete turnkey solutions, meeting your specific requirements, with responsiveness and flexibility.



CUSTOM CONTROL PANEL SOLUTIONS

CUSTOM BEZEL KEYBOARD MEMBRANE SWITCH PANELS WITH PCB

APEM has developed a unique expertise in the creation of integrated custom-made ruggedised control panels with MIL-grade electronics and software. Our design, qualification and testing processes are compliant with military standards such as MIL-STD-810, MIL-STD-1472 and MIL-STD-461.

19:020



70 70 years of trust built on quality

1,400 EMPLOYEES WORLDWIDE (ξ)

50,000 + PART NUMBERS

WORLDWIDE SALES & CUSTOMER SUPPORT

970 Park Center Drive VISTA, CA 92081 Tel: (+1) 760 598 2518 info@apem.com

Center Drive, Ste 203 Andover, MA 01810 Tel: (+1) 978 372 1602 info@apem.com

CHINA IDEC Shanghai 8th Floor, Tower 2, Enterprise Centre, No.209 Gong He Road, Shanghai, 200040, P.R.C Tel: +86 21 6076 1355

JAPAN

IDEC Corporation 2-6-64 Nishimiyahara, Yodogawa-ku, Osaka, Japan 532-0004 apem-sales@jp.idec.com

SINGAPORE IDEC Izumi Asia Pte Ltd 31 Tannery Lane Singapore 347788 Tel: +65 6746 1155 apem.apec@idec.com

BENELUX Belgicastraat 7/1 1930 ZAVENTEM Belgium Tel B: (+32) 27 25 05 00 be.sales@apem.com

FRANCE 55, avenue Edouard Herriot BP1 82303 CAUSSADE Cedex Tel: (+33) 5 63 93 14 98 fr.commercial@apem.com

GERMANY Gewerbehof Giesing Paulsdorfferstr. 34, 2. OG D-81549 MUNICH Tel: (+49) 89 45 99 11 0 de.info@apem.com

ITALY Via Marconi 147G 12030 MARENE (CN) Tel: (+39) 0172 74 31 70 apem.italia@apem.com

Torshamnsgatan 39 S-16440 KISTA Tel: (+46) 8 626 38 00 se.info@apem.com

UNITED KINGDOM

Drakes Drive LONG CRENDON, Bucks HP18 9BA England Tel: (+44) 1 844 202400 uk.sales@apem.com

MORE THAN 130 DISTRIBUTORS WORLDWIDE

in Follow us on Linkedin 🕒 Follow us on Youtube

apem.com

