

HUMMER®

LIKE NOTHING ELSE

Model No.

H24^{ULTRA}
Professional Grade

Jump Starter
24V & 12V / 4000A*

Suitable for
ALL 24V & 12V vehicle**

LED Light 3 Types



Power Bank
99900mWh

Up to

60X*
Jump Starts Per Charge

PD 36W
3X Faster

QC 18W
USB-A

130W
DC12V

USB-C
Output

Sparkless
Smart
Cable

MULTIFUNCTIONAL Power Bank Jump Starter

Suitable for



4000A*
PEAK AMPS

Sparkless
Smart
Cable



12V 2000A
37000mWh



12V 2000A
37000mWh



12V 1500A
29600mWh

- Protection Functions On**
- AI Smart Reset Mechanism
 - Improper Insertion Prevention
 - Low Power Consumption
 - Over Charge
 - Over Cranking
 - Over Current
 - Over Discharge
 - Over Voltage
 - Overheat
 - Peak Current Surge
 - Reverse Charge
 - Reverse Polarity
 - Short Circuit
 - Spark Proof

Jump Starter

Power Bank



Car



Motorcycle



Jet Ski



Tablet



Smartphone



Earbuds



This product meets the requirements of IATA and can be carried on flight



International Certification



USD 2,000,000

Up to **30X**
Jump Starts Per Charge

Jump Starter
12V / 2000A

For Engines up to
8.0L Gasoline **7.0L Diesel**

Work Light
Emergency Light
Flashlight



For 12V Vehicles
Recommended Vehicle Engine Displacements for Jump Starting:
For Engines Up To 8.0L Gasoline and 7.0L Diesel

Product Specifications

Battery Capacity: 37000mAh / 37Wh / 10000mAh
Battery Type: Lithium-Ion
Battery Life Cycle: 1000+
Battery Standby Time: Up to 9-12 months
Peak Amps: 12V / 2000A* ; Clamp Power : 12V / 1000A
Wireless Charger: Max. 10W
USB-C: PD 45W Output (5V / 3A, 9V / 3A, 12V / 2.5A, 15V / 2A, 20V / 1.5A)
PD 30W Input (5V / 3A, 9V / 3A, 12V / 2.5A, 15V / 2A, 20V / 1.5A)
USB-A Output 1 & 2: Total QC18W Max. (5V / 3A, 9V / 2A)
DC Output: 96W Max. (12-16.8V / 8A)
Micro USB Input: 10W Max. (5V / 2A)
Operating Temperature: -4°F to 140°F (-20°C to 60°C)
Dimensions: 6.3 x 3.5 x 1.3 inches (161 x 88 x 33 mm)
Weight: 1.0 lbs (470g)

Model No.



Power Bank 37000 mAh



Jump Starter 12V / 2000A



LED Light 3 Types



Model No.



Power Bank 37000 mAh



Jump Starter 12V / 2000A



LED Light 3 Modes



Up to **30X**
Jump Starts Per Charge

Jump Starter
12V / 2000A

For Engines up to
8.0L Gasoline **7.0L Diesel**

LED Light
3 Modes



For 12V Vehicles
Recommended Vehicle Engine Displacements for Jump Starting:
For Engines Up To 8.0L Gasoline and 7.0L Diesel

Product Specifications

Battery Capacity: 37000mAh / 37Wh / 10000mAh
Battery Type: Lithium-Ion
Battery Life Cycle: 1000+
Battery Standby Time: Up to 9-12 months
Peak Amps: 12V / 2000A* ; Clamp Power : 12V / 1000A
USB-C Input : 10W Max. (5V / 2A)
USB-A Output 1 & 2: Total 16W Max. (5V / 3.2A)
DC Output: 96W Max. (12-16.8V / 8A)
Operating Temperature: -4°F to 140°F (-20°C to 60°C)
Dimensions: 6.4 x 3.3 x 1.1 inches (162 x 85 x 29 mm)
Weight: 0.9 lbs (410g)

Up to **20X**
Jump Starts Per Charge

Jump Starter
12V / 1500A

For Engines up to
7.0L Gasoline
5.5L Diesel

LED Light
3 Modes



Power Bank
29600mWh

96W
DC12V

16W
Dual USB-A

Model No.

H3T

Power Bank 29600 mWh



Tablet



Smartphone



Camera



Action Cam



Earbuds

Jump Starter 12V / 1500A



Car



Jet Ski



Motorcycle

LED Light 3 Modes



SOS



Emergency Light



Flashlight

For 12V Vehicles
Recommended Vehicle Engine Displacements for Jump Starting:
For Engines Up To 7.0L Gasoline and 5.5L Diesel

Product Specifications

Battery Capacity: 29600mWh / 29.6Wh / 8000mAh
Battery Type: Lithium-ion
Battery Life Cycle: 1000+
Battery Standby Time: Up to 9-12 months
Peak Amps: 12V / 1500A*
Clamp Power: 12V / 750A
USB-C Input: 10W Max. (5V / 2A)
USB-A Output 1 & 2: Total 16W Max. (5V / 3.2A)
DC Output: 96W Max. (12-16.8V / 8A)
Operating Temperature: -4°F to 140°F (-20°C to 60°C)
Dimensions: 6.4 x 3.3 x 1.1 inches (162 x 85 x 29 mm)
Weight: 0.8 lbs (365g)

Model No.

H24 ULTRA
Professional Grade

Power Bank 99900 mWh



Notebook



Tablet



Smartphone



Game Console



Earbuds

Jump Starter 24V & 12V / 4000A



Car



Jet Ski



Motorcycle



Truck

LED Light 3 Modes



Work Light



Emergency Light



Flashlight

Up to **60X**
Jump Starts Per Charge

Jump Starter
24V & 12V / 4000A

Suitable for
ALL 24V & 12V
Vehicle

LED Light
3 Types



Power Bank
99900mWh

PD 36W | **QC 18W**
3K Faster | USB-A

130W | **USB-C**
DC12V | Output

Suitable for All 24V & 12V Vehicle

Product Specifications

Battery Capacity: 99900mWh / 99.9Wh / 27000mAh
Battery Type: Lithium-ion
Battery Life Cycle: 1000+
Battery Standby Time: Up to 9-12 months
Peak Amps: 24V & 12V / 4000A*
Clamp Power: 24V & 12V / 2000A
USB-A Output 1: QC 18W Max.
USB-A Output 2: 10W Max. (5V / 2A)
USB-C Output: PD 36W Max.
DC Output: 130W Max. (12-16.8V / 8A)
Input: 15V / 2A
Operating Temperature: -4°F to 140°F (-20°C to 60°C)
Dimensions: 10 x 6.5 x 3 inches (250 x 165 x 75mm)
Weight: 4lbs (1.8kg)

*Theoretical Short Circuit Current

** Performance can vary depending on jump starter's battery level, operating temperature and battery terminals surface condition.

HUMMER®

LIKE NOTHING ELSE

	12V Jump Starter			24V & 12V Jump Starter
Model:	HX Pro	HX	H3T	H24 Ultra
Image:				
Battery Capacity:	37000mWh 37Wh 10000mAh	37000mWh 37Wh 10000mAh	29600mWh 29.6Wh 8000mAh	99900mWh 99.9Wh 27000mAh
Battery Types:	Lithium-ion			
Battery Life Cycle:	1000+			
Battery Standby Time:	Up to 9-12 months			
Operating Temperature:	-4°F to 140°F (-20°C to 60°C)			
Peak Amps*:	12V / 2000A	12V / 2000A	12V / 1500A	24V & 12V / 4000A
Clamp Power:	12V / 1000A	12V / 1000A	12V / 750A	24V & 12V / 2000A
For Engines Up To:	8.0L Gasoline 7.0L Diesel	8.0L Gasoline 7.0L Diesel	7.0L Gasoline 5.5L Diesel	Suitable for all 24V & 12V Vehicle
No. of Jump Start Per Charge**:	Up to 30X	Up to 30X	Up to 20X	Up to 60X
Wireless Charger:	10W Max. (5V / 2A)	N/A	N/A	N/A
USB-C:	Input: PD 30W Max. (5V / 3A, 9V / 3A, 12V / 2.5A, 15V / 2A, 20V / 1.5A) Output: PD 45W Max. (5V / 3A, 9V / 3A, 12V / 2.5A, 15V / 2A, 20V / 2.25A)	Input: 10W Max. (5V / 2A)	Input: 10W Max. (5V / 2A)	Output: PD 36W Max.
USB-A output:	Total QC18W Max. (5V / 3A, 9V / 2A)	Total 16W Max. (5V / 3.2A)	Total 16W Max. (5V / 3.2A)	Output 1: QC 18W Max. Output 2: 10W Max. (5V / 2A)
DC output:	96W Max. (12-16.8V / 8A)			130W Max. (12V-16.8V / 8A)
Input:	USB-C + Micro USB	USB-C	USB-C	15V / 2A (AC)
Dimensions:	6.3 x 3.5 x 1.3 inches (161 x 88 x 33 mm)	6.4 x 3.3 x 1.1 inches (162 x 85 x 29 mm)	6.4 x 3.3 x 1.1 inches (162 x 85 x 29 mm)	10 x 6.5 x 3 inches (250 x 165 x 75 mm)
Weight:	1.0 lbs (470g)	0.9 lbs (410g)	0.8 lbs (365g)	4lbs (1.8kg)

*Theoretical Short Circuit Current.

** Performance can vary depending on jump starter's battery level, operating temperature and battery terminals surface condition.

Enquiry: hummer@powerbankjumpstarter.com



www.powerbankjumpstarter.com

All rights reserved by their respective owners. ©2022 World State Ltd. HUMMER is a trademark of General Motors LLC registered in the U.S. and other countries. General Motors Trademarks used under license to Top Alliance Skytech Limited. This product is solely distributed by World State Ltd. Tel: (852) 2983 8255