

SYDNEY TECHNICAL HIGH SCHOOL

YEAR 12 HSC ASSESSMENT TASK 2

MARCH 2007

MATHEMATICS

Extension 1

Time Allowed: 70 minutes

Instructions:

Attempt all questions

Start each question on a new page

Show all necessary working

The marks for each question are indicated next to the question

Marks may be deducted for careless or badly arranged work

Marks indicated are a guide only and may be varied if necessary

Name: _____

Teacher: _____

Question 1	Question 2	Question 3	Question 4	Question 5	Question 6	Total

QUESTION 1 - (9 marks)

a) You are given $\int_0^a f(x) dx = A$. Evaluate $\int_{-a}^a f(x) dx$ if 2


i) $f(x)$ is an even function

ii) $f(x)$ is an odd function

b) Evaluate $\int_0^2 (4-2x)^3 dx$ 2

c) For what values of x is $f(x) = x^5 - 5x^4$ concave down? 2

d) The diagram shows the graph of $f'(x)$ which is the derivative of a certain function $f(x)$ 3




Given that $f(0) = 0$, sketch the graph of $f(x)$

QUESTION 2 - (9 Marks)

a) Find a primitive of $\frac{1}{2x^2}$ 1

b) 4



Part of the ellipse $\frac{x^2}{16} + \frac{y^2}{9} = 1$ is shown above

The following table gives values for the graph

x	0	1	2	3	4
y	3	2.90	2.60	1.98	0

i) Use Simpsons rule and all 5 function values to find an approximation to the area under the curve shown above (2 dec).

ii) If the area of the whole ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ is πab , use this result and your answer above to find an approximate value of π to 2 decimal places.


c) Find $\int \frac{x}{\sqrt{4-x}} dx$ using the substitution $x=4-u$ 4

QUESTION 3 - (8 Marks)

a) i) Show that the sum of 3

$$1 + 2^a + 2^{2a} + \dots + 2^{(n-1)a} = \frac{2^{na} - 1}{2^a - 1}$$

ii)




Using 100 inscribed rectangles as shown above, find an approximation for

$$\int_0^1 2^x dx$$

you may use the result in part (i)

b) 5



The sketch above shows $y=4-x^2$ and $y=3x$ for $x \geq 0$

i) Find the co-ordinates of A and B

ii) The shaded area is rotated around the y axis. Find the volume of the solid formed.


QUESTION 4 - (8 Marks)

a) Suppose the cubic $f(x) = x^3 + ax^2 + bx + c$ has a relative maximum at $x = \alpha$ and a relative minimum at $x = \beta$. 3

i) Prove that $\alpha + \beta = -\frac{2}{3}a$

ii) Deduce that the point of inflexion occurs at $x = \frac{\alpha + \beta}{2}$

b) 5



i) Find the co-ordinates of A, the vertex of the parabola.

ii) By completing the square, make y the subject of $x = 4y - y^2$

iii) Hence or otherwise find the shaded area

QUESTION 5 - (8 Marks)

a) The number of unemployed people u at time t was studied over a period of time. At the start of this period, the number of unemployed was 800 000. 2


i) Throughout the period, $\frac{du}{dt} < 0$.

What does this say about the number of unemployed during the period?

ii) It is also observed that, throughout the period, $\frac{d^2u}{dt^2} > 0$.

Sketch a graph of u against t .

b) An isosceles trapezium ABCD is drawn with its vertices on a semicircle centre O and diameter 20cm (see diagram). 6



i) If $EO = OF = \frac{x}{2}$, show that:

$$BE = \frac{1}{2}\sqrt{400 - x^2}$$

ii) Show that the area ($A \text{ cm}^2$) of the trapezium ABCD is given by:

$$A = \frac{1}{4}(x + 20)\sqrt{400 - x^2}$$

iii) Show that $\frac{dA}{dx} = \frac{1}{4} \left[\frac{400 - 20x - 2x^2}{\sqrt{400 - x^2}} \right]$

iv) Hence find the length of BC so that the area of trapezium ABCD is a maximum.

QUESTION 6 (8 Marks)

a) i) Solve $\frac{x+1}{(x-1)^2} > 0$

For the curve $y = \frac{x+1}{(x-1)^2}$

- ii) Write down the equations of the asymptotes
- iii) Find the co-ordinates of the stationary point and determine its nature.
- iv) Sketch the curve showing the stationary point, the asymptotes and any intercepts.
- v) Mark on your graph, labelling clearly, the approximate position of any points of inflexion.


EXTENSION 1 SOLUTIONS

Question 1


a) i) 2A
ii) 0

b) $\left[-\frac{1}{8}(4-2x)^4 \right]_0^2$
 $= 0 - \left[-\frac{1}{8}(4)^4 \right]$
 $= 32$

c) $f(x) = 5x^4 - 20x^3$
 $f'(x) = 20x^3 - 60x^2$
 $f''(x) < 0$
 $\therefore 20x^3 - 60x^2 < 0$
 $20x^2(x-3) < 0$



* $\therefore x < 3, x \neq 0$
 correct answer $x < 3$



* correct answer is $x < 3$ as there is a maximum turning point at (0,0)
 \therefore disregard $x \neq 0$ in solution.

Question 2

a) $-\frac{1}{2x} + c$

b) i) $A \doteq \frac{1}{3} [f(0) + 4f(1) + 2f(2) + 4f(3) + f(4)]$
 $\doteq \frac{1}{3} [3 + 4 \times 2.9 + 2 \times 2.6 + 4 \times 1.98 + 0]$
 $\doteq 9.24 \text{ units}^2$

ii) Area = $\frac{\pi \times 3 \times 4}{4}$
 $= 3\pi$
 $\therefore 3\pi = 9.24$
 $\pi = 3.08$

c) $x = 4 - u$
 $dx = -du$

$\therefore \int \frac{x}{\sqrt{4-x}} dx = \int \frac{(4-u)}{\sqrt{4-u}} \cdot -du$
 $= \int -4u^{-1/2} + u^{1/2} du$
 $= -8u^{1/2} + \frac{2}{3}u^{3/2} + c$
 $= -8\sqrt{4-x} + \frac{2}{3}\sqrt{(4-x)^3} + c$

Question 3

$$a) i) S_n = 1 \cdot \frac{(2^{2n} - 1)}{2^2 - 1}$$

$$= \frac{2^{2n} - 1}{2^2 - 1}$$

$$ii) \text{Area} = \frac{1}{100} [2^0 + 2^{0.99} + \dots + 2^{0.99}]$$

$$= \frac{1}{100} \times \frac{2^{100} - 1}{2^{0.01} - 1}$$

$$= \frac{1}{100} \times \frac{2 - 1}{2^{0.01} - 1}$$

$$\approx 1.44$$

$$b) i) 4 - x^2 = 3x$$

$$x^2 + 3x - 4 = 0$$

$$(x+4)(x-1) = 0$$

$$x = -4 \text{ or } 1$$

$$\therefore A(0, 4) \quad B(1, 3)$$

$$ii) \text{Volume} = \pi \int_0^3 \frac{y^2}{9} dy + \pi \int_3^4 4-y dy$$

$$= \pi \left[\frac{y^3}{27} \right]_0^3 + \pi \left[4y - \frac{y^2}{2} \right]_3^4$$

$$= \pi [1-0] + \pi [8 - 7\frac{1}{2}]$$

$$= \frac{3\pi}{2} \text{ or } 3$$

$$\text{or } 8 - \int_0^2 (4y - y^2) dy$$

Question 4

$$a) i) f(x) = 3x^2 + 2ax + b$$

Root α and β

$$\alpha + \beta = -\frac{2a}{3}$$

$$ii) f'(x) = 6x + 2a$$

$$f'(x) = 0$$

$$6x + 2a = 0$$

$$x = -\frac{a}{3}$$

$$\text{but } a = -\frac{3(\alpha + \beta)}{2}$$

$$\therefore x = -\frac{-3(\alpha + \beta)}{6}$$

$$= \frac{\alpha + \beta}{2}$$

$$b) i) y = \frac{-4}{2(-1)}$$

$$= 2$$

$$\therefore \text{Vertex } (4, 2)$$

$$ii) x - 4 = -(y^2 - 4y + 4)$$

$$4 - x = (y - 2)^2$$

$$y - 2 = \pm \sqrt{4 - x}$$

$$y = 2 \pm \sqrt{4 - x}$$

$$iii) \text{Area} = \int_0^4 2 - \sqrt{4 - x} dx$$


$$= \left[2x + \frac{2}{3}(4 - x)^{3/2} \right]_0^4$$

$$= [8 + 0] - [0 + \frac{2}{3} \cdot 8]$$

$$= 2\frac{2}{3} \quad | \quad (3)$$

Question 5

a) i) number is decreasing



$$b) i) 10^2 = \left(\frac{x}{2}\right)^2 + BE^2$$

$$BE = \sqrt{10^2 - \left(\frac{x}{2}\right)^2}$$

$$= \sqrt{400 - x^2}$$

$$= \frac{1}{2} \sqrt{400 - x^2}$$

$$ii) \text{Area} = \frac{1}{2} \cdot \frac{1}{2} \sqrt{400 - x^2} [20 + x]$$

$$= \frac{1}{4} (x+20) \sqrt{400 - x^2}$$

$$iii) A = \frac{1}{4} [20 \sqrt{400 - x^2} + x \sqrt{400 - x^2}]$$

$$A' = \frac{1}{4} [20 \cdot \frac{1}{2} \cdot -2x (400 - x^2)^{-1/2}$$

$$+ (400 - x^2)^{1/2} \cdot 1 + x \cdot \frac{1}{2} \cdot -2x (400 - x^2)^{-1/2}]$$

$$= \frac{1}{4} [-20x (400 - x^2)^{-1/2} + (400 - x^2)^{1/2}$$

$$- x^2 (400 - x^2)^{-1/2}]$$

$$= \frac{1}{4} \left[\frac{-20x + 400 - x^2}{\sqrt{400 - x^2}} \right]$$

$$= \frac{1}{4} \left[\frac{400 - 20x - 2x^2}{\sqrt{400 - x^2}} \right]$$

For maximum area $\frac{dA}{dx} = 0$

$$\therefore 400 - 20x - 2x^2 = 0$$

$$-2(x+20)(x-10) = 0$$

$$\therefore x = -20 \text{ or } 10$$

disregard $x = -20$


x	5	10	15
A	+	0	-

\therefore max area when $x = 10$

$$iv) BC = 10 \text{ cm}$$

Question 6

i) $\frac{x+1}{(x-1)^2} > 0$



$x > -1, x \neq 1$

ii) $x=1, y=0$

iii) $y = \frac{x+1}{(x-1)^2}$

$y' = \frac{(x-1)^2 \cdot 1 - (x+1) \cdot 2(x-1)}{(x-1)^4}$

$= \frac{(x-1)[x-1-2x-2]}{(x-1)^4}$

$= \frac{-x-3}{(x-1)^3}$

when $y' = 0$


$x = -3$

x	-4	-3	-2
y'	-	0	+

∴ minimum at $(-3, -1/8)$

iv) $x \geq 0, y \geq 1$

$y=0, x=-1$



v) point of inflexion