



*Solutions for*

# **LOGISTICS & INTRALOGISTICS**

 **Bonfiglioli**





# Solutions for

## CONTENTS

<b>LOGISTICS &amp; INTRALOGISTICS</b>	<b>5</b>
<b>WAREHOUSE &amp; MATERIAL HANDLING</b>	<b>6</b>
Roller conveyors	8
Belt conveyors	9
Automatic storage	10
Forklifts	11
Warehousing trucks	12
Automatic guided vehicles	13
<b>AIRPORT EQUIPMENT</b>	<b>14</b>
Tow tractors	16
Baggage claim conveyors	18
<b>POSTEL &amp; PARCEL EQUIPMENT</b>	<b>20</b>
Postal handling Solutions	22
<b>ACCESS &amp; AERIAL PLATFORMS</b>	<b>24</b>
<b>CONVEYING</b>	<b>26</b>
Roller conveyors	28
Belt conveyors	29
Chain conveyors	30
Spiral conveyors	31
<b>LOGISTICS &amp; INDUSTRIAL CRANES</b>	<b>32</b>
Overhead cranes	34
Jib cranes	36
<b>OUR GLOBAL PRESENCE</b>	<b>38</b>



# Engineering Solutions



[WWW.BONFIGLIOLI.COM](http://WWW.BONFIGLIOLI.COM)




# LOGISTICS & INTRALOGISTICS

---

**WE HAVE THE RIGHT SOLUTIONS FOR ALL YOUR INTRALOGISTICS NEEDS!**

More than ever, logistics & intralogistics are at the heart of today's world. From automatic storage systems to warehouse vehicles, all these machines play a key role in the smooth flow of materials. With years of experience in integrating systems and designing complete solutions for specific applications, Bonfiglioli can supply the right solutions to support its customers' growth in materials, transportation and storage technology. Efficiency, reliability, flexibility, loading capability and environmental compatibility are the pillars of the Bonfiglioli offer!





**1 ROLLER CONVEYORS**

**2 BELT CONVEYORS**

**4 FORKLIFTS**

**5 REACH TRUCKS**





**6** AMR/AGV

**3** COMPACT AUTOMATIC  
WAREHOUSE

1

**ROLLER CONVEYORS**

Our solution consists of a complete drive transmission package, from the gearbox to the decentralized inverter. In roller conveyors, our range is based on coaxial gearbox or orthogonal gearboxes with bevel gear, always combined with our compact IE3 electric motor and the IP65 DGM-MPM inverter.

**EVOX CP Series**

Helical In-Line Gearbox

**EVOX MXN Series**

Asynchronous Motors

**DGM-MPM Series**

Decentralized Inverter

**BENEFITS**

- Compact design for high torque density and maximum power
- Low warehousing cost, thanks to the distinctive universal mounting
- Safe operation in potentially explosive atmospheres
- Overall dimension in line with market standards
- Easy-Clean shape

- One motor for different markets
- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- Modular electric motor

- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, Sercos3, Ethercat
- Motor brake management

**FEATURES**

- Lifetime lubricated
- Unique oil level for all mounting position
- Stainless steel shaft and plug option
- Reinforced bearings option

- IE3 Efficiency level
- Power range up to 7,5kW
- Built in DC brake
- Thermal protection
- Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- Degree of protection up to IP56

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors



## 2

### BELT CONVEYORS

Our solution consists of a complete drive transmission package, from the gearbox to the decentralized inverter. In roller conveyors, our solution is based on coaxial gearbox or orthogonal gearboxes with bevel gear, always combined with our compact IE3 electric motor and the IP65 DGM-MPM inverter.

In applications where high efficiency is required, we can offer our synchronous reluctance motor with IE4 efficiency.



#### A Series

##### Helical Bevel Gearbox



#### BSR Series

##### Synchronous Reluctance Motors



#### DGM-MPM Series

##### Decentralized Inverter

#### BENEFITS

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- No need for feedback device for positioning
- One or two sizes less compared to standard asynchronous motors
- Minimal maintenance required
- Sustainable solution
- Excellent performance and dynamics


- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, Sercos3, Ethercat
- Motor brake management

#### FEATURES

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- Motor efficiency class up to IE4
- Power range: up to 18,5 kW
- Wide range of options

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors



3

### COMPACT AUTOMATIC WAREHOUSE

We supply our customers with complete solutions that guarantee the highest possible precision, efficiency and energy optimization for automatic storage applications. From the inverter to the drives, Bonfiglioli is a one-stop company that understands and able to face today's market challenges.



#### F Series

##### Shaft Mounted Gearbox

#### BENEFITS

- High efficiency
- Reliability and robustness
- Compactness
- Low maintenance



#### EVOX BXN Series

##### Asynchronous Induction Phase Motor

- One motor for different markets
- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- Modular electric motor



#### AxiaVert Series

##### High Performance Cabinet Inverter

- Modular system
- Wide power range
- Versatile Communication
- High mounting flexibility

#### FEATURES

- Power range: up to 55 kW
- Shaft mounted solution with different output configurations
- Housing integrated torque arm design and anti-vibration kits
- Wide range of ratios
- Space-saving compact motor design
- Availability of different grade of protection
- Compact or IEC/NEMA flanged motor adaptors


- IE3 Efficiency level
- Power range up to 7,5kW
- Built in DC brake
- Thermal protection
- Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- Degree of protection up to IP56

- Selectable Functional safety features (up to SIL 3 / PL e / CAT. 4)
- Wide range of Encoder supports for various systems
- Customizable logic functions with internal optional PLC (IEC61131)
- Integrated PID control system
- Various Control modes incl. Position, Speed or Torque Control & CiA402-compatible Motion Control
- Easy wiring with detachable signal and power terminals (up to 15 kW)

## 4

### FORKLIFTS

Bonfiglioli supplies high-efficiency, low-noise planetary axles and drives with integrated high performance electric motors and low maintenance braking systems for Class 1 material handling vehicles. Typical applications include 3- and 4-wheel counterbalance lift trucks and ground support equipment. Bonfiglioli electric powertrains are fully tested in the factory and guarantee low energy consumption. This, in turn, means longer battery operating times, extended servicing intervals and lower costs of ownership.



**600F Series**  
Traction Systems



**600WOC Series**  
Idle Steering System



**DISPLAY**  
Customized solution

- High integration level
- High-end & high-speed design
- All black IPS display
- Polyphonic grade alarms
- Double high-speed (and full management) of can interface
- IP65 grade protection
- Capacitive touch button
- Light sensor for backlight



**DC/DC CONVERTER**  
Customized solution

- Extended input voltage
- Back and forward topology
- Multiple output power version with the same enclosure
- Isolated and not isolated topology
- Thermal protection
- Output protection
- Balancing power between 2 DC/DC
- LIN interface
- Input enable
- Up to 60°C ambient temperature
- IP65 grade protection

#### BENEFITS

- Maximum efficiency
- Minimum noise
- Complete solution
- Fully tested

#### FEATURES

- Dual stage gearbox
- Optimized gear design
- Service brake
- Parking brake
- Integrated, customized mast support
- Integrated AC traction motor protection rating up to IP54
- Integrated, high accuracy, silicon-based temperature sensor
- Integrated, high resolution hall effect speed sensor

#### TECHNICAL DATA

Axle torque (Nm)	
601 F	3,000
602 F	5,500
603 F	7,000
605 F	18,000
610 F	50,000

Lift capacity (kg)	
601 F	2,000
602 F	3,500
603 F	5,000
605 F	9,000
610 F	16,000


Lift capacity (kg)	
601 WOC	2,000
602 WOC	3,000
603 WOC	3,500



5

## WAREHOUSING TRUCKS

Bonfiglioli EL powertrains are a perfect match for the most demanding warehousing applications (Class 2 and Class 3). Warehousing trucks require high maneuverability in tight spaces, provided by drives like those in the EL series, with the smallest operating radius in vertical arrangements.



### EL Series

#### Steerable Drives

#### BENEFITS

- Maximum efficiency
- Minimum noise
- Complete solution
- Fully tested

#### FEATURES

- Two-stage helical & bevel gearboxes
- Manual steering and power steering versions
- Optimized gear design for efficiency and noise
- Integrated low-voltage electric motor
- Integrated parking brake
- Complete system with tires


#### TECHNICAL DATA

	Torque (Nm)	Max wheel load (kg)
EL100	450	1,200
EL09	500	1,200
EL96	500	1,500
EL10	900	1,500
EL300	1,100	2,200
EL92	1,500	3,000
EL93	1,500	3,000
EL94	1,500	3,000
EL14	1,900	3,400
EL16	2,500	4,000

6

AUTOMATIC GUIDED VEHICLES

Automatic Guided Vehicles (AGVs) and Autonomous Mobile Robots (AMRs) are a range of driverless transportation robots that can autonomously transport materials through designated pickup and delivery routes within a facility. AGVs and AMRs are easy to integrate into existing processes, simplifying intralogistic flows and increasing automation levels. Due to this, a wide range of sectors is adopting these solutions.



**BlueRoll Basic**  
TQW: the new Wheel-  
Mounted Gearbox Series

- Easy installation
- Heavy load capability
- Great reliability
- Minimized installation space



**BlueRoll Advanced**  
Powerful and Compact  
Servo Gearmotors

- High energy efficiency
- Stiff and precise
- High torque capability
- High flexibility



**BlueRoll Compact**  
Extra Compact Servo  
Gearmotors

- Simplified AGV design
- Suitable for long operation
- Top level configuration

BENEFITS

FEATURES

- Three gearmotor sizes, rated for loads up to: 360kg, 720kg and 1020kg
- Speed up to 2 m/s
- New wheel-mounted precision planetary gearbox: TQW
- Permanent Magnet Synchronous Motors with premium efficiency
- Wide range of feedback systems, including safety encoders
- Compact design, extensively customizable

TECHNICAL DATA


Torque (Nm)	
TQW 060	30
TQW 070	65
TQW 090	155




**2**

## **BAGGAGE CLAIM CONVEYORS**





## 1 TOW TRACTORS



1

## TOW TRACTORS

Bonfiglioli supplies high efficiency, low noise axles with integrated, high performance electric motors and low maintenance braking systems for ground support equipment (Industrial Trucks Class VI, electric type) and other electric material handling machinery used at airports. Bonfiglioli electric axles are fully tested in the factory. All drives guarantee reduced energy consumption, this means longer battery operating times, extended service intervals and a lower total cost of ownership.



## 600F Series

### TractionSystems

#### BENEFITS

- Maximum efficiency
- Minimum noise
- Complete solution
- Fully tested

#### FEATURES

- Dual stage gearbox
- Optimized gear design
- Service brake
- Parking brake
- Integrated, customized mast support
- Integrated AC traction motor protection rating up to IP54
- Integrated, high accuracy, silicon-based KTY temperature sensor
- Integrated, high resolution hall effect speed sensor

#### TECHNICAL DATA

	Torque (Nm)	Max draw bar pull force (kN)
600 D	1,000	5 ... 8
601 F	3,000	9 ... 14
602 F	5,500	15 ... 18
603 F	7,000	20 ... 30



## 600W Series

### Wheel Drives

#### BENEFITS

##### Benefits for OEMs

- Ability to downsize and downspeed combustion engines
- Easy installation: electric solution dimensions comparable to standard hydrostatics
- Higher system reliability: fewer mechanical parts
- Virtually maintenance-free electric motors
- From wheel bolt to electric wire with only one supplier

##### Benefits for end users

- Reduced fuel consumption
- Increased productivity
- Better machine manoeuvrability
- The electric solution is cleaner: lower risk of oil spills

#### FEATURES

- Multi-stage planetary gearbox
- Rotating housing output
- Validated in the field


- Permanent magnet motors
- Suitable for batteries 400 - 700Vdc
- Liquid cooled
- Aluminium or cast iron housing
- Protection rating >IP54

#### TECHNICAL DATA

	Torque (Nm)
605 W..V..	10,000
606 W..V	17,000
607 W..V	22,000
609 W..V	30,000
610 W..V	36,000
610 X	40,000
611 W..V	45,000
613 W..V	60,000

	Rated power (kW)
BPM 240-L1	20
BPM 240-L2	35
BPM 240-L3	65
BPM 300-L1	100
BPM 300-L2	150




**2****BAGGAGE CLAIM CONVEYORS**

Our solution provides a complete drive transmission package, from the gearbox to the inverter.

For baggage claim conveyors, our range is based on bevel gearboxes, always in combination with our IE3 electric motor and decentralized inverters.

In this kind of applications where high efficiency is required, we can offer our synchronous reluctance motor with IE4 efficiency.



**A Series**  
Helical Bevel Gearbox



**BSR Series**  
Synchronous Reluctance  
Motors



**DGM-MPM Series**  
Decentralized Inverter

## BENEFITS

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- No need for feedback device for positioning
- One or two sizes less compared to standard asynchronous motors
- Minimal maintenance required
- Sustainable solution
- Excellent performance and dynamics


- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, Sercos3, Ethercat
- Motor brake management

## FEATURES

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- Motor efficiency class up to IE4
- Power range: up to 18,5 kW
- Wide range of options


- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors



**1**

**POSTAL HANDLING  
SOLUTIONS**





1

## POSTAL HANDLING SOLUTIONS

Our solution provides a complete drive transmission package, from the gearbox to the inverter. For baggage claim conveyors, our range is based on bevel gearboxes, always in combination with our IE3 electric motor and decentralized inverters. In this kind of applications where high efficiency is required, we can offer our synchronous reluctance motor with IE4 efficiency.



### A Series

#### Helical Bevel Gearbox



### BSR Series

#### Synchronous Reluctance Motors



### DGM-MPM Series

#### Decentralized Inverter

#### BENEFITS

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- No need for feedback device for positioning
- One or two sizes less compared to standard asynchronous motors
- Minimal maintenance required
- Sustainable solution
- Excellent performance and dynamics


- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, Sercos3, Ethercat
- Motor brake management

#### FEATURES

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- Motor efficiency class up to IE4
- Power range: up to 18,5 kW
- Wide range of options

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors



**A Series**  
Helical Bevel Gearbox



**EVOX BXN Series**  
Asynchronous Induction  
Phase Motor



**DGM-MPM Series**  
Decentralized Inverter

## BENEFITS

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- One motor for different markets
- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- Modular electric motor


- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, Sercos3, Ethercat
- Motor brake management

## FEATURES

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- IE3 Efficiency level
- Power range up to 7,5kW
- Built in DC brake
- Thermal protection
- Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- Degree of protection up to IP56

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors





## ACCESS PLATFORMS

### Wheel drives

With a reliable series of products made for access platforms, Bonfiglioli gives machine builders the best possible choice of drive systems. The compact, silent, highly efficient and maintenance-free integrated drive motors are excellent with access platforms for indoor and outdoor use.

### Slew drives

Bonfiglioli slew drives are the most effective solution for both hydraulic and electric access platforms.



**600WE Series**  
Wheel Drives



**700T Series**  
Slew Drives

## BENEFITS

- Compact dimensions
- Low noise
- High efficiency
- Maintenance-free motors

- Rugged construction
- Flange mounted
- High torque capacity

## FEATURES

- Two- or three-stage planetary drive with reduction ratios of up to 1:145
- Optimized gear design for maximum efficiency and minimum noise
- Integrated, low voltage, 3-phase induction motor
- Integrated, high accuracy, temperature sensor
- High resolution, hall-effect speed sensor
- Motor protection rating up to IP67


- Driven by hydraulic or electric motor
- Output shaft with pinion
- Compact design
- Wide range of pinions
- Including brake, wet disc or electromagnetic

## TECHNICAL DATA

	Torque (Nm)
600 WL	500
600 WE	900
601 RE	3,000
602 RE	3,500
602 WE	4,500
604 WE	7,000
605 WE	10,000


	Torque (Nm)
700 T F	1,200
701 T F	2,400
703 T F	3,500
705 T F	6,500





**1 ROLLER CONVEYORS**

**3 CHAIN CONVEYORS**



**2 BELT CONVEYORS**

**4 SPIRAL CONVEYORS**

1

**ROLLER CONVEYORS**

Bonfiglioli provides a complete drive transmission package, from the gearbox to the decentralized inverter. In roller conveyors, our solution is based on coaxial gearbox or orthogonal gearboxes with bevel gear, always combined with our compact IE3 electric motor and the IP65 DGM-MPM inverter.



**EVOX CP Series**  
Helical In-Line Gearbox



**EVOX MXN Series**  
Asynchronous Motors



**DGM-MPM Series**  
Decentralized Inverter

**BENEFITS**

- Compact design for high torque density and maximum power
- Low warehousing cost, thanks to the distinctive universal mounting
- Safe operation in potentially explosive atmospheres
- Overall dimension in line with market standards
- Easy-Clean shape

**FEATURES**

- Lifetime lubricated
- Unique oil level for all mounting position
- Stainless steel shaft and plug option
- Reinforced bearings option

- One motor for different markets
- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- Modular electric motor

- IE3 Efficiency level
- Power range up to 7,5kW
- Built in DC brake
- Thermal protection
- Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- Degree of protection up to IP56

- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, SerCos3, Ethercat
- Motor brake management

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors

## 2

**BELT CONVEYORS**

Bonfiglioli provides a complete drive transmission package, from the gearbox to the decentralized inverter. In roller conveyors, our solution is based on coaxial gearbox or orthogonal gearboxes with bevel gear, always combined with our compact IE3 electric motor and the IP65 DGM-MPM inverter. In applications where high efficiency is required, we can offer our synchronous reluctance motor with IE4 efficiency.

**A Series****Helical Bevel Gearbox****BSR Series****Synchronous Reluctance Motors****DGM-MPM Series****Decentralized Inverter****BENEFITS**

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- No need for feedback device for positioning
- One or two sizes less compared to standard asynchronous motors
- Minimal maintenance required
- Sustainable solution
- Excellent performance and dynamics


- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, Sercos3, Ethercat
- Motor brake management

**FEATURES**

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- Motor efficiency class up to IE4
- Power range: up to 18,5 kW
- Wide range of options

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors



3

## CHAIN CONVEYORS

Chain conveyors are used in many industries to transport all kinds of material: metal, mining, coal, chemical, food, ports and others.

Bonfiglioli knows how to size the correct solution, taking loads and all other specific needs into account.

Our range runs from harsh and explosive atmospheres to food contact environments, offering a wide range of gearmotors and inverters.



### A Series

Helical Bevel Gearbox



### MX Series

Asynchronous Motors



### Agile Series

Smart inverter

#### BENEFITS

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- Reliable, balanced and robust
- Compliant with the most of the efficiency standards

- Smooth start
- Variable "cut position" for smaller particles
- Energy saving function: current consumption redirection during start phase

#### FEATURES

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- Motor efficiency class IE3
- Power range: up to 18,5 kW
- Built in DC brakes
- Wide range of options
- Degree of protection up to IP56

- Series optionally extendable for field bus communication
- Sensorless control of synchronous and asynchronous motors
- Modbus and Systembus onboard
- DC link connection
- Integrated brake chopper
- Power failure control
- Programmable PI Controller
- Integrated VPLC
- Master/slave function with electronic gear
- Integrated safe torque off STO (SIL 2 / PL d) function
- Energy Saving function
- Intelligent current limits
- Output frequency 0...599 Hz, higher frequencies on request
- Diagnosis and setup via integrated keypad and integrated Service interface for PC connection



4

## SPIRAL CONVEYORS

Our solution consists of a complete drive transmission package, from the gearbox to the decentralized inverter. For spiral conveyors, our range is based on bevel gearboxes, always in combination with our IE3 electric motor and our internal panel inverters.

In applications where high efficiency is required, we can offer our synchronous reluctance motor with IE4 efficiency



**A Series**  
Helical Bevel Gearbox



**EVOX BXN Series**  
Asynchronous Induction  
Phase Motor



**DGM-MPM Series**  
Decentralized Inverter

### BENEFITS

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- One motor for different markets
- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- Modular electric motor


- Wide range of kW from 0.55 to 30kW
- Ethernet stack to manage with 1 product code: Profinet, Ethernet IP, SerCos3, Ethercat
- Motor brake management

### FEATURES


- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option

- IE3 Efficiency level
- Power range up to 7,5kW
- Built in DC brake
- Thermal protection
- Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- Degree of protection up to IP56

- IP65 Inverter
- Reduction of electrical wiring
- Management of asynchronous induction, synchronous reluctance and permanent magnet motors



## 1 OVERHEAD CRANES




**2 JIB CRANES**

1

## OVERHEAD CRANES

Components in overhead indoor cranes have strict space-optimization requirements. Thanks to the mounting flexibility and compactness of our products, our customers will always find the solution that best meets their space requirements. To further increase efficiency, Bonfiglioli can also provide regenerative units to save the energy generated when lowering loads.



### HOIST DRIVE



#### HDP Series

Heavy Duty Geared Motor  
(Helical-Parallel)

- Robustness
- Reliability in harsh working conditions and wide range of temperature
- Space effective U-shape arrangement
- High overhung load capacity
- Tailored service and warranty plans
- Pre-sales and product definition support according to the material handling and lifting standards

### CROSS TRAVEL DRIVE



#### F Series

Shaft Mounted Gearbox

- High efficiency
- Reliability and robustness
- Compactness
- Low maintenance

### LONG TRAVEL DRIVE



#### 300M Series

Planetary Gearbox

- Robustness
- Reliability in harsh working conditions & wide range of temperature
- High torque density
- Modularity
- High overhung load capacity



## BENEFITS

## FEATURES

- Double input and output shaft
- Wide range of ratios
- Transmissible torque up to 210.000 Nm
- IEC or NEMA motor flange
- Safety solutions according to the customer requirements
- Wide range of motion control solutions
- Availability of different grade of protection

- Shaft mounted solution with different output configurations
- Housing integrated torque arm design and anti-vibration kits
- Wide range of ratios
- Availability of different grade of protection
- Compact or IEC/NEMA flanged motor adaptors

- Widest range of ratios
- Easy to fit output pinion
- IEC or NEMA motor flange
- Wide range of motion control solutions
- Availability of different grades of protection



## MOTION CONTROL



### **BX Series**

Asynchronous Induction Phase Motor

#### BENEFITS

- Reliable, balanced and robust
- Compliant with the most of the efficiency standards

#### FEATURES

- Power range: up to 355 kW
- Built in DC brakes
- Wide range of options
- Degree of protection up to IP56



### **Active Cube & AEC Series**

Premium Frequency Inverters and Regenerative Units

- Drive control highly customizable
- Great operational safety
- Higher productivity
- Increased service life of the crane
- Easy installation
- Lower total cost of ownership

- Power Range: 0.37...1200 kW
- Open & closed loop field oriented control
- Master/Slave control and communication protocols
- PLC with integrated functionalities
- Coated boards
- STO Functional Safety
- Multi drive synchronisation and torque control
- Advanced brake control
- Brake chopper
- DC link connection for energy sharing
- Energy recovery braking (recovered electricity can be sent back to the grid)
- Energy consumption optimization (AEC/B)
- Mains unit (AEC/S)




## 2

**JIB CRANES**

Bonfiglioli solutions for horizontal and low handling applications are cost-effective, compact and reliable.

Our products are designed to meet and exceed the demanding requirements for these cranes: from the high radial loads, of the slew drive to the precision necessary in the hoisting speed control and finally the dynamics of the cross travel drive.

**SLEW DRIVE****TRAVEL DRIVE & HOIST DRIVE****300M Series****Planetary Gearbox****A Series****Helical Bevel Gearbox****BENEFITS**



- Robustness
- Reliability in harsh working conditions and wide range of temperature
- High torque density
- Modularity
- High overhung load capacity

**FEATURES**


- Widest range of ratios
- Easy to fit output pinion
- IEC or NEMA motor flange
- Wide range of motion control solutions
- Availability of different grades of protection

- Reduced installation space
- Wide output speed range
- High stiffness for dynamic application
- Safe operation in potentially explosive atmospheres

- Shaft mounting with hollow shaft and torque arm or shrink disk
- Reinforced bearings available as an option
- Reduced backlash as an option



**MOTION CONTROL**



## **BX Series**

Asynchronous Induction Phase Motor

### **BENEFITS**

- Reliable, balanced and robust
- Compliant with the most of the efficiency standards

### **FEATURES**

- Power range: up to 355 kW
- Built in DC brakes
- Wide range of options
- Degree of protection up to IP56



## **Active Cube & AEC Series**

Premium Frequency Inverters and Regenerative Units

- Drive control highly customizable
- Great operational safety
- Higher productivity
- Increased service life of the crane
- Easy installation
- Lower total cost of ownership

- Power Range: 0.37...1200 kW
- Open & closed loop field oriented control
- Master/Slave control and communication protocols
- PLC with integrated functionalities
- Coated boards
- STO Functional Safety
- Multi drive synchronisation and torque control
- Advanced brake control
- Brake chopper
- DC link connection for energy sharing
- Energy recovery braking (recovered electricity can be sent back to the grid)
- Energy consumption optimization (AEC/B)
- Mains unit (AEC/S)

# OUR GLOBAL PRESENCE

Thanks to an international network of closely interconnected commercial and production sites, we can guarantee the same high standards of Bonfiglioli quality anywhere at any given time. We know that our direct presence in local markets is the key to long-lasting success, so our family includes 18 production sites, 23 commercial sites and more than 550 distributors around the world.

Our organization is always close by, offering complete and efficient solutions and supporting our customers with dedicated services, co-engineering and after-sales assistance.

  
**18**

PRODUCTION SITES

  
**23**

COMMERCIAL SITES

  
**80**

COUNTRIES

  
**550**

DISTRIBUTORS

  
**~4,700**

PEOPLE

## AUSTRALIA

**Bonfiglioli Transmission (Aust.) Pty Ltd**  
2, Cox Place Glendenning NSW 2761  
Locked Bag 1000 Plumpton NSW 2761  
Tel. +61 2 8811 8000



## BRAZIL

**Bonfiglioli Redutores do Brasil Ltda**  
Av. Osvaldo Fregonezi, 171, cjs 31 e 44  
CEP 09851-015 - São Bernardo do Campo  
São Paulo  
Tel. +55 11 4344 2322



## CHINA

**Bonfiglioli Drives (Shanghai) Co. Ltd.**  
#68, Hui-Lian Road, QingPu District,  
201707 Shanghai  
Tel. +86 21 6700 2000



### Industry & Automation Solutions

#568, Longpan Road, Jiading District,  
201707 Shanghai



### Bonfiglioli Trading (Shanghai) Co. Ltd.

Room 423, 4<sup>th</sup> Floor, #38, Yinglun Road,  
China (Shanghai) Pilot Free Trade Zone,  
Shanghai



### Selcom Electronics (Shanghai) Co., Ltd

A7, No.5399, Waiqingsong Road, QingPu  
District,  
201707 Shanghai  
Tel. +86 21 6010 8100



A24, No.5399, Waiqingsong Road, QingPu  
District,  
201707 Shanghai  
Tel. +86 21 6010 8100



## FRANCE

### Bonfiglioli Transmission S.A.S.

14 Rue Eugène Pottier  
Zone Industrielle de Moimont II  
95670 Marly la Ville  
Tel. +33 1 34474510



## GERMANY

### Bonfiglioli Deutschland GmbH

Sperberweg 12 - 41468 Neuss  
Tel. +49 0 2131 2988 0



### Bonfiglioli Vectron GmbH

Europark Fichtenhain B6 - 47807 Krefeld  
Tel. +49 0 2151 8396 0



### O&K Antriebstechnik GmbH

Ruhrallee 8-12 - 45525 Hattingen  
Tel. +49 0 2324 2050 1



## INDIA

### Bonfiglioli Transmission Pvt. Ltd.

#### Mobility & Wind Industries

AC 7 - 11, SIDCO Industrial Estate,  
Thirumudivakkam  
Kancheepuram - 600132 - Tamil Nadu  
Tel. +91 844 844 8649



#### Industry & Automation Solutions

Survey No. 528/1, Perambakkam High Road  
Mannur Village, Sriperumbudur Taluk  
Kancheepuram - 602 105 - Tamil Nadu  
Tel. +91 844 844 8649



#### Industry & Automation Solutions

Plot No E-5/2, Badhalwadi  
Talegaon MIDC Phase II,  
Pune - 410 507 - Maharashtra  
Tel. +91 844 844 8649



### Bonfiglioli Drive Systems Pvt. Ltd.

#### Industry & Automation Solutions

No 50, Pappambakkam Road,  
Mannur Village, Sriperumbudur Taluk,  
Kancheepuram - 602105 - Tamil Nadu  
Tel. +91 844 844 8649



## ITALY

### Bonfiglioli Riduttori S.p.A.

#### Industry & Automation Solutions

Via Cav. Clementino Bonfiglioli, 1  
40012 Calderara di Reno  
Tel. +39 051 6473111



#### Industry & Automation Solutions

Via Sandro Pertini, lotto 7b  
20080 Carpiano  
Tel. +39 02985081



#### Industry & Automation Solutions

Via Saliceto, 15 - 40010 Bentivoglio



#### Mobility & Wind Industries

Via Enrico Mattei, 12 Z.I. Villa Selva  
47122 Forlì  
Tel. +39 0543 789111



#### Industry & Automation Solutions

Via Unione, 49 - 38068 Rovereto  
Tel. +39 0464 443435/36



### Selcom Group S.p.A.

Via Achille Grandi, 5  
40013 Castel Maggiore (BO)  
Tel. +39 051 6387111



Via Marino Serenari, 18  
40013 Castel Maggiore (BO)  
Tel. +39 051 6387111



Via Cadriano, 19  
40057 Cadriano (BO)  
Tel. +39 051 6387111



## NEW ZEALAND

### Bonfiglioli Transmission (Aust.) Pty Ltd

88 Hastie Avenue, Mangere Bridge,  
2022 Auckland  
PO Box 11795, Ellerslie  
Tel. +64 09 634 6441



## SINGAPORE

### Bonfiglioli South East Asia Pte Ltd

8 Boon Lay Way, #04-09,  
8@ Tadehub 21, Singapore 609964  
Tel. +65 6268 9869



## SLOVAKIA

### Bonfiglioli Slovakia s.r.o.

Robotnícka 2129  
Považská Bystrica, 01701 Slovakia  
Tel. +421 42 430 75 64



## SOUTH AFRICA

### Bonfiglioli South Africa Pty Ltd.

55 Galaxy Avenue, Linbro Business Park,  
Sandton, Johannesburg  
2090 South Africa  
Tel. +27 11 608 2030



## SPAIN

### Tecnotrans Bonfiglioli S.A

Avinguda del Ferrocarril, n° 14,  
Polígono Industrial Can Estapé  
08755 Castellbisbal - Barcelona  
Tel. +34 93 447 84 00



## TURKEY

### Bonfiglioli Türkiye Jsc

Atatürk Organize Sanayi Bölgesi,  
10007 Sk. No. 30  
Atatürk Organize Sanayi Bölgesi,  
35620 Çiğli - İzmir  
Tel. +90 0 232 328 22 77



## UNITED KINGDOM

### Bonfiglioli UK Ltd.

Unit 1 Calver Quay, Calver Road, Winwick  
Warrington, Cheshire - WA2 8UD  
Tel. +44 1925 852667



## USA

### Bonfiglioli USA Inc.

3541 Hargrave Drive  
Hebron, Kentucky 41048  
Tel. +1 859 334 3333



## VIETNAM

### Bonfiglioli Vietnam Co. Ltd.

Lot C-9D-CN, My Phuoc 3 Industrial Park,  
Thoi Hoa ward, Ben Cat city, Binh Duong  
province, Vietnam  
Tel. +84 274 3577411





We have a relentless commitment to excellence, innovation & sustainability. Our team creates, distributes and services world-class power transmission & drive solutions to keep the world in motion.

#### HEADQUARTERS

##### **Bonfiglioli S.p.A**

Via Cav. Clementino Bonfiglioli, 1  
40012 Calderara di Reno - Bologna (Italy)  
Tel. +39 051 6473111

