




INNOVATING PACKAGING TRENDS

ALLIGATOR[®]
A u t o m a t i o n s



OUR EXPERTISE

**AUTOMATIC BAGGING SOLUTIONS | SECONDARY PACKAGING SOLUTIONS
PALLETIZING SOLUTIONS | INTRALOGISTIC CONVEYOR SOLUTIONS
AUTOMATIC TRUCK LOADING SOLUTIONS**

About Us

Alligator is an engineering company supplying and commissioning turnkey project solutions for various end of line packaging needs in the market. We empower the best technology practices in the industry to drive success through innovation.

At Alligator Automations, our capability lies in our diverse in-house engineering teams, specialising in control, software, design, application, and project management. Over the past 15+ years, we've devoted ourselves to innovation and research, making a mark in end-of-line packaging automation and serving various industries with our solutions.

Our Vision

Bring pride to our nation by building innovative packaging technology for the globe



Automatic Bagging Solutions

Open-Mouth Filling Systems

SPECIFICATIONS

Filling/Weight	10-50 kg
Suitable for	Seeds, Grains & Pulses Powders, Fertilizers & Granules
Bagging Speeds	Upto 20 bags/min (depends on the product)
Type of Feeder	Belt, Screw, Vibratory & Gravity
Bag Type	Polywoven bag, LDPE, HDPE, Paper bag



FIBC Jumbo Bags

SPECIFICATIONS

Suitable for	Granular, flake, powder, pellet
Bagging Speed	Upto 40 bags/hour
Weight Range	500-2000 Kg
Types of Bags	Bulk bags
Bag Material	Woven/polypropylene



Secondary Packaging Solutions



Bag in Bag

SPECIFICATIONS


Pouch Weight	0.2Kg – 10Kgs
Secondary Bag	10-50Kg
Bag Width	100 to 535mm (3.9 to 21")
Machine Speed	Infeed - 40-150 pouches/min Outfeed - 6-12 bags/min
Material of Bags	PE/HDPE/paper/woven bag
Material Type	Grain, powder, paste, and so on



Case Packaging Solutions

SPECIFICATIONS

Machine Speed	10-20 cartons per minute
Type of Carton	3/5 ply
Product Type	Pouches, bottles, cases, cups, cones, candies, bars, glass bottles etc.
Packer Type	Robotic pick and place, gantry pick and place, drop-down type, pusher type
Case size (LxWxH)	Minimum: 5.5 x 5.5 x 6 inches Maximum: 21 x 16 x 22 inches *other size ranges are available



Case Packaging Solutions

Wrap Around Case Packer

SPECIFICATIONS

Speed	1-8 cycles/min
Payload	60 Kg
Air Consumption	3-5 CFM at 5 bar
Electricals	4kw, 3ph, 440V, 50Hz
Product Grippers	Customized to suit product
Machine Weight	Approx 1000Kg



Shrink Wrapper System

SPECIFICATIONS

Speed	1-18 Pack/min
Cutter/ Tunnel Size	700mm
Air Consumption	3-5 CFM at 5 bar
Electricals	3-16kw, 3ph, 440V, 50Hz
Max Current	10A-35A
Machine Weight	Approx 500Kg



Palletizing Solutions

Robotic Palletizing

SPECIFICATIONS

Payload	5Kg – 100Kg (Customizable)
Solutions	Pallet on conveyors & pallet on ground
Layout Type	Customizable
Product Handled	Bags, cases, bottles, shrink packs, paint buckets, drums, totes, etc
Type	1 in/1 out, 2 in/2 out, 3 in/3 out or customize



Gantry Palletizing

SPECIFICATIONS

Payload	5Kg – 500Kg
Speed	Customizable
Layout type	Customizable
Product Handled	Bags, cases, bottles, shrink packs, paint buckets, drums, totes, etc
Type	1 in/1 out, 2 in/2 out



Palletizing Solutions



High-Level Palletizing

SPECIFICATIONS

Payload	5Kg – 200kg
Speed	40-50 cases/min, bags – 40 bags/min
Product Handled	Bags, cases, shrink packs, etc.
Layout Type	Customizable (with limitations)
Type	1 in/1 out




Low-Level Palletizing

SPECIFICATIONS

Payload	5Kg – 200kg
Speed	10-20 cases/min, bags – 20 bags/min
Product Handled	Bags, cases, shrink packs, etc
Layout Type	Customizable (with limitations)
Type	1 in/1 out





ALLIGATOR
ALLIGATOR

Automatic Truck
Loading System

Robotic
Palletizing

Bagging
Machine

RGV's


Pallet Lift 2

Overhead Pallet
Conveyor Bridge

ALLIGATOR[®]

A u t o m a t i o n s

END OF LINE PACKAGING SOLUTIONS



Palletizing Solutions

Hybrid Palletizing

SPECIFICATIONS

Payload	5Kg – 200Kg
Speed	10-20 cases/min, bags – 20 bags/min
Solution	Robot + High-level
Product Handled	Bags, cases, shrink packs, etc.
Type	1 in/1 out



PRODUCTS



BAG PALLET



BOX PALLET




DRUM PALLET



BUCKET PALLET

Intralogistic Conveyor Solutions



Tyre Handling Solutions

SPECIFICATIONS

Conveyor Type	Belt, Roller
Type of Tyres	2 Wheeler, PCR & TBR Tyres
Load Capacity	200 Kg (Customizable)
Speed (m/min)	10-45m/min
Belt Material	Rubber, PVC, Plastic
Sorting System	Yes



Pallet Handling Solutions

SPECIFICATIONS

Load Capacity	1000 - 2000 kg
Speed	Up to 25m/min
Pallet Sizes	1200 X 1000mm (Custom sizes can also be handled)
Conveyor Types	Chain Conveyors, Roller Conveyor, Belt Conveyor, Accumulating Roller Chain Conveyors



Intralogistic Conveyor Solutions

Product Handling Solutions

SPECIFICATIONS

Weight Capacity	2 kg to 100 kg (Customizable)
Material	Steel, Aluminum, Conveyor belt
Throughput	Upto 6000 cases/bag/crate per hr
Load Capacity	As per capacity requirements
Product Compatibility	Corrugated cardboard boxes, Woven polypropylene bags, Plastic crates



PRODUCTS




FBR CONVEYOR



SORTER CONVEYOR



TURN TABLE CONVEYOR



MODULAR BELT CONVEYOR



CROSS TRANSFER CONVEYOR



PALLET DIVERTER



POP UP CONVEYOR



POWER MOLLER CONVEYOR

Automatic Truck Loading System




SPECIFICATIONS


Loading Time	2-3 Trucks per hour
Load platform size in Length	5 – 10 Mtr (customizable)
Load platform size in Width	2–2.5 Mtr (customizable)
Max Load Weight	10 T – 40 T
Operation Type	Semi-automatic Fully automatic
Load Plate Flexibility	Automatic height & slope adjustment inside truck surface




Our Services



Service Contracts/AMC



Spare Parts



Upgrades



Training & Learning

Our Infrastructure

Alligator Automations has cutting-edge infrastructural facilities that enable it to manufacture the provided product line to exact specifications as desired by customers.

The manufacturing facility is fully furnished with top-of-the-line modern machinery, a computerized design unit, and a conference room for organizing business meetings and technology-based conferences.


We have a dedicated team of specialists with extensive experience who help us provide high-quality solutions. Our R&D team continues to be connected with the global market. Our equipment is constantly updated with cutting-edge innovations.

Our professionals are experienced in all fields and are capable of supplying parts, service, installation, and training to Indian and International clients as well as full support for our equipment.


We have a 6 Acres corporate office and manufacturing unit in Chakan, Pune, Maharashtra, India.



Our Global Presence



Industries Served



Group Companies



Our Customers



Alligator Automations India Pvt. Ltd.

Plot C-5, 6, 11, 12, Gat No. 235/2, Santosh Nagar,
Next to Tata Motors Warehouse, Waki, Tal-Khed,
Pune - 410501, Maharashtra, India
Tel. (+91) 9130687258, 9021902489
sales@alligators.in



Alligator Automations Australia Pty Ltd

17 Cirrus street, Schofields
New South Wales 2762, Australia
Tel. (+61) 428724441
sales@alligatorautomations.com.au



Alligator Automations Inc.

12 Wolf Creek Drive, Suite 100,
Swansea IL 62226, USA
Tel. (+1) 773 337-4774
sales@alligators.us



Alligator Africa Pvt. Limited

P.O. Box 12167, Dar Es Salaam,
Tanzania, East Africa
Tel. (+255) 754376123
salesafrica@alligators.in

