

STAY CONNECTED

# UHF CB RADIOS + AUTOMOTIVE

RANGE



**oricom.**  
100% AUSSIE OWNED



oricom

STAY CONNECTED  
WHEREVER YOU GO

Oricom is an expert in communication technologies and our drive is to keep people connected on and off the road. Our range of UHF CB radios and accessories are recognised in the market as high quality products priced for everyday use. They include;

- ✓ Premium DTX Series
- ✓ Fixed Mount UHF CB Radios
- ✓ Handheld UHF CB Radios
- ✓ Tyre Pressure Monitoring Systems
- ✓ Automotive Accessories
- ✓ Antennas and Mounting Brackets

With local design expertise, all of our products are specifically engineered for the diverse and unique conditions of Australia and New Zealand.

# DUAL RECEIVE

## RECEIVE TWO CHANNELS AT THE SAME TIME

The DTX4200XP uses Oricom's unique **DUAL RECEIVE** feature. It's just like having two radios in one.

This allows you to receive and listen to two different channels simultaneously. So if your talking to your mates on channel 64 and you are monitoring the highway channel on 40, you will be able to receive both transmissions at the same time, so you don't miss an important conversation.



**MAIN CHANNEL - Convoy Channel 64**



**SUB CHANNEL - Highway Channel 40**



Hear both channels at the same time so you don't miss an important transmission.

Also available in value packs:



**OUTBACK VALUE PACK**

DTX4200XP + ANU913 ANTENNA



**4X4 ULTIMATE TOURING PACK**

DTX4200XP + ANU1100 ALL TERRAIN ANTENNA

# DTX4200XP DUAL RECEIVE CONTROLLER SPEAKER MICROPHONE



**5** YEAR WARRANTY

96 LCD BACKLIT SHADES

IP54 DUST AND SPLASH RESISTANT

DUAL RECEIVE

Now Includes Magnetic Microphone Mount

**Great radio for touring the country!!**

"Loving this unit! The install is super easy and it's great how the head unit can be hidden behind the dash if needed.

The handpiece, controls and microphone are easy to use and the sound quality is loud and clear.

Having the dual receive function makes it great for travelling in convoy and still listening to other road users as well."

Justin & Bec - Trip In A Van



Also available with 12/24V Operation:  
**DTX4200XDV**

12/24V OPERATION



**Oricom's DTX4200XP is like two radios in one, allowing you to 'listen and receive two channels at the same time', so that you can hear everything that's going on.**



### KEY FEATURES

- Ergonomic, professional grade controller speaker microphone
- IP54 Dust and splash resistant
- Loud and clear audio with a speaker in the microphone and the transceiver
- Easy to see extra large backlit display
- Intuitive jog wheel to access primary functions
- Heavy duty die-cast metal chassis
- 3 Memory groups of 16 channels per group
- Large 96 multi-colour backlit display
- Back light brightness (5 pre-set levels plus auto)
- Fast scanning 80 channels within 3 seconds
- Duplex
- 38 CTCSS & 104 DCS codes
- Transmit power indicator
- Slide-in mounting bracket
- Auto power off (off/1h/2h/4h)
- 3.5mm External jack (for optional external speaker)
- Includes mounting hardware
- Includes 2 microphone extension cables, one for use with pass through connector (not supplied)
- Requires UHF CB Antenna (not supplied)
- 5 Year warranty

# DTX4000 DUAL RECEIVE 5 WATT UHF CB RADIO



**This Australian first innovation delivers a better UHF CB radio communication experience with a stack of features all in one unit.**

Optional Remote Head Mounting Kit available (RHK4000)



**5** YEAR WARRANTY

**3** sec FAST SCAN

IP54 DUST AND SPLASH RESISTANT

12/24V AUTO SWITCHING

## KEY FEATURES

- Dual receive
- IP54 Dust and splash resistant
- 12/24 Volt operation
- 3 Memory groups of 16 channels per group (PC programmable)
- Removable front panel
- Radio can be mounted with the speaker facing upwards or downwards
- 96 Multi-colour backlight display
- Back light brightness (5 pre-set levels plus auto)
- Fast scanning 80 channels within 3 seconds
- Rotary volume, channel and squelch control
- Duplex, 38 CTCSS & 104 DCS codes
- Heavy duty diecast metal chassis
- Slide-in mounting bracket
- Auto power off (off/1h/2h/4h)
- 3.5mm External jack (for optional external speaker or PA adaptor)
- Designed, engineered and produced in Korea
- Requires antenna (not supplied)
- 5 Year warranty



# DTX4300

# MICRO SIZE

## 5 WATT UHF CB RADIO



**Oricom's DTX4300 ultra compact micro UHF CB is one of the smallest radios on the Australian market ideal for modern vehicles where space is limited.**

**5** YEAR WARRANTY

96 LCD BACKLIT SHADES

IP54 DUST AND SPLASH RESISTANT

### KEY FEATURES

- Ultra compact micro size
- 96 Colour LCD backlit display
- Flip LCD function
- Over voltage alert function
- Heavy duty microphone
- 3 Memory groups
- Smart fast scanning (priority/ group memory/group tone scan)
- Back light brightness (4 pre-set levels)
- Rotary volume, channel and squelch control
- Duplex, 38 CTCSS & 104 DCS codes
- Diecast metal chassis
- Auto power off (off/1h/2h/4h)
- 3.5mm External jack (for optional external speaker)
- Designed, engineered and produced in Korea
- Requires antenna (not supplied)
- 5 Year warranty



**Also available in pack: DTX4300VP**  
Pack includes the DTX4300 and ANU220 6.5dBi Antenna.

# UHF182X SMART DUAL ANTENNA SYSTEM

5 WATT UHF  
CB RADIO



Get the best from two antennas without the need for an additional switch. Whether you're in the high country, in rough terrain or on the flat, Oricom's Smart Dual Antenna Technology ensures you stay in touch, with all the features you'd expect from a 5 watt UHF CB radio.

## KEY FEATURES

- Integrated (DAS) Dual Antenna System (antennas not included)
- Heavy duty controller speaker microphone
- 80 channels\*
- Open/priority scanning
- 3 Colour backlit display (2 levels of brightness)
- Duplex
- 5 Year warranty



3 COLOUR  
BACKLIT  
DISPLAY

DUAL  
ANTENNA  
SYSTEM





# UHF390P CONTROLLER SPEAKER MICROPHONE

MICRO 5 WATT  
UHF CB RADIO



**3** COLOUR  
BACKLIT  
DISPLAY



DUAL  
SPEAKER

The UHF390P removes the need for a head unit, with all of the radio's controls in the microphone. The integrated speaker in the controller mic works with the transceiver speaker to deliver exceptional sound quality and volume. Perfect for modern vehicles where space is limited - simply hide the micro transceiver under the dash or driver's seat.

## KEY FEATURES

- Heavy duty microphone with channel control
- Rugged micro transceiver
- 38 CTCSS and 104 DCS codes
- Duplex
- Open/instant/priority scan
- Large easy-to-read LCD display
- Includes 2 Microphone extension cables, one for use with pass through connector (not supplied)
- 5 Year warranty

Also available in value packs:



### UHF390TP

Pack includes the UHF390 and ANU230 6.5dBi Antenna.



### UHF3904WP

Pack includes the UHF390 and ANU240 6.5dBi Antenna.

# UHF310 MICRO SIZE 5 WATT UHF CB RADIO

This ultra compact micro UHF CB radio includes a flip LCD function and is the perfect install in modern vehicles or plant equipment, where space is limited. With a full 5 watts of power and the standard 80 channels, it'll keep you connected.

## KEY FEATURES

- Ultra compact micro size
- Flip LCD function
- 7 Colour backlit display
- 38 CTCSS and 104 DCS codes
- Duplex
- Open/priority scan
- Rotary channel, squelch and volume control
- Dimensions of transceiver:  
23.5 (h) x 100 (w) x 94 (d) mm
- 5 Year warranty



# UHF310PNP PLUG N PLAY MICRO UHF CB RADIO

This ultra compact micro UHF CB radio pack is the perfect portable communication kit. Including everything you need for communications on the go, the UHF310 includes a flip LCD function for the ideal mounting position.

## KEY FEATURES

- Quick and easy plug n play installation
- Ultra compact micro size
- Automatic Level Control (ALC) for constant audio levels
- Heavy duty microphone with channel control
- 7 Colour backlit display
- Open/Priority scan
- 5 Year warranty



UHF400R  
**DIN SIZE**  
 MICRO 5 WATT  
 UHF CB RADIO



**BUILT FOR  
 AUSTRALIAN  
 TRANSPORT**



**Heavy duty DIN size UHF CB radio featuring 12/24V auto switching, which makes it quick and easy to install in any vehicle regardless of power supply. The external heat sink ensures you maintain the full output power for optimal range.**

#### KEY FEATURES

- Built-in dynamic front speaker
- 12V/24V Auto switching
- Rotary channel, squelch and volume control
- Automatic level control (ALC) for consistent audio output
- 200 User programmable receive only channels
- 5 Digit Selcall ID with alpha display
- 38 CTCSS and 104 DCS codes
- Duplex
- Open/instant/priority scan
- Priority channel
- Rear mic jack (optional EXT400 extension cable required)
- 5 Year warranty



**12/24V AUTO  
 SWITCHING**

# UHF028 COMPACT 5 WATT UHF CB RADIO

COMPACT  
SIZE



Rugged construction and compact in size, the UHF028 is the ideal radio to mount in your 4WD, tractor or construction equipment to ensure you stay in touch on or off road.

## KEY FEATURES

- Heavy duty microphone plug
- 38 CTCSS
- Duplex
- Open/instant/repeater and priority scanning
- Rotary, squelch & volume control
- 3.5mm External speaker jack
- 5 Year warranty




REPEATER  
SCAN



HEAVY DUTY  
MICROPHONE  
PLUG

# AUSTRALIAN UHF CB RADIO CHANNELS



Essential UHF CB Radio Channels for effective communication on and off road.

Stay connected, wherever you go.



# DTX600 5 WATT WATERPROOF UHF CB RADIO



WATER  
& DUST  
PROOF  
IP67

Featuring one of the largest backlit LCD displays in the Australian handheld radio market, the DTX600 is super compact and fits comfortably in the palm of your hand.

Water and dust proof rated to IP67, this radio will go wherever you need it to, ensuring reliable communication no matter what the situation.



Colours available:

Black: DTX600

Pink: DTX600PNK

Lime: DTX600LME

Red: DTX600RD

Walkabout: DTX600WA



Packs available:

DTXTP600 - BLACK  
DTXTP600PNK - PINK  
DTXTP600LME - LIME

**3** YEAR WARRANTY\*

**UP TO 30 HOURS** OPERATING TIME\*

**WATER & DUST PROOF** IP67



## KEY FEATURES

- Water and dust proof IP67
- Compact radio with large backlit LCD display
- Switchable RF power (high: 5 Watt, low: 1 Watt)
- 3 Programmable instant channel buttons
- 80 channels\*
- Fast charge technology supplied with 240v and 12v adaptors
- Open/instant/priority scan
- Die-cast metal chassis
- Duplex (range extender)
- Signal monitoring
- Triple watch
- 38 CTCSS and 104 DCS codes
- High-capacity Lithium-ion battery pack (2600mAh) with up to 30 hours operating time\*
- 2.5mm Jack socket with locking screw for optional accessories
- Designed, engineered and produced in Korea
- 3 Year warranty (\*excludes battery)

^ Duty cycle, 5% transmit, 5% receive and 90% standby.

# UHF5400BK-SPK

## 5 WATT

### UHF CB RADIO

The ideal companion for any work site or camp site where reliable communication is a must. Robust and powerful with quality features designed to optimise performance under all conditions. Includes speaker mic with unique lock screw socket to ensure a secure connection.

#### KEY FEATURES

- Includes durable speaker microphone
- Switchable RF power (high: 5 watt, low: 1 watt)
- Die cast metal chassis
- Duplex
- Backlit LCD
- Signal monitoring and monitor lock function
- 38 CTCSS & 104 DCS codes
- Lithium-ion battery pack
- Rugged construction
- Channel scan (memory/priority)
- Rotary channel & volume control
- 3 year warranty (excludes battery)



Includes durable speaker microphone with lock screw connector

# UHF2500-1GR

## 2 WATT WATERPROOF

### UHF CB RADIO

Rated waterproof to IPX7 and including a float and flash feature, this handheld radio is perfect for everyday use, wherever you might find yourself on the land, or by the water.

#### KEY FEATURES

- Floats & flashes in water
- Waterproof rating IPX7
- Duplex
- Hands-free (VOX) capable
- Micro USB jack for charging
- Dual watch
- 3 Year warranty (excludes batteries)



Twin Pack available (UHF2500-2GR)





## UHF2400-1 2 WATT UHF CB RADIO

The UHF2400 is an exceptional 2 Watt handheld UHF CB Radio featuring an integrated LED torch, specifically designed for camping, hiking, and outdoor recreational activities

### KEY FEATURES

- Up to 10km range\*
- LED torch
- Duplex (range extender)
- 38 CTCSS & 83 DCS codes
- Automatic squelch control
- 3 Year warranty



Twin Pack available  
(UHF2400-2)



Trade Pack available  
(UHFTP2400)

## UHF1400-1 1 WATT UHF CB RADIO

### KEY FEATURES

- Up to 7km range\*
- LED torch
- Duplex (range extender)
- 38 CTCSS & 83 DCS codes
- 3 Year warranty



Twin Pack available  
(UHF1400-2)



## PMR795 0.5 WATT UHF CB RADIO

### KEY FEATURES

- Compact & light weight
- Duplex
- Call tone alert
- Belt clips included
- Each radio requires 3 x AAA alkaline batteries (not supplied)
- 3 Year warranty



# TYRE PRESSURE MONITORING SYSTEMS

SOLAR  
POWERED  
LCD DISPLAY



External Sensor



Internal Sensor



The TPS10 Tyre Pressure Monitoring System packs include either 4, 6 or 8 external sensors, or 4 internal sensors, and have the capability of simultaneously running up to 10 sensors through the solar powered LCD display unit.

Additional sensors are sold in the form of a double pack, with sensors able to be paired to the TPMS up to a total of 10.

The optional repeater enhances the signal from the sensors and boosts it to the LCD Display. The unit is recommended for vehicles that are greater than 9m in length.

## KEY FEATURES

- Solar powered display unit
- Long lasting display unit battery life
- Wireless transmission between sensor and display unit
- Adjustable threshold value
- Auto brightness on display
- Real time monitoring with pressure and temperature at a glance
- Compact design
- Visual and audio alarm
- Optional Micro USB input
- Intelligent sleeping mode for power saving
- Easy to install
- High/ low pressure warning
- Sensor failure warning
- 12 Month warranty

# TPMS

INCLUDING 8  
EXTERNAL SENSORS



# TPMS

INCLUDING 6  
EXTERNAL SENSORS



# TPMS

INCLUDING 4  
EXTERNAL SENSORS



# TPMS

INCLUDING 4  
INTERNAL SENSORS



**Twin Pack  
External Sensors  
(TSE10-2)**




**Twin Pack  
Internal Sensors\*  
(TS10-2)**

\*Only compatible for use  
with alloy rims.



# RP10 REPEATER FOR TPMS



Example 10 Sensor Setup

# BSM888X BATTERY SENSE 12/24V BLUETOOTH MONITOR



**With the Bluetooth enabled Oricom Battery Sense Monitor, drivers will stay in the know about the health of the vehicle battery, via their smartphone. Designed for flooded lead acid type batteries.**

## KEY FEATURES

- Free App for both iOS & Android
- Monitor up to 4 batteries on your Battery Sense App
- Connects to smartphone via Bluetooth
- Compatible with all 12/24 Volt vehicle batteries
- Notification of battery condition when approaching vehicle
- Automatic synchronisation when driver is within Bluetooth range
- Tests cranking automatically on engine startup
- Manually test charging system (alternator)
- Automatically record the time and duration of each trip
- Smartphone notifications (within Bluetooth range)
- Short-circuit and reverse polarity protection
- Historical data stored in device monitoring (up to 35 days out of sync)
- 12 Month warranty



App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. Wi-Fi is a trademark of the Wi-Fi Alliance. All other trademarks are the property of their respective owners. The actual product may vary slightly from the photograph. Screen images are simulated.

# BC090 12V BATTERY CHARGER

SUITS LEAD-ACID/  
LITHIUM BATTERIES



## KEY FEATURES

- Charges 12V batteries (2-110Ah)
- Battery repair
- 7 Precautions and safety measures
- 7 Stages of charging
- Charging Current: Motorcycle Battery: 1.5A / Car Battery/LiFePO4: 4.3A
- IP65 Dust and splash resistant
- Low temperature charging
- Maintains optimum battery condition
- Includes O-ring and clamp connectors
- O ring cable for BC090 available (2M0014)
- 3 Year warranty



# BC200 12V/24V BATTERY CHARGER

SUITS LEAD-ACID/  
LITHIUM BATTERIES



## KEY FEATURES

- Supports Lithium, Lead-acid (AGM, GEL, SLA, Flooded, EFB) and LiFePo4 batteries
- 7 Stages of charging
- Charging Current: 20A
- Charging voltage automatically adapts to temperature to prevent over or under-charging
- Repair function (Lead-acid batteries only)
- Overcharge protection, reverse polarity and short circuit protection
- Large LCD Screen
- 3 Year warranty



# JSP1200 LITHIUM JUMP STARTER + POWER BANK



**LED Torch Plus  
Charging Ports**



**Carry Case**



IP66  
WATERPROOF



JUMP START UP TO  
8L PETROL ENGINE



JUMP START UP TO  
6L DIESEL ENGINE

The waterproof JSP1200 lithium jump starter has been designed as a portable roadside assistant, including the capability of jump starting a vehicle, convenient USB ports for smart device charging on the run.

## KEY FEATURES

- Designed to jump start up to 8L petrol engines and up to 6L diesel engines
- Charge phones, tablets and USB devices
- LED torch
- IP66 Water and dust proof
- Universal 12V clamps
- 12 Month warranty



Day View

Night View

# WRC001 WIRELESS REVERSING CAMERA WITH MAGNETIC BASE

 WATERPROOF  
IPX6

 INFRARED  
NIGHT VISION

 UP TO  
15M RANGE

The wireless reversing camera with magnetic base offers convenient installation, a free app for viewing the camera feed, and enhanced visibility with infrared night vision producing a black and white image.

## KEY FEATURES

- IPX6 Waterproof rating
- Up to 15m range
- 120 Degrees viewing angle
- Infrared night vision
- USB Charging
- 12 Month warranty



VIEW  
WITH FREE APP



 Download on the  
App Store

 GET IT ON  
Google Play

# ANTENNA GAIN AND dBi

When choosing an antenna, it is important to consider the terrain in which the antenna is to be used, and match the best radiating pattern for the environment.





**3dBi Gain Antennas**


have a wide pattern, ideal for undulating terrain

**6.5dBi Gain Antennas**


are popular due to their all-round performance on flatter or slightly uneven terrain

**Antenna showing radiation pattern for 3 and 6dBi antennas**

This image is indicative of how a UHF CB antenna radiation pattern drops by 3dB. The radio signal continues past this point. UHF CB is a line of sight technology, or horizon technology, reception is limited at best when units drop out of direct line of sight.

**How field strength patterns differ between antennas of varying gain**

This is an indicative image showing UHF CB radio signals are line of sight and do not penetrate physical objects, such as hills. In some instances you may receive a limited signal slightly outside the line of sight between the two antennas.



# UHF CB ANTENNAS

**3** YEAR WARRANTY

Model No.	Description	Gain (dBi)
ANU025C	Portable mag-mount antenna with 3 metre coaxial cable and FME to PL259 connector.	1
ANU050	1/2 Wave vertical ground independent antenna with a highly flexible whip and convenient compact size for versatile mounting.	3
ANU200	6.5dBi Antenna with elevated feed, counter balanced spring and solid black fibreglass whip. The counter balanced spring is designed to absorb the vibrations from the engine and/or rough corrugated roads for better performance.	6.5
ANU220	6.5dBi ground independent black antenna with elevated feed, heavy duty barrel spring base and fibreglass whip.	6.5
ANU230	6.5dBi ground independent black antenna with elevated feed, heavy duty barrel spring base and fibreglass whip.	6.5
ANU240	6.5dBi ground independent black antenna with elevated feed, heavy duty parallel spring base and fibreglass whip.	6.5
ANU250	6.5dBi black antenna with independent mounting base, elevated feed with counter balanced spring and solid fibreglass whip.	6.5
ANU300	4.5dBi black fibreglass pole antenna with counter balanced spring. This antenna is built to withstand the harsh conditions of the Australian outback.	4.5
ANU410	6dBi antenna with detachable fibreglass pole. At 1m height and 6dBi gain this antenna is ideal for those looking for clear communication in Australia's relatively flat outback.	6
ANU800	6.5dBi black antenna with detachable fibreglass pole and heavy duty spring base.	6.5
ANU850	3dBi ground independent black antenna with fibreglass pole and heavy duty barrel spring base.	3
ANU900	6.5dBi fibreglass pole antenna with large barrel spring base in black powder coated finish.	6.5
ANU913	3dBi ground independent black antenna with detachable fibreglass whip and heavy duty barrel spring base.	3
ANU930	3dBi ground independent black fibreglass radome antenna with large barrel spring base.	3
ANU1100	All Terrain Pack: 3dBi short antenna including extra heavy duty parallel spring base with elevated feed. Extension fibreglass whip to convert the 3dBi base to a 6.5dBi antenna.	6.5 3
ANU1200	All Terrain Pack: 3dBi short antenna including heavy duty large barrel spring base with elevated feed. Extension fibreglass pole to convert the 3dBi base to a 6.5dBi antenna.	6.5 3

Length including spring and base (m)

0.2



0.35



0.83



0.88



0.97



0.97



0.92



0.96



1.6



1.14



0.66



1.2



0.64



0.66



1.0



0.43



1.4



0.45



# UHF CB ANTENNA WHIPS, AM/FM

Model No.	Description	Gain (dBi)
<b>UHF CB ANTENNA WHIPS</b>		
ANU060	3dBi ground independent dipole UHF CB antenna with NMO connector and a highly flexible whip.	3
ANT100FGBK	Replacement fiberglass whip to suit ANU100 and ANU200.	3.5
ANT220FGBK	Replacement fiberglass whip to suit ANU220.	3.5
ANT1CFGBK	Single coil fiberglass UHF CB antenna whip to suit the ANU230 and ANU250.	3.5
ANT2CFGBK	5dBi two coil fibreglass UHF CB antenna whip. When fitted to an elevated feed mounting, this will give 8dBi of gain and improved length will give a better range than a standard, single coil whip. Can also be fitted on a ground plane and in this case will give specified gain.	5
ANT3CFGBK	6dBi three coil fibreglass UHF CB antenna whip. When fitted to an elevated feed mounting, this will give 9dBi of gain and improved length will give better range than the single or two coil whips. Can also be fitted on a ground plane and in this case will give specified gain.	6
ANT3FGBK	3dBi black UHF CB antenna whip (140mm).	3
ANT4FGBK	UHF CB Fibreglass antenna whip to suit ANU1100.	3
ANT913	UHF CB Fibreglass antenna pole to suit ANU913 and ANU900.	3
ANT900	UHF CB Fibreglass antenna pole to suit the ANU900 and ANU913.	6.5
<b>AM/FM ANTENNA</b>		
ANB10	AM/FM Fibreglass whip. This antenna is designed for receiving AM & FM frequencies of AM 522kHz to 1710kHz and FM 87MHz to 108MHz. The unit is supplied complete with 4.5 metre lead and 3.5DC connector.	
ANB20	AM/FM/DAB+ Antenna with barrel spring base and fibreglass pole. This antenna is designed for receiving AM & FM frequencies of AM 522kHz to 1710kHz and FM 87MHz to 108MHz. The unit is supplied complete with base and 4.5 metre lead and 3.5DC connector.	
ANTB10	AM/FM Replacement whip to suit ANB10.	
<b>CELLULAR ANTENNA</b>		
ANC970	4G LTE Multi-band Cellular antenna with fibreglass pole and heavy duty barrel spring base. Frequency Range: 6.5dBi gain across bands 698-960 MHz. 5.5dBi gain across bands 2300-2700 MHz. 4dBi gain across bands 1710-2170 MHz.	
ANC670	4G LTE Multi-band Cellular antenna with fibreglass pole and heavy duty barrel spring base. Frequency Range: 2dBi gain across bands 698-960MHz. 3.5dBi gain across bands 1710-2170 MHz. 4.5dBi gain across bands 2300-2700MHz.	
ANTC670	4G LTE Cellular antenna radome to suit ANC970.	

Oricom's range of antennas suits mobile UHF CB Radios (477MHz) for Australia and New Zealand. The range covers all markets including 4WD, touring, industrial and transport.

# & CELLULAR ANTENNAS

**3** YEAR WARRANTY


Length including spring and base (m)

0.35 


0.60 

0.60 

0.68 

0.94 

1.2 

0.14 

0.60 

0.50 

1.2 

0.94 

1.14 

0.94 

0.97 

0.67 

0.55 

All Oricom UHF antennas include a low-loss coaxial cable, a pre-terminated FME connector and PL259 adaptor. (The coaxial cable length on the ANU050 and above is 4.5m).

# UHF CB ANTENNA BRACKETS

Model No.	Description	
BR610BK	Folding bull bar antenna mounting bracket (black powder coated)	  <p>0° (vertical)    30°    60°*    90° (horizontal)</p>
BR100	"Z" Antenna bracket for boot or bonnet mount (brushed stainless steel)	
BR100BK	"Z" Antenna bracket for boot or bonnet mount (black powder coated)	
BR200	50mm Bull bar antenna bracket (brushed stainless steel)	
BR200BK	50mm Bull bar antenna bracket (black powder coated)	
BR263BK	63mm Bull bar antenna bracket (black powder coated)	
BR300BK	76mm Bull bar antenna bracket (black powder coated)	
BR255	Right angled bull bar antenna bracket (40-50mm, brushed stainless steel)	
BR400	Universal bull bar antenna bracket (35mm up to 65mm brushed stainless steel)	
BR450	Gutter mount bracket to suit Ford PX Ranger and Mazda BT50 (brushed stainless steel)	
BR455	Gutter mount bracket to suit Ford Everest and Ford Ranger (brushed stainless steel)	
BR460BK	1.5mm Antenna Bracket to suit the Ford Everest and Ford Ranger from 2022 onwards. (black powder coated)	
BR500	Universal wing mount antenna bracket (brushed stainless steel)	

From off-road recreation to communication in the transport industry, our range of UHF Accessories are built with quality, performance and price in mind. Our antennas and brackets allow for a variety of mounting options from bullbar, gutter to wing mount.

# UHF CB ANTENNA BRACKETS

Model No.	Description	
BBR001	Bonnet bracket to suit Ford Ranger & Everest 2022+	
BBR002	Bonnet bracket to suit Toyota LC300 Series 2021+	
BBR003	Bonnet bracket to suit Toyota Hilux 2015+	
BBR004	Bonnet bracket to suit Nissan Patrol Y62 2020+	
BBR005	Bonnet bracket to suit Nissan Navara NP300 2015+	
BBR006	Bonnet bracket to suit Mazda BT50 2021+	
BBR007	Bonnet bracket to suit Isuzu DMAX 2021+ MUX 2022+	

# UHF CB ACCESSORIES

Model No.	Description
MMM100	Magnetic microphone mounting bracket to suit all Oricom UHF CB Radios
EXTC400	Extension cable to suit UHF400R rear mic jack
SPE85	External speaker to suit mobile UHF CB 3.5mm jack
2U0172	Extension cable to suit UHF360/380M/390 to blanking plate RJ6P6C
ANL100	Universal antenna base including 4.5m Coaxial Cable and FME to PL259 adaptor
<b>Accessories to suit ULTRA550/DTX600/UHF5500/UHF5400</b>	
THMIC5000	Throat microphone with voice tube for noisy environments.
SPKMIC5000	Heavy duty IP54 speaker microphone with lock screw socket using 2pin lockable plug
EARSET5000	Earbud with 3.5mm jack suits SPKMIC5000 or any radio with 3.5mm jack
EBVOX5000	Small compact speaker with in-line mic and lock screw socket

oricom<sup>®</sup>  
100% AUSSIE OWNED



**oricom.com.au**

Oricom Sales: (02) 4574 8888 Mon-Fri 8am-6pm AEST | Email: [sales@oricom.com.au](mailto:sales@oricom.com.au)



oricomuhfcb



oricomuhfcb



oricomaustralia



@oricomuhfcb

Oricom<sup>®</sup> is the registered trade mark of Oricom Holdings Pty Ltd. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. Wi-Fi is a trademark of the Wi-Fi Alliance. All other trade marks are trade marks of their respective owners.

\* This 80 channel narrowband radio has a total of 75 usable voice channels. Channels 22 and 23 are used for Telemetry and Telecommand, voice communications are not allowed on these channels. Channel 61, 62 and 63 are guard channels and are not available for use.