

UTE TRAYS AND CANOPIES



TRADIE
UTE TRAYS, CANOPIES, TOOLBOXES





LET'S GET TO WORK

The Norweld Tradie range has been built tough for the demands of trade work. Designed and engineered with added strength, security, smarter partition solutions and heavy-duty wiring to power your gear, this range has everything you need to take on the job.

From canopy-specific setups to boltin accessories and electrical upgrades, we've designed the Tradie range to help you work smarter, not harder.

NOTHING BEATS A NORWELD	2	GULLWING TOOLBOXES	34
SAFETY AND SECURITY	4	BASIC	36
UTE TRAYS AND CANOPY BASES	6	DIESEL FITTER	38
DELUXE PLUS TRAY	8	SPECIFICATIONS CHARTS	40
DELUXE PLUS TRADIE TRAY	10	ACCESSORIES	44
ELITE TRAY	12	TRAYS	44
TRADIE DELUXE CANOPY BASE	14	GULLWING TOOLBOXES	45
CANOPIES GUIDE	16	CANOPIES	46
TWO DOOR CANOPIES	18	WIRING PACKAGES	50
BASIC	20	ON SITE SERIES	50
CARGO	22	SPECIFICATIONS CHART	52
CONTRACTOR	24		
THREE DOOR CANOPIES	26		
BASIC	28		
CARGO	30		
CONTRACTOR	32		

NORWELD TRADIE RANGE

NORWELD.COM.AU | 1

NOTHING BEATS A NORWELD.

Norweld ute trays and canopies are built unlike any other available, and we do mean that literally.

Our commitment to quality, and passion for innovation drives us to continuously push the boundaries of work and adventure.

Custom aluminum extrusions, designed by us, specifically for our products form the frame of all Norweld trays and canopies.

Single sheets of aluminium form the roof, walls and floor of all our canopies and the deck of all our trays. This means no rivets and no seams. You won't see our locks or taillights available anywhere else either. We've thought of everything, even down to the smallest details to make sure everything not only works, but looks the best too.

Everything stays in place, exactly where it should with independently engineered, 10mm thick alloy welded mounts.

Finally, when it comes to installation, our skilled technicians will manage the relocation of factory cameras, sensors and radars, ensuring a flawless fit and smooth integration.



LOCAL SERVICE, NATIONAL SUPPORT

It's not just our products that make us unbeatable. With eight Norweld owned branches around Australia, and over twenty Authorised Fitment Agents, you can get fit up somewhere close to you. If you ever find yourself in need of assistance you're never on your own.



AUSTRALIAN MADE AND OWNED

LIFETIME WARRANTY ON ALL WORKMANSHIP

Norweld ute trays and canopies are designed and built to last a lifetime of use in some of the harshest conditions in Australia.

With precision CNC-cut and a fully welded aluminium construction, our ute trays and canopies deliver a strong lightweight build.

AUSTRALIAN MADE & OWNED SINCE 1971

Being Australian Made and owned has always been something we are proud of. We don't just build the ultimate trays and canopies; we're dedicated to upholding the high standards of Australian manufacturing.

We're deeply passionate about passing on our skills and expertise to the next generation, empowering them to excel and continue the legacy of Australian craftsmanship.



FORD AUSTRALIA QUALIFIED VEHICLE MODIFIER

Norweld is QVM-accredited by Ford Australia, allowing us to modify Ford Rangers with ute trays and canopies that meet Ford's high standards for



SAFE AND SECURE

Aside from getting you to site and back, your ute needs to keep you and your gear in good nic.

Norweld's tradie range has built in safety and security standard features, as well a range of optional accessories giving you the power to set up your workspace to work best for you.



NORWELD EXCLUSIVE LOCKS

Dual locking, supplied with keys as well as being padlockable, roller compression locks, exclusive to

These locks, in combination with the canopy door gutter system and rubber seal ensure dust and water resistance for the canopy.



CENTRAL LOCKING UPGRADE

Running independently from the vehicle with it's own FOB and powered by your canopy wiring package, a central locking upgrade allows you to conveniently secure every canopy door lock with the click of a button.



SLAM SAFE - REDUCE THE RISK OF INJURY




LOCKING REAR DRAWER

Safely locks out at full extension.



TORQUE HINGE TOOL BOXES

Premium hinges keep tension on under tray toolbox lids to prevent them from falling open.



DROP DOWN VICE HOLDER

Designed by Norweld to prevent the vice from slamming shut or swinging open, saving your fingers from being crushed.

STORE SAFE - SEGMENT AND SECURE



BOLT-IN PARTITIONS

Segments equipment inside the canopy, and creates additional tie down points.



TOOL BOXES

Lockable storage underneath the tray.



ROOF RACKS

Provides secure tie down points on the roof of the canopy.

ERGO SAFE - COMFORTABLE FOR EVERYDAY



POLY DRAWER SLIDES

Quick release and lightweight drawer trays to all suit all trades.



ADJUSTABLE SHELVING

Adjustable height and angle to suit you and your gear best.



FLUSH CANOPY FLOOR

Reduces potential back injuries (no lifting over lip).





76mm x 5mm mandrel-bent tube headboard with integrated spare wheel holders.

a 1200mm dust and water resistant trundle draw. Made with heavy-duty 227kg rated drawer slides.

a valuable resource.




TUBE HEADBOARD
76mm x 5mm mandrel-bent tube headboard with integrated spare wheel holders.

1600MM LONG LOCK OUT REAR TRUNDLE DRAWER Store tools, shovels or spare parts in

a 1600mm dust and water resistant trundle draw. Made with heavy-duty 227kg rated drawer slides.

23L UNDER TRAY
HAND WASH TANK
23L hand wash tank bolts under tray,
allowing easy clean ups on site and
between jobs. Includes soap dispenser.







Featuring 3mm router cut, colour-coded infill panel, and a mandrel bent tube with aerodynamic profile.

Headboard base features integrated tie down points.



1200MM LONG REAR TRUNDLE DRAWER WITH DROP IN TABLE

Store tools, shovels or spare parts in a 1200mm dust and water resistant trundle draw. Made with heavy-duty 227kg rated drawer slides.

Drop in table included as standard.



UNDER TRAY TOOLBOXES WITH CONSTANT TORQUE HINGES
Keep tension on toolbox lids to prevent them from falling open and damaging paint.

NORWELD.COM.AU | 13



FULL-TIME CANOPY USE
With no headboard, a canopy base is
designed for full-time canopy use,
with the added benefit of reduced
overall mass and centralised weight distribution.

1600MM LONG LOCK OUT REAR TRUNDLE DRAWER Store tools, shovels or spare parts in

a 1600mm dust and water resistant trundle draw. Made with heavy-duty 227kg rated drawer slides.

23L UNDER TRAY HAND WASH TANK

23L hand wash tank bolts under tray, allowing easy clean ups on site and between jobs. Includes soap dispenser.



This guide will help you find the right canopy for your needs, by considering your vehicle and intended use.

1. FULL-TIME OR WIND-OFF


As part of our commitment to quality, Norweld canopies and toolboxes are built exclusively to suit our range of trays and canopy bases.

WIND-OFF CANOPY

This Norweld tray and canopy system allows you to remove your canopy and utilise the deck space of your Norweld Tray with tube headboard.

FULL-TIME CANOPY

For full time canopy use, these bases save on overall mass and centralise weight distribution with no headboard at the front of the deck.



2. BASE DECK LENGTH & VEHICLE SIZE

Depending on the size of your vehicle Norweld has a tray or canopy base to suit. The table below outlines what length tray and canopy base is compatible with which vehicles.

	FULL-TIME CANOPY BASE LENGTH (MM)	WIND-OFF CANOPY TRAY BASE (MM)	COMPATIBLE VEHICLES
DUAL CAB	1740	1826	Toyota LandCruiser 79, Toyota HiLux, Ford Ranger, Isuzu D-Max, Mazda BT-50, Volkswagen Amarok, Nissan Navara, Holden Colorado
EXTRA CAB	2040	2126	Toyota HiLux, Ford Ranger, Isuzu D-Max, Mazda BT-50, Volkswagen Amarok, Nissan Navara, Holden Colorado
SINGLE CAB	2440	2526	Toyota LandCruiser 79, Toyota HiLux, Ford Ranger, Isuzu D-Max, Mazda BT-50, Volkswagen Amarok, Nissan Navara, Holden Colorado

3. CANOPY LENGTH

Norweld offers a range of canopy lengths, whether you're looking for a two or three door canopy, a full length option or a compact look.

HALF CANOPIES

TWO DOOR CANOPY LENGTHS (MM)	950	1500	1740	2040	2200
DUAL CAB Deck Length: 1740mm	•	•	•		
EXTRA CAB Deck Length: 2040mm	•	•	•	•	
SINGLE CAB Deck Length: 2440mm	•	•	•	•	•

THREE DOOR CANOPY LENGTHS (MM)	1740	2040	2440
DUAL CAB Deck Length: 1740mm	•		
EXTRA CAB Deck Length: 2040mm		•	
SINGLE CAB Deck Length: 2440mm			•

4. CANOPY LAYOUT

Norweld canopies and toolboxes offer and range of pre-set configurations:

BASIC CANOPY

Empty internal layout.

CARGO CANOPY


Fully welded 510mm slide out drawer and table on passenger side. A concealed battery compartment is located behind the drawer.


CONTRACTOR CANOPY


Fully welded 1200mm slide out drawer and table on passenger side. A concealed battery compartment is located behind the drawer.


GULLWING TOOLBOXES

Offers ventilated and accessible use of deck space, whether in a single or dual toolbox configuration.









FRONT OF VEHICLE

16 NORWELD TRADIE RANGE
NORWELD.COM.AU | 17







Securely store items inside your canopy with our 510mm wide, 700mm long, 150mm deep drawer made with heavy-duty 227kg rated drawer slides. A 465mm wide x 630mm long slide out table creates a compact bench space, and is made with heavy-duty 125kg rated drawer slides. Behind the drawer is a compartment designed to conceal a battery to power your canopy wiring.

22 | NORWELD TRADIE RANGE NORWELD.COM.AU | 23



1200MM WIDE HEAVY-DUTY DRAWER AND SLIDE OUT TABLE
Securely store items inside your canopy with our 1200mm wide, 700mm long, 140mm deep drawer made with heavy-duty 227kg rated drawer slides. A 1170mm wide x 630mm long slide out table creates a large bench space, and is made with heavy-duty 125kg rated drawer slides. Behind the drawer is a compartment designed to conceal multiple batteries to power your canopy wiring.





READY TO CONFIGURE FOR YOUR DAILY NEEDS

Norweld's range of basic canopies have an empty internal layout, ready for you to configure with our range of optional bolt-in storage accessories. These include shelves and drawers as well as, food storage and preparation gear like fridges to suit your day-to-day needs.



510MM WIDE HEAVY-DUTY DRAWER AND SLIDE OUT TABLE
Securely store items inside your canopy with our 510mm wide, 700mm long, 150mm deep drawer made with heavy-duty 227kg rated drawer slides. A 465mm wide x 630mm long slide out table creates a compact bench space, and is made with heavy-duty 125kg rated drawer slides. Behind the drawer is a compartment designed to conceal a battery to power your canopy wiring.

30 | NORWELD TRADIE RANGE NORWELD.COM.AU 31



1200MM WIDE HEAVY-DUTY DRAWER AND SLIDE OUT TABLE
Securely store items inside your canopy with our 1200mm wide, 700mm long, 140mm deep drawer made with heavy-duty 227kg rated drawer slides. A 1170mm wide x 630mm long slide out table creates a large bench space, and is made with heavy-duty 125kg rated drawer slides. Behind the drawer is a compartment designed to conceal multiple batteries to power your canopy wiring.

32 | NORWELD TRADIE RANGE NORWELD.COM.AU | 33





toolboxes utilising the tray deck.

day needs.



POLY DRAWER SLIDES

Using our innovative, grease-free alternative to traditional drawer slides, these drawers will not jam from built up dust or dirt.

Drawers able to be easily removed and our built in locking mechanism secures them in place.

UTILITY DRAWER

Width: 210mm Length: 360mm Height: 250mm

TIERED TOOL DRAWERS

Includes three 900mm wide tiered drawers, each with seven 100mm bolt-in partitions. Set these to best suit your tools and parts.


2 DOOR CANOPIESSPECIFICATIONS CHART

				BAS	SIC			CAF	RGO		СС	NTRAC	TOR
SPECIFICATIONS													
	Weight (kg)		15	6	15	70	20)8	2	226		238	
	Length (mm)		150	00	17	40	150	00	1'	740		1740	
DUAL CAB Deck Length: 1740mm	Width (mm)			185	50			18	50			1850	
	Height (mm)	Mid-Size Ute _andCruiser 79		89 95					90 51			890 951	
	Weight (kg)		156	17	0	182	208	2:	26	245	238		256
EXTRA CAB	Length (mm)		1500	174	40	2040	1500	17	40	2040	1740		2040
Deck Length: 2040mm	Width (mm)			185	50			18	50			1850	
	Height (mm)			89	00			89	90			890	
	Weight (kg)		156	170	182	196	208	226	245	262	238	256	273
SINGLE CAB	Length (mm)		1500	1740	2040	2200	1500	1740	2040	2200	1740	2040	2200
Deck Length:	Width (mm)			185	50			18	50			1850	
2440mm	Height (mm)	Mid-Size Ute LandCruiser 79		89 95					90 51			890 951	
FEATURES													
Lifetime warranty on all	workmanship			•	•			•				•	
Water & dust resistant				•				•				•	
Transferable between m	ost vehicle make	es and models		•				•				•	
CANOPY INTERIOR													
Internal tie down points				•				•				•	
Blank wiring panel				•								•	
Ergonomic flush canopy	floor			•				•				•	
Acessory mounting via u	unistrut			•				•				•	
510mm wide slide out de	rawer and table							•					
1200mm wide Slide out	drawer and table)										•	
CANOPY EXTERIOR													
Dual stage drop down la	adder			o				(0			0	
Multi-rack roof rack				o				•	0			0	
Dual locking roller comp	pression locks			•				•				•	
Two spare wheel holders	s welded into rea	r wall						•				•	
Two braced canopy door	rs			•				•				•	

*Canopy weights are an approximate, at the time of publication. Weights do not include rubber mat in calculations. We recommend having your vehicle weighed after tray and canopy fitment.

OPTIONAL ACCESSORY

STANDARD INCLUSION



3 DOOR CANOPIESSPECIFICATIONS CHART


		3 DOOR BASIC	3 DOOR CARGO	3 DOOR CONTRACTOR
SPECIFICATIONS				
	Weight (kg)	169	226	238
DUAL CAB	Length (mm)	1740	1740	1740
Deck Length: 1740mm	Width (mm)	1850	1850	1850
	Height (mm) Mid-Size Ute	890	890	890
	Weight (kg)	185	242	254
EXTRA CAB	Length (mm)	2040	2040	2040
Deck Length: 2040mm	Width (mm)	1850	1850	1850
	Height (mm)	890	890	890
	Weight (kg)	227	284	296
SINGLE CAB	Length (mm)	2440	2440	2440
Deck Length: 2440mm	Width (mm)	1850	1850	1850
	Height (mm) Mid-Size Ute	890	890	890
FEATURES				
Lifetime warranty on all	workmanship	•	•	•
Water & dust resistant		•	•	•
Transferable between m	ost vehicle makes and models	•	•	•
CANOPY INTERIOR				
Internal tie down points		•	•	•
Blank wiring panel		•	•	•
Ergonomic flush canopy	/ floor	•	•	•
Acessory mounting via	unistruts	•	•	•
510mm wide slide out d	rawer and table		•	
1200mm wide slide out	drawer and table			•
CANOPY EXTERIOR				
Dual stage ladder		0	0	0
Multi-rack roof rack		0	0	0
Dual locking roller comp	pression locks	•	•	•
Three braced canopy do	oors	•	•	•

*Canopy weights are an approximate, at the time of publication. Weights do not include rubber mat in calculations.

We recommend having your vehicle weighed after tray and canopy fitment.

OPTIONAL ACCESSORY

STANDARD INCLUSION




TRAYS AND CANOPY BASES SPECIFICATIONS CHART

GULLWING TOOLBOXESSPECIFICATIONS CHART

		TRADIE CANOPY BASE	DELUXE PLUS TRAY	TRADIE DELUXE PLUS TRAY		ELITE TR
SPECIFICATIONS						
We	ight (kg)	149	215	174		233
Len	igth (mm)	1740	1826	1826		1826
DUAL CAB Deck Length: 1740mm Wid	dth (mm)	1850	1850	1850		1850
	Mid-Siza I Ita		890	890		890
Hei	ght (mm) LandCruiser 79	N/A	1015	1015		1015
We	ight (kg)	161	230	184		
EXTRA CAB	igth (mm)	2040	2126	2126		N/A
Deck Length: 2040mm Wid	dth (mm)	1850	1850	1850		IN/A
Hei	ght (mm)	N/A	890	890		
We	ight (kg)	177	264	202		315
Len	igth (mm)	2440	2526	2526		2526
SINGLE CAB Deck Length: 2440mm Wid	dth (mm)	1850	1850	1850		1850
3	ght (mm) Mid-Size Ute	NI/A	890	890		N/A
	LandCruiser 79	N/A	1015	1015	_	1015
FEATURES					_	
Lifetime warranty on all workmanship	0	•	•	•		•
Transferable between most vehicle m	nakes and models	•	•	•		•
Independently engineered, 10mm thic	k alloy welded tray mounts	•	•	•		•
TRAY DECK						
4mm high tensile plate one-piece flo	or	•	•	•		•
Heavy-duty rubber tray mat			•	•		•
Integrated tie down points			0			•
TRAY SIDES						
Extruded sideboards with built-in stif	feners		•	•		•
Heavy-duty stainless steel hinges and	l catches		•	•		•
Stainless steel capping on sideboards	5		•	•		•
5mm checker plate side rails and rop	e rail	•	•	•		
Colour-coded painted side plates						•
TRAY HEADBOARD						
Mandrel-bent tube headboard			•	•		•
Spare wheel holders integrated into t	he headboard		•	•		•
3mm colour-coded infill panel on the	headboard	N/A				•
Norweld exclusive aerodynamic tube	extrusion					•
Integrated tie down points						•
TRAY REAR						
Dust and water resistant rear trundle	drawer length (mm)	1500	1200	1500		1200
Sequential LED tail lights (exclusive to	o Norweld)	•	•	•		•
Extruded tailgate with built-in stiffen			•	•		•
Lock out drawer slide rear trundle dra				•		•
Drop in table included on rear trundle						•
UNDER TRAY						
Under tray toolboxes		Dual Cab: 1 Single & Extra Cab: 3	Dual Cab: 2 Single & Extra Cab: 4	Dual Cab: 1 Single & Extra Cab: 3		Dual Cak Single Ca
Under tray poly water tank size (Litre	5)	Single & Extra Cab. 3	Dual Cab: 40L Single & Extra Cab: 58L	Single & Extra Cab. 3		Dual Cab: Single Cab
Under tray 23L poly handwash tank		•	O	•		o o
orider tray 252 poly Haridwash tdflk		•	_			•

		BASIC	DIESEL FITTER
SPECIFICATIONS			
	Weight (kg)	74	120
	Length (mm)	1500	1500
1500 MODEL	Width (mm)	600	600
	Height (mm) Mid-Size Ute LandCruiser 79	890 951	890 951
	Weight (kg)	78	
	Length (mm)	1740	
1740 MODEL	Width (mm)	600	N/A
	Height (mm) Mid-Size Ute LandCruiser 79	890 951	
FEATURES			
Lifetime warranty or	all workmanship	•	•
Water & dust resistar	nt	•	•
Transferable betwee	n most vehicle makes and models	•	•
TOOLBOX INTERIOR	?		
Internal tie down po	ints	•	•
Accessory mounting	via unistruts	•	•
Three tiered tool dra	wers		•
Single full length She	elf		•
Single utility drawer			•
Single full length dra	awer		•
TOOLBOX EXTERIO	R		
Dual locking roller co	ompression locks	•	•
Single braced toolbo	x door	•	•
Two Unistrut channe	els on toolbox roof	•	•
Three Unistrut chan	nels on toolbox rear	•	•

^{*}Weights are an approximate, at the time of publication. Weights do not include rubber mat in calculations. We recommend having your vehicle weighed after toolbox fitment.



^{*}Tray weights are an approximate, at the time of publication. Weights do not include rubber tray mat in calculations.

We recommend having your vehicle weighed after tray fitment.

OPTIONAL ACCESSORY

STANDARD INCLUSION





FLUSH TIE DOWNS

Flush with the floor of the tray, these stainless steel rings secure objects within the tray with ropes and straps.

Available in as set of four in 1826mm length trays and a set of six in all other tray lengths.



FLIP-UP BACK LADDER RACK ENDS

To aid in securing materials and equipment to both the back rack and headboard. Comes as set of four.

Made from 4mm aluminium with stainless steel fixings.



DROP IN TABLE

The drop-in table for your rear trundle drawer is the perfect solution for a compact work bench.

Designed to stay in position when not being used the 2.5mm sheet metal design takes up next to no space and adds minimal weight.



REAR GATE

Restricts loose item movement and creates helps to create a secure, ventilated storage space between two toolboxes.

Made with premium constant torque hinges, and Norweld exclusive dual locking roller compression locks.



HEADBOARD GUARD

Ensures protection of rear windscreen if running a full-time canopy base with no headboard.

Restricts loose item movement and reduces risk of items protruding through rear windscreen



ADJUSTABLE SHELVING

Configure your toolbox to best suit your everyday needs with bolt in shelves and vertical divider.





BOLT IN POLY SLIDE DRAWER

alternative to traditional drawer slides,

Drawers able to be easily removed and

them in place. Available in 600mm and

a built in locking mechanism secures

these drawers will not jam from built

Using an innovative, grease-free

UNITS

up dust or dirt.

1200mm widths.





BOLT IN ADJUSTABLE SHELVING UNIT

Adjustable height and angle to suit you and your gear best.

Cut outs on the front of shelves provide tie down points.

Available in 600mm and 1200mm widths.



OVERHEAD SHELVES

These heavy-duty designed shelves allow you to utilises more space in your canopy by bolting to the canopy roof mounted unistrut.

Integrated tie down points and pre-cut holes allow you to secure items such as tools, air compressors and tanks.

Available in 600mm and 1075mm widths.



BOLT IN PARTITIONS

Segments equipment inside the canopy, and create additional tie down points.

Available in four sizes to suit all canopy configurations.



SLIDE OUT VICE

Norweld designed and made, with electro polished stainless steel construction.

Bolts directly to ergo safe flush canopy floor or to tray deck.

Vice can be removed and stored in under tray drawer when not in use Made to suit 4 inch vice.



DROP DOWN VICE

Norweld designed and made, to prevent the vice from slamming shut or swinging open, saving your fingers from being crushed.

Bolts direct to ergo safe flush canopy floor, to tray deck or inside basic gullwing toolbox.

Constructed of electro polished stainless steel.

NORWELD.COM.AU | 47 **46** NORWELD TRADIE RANGE







Create additional tie down points on the roof of your canopy with a Norweld aluminium mesh roof rack. Available in two sizes to suit Tradie canopy range.

Multi-Rack: 1740mm long
Tradie-Rack: 2200mm long



65L UPRIGHT FRIDGE

The Bushman DC65-X is an efficient and reliable upright 12V fridge. A compact food storage option, ideal for work lunches on site.



TRAVEL BUDDY OVEN KIT

Fast food takes on a new meaning with the Travel Buddy. This portable, lightweight, 12 volt oven can cook, bake and warm foods while you travel.

Conveniently install it into your Norweld canopy with our specially designed bolt-in mount that secures to the canopy roof.



WIND OFF JACKS

Wind off jacks come as a set of four with handles to allow easy removal of your canopy.



AIR COMPRESSOR AND TANK

Whether it's inflating your tyres after hitting the beach or blowing off some sawdust, our twin air compressor kit is a great add on for your canopy. Featuring the ARB twin motor design and a 4L air tank, additional hose, air duster and tyre inflator.

Installed securely to the ceiling of your canopy with a Norweld designed and built bracket.



DUAL STAGE DROP DOWN LADDER

Gain access to the roof of your canopy with ease.

A Norweld custom aluminium extrusion forms the steps, providing stability and grip.

Our exclusive hinges are rattle and service free.

48 NORWELD TRADIE RANGE

NORWELD.COM.AU | 49



0 12v

FRIDGE (2)

SPEAKER

AIR FRYER
















- 2 x USB A Outlets
- 1 x 12v Outlet
- 1x Dual Outlet 30w USB-C
- Tri-colour dimmable door lights
- Fuse Box
- Norweld Aluminium Battery Tray

- **REDARC ONSITE CANOPY WIRING PACKAGE** • Redarc 50A BCDC Alpha Charger with Start Battery Charge Back option
- Redarc 2000w RS3 Pure Sine Wave Inverter
- Enerdrive 200a/h BTEC Lithium Battery
- Enerdrive ePRO+ Battery Monitor and Shunt
- 2 x USB Power Sockets
- 2 x Engel Socket
- 2 x Anderson Plug Outlets on Internal Front Canopy Wall
- External Anderson Plug Outlet and Solar Panel Input (Panel must be unregulated)
- Fuse Box
- Norweld Aluminium Multi Fit Battery Tray
- All electrical components fitted on passengers side panel















VACUUM









ANGLE GRINDER

DROP SAW

REDARC ONSITE GULLWING TOOLBOX WIRING PACKAGE



- 1200W Redarc Pure Sine Wave Inverter
- Enerdrive B-Tec 125ah Lithium Battery
- Enerdrive ePRO+ Battery Monitor and Shunt

- 240v Lock out Mine compliant



FRIDGE (1)

SPEAKER

AIR FRYER











CORDLESS BATTERY CHARGER









ANGLE GRINDER **DROP SAW**

NORWELD.COM.AU | 51

WIRING PACKAGES SPECIFICATIONS CHART

No Norweld canopy package is complete without one of our canopy wiring packages. These kits are designed to cater for general everyday use through to the more serious overlander and long distance traveler.

Scan or visit the link below for more information on Norweld's range of wiring packages

norweld.com.au/wiring-packages







	WEEKENDED	TOURER	EXTREME
	WEEKENDER	TOURER	EXTREME
CIFICATIONS			
um Battery	100Ah B-tec	125Ah B-tec	200Ah B-tec
attery Monitoring	ePRO+	ePRO+	Simarine display
OC Charge Rate	40 Amp	40 Amp	40 Amp
AC Charge Rate		40 Amp	60 Amp
Inverter		1000W pure sine wave	2000W pure sine wave
240V Input			External 240v 15 Amp charge inlet
Tri-colour dimmable door lights	•	•	•
Aluminium Multi-Fit Battery Tray	•	•	•
USB Sockets	2	2	2
12V Sockets	1	2	2
Engel Sockets	1	1	1
2 x Anderson Plugs (internal & external)	•	•	•
Connected to vehicle cranking battery for charging from alternator	•	•	•
Weight (kg)	25.5	25.5	35
PPLICATIONS			
Cow Draw Appliances: Fravel Buddy Oven 2v Air Compressor 2v Laptop/Drone/Camera Charger Bluetooth Speaker Eg EcoXgear Canopy Central Locking	•	•	•
Medium Draw Appliances: 240v Laptop/Drone/Camera Charger 240v Cordless Battery Charger 240v 2 Slice Toaster 800w 240v Pod Coffee Machine - sub 1000w		•	•
High Draw Appliances: 240v Pod Coffee Machine - over 1000w Espresso Coffee Machine Microwave Oven Induction Cooktop 2000w Air Fryer- max 2000w			•
Fridges	1	1	2

All systems are designed to accommodate solar panels designed for 4WD use.

As the Norweld systems include a solar regulator built into the DC charger, a regulator is not required on the solar panel.

OPTIONAL ACCESSORY

STANDARD INCLUSION



Cairns

139-143 Hartley Street Bungalow QLD 4870

Townsville

6/547 Woolcock Street Mount Louisa QLD 4814

Brisbane

56 Griffin Crescent Brendale QLD 4500

Newcastle

4/5 Coal Wash Drive Mayfield West NSW 2304

Sydney

2/1003-1009 Canley Vale Road Wetherill Park NSW 2164

Melbourne

2/37 Garden Street Kilsyth Melbourne 3137

Adelaide

24 Fifth Street Bowden SA 5007

Perth

22 Opportunity Street Wangara WA 6065

For more information visit **norweld.com.au** or call **1300 302 899.**











