


# TOW BAR HITCH



# TOW BAR HITCH

George4x4 offers hitches for steel shackles and soft shackles.  
Premium quality guaranteed.



SK vs SK+

SK stands for Soft Shackle

SK+ is SK with larger eyelet

## Caution

- Soft shackle can only be connected to SK series hitch.
- SK series hitch fits both soft shackle and steel shackle
- Regular hitch cannot connect soft shackle but only steel shackle



Regular hitches connect steel shackles only

## KEY FEATURES:

- Made with solid aluminum or steel
- Multiple holes designed to connect vertically and horizontally
- Working load limit 5000kg, minimum breaking strength 20000kg
- Suit standard hitch pin (16mm)
- Strictly tested in Australia by NATA accredited lab



### Standard Hitch

- WLL 5000kg, BS 20000kg
- Suit for steel shackles only
- Made of aluminum alloy or solid steel

### SK/SK+ Hitch

- WLL 5000kg, BS 20000kg
- Suit for soft shackles and steel shackles
- Made of aluminum alloy (Billet aluminum)
- SK hitch designed for soft shackles up to 11mm
- SK+ hitch designed for soft shackles up to 13mm



Blue Alloy Standard  
230MM




Red Alloy Standard  
200MM



Black Alloy Standard  
160MM



Solid Steel Standard  
160MM



Golden SK  
232MM



Glass Black SK  
232MM



Matte Black SK  
232MM



Orange SK  
170MM




Glass Black SK  
170MM




Matte Black SK  
170MM



Orange SK+  
170MM



Black SK+  
170MM



Red SK+  
170MM