

# RACKS BRAX.®

## COMPATIBILITY POCKET GUIDE

FOR

*DARCHE*®

FAST ON!  
FAST OFF!

## AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW  
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

<b>DARCHE® ECLIPSE CUBE SHOWER TENT</b> .....	3
<b>DARCHE® ECLIPSE SLIMLINE 2 x 2.5m</b> .....	4
<b>DARCHE® ECLIPSE SLIMLINE 2.5 x 2.5m</b> .....	5
<b>DARCHE® ECLIPSE 180</b> .....	6
<b>DARCHE® ECLIPSE 180 Gen 2</b> .....	7
<b>DARCHE® ECLIPSE 180 Versatile</b> .....	8
<b>DARCHE® ECLIPSE 180 FREESTANDING LED AWNING</b> .....	9
<b>DARCHE® ECLIPSE 270</b> .....	10
<b>DARCHE® ECLIPSE 270 G2 (right/left)</b> .....	11
<b>DARCHE® ECLIPSE 270 FREESTANDING LED AWNING Left</b> .....	12
<b>DARCHE® ECO ECLIPSE 180</b> .....	13
<b>DARCHE® ECO ECLIPSE 270 Left</b> .....	14
<b>DARCHE® KOZI ALL-ROUNDER 1.8m</b> .....	15
<b>DARCHE® KOZI 2 x 2.5m</b> .....	16
<b>DARCHE® KOZI 270</b> .....	17

# DARCHE® ECLIPSE CUBE SHOWER TENT

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE SLIMLINE 2 x 2.5m

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>†</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>†</sup>

<sup>†</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

**DARCHE® ECLIPSE SLIMLINE** 2.5 x 2.5m**HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

**BRACKETS** OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	<p>8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b></p> <p>8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b></p>
<ul style="list-style-type: none"> <li>✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	<p>8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b></p> <p>8306 – HD Adjustable Brackets Long (DOUBLE)*.</p>

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

**WALL MOUNTS** OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ <b>LOCKED GARAGES</b></li> <li>✓ <b>WORKSHOP WALLS</b></li> </ul>	8160 – HD Wall Mounts <sup>†</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ <b>OPEN CARPORTS</b></li> <li>✓ <b>PUBLIC/SHARED GARAGE AREA</b></li> </ul>	8161 – HD Lockable Wall Mounts <sup>†</sup>

<sup>†</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 180

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</li> </ul>	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</li> </ul>	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 180 *Gen 2*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.

- ✓ **FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)**

9100 – XD Adjustable Brackets Short (DOUBLE)\*; **OR**

9104 – XD Side Twist Bracket Short Foot (DOUBLE)\*.

- ✓ **FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)**

9102 – XD Adjustable Brackets Long (DOUBLE)\*; **OR**

9106 – XD Side Twist Bracket Long Foot (DOUBLE)\*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>
------------------	------------------------------------

- ✓ **LOCKED GARAGES**
- ✓ **WORKSHOP WALLS**

UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>
--------------------	---

- ✓ **OPEN CARPORTS**
- ✓ **PUBLIC/SHARED GARAGE AREA**

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

**DARCHE® ECLIPSE 180** *Versatile***HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

**BRACKETS** OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
<ul style="list-style-type: none"> <li>✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

**WALL MOUNTS** OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>LOCKED GARAGES</b></li> <li>✓ <b>WORKSHOP WALLS</b></li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>OPEN CARPORTS</b></li> <li>✓ <b>PUBLIC/SHARED GARAGE AREA</b></li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



# DARCHE® ECLIPSE 180 FREESTANDING LED AWNING

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECLIPSE 270

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

### BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</li> </ul>	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</li> </ul>	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

**DARCHE® ECLIPSE 270** G2 (right/left)**HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

**BRACKETS** OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
<ul style="list-style-type: none"> <li>✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

**WALL MOUNTS** OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>LOCKED GARAGES</b></li> <li>✓ <b>WORKSHOP WALLS</b></li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>OPEN CARPORTS</b></li> <li>✓ <b>PUBLIC/SHARED GARAGE AREA</b></li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# DARCHE® ECLIPSE 270 FREESTANDING LED AWNING *Left*

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

## BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	<p>9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b></p> <p>9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.</p>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	<p>9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b></p> <p>9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.</p>

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## DARCHE® ECO ECLIPSE 180

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
<ul style="list-style-type: none"> <li>✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>LOCKED GARAGES</b></li> <li>✓ <b>WORKSHOP WALLS</b></li> </ul>	9010 – XD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>OPEN CARPORTS</b></li> <li>✓ <b>PUBLIC/SHARED GARAGE AREA</b></li> </ul>	9011 – XD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

**DARCHE® ECO ECLIPSE 270** *Left***HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

**BRACKETS** OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

**WALL MOUNTS** OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

**DARCHE® KOZI ALL-ROUNDER** 1.8m

**NOT COMPATIBLE** ☹️

**DARCHE® KOZI** 2 x 2.5m**HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

\*WILL ALSO WORK WITH THE TRIPLE VERSIONS.

**BRACKETS** OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ <b>FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ <b>FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</b></li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

**WALL MOUNTS** OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>LOCKED GARAGES</b></li> <li>✓ <b>WORKSHOP WALLS</b></li> </ul>	8160 – HD Wall Mounts <sup>†</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ <b>OPEN CARPORTS</b></li> <li>✓ <b>PUBLIC/SHARED GARAGE AREA</b></li> </ul>	8161 – HD Lockable Wall Mounts <sup>†</sup>

<sup>†</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



## DARCHE® KOZI 270

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8182 – HD Hitch (TRIPLE)
ADAPTOR NEEDED	8193 – HD Adaptor Plate (TRIPLE)

### BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8301 – HD L50 L Brackets (TRIPLE)*; <b>OR</b>  8305 – HD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8301 – HD L50 L Brackets (TRIPLE)*; <b>OR</b>  8307 – HD Adjustable Brackets Long (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>+</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>+</sup>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.