



# MAMBA

TURBOCHARGER SPECIALIST



USED BY KOJIRO MEKUWA  
WINNER OF JAPAN D1GP 2025 ROUNDS 1-3 !



# 2026 TURBOCHARGER CATALOG





## – Brand Story –

The origin of the name of the company brand "MAMBA" is as follows:  
**MAMBA:** Our brand trademark is the mamba snake totem, which means "the fastest moving snake in the world" and "fast and precise attack". Symbolizing efficiency, power, speed, and capability, it also corresponds to the working principle and purpose of our turbocharger.



### One-Stop Service From R&D To Sales

We deliver an end-to-end process from design to production, with a focus on quality and innovation.


### Trusted By Global Partners Worldwide

We provide technical support and comprehensive after-sales service, working together with our partners to create value and build long-term trust.

### Precision Engineering & Talent Development

We offer high-precision turbo solutions with custom services and top talent development.

# - Services Offered -



Turbocharger Systems



Heavy Duty Components



Global Partners




OEM / ODM Custom Development



Small-Scale Customization




Fast Shipping (DHL/FedEx/UPS/EMS)



Forward & Reverse

### Compressor Wheel

- Performance Billet Compressor Wheel (2618/7075)
- Higher Blade
- Tapered tip / Light weight
- Slim Nose
- More Air Flow



- Ceramic Ball Bearing
- Inconel Cage

### D5(5+5) Blade Turbine Wheel Advantage

10 blade designed gets turbo spool faster and smoother. And 5 high and 5 short blades designed reduces back pressure and temperature that will support higher top end.



Forward & Reverse

### Turbine Wheel

- D5(5+5) Turbine Wheel
- Fast Spooling / Low Back Pressure / Higher Top End
- Inconel 713C / 980 °C

# Turbocharger(Ball Bearing)

Brand	Type	Engine Type	Turbine Type	Compressor Wheel		A / R	Turbine Wheel		A / R	Horsepower	Part No.	Note	
				In Dia.	Ex Dia.		In Dia.	Ex Dia.					
BMW	M-Wastegate	N20/B20	TD04HLRB-21TK	49.6	61.0	OE	52.0	45.6	0.41(6cm)	280~400	002-7011	12~13/Single Scroll	
	E-Wastegate		TD04HLRB-21TK	49.6	61.0	OE	52.0	45.6	0.41(6cm)	280~400	002-7012	14~18/Single Scroll	
	E-Wastegate	N55	GTX3076R	58.0	76.1	OE	60.0	55.0	OE	450~750	002-0393	14~18/Single Scroll	
	M-Wastegate	S63	GTX2867R	49.7	67.4	OE	53.8	47.0	0.64	300~560	002-0396	12~13/Single Scroll	
	GTX2871R		54.1	71.4	OE	53.8	47.0	0.64	350~580	002-0397	Twin Turbo/Set		
FORD	Mustang Focus RS	EcoBoost 2.3L	GTX2971R	54.1	71.4	0.68	56.5	51.8	0.86	400~600	002-0161	14~19 Mustang, 16~19 Focus RS	
	Falcon/Barra	BA/BF	GTX3582R	62.5	82.5	0.50	68.0	62.0	1.06	500~800	002-5819		
		FG/G6E 4.0L	GTX3576RS	59.1	76.1	0.50	68.0	62.0	1.06	450~750	002-5816		
			GTX3582R	62.5	82.5	0.50	68.0	62.0	1.06	500~800	002-5817		
HONDA	FC1/FC3	L15B7	TD04LB-19T	46.0	58.0	OE	47.2	41.2	0.34	210~320	002-7021	Civic/CR-V	
MERCEDES BENZ	A45/CLA45	M133	GTX3071R	54.1	71.4	OE	60.0	55.0	OE	400~680	002-0387		
			GTX3076R	58.0	76.1	OE	60.0	55.0	OE	450~750	002-0388		
			GTX3082R	62.5	82.5	OE	60.0	55.0	OE	480~750	002-0389		
MITSUBISHI	EVO 1~3	4G63T	TD05HB-16G6	48.3	68.0	OE	56.0	49.1	0.49	280~400	002-6976		
			TD05HB-18G	50.4	68.0	OE	56.0	49.1	0.49	320~420	002-6977		
			TD06SL2B-20G	52.5	68.0	OE	61.0	54.1	0.49	400~480	002-6978		
	EVO 4~9		TD05HRB-16G6	48.3	68.0	OE	56.0	49.1	0.77	280~400	002-6981		
			TD05HRB-18G	50.4	68.0	OE	56.0	49.1	0.77	300~420	002-6982		
			TD06SL2RB-20G	52.5	68.0	OE	61.0	54.1	0.77	400~480	002-6983		
			TD06SL2RB-GTX3071R	54.1	71.4	OE	61.0	54.1	0.77	450~520	002-6984		
	EVO 10		4B11T	TD06HRB-GTX3071R	54.1	71.4	OE	67.2	58.8	0.77	450~550	002-6985	
				TD05HB-152G	47.1	68.0	OE	56.0	49.2	0.89	350~430	002-6988	
				TD06SL2B-20G	52.5	68.0	OE	61.0	54.1	0.89	400~480	002-6989	
TD06SL2B-GTX3071R		54.1		71.4	OE	61.0	54.1	0.89	450~520	002-6990			
			TD06HB-GTX3071R	54.1	71.4	OE	67.2	58.8	0.89	450~550	002-6991		
NISSAN	S14/S15	SR20DET	GT2560RS	47.2	60.1	0.60	53.0	42.0	0.42	230~360	002-5931		
			GT2860RS	47.2	60.1	0.60	53.8	47.0	0.42	250~480	002-5932		
			GT2860RS	47.2	60.1	0.60	53.8	47.0	0.64	250~480	002-5936		
			GTX2867R	49.7	67.4	0.60	53.8	47.0	0.64	300~560	002-5937		
			GTX2871R	54.1	71.4	0.60	53.8	47.0	0.64	350~580	002-5938		
			GTX2971R	54.1	71.4	0.60	56.5	51.8	0.64	400~600	002-5939		
			GTX3071R	54.1	71.4	0.60	60.0	55.0	0.64	400~680	002-5940		
			GTX2871R	54.1	71.4	0.60	53.8	47.0	0.86	350~580	002-5942		
			GTX3071R	54.1	71.4	0.60	60.0	55.0	0.86	400~680	002-5944		
			GTX2871R	54.1	71.4	0.65	53.8	47.0	0.86	350~580	002-5921		
			GTX3071R	54.1	71.4	0.65	60.0	55.0	0.86	400~680	002-5923		
			GTX3076R	58.0	76.1	0.65	60.0	55.0	0.86	450~750	002-5924		
	BNR32/33/34	RB26DETT	GT2860R	47.1	60.1	0.65	53.8	47.0	0.64	500~760	002-0651-2		
			GTX2867R	49.7	67.4	0.65	53.8	47.0	0.64	600~850	002-0652-2		
			GTX2871R	54.1	71.4	0.65	53.8	47.0	0.64	700~950	002-0653-2	Twin Turbo	
			GTX3071R	54.1	71.4	0.65	60.0	55.0	0.64	800~1150	002-0655-2		
	CZ32/GC32	VG30DETT	GTX2863R	47.1	63.4	0.48	53.8	47.0	0.57	500~750	002-0372	Twin Turbo	
	Juke/Tiida	MR16DDT	TD04LB-19T	46.0	58.0	OE	47.2	41.2	0.33	210~320	002-7111		
			TD04HLB-21TK	49.6	61.0	OE	52.0	45.6	0.33	280~400	002-7112		
	SUBARU	GC8/GF8/GDB/GGB	EJ20/EJ25	GTX2860R	42.0	60.0	0.60	53.8	47.0	0.49	200~320	002-3201	Rally/ 34mm Restrictor included
GTX2860R				42.0	60.0	0.60	53.8	47.0	0.64	200~320	002-3202		
GT2860RS				47.2	60.1	0.60	53.8	47.0	0.49	250~480	002-3153		
GT2860RS				47.2	60.1	0.60	53.8	47.0	0.64	250~480	002-3154		
GTX2867R				49.7	67.4	0.60	53.8	47.0	0.64	300~560	002-3158		
GTX2871R				54.1	71.4	0.60	53.8	47.0	0.64	350~580	002-3160		
GTX2971R				54.1	71.4	0.60	56.5	51.8	0.64	400~600	002-3162	2.5"Cover Inlet Silicon Hose Included	
GTX3071R				54.1	71.4	0.60	60.0	55.0	0.64	400~680	002-3164		
GTX2867R				49.7	67.4	0.70(G3)	53.8	47.0	0.49	300~560	002-6851		
GTX2867R				49.7	67.4	0.70(G3)	53.8	47.0	0.64	300~560	002-6852		
GTX2871R				54.1	71.4	0.70(G3)	53.8	47.0	0.64	350~580	002-6854		
GTX2971R				54.1	71.4	0.70(G3)	56.5	51.8	0.64	400~600	002-6855	2.5"Cover Inlet Silicon Hose Included	
GTX3071R	54.1	71.4	0.70(G3)	60.0	55.0	0.64	400~680	002-6856					

# Turbocharger(Ball Bearing)

Brand	Type	Engine Type	Turbine Type	Compressor Wheel		A / R	Turbine Wheel		A / R	Horsepower	Part No.	Note
				In Dia.	Ex Dia.		In Dia.	Ex Dia.				
SUBARU	GE/GH/GR	EJ20/EJ25	GTX2867R	49.7	67.4	0.60	53.8	47.0	0.49	300~560	002-0656A	OE:VF40,VF52 Single Turbine Inlet
			GTX2867R	49.7	67.4	0.60	53.8	47.0	0.64	300~560	002-0661A	
			GTX2871R	54.1	71.4	0.60	53.8	47.0	0.64	350~580	002-0662A	
			GTX2971R	54.1	71.4	0.60	56.5	51.8	0.64	400~600	002-0663A	
			GTX3071R	54.1	71.4	0.60	60.0	55.0	0.64	400~680	002-0665A	
	GDB/GRB/ GVB/VAB (Spec C)		GTX2867R Gen II	49.7	67.4	0.70(G3)	53.8	47.0	0.71	300~560	002-6861	2.5" G25 Cover Twin Turbine Inlet (Single Scroll) Intake Hose Included
			GTX2871R Gen II	54.1	71.4	0.70(G3)	53.8	47.0	0.71	350~580	002-6862	
			GTX3071R Gen II	54.1	71.4	0.70(G3)	60.0	55.0	0.71	400~680	002-6863	
			TD04HLB-20T	47.0	58.0	OE	52.0	45.6	0.61	260~380	002-6996	
BLS/BP5 (Legacy/ Liberty)	TD04HLB-21TK	49.6	61.0	OE	52.0	45.6	0.61	280~400	002-6997	Twin Turbine Inlet (Single Scroll) OE: VF38, VF44, VF45 & TD04HLA		
	TD04HLXB-21TK	49.6	61.0	OE	53.0	48.0	0.61	280~420	002-6998			
TOYOTA	JZX100	1JZ-GTE(VVTI)	GTX3071R	54.1	71.4	0.60	60.0	55.0	0.64	400~680	002-5898	
			GTX3076R	58.0	76.1	0.60	60.0	55.0	0.64	450~750	002-5899	
	GR Yaris/Corolla	G16E-GTS	GTX2867R	49.7	67.4	0.60	53.8	47.0	OE	275~550	002-7122	
VW/ AUDI (VAG)	AUDI S3/Golf 6R	EA113/EA888 G1(Transverse)	GTX2867R	49.7	67.4	IS38	53.8	47.0	IS20	300~560	002-3091	OE:K04-064, K03-086,K03-105
	Golf GTI MK6	EA888 G2(Transverse)	GTX2867R	49.7	67.4	IS38	53.8	47.0	IS38	300~560	002-3098	OE:IHI RHF5
	Golf MK7	EA888 G3 (Transverse)	GTX2867R	49.7	67.4	IS38	53.8	47.0	IS20	300~560	002-6931	Hybrid IS38/IS20
			GTX2867R	49.7	67.4	IS38	53.8	47.0	IS38	300~560	002-1011A	OE:IS38
			GTX2871R	54.1	71.4	IS38	53.8	47.0	IS38	350~580	002-1012A	
			GTX3071R	54.1	71.4	IS38	60.0	55.0	IS38	400~680	002-1016A	
			GTX3076R	58.0	76.1	IS38	60.0	55.0	IS38	450~750	002-1017A	
	GTX3071R	54.1	71.4	0.65	60.0	55.0	0.73	400~680	002-6911			
	Golf MK8	EA888 G4 (Transverse)	GTX3076R	58.0	76.1	Golf R	60.0	55.0	Golf R	450~750	002-6912	
			RS3/TTRS 2.5L	DNWA/DAZA/DNWC	GTX3582R	65.7	82.7	0.64	68.0	62.0	0.60	500~800
AUDI S5/F5	TFSI 3.0T	GTX3076R	58.0	76.1	0.71	60.0	55.0	0.60	450~750	002-6922		
A4/A5/ A6/A7/ Q5 Porsche	EA888 G3 (Inline)	GTX2867R	49.7	67.4	IS20	53.8	47.0	IS20	300~560	002-1031	OE:IS20	
		GTX2871R	54.1	71.4	IS20	53.8	47.0	IS20	350~580	002-1032		
		GTX3071R	54.1	71.4	IS20	60.0	55.0	IS20	400~680	002-1033		

# Turbocharger(Journal Bearing)

Brand	Type	Engine Type	Turbine Type	Compressor Wheel		A / R	Turbine Wheel		A / R	Horsepower	Part No.	Note
				In Dia.	Ex Dia.		In Dia.	Ex Dia.				
HONDA	S660	S07A	TD02L11-075WDS	31.0	40.0	OE	34.0	28.9	OE	130~150	057-0034	GT150
ISUZU	Tropper/Rodeo	4JB1T	TD04L-13T	40.6	56.0	0.42	47.2	41.2	0.32	180~280	001-2751	Heavy Duty Thrust Bearing
	Tropper/Jackaroo	4JG2T	TD04L-15T	41.9	55.7	0.42	47.2	41.2	0.41	200~290	001-0755	IHI VICC/VIAN
MAZDA	B2500	J97A	RHF5	43.0	56.0	OE	52.5	36.6	OE	100~150	001-1326	
MITSUBISHI	VR-4	6A13TT	TD03-14T	39.6	51.0	OE	40.0	34.9	0.37	400~450	001-2552	9-6 Twin Turbo
NISSAN	R33/R34 GTST	RB25DET	TA34-GTX3071R	54.1	71.4	OE	65.0	54.4	OE	400~680	001-0642	
	Navara	ZD30DDT	HT12-4758	46.0	58.0	0.52	47.0	40.2	0.33	150~220	001-2309A	HT12-19
	GU Patrol	TD42	TD05H-16G	48.3	68.0	0.60	56.0	49.1	0.42	280~400	001-1241	Oil-Cooled/ 6 Bolt outlet
			TD05H-18G	50.4	68.0	0.60	56.0	49.1	0.42	300~420	001-1242	
			TD05H-16G	48.3	68.0	0.60	56.0	49.1	0.42	280~400	001-1425	Water-Cooled/ 6 Bolt outlet
			TD05H-18G	50.4	68.0	0.60	56.0	49.1	0.42	300~420	001-1414	
	GQ Patrol	TD42	TD05H-16G	48.3	68.0	0.60	56.0	49.1	0.42	280~400	001-1491	Water-Cooled/V-Band
TD05H-18G			50.4	68.0	0.60	56.0	49.1	0.42	300~420	001-1432	Oil-Cooled/V-Band	
SUZUKI	Swift	K14C	TD03-10T	35.6	46.0	46.0	40.0	34.9	OE	100~200	001-2717	
			TD03-12T	38.0	48.0	48.0	40.0	34.9	OE	220~265	001-2718	GT280
SAAB	9000	B234R	TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49	260~380	001-1259	
			TD04HL-21TK	49.6	61.0	OE	52.0	45.6	0.49	280~400	001-1260	
	9-3	B235R	TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49	260~380	001-1263	
			TD04HL-21TK	49.6	61.0	OE	52.0	45.6	0.49	280~400	001-1267	
TOYOTA	Land Cruiser HDJ80	1HD-T/FT	CT26M-7MGTE	45.8	64.9	0.60	59.7	48.0	0.49	200~230	001-2412A	
			CT26M-GTX2867R	49.7	67.4	0.60	59.7	48.0	0.49	300~560	001-2413A	
			CT26M-GTX3071R	54.1	71.4	0.60	59.7	48.0	0.49	400~680	001-2414A	
			CT26-GTX2867R	49.7	67.4	0.60	68.0	52.0	0.49	300~560	001-0468	
			CT26-GTX3071R	54.1	71.4	0.60	68.0	52.0	0.49	400~680	001-0462A	
	Land Cruiser HDJ100	1HD-FTE	CT26M-OE	45.8	64.9	0.60	59.7	48.0	0.49	200~230	001-2451A	Upgraded CT15B to CT26 Bearing System
			CT26M-GTX2867R	49.7	67.4	0.60	59.7	48.0	0.49	300~560	001-2452	
			CT26M-GTX3071R	54.1	71.4	0.60	59.7	48.0	0.49	400~680	001-2453A	
			CT26-GTX2867R	49.7	67.4	0.60	68.0	52.0	0.49	300~560	001-2761	
			CT26-GTX3071R	54.1	71.4	0.60	68.0	52.0	0.49	400~680	001-2762	

# Turbocharger(Journal Bearing)

Brand	Type	Engine Type	Turbine Type	Compressor Wheel		A / R	Turbine Wheel		A / R	Horsepower	Part No.	Note
				In Dia.	Ex Dia.		In Dia.	Ex Dia.				
TOYOTA	Hilux/Land Cruiser	1KZ	CT12B	47.0	58.0	0.48	52.1	44.0	0.42	165~190	001-2308	
	Supra/Soarer (MA70/MA20/MZ21)	7M-GTE	CT26-GTX3071R	54.1	71.4	0.60	68.0	52.0	0.49	400~680	001-2766	Gasoline
			CT26-GTX3576RS	59.1	76.1	0.60	68.0	52.0	0.49	450~750	001-2767	
	Celica(ST185/ST205)	3S-GTE	CT26-GTX3071R	54.1	71.4	0.60	68.0	52.0	0.57	400~680	001-2771	Twin Scroll
VOLVO	Conic Turbine Outlet	B5234FT, N2P23FT	TD04HL-16T	43.4	56.0	OE	52.0	45.6	0.49(7cm)	220~320	001-2561	
			TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49(7cm)	260~380	001-2562	
			TD04HL-21TK	49.6	61.0	OE	52.0	45.6	0.49(7cm)	280~400	001-2563	
			TD04HLX-21TK	49.6	61.0	OE	53.0	48.0	0.49(7cm)	280~420	001-2564	
	Angled Turbine Outlet	B5235, B5244, N2P25FT	TD04HL-16T	43.4	56.0	OE	52.0	45.6	0.49(7cm)	220~320	001-2571	
			TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49(7cm)	260~380	001-2572	
			TD04HL-21TK	49.6	61.0	OE	52.0	45.6	0.49(7cm)	280~400	001-2573	
			TD04HLX-21TK	49.6	61.0	OE	53.0	48.0	0.49(7cm)	280~420	001-2574	
	Straight Turbine Outlet	B5254T, N2P23FT	TD04HL-16T	43.4	56.0	OE	52.0	45.6	0.49(7cm)	220~320	001-2581	
			TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49(7cm)	260~380	001-2582	
			TD04HL-21TK	49.6	61.0	OE	52.0	45.6	0.49(7cm)	280~400	001-2583	
			TD04HLX-21TK	49.6	61.0	OE	53.0	48.0	0.49(7cm)	280~420	001-2584	
	940	B200FT, B230FK	TD04HL-16T	43.4	56.0	OE	52.0	45.6	0.49(7cm)	220~320	001-2592	
			TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49(7cm)	260~380	001-2593	
			TD04HLX-21TK	49.6	61.0	OE	53.0	48.0	0.49(7cm)	280~420	001-2594	
	XC70 XC90 2.5T (49377-06201/ Long Cover Outlet)	B5254T	TD04HL-20T	47.0	58.0	OE	52.0	45.6	0.49(7cm)	260~380	001-2601	
TD04HL-21TK			49.6	61.0	OE	52.0	45.6	0.49(7cm)	280~400	001-2602		
TD04HLX-21TK			49.6	61.0	OE	53.0	48.0	0.49(7cm)	280~420	001-2603		
VW/ AUDI (VAG)	AUDI S3 TT	1.8T 20V	K04 Extreme	46.4	60.0	OE	52.0	46.5	OE	260~380	001-2301	AMU/BAM/APX/BEA/K04-023
	A3/Beetle/Golf MK4	1.8T 5V	K04 Extreme	45.2	60.0	OE	52.0	46.5	OE	260~380	001-2302	AUQ/ARZ/AVC/APH/AGU/ALU/ Transverse/K03-035
	A4/A6/Passat		K04 Extreme	45.2	60.0	OE	52.0	46.5	OE	260~380	001-2303	APU/ARK/BFB/AEB/AWM/ATW/ Inline/K03-029/K04-015
	RS4(B5)/A6(C5)	2.7L Biturbo	K04 Extreme	43.0	56.0	OE	52.0	46.5	OE	500~650	001-2310B	ASJ/AZR(Twin Turbo)
	Golf MK6	EA111 1.4T	GT280	39.6	51.0	OE	40.0	35.1	OE	220~280	057-0036	IHI RHF3X-14T
	Golf MK7	EA211 1.4T	GT280	39.6	51.0	OE	40.0	35.1	OE	220~280	057-0030	
		EA888 2.0T	RHF55-GTX2971R	54.1	71.4	OE	57.0	52.8	OE	400~600	057-0105-N	RHF55 Heavy Duty Thrust Bearing

## Universal

Turbine Type	Compressor Wheel		A / R	Turbine Wheel		A / R	Compressor Housing		Flange	Wastegate	Horsepower	Part No.	Note
	In Dia.	Ex Dia.		In Dia.	Ex Dia.		Inlet	Outlet					
GTX3576RS	59.1	76.1	0.70	68.0	62.0	0.61	101.6	63.5	VB/VB	EWG	450~750	002-2276	
	59.1	76.1	0.70	68.0	62.0	0.73	101.6	63.5	VB/VB	EWG	450~750	002-2278	
	59.1	76.1	0.70	68.0	62.0	0.86	101.6	63.5	VB/VB	EWG	450~750	002-2277	
GTX3582R	62.5	82.5	0.70	68.0	62.0	0.73	101.6	63.5	VB/VB	EWG	500~800	002-2285A	
	62.5	82.5	0.70	68.0	62.0	0.86	101.6	63.5	VB/VB	EWG	500~800	002-2284A	
GTX3584R	66.3	84.0	0.70	68.0	62.0	0.86	101.6	63.5	VB/VB	EWG	600~900	002-2287A	
	66.3	84.0	0.70	68.0	62.0	0.73	101.6	63.5	VB/VB	EWG	600~900	002-2288A	
	71.3	84.0	0.70	68.0	62.0	0.86	101.6	63.5	VB/VB	EWG	650~950	002-2291	Viper
GTW3884R	67.3	84.4	0.70	74.2	64.3	1.00	101.6	63.5	T4/VB	EWG	650~950	002-5592	11-10
GTW3890R	71.3	90.0	0.70	74.2	64.3	1.00	101.6	63.5	T4/VB	EWG	650~1000	002-5602	11-10

## G-Series

Turbine Type	Compressor Wheel		A / R	Turbine Wheel		A / R	Compressor Housing		Flange	Wastegate	Horsepower	Part No.	Note
	In Dia.	Ex Dia.		In Dia.	Ex Dia.		Inlet	Outlet					
G25-550	48.0	60.0	0.70	54.0	49.0	0.72	76.2	51.0	VB/VB	IWG	350~580	106-0001	
G25-660	54.3	67.4	0.70	54.0	49.0	0.72	76.2	51.0	VB/VB	IWG	350~680	106-0002	
G30-660	54.3	67.4	0.70	60.0	55.0	0.72	76.2	51.0	VB/VB	IWG	350~680	106-0003	
G30-770	57.5	71.4	0.72	60.0	55.0	0.72	101.6	63.5	VB/VB	IWG	475~770	106-0004	
	57.5	71.4	0.72	60.0	55.0	0.83	101.6	63.5	VB/VB	EWG	475~770	106-0010	
G30-900	61.8	76.6	0.72	60.0	55.0	0.72	101.6	63.5	VB/VB	IWG	550~900	106-0005	
	61.8	76.6	0.72	60.0	55.0	0.83	101.6	63.5	VB/VB	EWG	550~900	106-0011	
G35-900	61.8	76.6	0.72	68.0	62.0	0.83	101.6	63.5	VB/VB	IWG	550~900	106-0006	
G35-1050	68.0	84.5	0.75	68.0	62.0	0.83	101.6	63.5	VB/VB	IWG	700~1050	106-0007	
G40-1150	71.0	88.0	0.80	77.0	70.0	0.85	101.6	63.5	VB/VB	EWG	500~1150	106-0008	
	71.0	88.0	0.80	77.0	70.0	0.85	101.6	63.5	T4/VB	EWG	500~1150	106-0009	

# Ball Bearing Turbo Horsepower Chart

Type		Wheel Spec		Power Range														
Turbine	Compressor	TW	CW	kW→74	147	221	294	368	441	515	588	662	726	808	882	955		
GT25R	GT2554R	42.0/53.0/62T	42.0/54.3/60T		180~280													
	GT2560R		46.5/60.1/60T		200~350													
GT(X)28R	GTX2560RS-62T	47.0/53.8/76T	47.2/60.1/62T		230~360													
	GTX2860R-49T Rally		42.0/60.0/49T		200~320													
	GTX2860RS-62T		47.2/60.1/62T		250~480													
	GTX2863R-56T		47.1/63.4/56T		300~520													
	GTX2867R-55T		49.7/67.4/55T		300~560													
GT(X)29R	GTX2871R-58T	51.8/56.5/84T	54.1/71.4/58T		350~580													
	GTX2976R-58T		58.0/76.1/58T		400~600													
	GTX3071R-58T		54.1/71.4/58T		400~680													
GT(X)30R	GTX3076R-58T	55.0/60.0/84T	58.0/76.1/58T		400~680													
	GTX3082R-58T		62.5/82.5/58T		450~750													
GT(X)35R	GTX3576RS-60T	62.0/68.0/84T	59.1/76.1/60T		480~750													
	GTX3582R-58T		62.5/82.5/58T		450~750													
	GTX3584R		66.3/84.0/62T		500~800													
	GTX3584RS(Gen II)		67.3/84.4/64T		600~900													
GTW38R	GTW3884R	64.3/74.2/76T	71.3/90.0/63T		600~900													
	GTW3890R		62.3/84.4/55T		650~950													
GTX42R	GTX4202R	75.0/82.0/84T	71.3/90.0/63T		650~950													
	GTX4208R		75.8/102.8/55T		750~1150													
GTX45R	GTX4508R	80.2/87.0/85T	79.8/108.0/55T		800~1200													
					900~1350													

PS→100 200 300 400 500 600 700 800 900 1000 1100 1200 1300

# Journal Bearing Turbo Horsepower Chart

Type		Wheel Spec		Power Range										
Turbine	Compressor	TW	CW	kW→74	147	221	294	368	441	515	588	662	726	
TD03	7T	34.9/40.0/76T	31.9/44.0/53T		80~180									
	10T		35.6/46.0/60T		100~200									
	14T		39.6/51.0/60T		120~220									
TF035HM	10T	36.2/43.0/70T	35.5/49.0/60T		120~200									
	12T		37.8/49.0/60T		120~220									
	13T		40.6/56.0/53T		130~230									
TF035HL	15T	37.7/43.0/75T	41.9/55.7/57T		140~250									
	13T		40.6/56.0/53T		120~240									
TD04	15T	40.0/47.2/72T	41.9/55.7/57T		130~250									
	12T		37.8/49.0/60T		130~230									
	13T		40.6/56.0/53T		130~250									
TD04L	15T	41.2/47.2/76T	41.9/55.7/57T		130~260									
	12T		37.8/49.0/60T		150~220									
	13T		40.6/56.0/53T		180~280									
TD04HL	15T	45.6/52.0/76T	41.9/55.7/57T		200~290									
	19T		46.0/58.0/63T		210~320									
	13T		40.6/56.0/53T		200~290									
	15T		41.9/55.7/57T		200~300									
	16T		43.4/56.0/60T		220~320									
TD04HLX	19T	48.0/53.0/82T	46.0/58.0/63T		250~360									
	20T		47.0/58.0/66T		260~380									
	21TK		49.6/61.0/66T		280~400									
	20T		47.0/58.0/66T		280~380									
TD05H	21TK	49.1/56.0/77T	49.6/61.0/66T		280~420									
	16G6		48.3/68.0/50T		280~400									
	18G		50.4/68.0/55T		300~420									
TD06SL2	20G	54.1/61.0/79T	52.5/68.0/60T		350~460									
	GTX3071R		54.1/71.4/58T		360~480									
	GTX3076R-60T		59.0/76.1/60T		400~440									
	18G		50.4/68.0/55T		400~480									
TD06	20G	55.0/65.0/72T	52.5/68.0/60T		400~480									
	20G		52.5/68.0/60T		450~520									
TD06H	GTX3071R	58.8/67.2/77T	54.1/71.4/58T		480~580									
	GTX3076R-60T		59.0/76.1/60T		400~460									
T67	25G	54.0/61.5/79T	60.5/78.0/60T		400~490									
	T04R		66.6/84.0/63T		400~500									
TE06H	25G	58.8/67.2/77T	60.5/78.0/60T		450~550									
	T04R		66.6/84.0/63T		480~600									
T78	33D	65.0/74.0/77T	66.0/90.0/54T		500~620									
	34D		66.6/84.0/63T		500~700									
	38GK		76.0/96.0/63T		500~650									
					600~750									
					600~780									
					700~850									
					750~930									

PS→100 200 300 400 500 600 700 800 900 1000

# G-Series Horsepower Chart

Type		Wheel Spec		Power Range													
Turbine	Compressor	TW	CW	kW→74	147	221	294	368	441	515	588	662	726	808	882	955	
G25	550	49.0/54.0/84T	48.4/60.0/65T					350~580									
	660		54.3/67.4/65T					350~680									
G30	660	55.0/60.0/84T	54.3/67.4/65T					350~680									
	770		57.5/71.4/65T					475~770									
G35	900	62.0/68.0/84T	61.8/76.6/65T					550~900									
	1050		68.1/84.5/65T					550~900									
G40	1150	70.0/77.0/84T	71.0/88.0/65T					700~1050									
								500~1150									

PS→100 200 300 400 500 600 700 800 900 1000 1100 1200 1300

# - Reward Record -

## International Certifications



## Awards In Taiwan



## Participation In Global Events

### America



### Japan



### Australia



MAMBA Website

Welcome to explore more on the MAMBA official website !

- A wide range of turbochargers and accessories.
- Limited-time promotional offers.
- New arrivals and best-selling product recommendations.
- Installation guides and after-sales service.

### Taiwan Head Office

🏠 : No. 16, Ln. 715, Sec. 1, Xinan Rd., Wuri Dist.,  
Taichung City 41465, Taiwan

☎ : +886-4-2335-0587

### Australia Office

🏠 : Lot 21, 1 Belvedere Dr. Park Ridge QLD 4125,  
Australia

☎ : +61-7-3732-4940