

Jackery SolarSaga 100W Solar Panel



**Easy to Use
and Portable**




**IP65 Water-
Resistant**




**Catch and
Convert Sunlight
Efficiently**




Designed to Last



**Direct Charging under
Sunlight**






Tech Specs


Electrical Data	STC
Peak Power	100W
Power Voltage	20V DC
Power Current	5A
Open Circuit Voltage	24.8V DC
Short Circuit Current	5.6A
USB-A Output	5V==2.4A
USB-C Output	5V==3A
Operating Temperature Range	-10-65°C
Dimensions (unfolded)	1220 × 535 × 20mm
Dimensions (folded)	610 × 535 × 35mm
Warranty	2 + 1 Years

Add : 39 Antibes Street, Parkdale Victoria 3195, Australia
Customer Support : hello.aus@jackery.com
PR & Influencer : marketing.au@jackery.com
Distributors : jackerydealer@jackery.com

Jackery Australia Pty Ltd.



Jackery SolarSaga 200W Solar Panel



**Up to 25% Solar Conversion
Efficiency**



IP68 Waterproof Rating



**Foldable and
Easy to Carry**



**Built to
Last**



Tech Specs

Electrical Data	STC	BNPI
Peak Power (Pmax)	200W ± 5%	208W ± 5%
Open Circuit Voltage (Voc)	24.8V ± 5%	25V ± 5%
Short Circuit Current (Isc)	11.2A ± 5%	11.4A ± 5%
Power Voltage (Vmp)	20V± 5 %	20.2V ± 5%
Power Current (Imp)	10A± 5 %	10.3A ± 5%
Maximum System Voltage	60V	
Maximum Reverse Current	15A	
Protection Class Against Electric Shock	Class II	
Waterproof Level	IP68	
Operating Temperature Range	-20°C to 65°C	
Dimensions (unfolded)	2,340 × 552 × 25 mm	
Dimensions (folded)	615 × 552 × 40 mm	
Weight	6.2 kg ± 0.3 kg	
Bifaciality Coefficient (back/ front)	Pmax>30%, Voc>95%, Isc>32%	
Voltage Temperature Coefficient	-0.268%/°C	
Power Temperature Coefficient	-0.29%/°C	

STC (1000 W/m², 25 °C, AM 1.5). BNPI (Front 1000 W/m², Rear 135 W/m², 25 °C, AM 1.5).

Unfold the bracket and place it on a flat surface. The design load is 1600Pa, and the safety factor is 1.5 times.

Multifunctional Adapter		
USB-A Output	5V=2.4A	
USB-C Output	5V=3A	
Warranty	3 + 2 Years	

Add : 39 Antibes Street, Parkdale Victoria 3195, Australia

Customer Support : hello.aus@jackery.com

PR & Influencer : marketing.au@jackery.com

Distributors : jackerydealer@jackery.com

Jackery Australia Pty Ltd.

