

Intelligent Empowerment

Integrated smart packaging solution

智慧赋能 制药智能一体化包装解决方案

JIADE® 佳德 Since 2003

Company introduction:

JIADE MACHINERY is a professional manufactuer & engineering company which is specialized in packaging equipment for pharmaceutical, cosmetic and food industries with high quality and advanced technology.

JIADE SUPPORT:

- High quality machine with favorable price
- Technical communication, standard production control and quality control system
- Skilled Maintenance Team, Engineers Available to Service Machinery Overseas

Packaging solutions:

Upstream machines	Cartoner (output: up to)	Downstream machines
Blister machine		
Plastic Tray thermoformer		
Flow-pack wrapper		Carton labeler
Jar filler	Continuous cartoner	Case packing machine
Labeler	600carton/min	Weight inspection machine
Tube filler		Film bundling machine
Sachet and strips packer		Overwrapping machine
Stick packer	Intermittent cartoner	Shrink wrapping machine
Vial filling and capping machine	120carton/min	Tray packer
Condom packer		Others
Given bag packer		
Others		



JD-DPH-320s＋JDZ-600s

Blister-Cartoning Packaging Line



Carton Dimension(Min-max)

Length	Width	Height	Production Output
70-180mm	35-80mm	14-50mm	600Cartons/min

JDL-550s

Full Servo Blister-Cartoning Packaging Line



Carton Dimension(Min-max)

Length	Width	Height	Production Output
70-180mm	35-80mm	14-50mm	260Cartons/min

JDZ-260

Flow Pack-Cartoning-Overwrapping Packaging Line




Carton Dimension(Min-max)

Length	Width	Height	Production Output
70-180mm	35-80mm	14-50mm	260Cartons/min

JD-DPH-320S

Blister Packaging Machine





TECHNICAL DATA:

Max. Punch Frequency	150 Stoke/min	PTP roll diameter(OD)	<φ320mm
Max. Forming depth	12mm	PVC & PTP hole diameter of roll	φ68-75mm
Max. Forming area	180×310mm(L×W)	Overall dimension (L×W×H)	3550×1100×1950mm
Standard PVC hard sheet	(0.25-0.35)×320mm	Weight	2200kg
Standard PTP Aluminum foil	0.02×320mm	Total power	24kw 380V/ 50Hz
PVC roll diameter(OD)	<φ380mm		

JD-DPH-260

Blister Packaging Machine





TECHNICAL DATA:

Max. Punch Frequency	150 Stoke/min	PTP roll diameter(OD)	<φ260mm
Max. Forming depth	12mm	PVC & PTP hole diameter of roll	φ68-75mm
Max. Forming area	180×250mm(L×W)	Overall dimension (L×W×H)	4550×1250×2115mm
Standard PVC hard sheet	(0.25-0.35)×260mm	Weight	2200kg
Standard PTP Aluminum foil	0.02×260mm	Total power	18kw 380V/ 50Hz
PVC roll diameter(OD)	<φ380mm		

JIADE 佳德

JDZ-450

Blister Cartoning Machine









TECHNICAL DATA:

Encasing speed		Max. 450Cartons/min
Packaging material	Carton size	(70-180)x(35-80)x(14-50)mm
	Carton material	350g/m² white card paper or coated duplex board with white back
	Leaflet size	60-70g/m², unfolded size:(80-250)x(90-170)mm
Compressed air		≥0.6mpa, air consumption: 220-240L/min.
Power		3P,380v,50hz; 4.5kw
Dimension		4800x1800x2000mm
Net weight		About 5500kg

JDZ-320

Bottle Cartoning Machine





TECHNICAL DATA:

Encasing speed		Max. 320Cartons/min
Packaging material	Carton size	(70-180)x(35-80)x(14-50)mm
	Carton material	250-350g/m² white card paper or coated duplex board with white back
	Leaflet size	60-70g/m², unfolded size:(80-300)x(90-180)mm; 1-4folds
Compressed air		≥0.6mpa, air consumption: 160-200L/min.
Power		3P,380v,50hz; 5.8kw
Dimension		4770x1706x2203mm
Net weight		About 3100kg

JDZ-260P

Bottle Cartoning Machine



TECHNICAL DATA:

Encasing speed		Max. 260Cartons/min
Packaging material	Carton size	(70-180)x(35-80)x(14-50)mm
	Carton material	250-350g/m² white card paper or coated duplex board with white back
	Leaflet size	60-70g/m², unfolded size:(80-300)x(90-180)mm; 1-4folds
Compressed air		≥0.6mpa, air consumption: 160-200L/min.
Power		3P,380v,50hz; 5kw
Dimension		6273x1591x1868mm
Net weight		About 3400kg

JDZ-180

Cartoning Machine





TECHNICAL DATA:

Encasing speed		Max. 180Cartons/min
Packaging material	Carton size	(70-165)x(35-85)x(14-50)mm
	Carton material	250-350g/m² white card paper or coated duplex board with white back
	Leaflet size	60-70g/m², unfolded size:(80-300)x(90-180)mm; 1-4folds
Compressed air		≥0.6mpa, air consumption: 120-180L/min.
Power		3P,380v,50hz; 4.5kw
Dimension		4439x1560x1965mm
Net weight		About 1750kg

JDZ-120

Cartoning Machine

Intermittent Cartoner is suitable for packing sachet, condom, adhesive bandage, strip, stick, coffee bags, face mask, vial, blisters and similar products into carton. It has options of automatic blister hopper, vial collecting and delivery device, strips counting and delivery device. It is suitable to add hot melt device.

















TECHNICAL DATA:

Model	Vertical Cartoner	Horizontal Cartoner
Encasing speed	Up to 120 cartons/min	Up to 120 cartons/min
Carton size	(65-125)×(30-85)×(12-50)mm	(70-180)×(30-80)×(14-50)mm
Carton material	250-350g/m² white board paper	250-350g/m² white board paper
Leaflet size	60-70g/m²	60-70g/m²
Compressed air	≥0.6Mpa, 120-160L/min	≥0.6Mpa, 120-160L/min
Power supply	1P 220V 50Hz 0.75KW	1P 220V 50Hz 0.75KW
Dimension	2150×1140×1800mm	3100×1100×1550mm
Weight	1100kg	1400kg

































ZHEJIANG JIADE PACKING MACHINERY CO.,LTD.

浙江佳德包装机械有限公司

Add:No.6, Wansheng Road, Wanquan Industrial Zone, Pingyang, Wenzhou, Zhejiang,China 325400
Tel: 0086-577-63081886 Fax: 0086-577-63081889
Http://www.jiademachine.com
E-mail:sales@jiademachine.com

©2025.5 Print

JIADE® 佳德