India's Largest Manufacturer of

PP & PET Straps

A belt with strength
to keep your

Products Safe

WRELTT

Strapping Solutions

AN ISO 9001 : 2015 Certified Company

Company Profile

WRELTT INDIA PVT. LTD. (formerly known as Signor Polymers Pvt. Ltd.) has been established in the year 2005-06 with a vision to produce high quality Polypropylene (PP) Box Straps, ideal for Fully Semi Automatic Strapping Machine. Our Straps are available in different widths, thickness and various colors / Natural too; with an online printing facility, giving excellent printing results on the straps. Our product is manufactured on highly sophisticated, Hi-tech, imported, fully automized plant.

In 2016 we have started PET Strap Manufacturing. The plant has a huge capacity & excellent end product.

The company is situated at Lodhika GIDC, a prime industrial area in the outskirts of Rajkot (Gujarat - India) having all modern amenities, excellent infrastructure, connectivity & an open access not only for Domestic market but for Global outsourcing too.

We believe serving the best quality as we keenly focus on quality aspect only, we scrupulously follow standards stringently even the minute details of quality parameters with the help of our technically competent engineers international standard quality Testing lab. Our product passes through various quality check-points viz., Tensile Strength, Elongation, Curvature Seal Strength which are required to maintain the quality of our product.



Directores Vision & Mission

WRELTT INDIA PVT. LTD., is a company having experienced entrepreneurs in the Board of Directors who Ventured in this field with a motto —

“To triumph over the global market on the strength of Quality and Good rapport with its valued customers”

WRELTT believes in building a bridge of everlasting relationship on the bricks of trusted quality of our Product and services.

To sustain the leading position by Harmonizing up-to-the-Minute Advancement & Up gradation in Technology to satisfy our Valued Patrons.



Quality Control & Policy

Our product passes vigilant & strict test viz. Visual analysis, Perfect Required Size & Thickness, Tensile Strength, Elongation, Curvature and Seal Strength, excellent & uniform winding and last but not the least proper packaging at the end.

“We are committed to total customer's satisfaction by delivering quality product on time. Achieving Customer satisfaction and meeting their requirements through continuous improvement. Maintaining a high standard of professionalism in every aspect of our day to day Business”

Features

Wreltt Straps are available in 5, 6, 8, 9, 11, 12, 15, & 18mm width and in white, various colors & Natural too with online printing facilities, giving excellent printing result on the strap.

They are manufactured through the most sophisticated, hi-tech fully automatic plant giving us an edge over other manufactures.

Customization of the product with precise & specific requirement is also entertained.

Allied Packaging Products

Not only we are having expertise in PP/PET Strapping Rolls but our knowledge has been in sourcing & supplying other packaging related items viz., all types of Packing Machine, for PP Strapping Rolls and Packing Materials like Stretch cling Film, Shrink Films, BOPP Self Adhesive Tapes, Cord Straps. In Short complete range of all Packaging Products.

Core Ideology

Core Purpose

To Enhance customer's growth and goodwill by ensuring Safety and Originality of their Products till the destination.

Core Values

- Commitment
- Team Work
- Quality in all Aspects
- Unquestionable Reliability
- Continues Improvement

Envisioned Future

BHAG
(Big Hairy Audacious Goal)

“To become Number 1 Packaging Industry by eliminating foreign competition locally & achieve **500 Crores Milestone 2027”**



Applications for PP Straps

Newspaper & other publication houses, copier & stationeries, electrical appliances pharmaceuticals, automobiles and glass products, allied engineering products, motor & pump industries, flexible & non-flexible items, wires & cable industries, welding electrodes & explosives, fruit/perishable & non-perishable goods, solvent & oil industries, ceramic & sanitary ware products, textile yarns & synthetics, marine products, pallet packing & so many such varied industries.



5mm Strap for Online
Fully Auto Machine



Strap for Fully
Auto Machine



Strap for Online
Fully Auto Machine



Strap for
Semi Auto Machine

Applications for PET Straps

- Cotton Bales
- Wooden Crates
- Polyester Yarn Bales
- Paper Industries
- Automobile Industries
- Engineering units
- Graphite Industries
- Plywood mfg. Unit
- Synthetic Fiber
- Jute/ Coir/ Rubber Bales
- Pallets/Palletisation of Cartons
- Ceramic Industries
- Aluminium Ingots
- Refractory/Bricks
- Beverage Industries
- Float glass / Sheet glass
- Construction Material Industries
- Steel Sheets, Rods, Coils, Pipes









Standard Specifications for 5mm Hi-Speed Fully Automatic Machine Applications

Item Code	Width (in mm) (± 0.03)	Thickness (in mm) (± 0.02)	Length/m (per Roll) (± 5%)	Weight (Per Roll) (± 0.100 Kg.)	T/Strength (Min.) (in Kg.)
WI 547	5.0	0.47	7000	10.000	38
WI 505	5.0	0.50	5300	8.000	42

Elongation : Up to 15%, **Standard Colors :** White. **Paper Core Specification :** 203mm ID X 190mm, 150mm ID X 152mm

Standard Specifications for 8mm Hi-Speed Fully-Automatic Machine Applications

Item Code	Width (in mm) (± 0.03)	Thickness (in mm) (± 0.02)	Length/m (per Roll) (± 5%)	Weight (per Roll) (± 0.100 Kg.)	T/Strength (Min.) (in Kg.)
WI 806	8.00	0.60	4000	8.400	80
WI 806	8.00	0.60	4000	9.200	85
WI 806	8.00	0.60	4000	10.000	90

Elongation : Up to 15%, **Standard Colors :** White. **Paper Core Specification :** 203mm ID X 190mm

Standard Specifications for Fully-Automatic Machine Applications

Item Code	Width (in mm) (± 0.05)	Thickness (in mm) (± 0.03)	Length/m (per Roll) (± 5%)	Weight (per Roll) (± 0.050 Kg.)	T/Strength (Min.) (in Kg.)
WI 806	8	0.60	2000	5.800	65
WI 807	8	0.70	2000	6.000	80
WI 906	9	0.60	2000	6.000	80
WI 907	9	0.70	2000	7.000	85
WI 1106	11	0.60	2000	7.000	90
WI 1107	11	0.70	2000	8.000	110
WI 1255	12	0.55	3000	12.00	120
WI 1206	12	0.60	2000	8.000	110
WI 1207	12	0.70	2000	9.000	120
WI 1208	12	0.80	2000	10.00	120
WI 1506	15	0.60	1000	6.000	130
WI 1506	15	0.60	1500	9.000	130
WI 1507	15	0.70	1000	7.000	150
WI 1507	15	0.70	1500	10.50	150
WI 1806	18	0.60	1000	7.000	170
WI 1807	18	0.70	1000	8.000	175
WI 1808	18	0.80	1000	9.000	180

Elongation : Up to 25%, **Standard Colors :** White. Other Colour can be provided on customer's request
Core size Avaliable : 203mm ID X 187mm, 280mm ID X 187mm, 406mm ID X 165mm, 150mm ID X 152mm

Standard Specifications for Semi-Automatic Machine Applications

Item Code	Width (in mm) (± 0.05)	Thickness (in mm) (± 0.03)	Length/m (per Roll) (± 5%)	Weight (per Roll) (± 0.050 Kg.)	T/Strength (Min.) (in Kg.)
WI 605	6.00	0.50	2000	3.500	52
WI 605	6.00	0.50	3000	5.250	52
WI 606	6.00	0.60	3000	6.000	60
WI 805	8.00	0.50	2000	4.700	65
WI 805	8.00	0.50	3000	7.000	65
WI 905	9.00	0.50	2000	5.000	70
WI 905	9.00	0.50	3000	7.500	70
WI 906	9.00	0.60	2000	6.000	75
WI 1105	11.00	0.50	2000	6.300	75
WI 1106	11.00	0.60	2000	7.000	85
WI 1107	11.00	0.70	2000	8.000	110
WI 1205	12.00	0.50	2000	7.000	85
WI 1206	12.00	0.60	2000	8.000	110
WI 1505	15.00	0.50	1000	5.000	110
WI 1505	15.00	0.50	1500	7.500	110
WI 1506	15.00	0.60	1000	6.000	125
WI 1507	15.00	0.70	1000	7.000	140
WI 1805	18.00	0.50	1000	7.000	150
WI 1806	18.00	0.60	1000	8.000	165
WI 1807	18.00	0.70	1000	9.000	175

Elongation : Up to 25%, **Standard Colors :** White. Other Colour can be provided on customer's request
Core size Avaliable : 203mm ID X 187mm, 203mm ID X 165mm, 406mm ID X 165mm

All above specifications are applicable for Virgin Quality only, We provide economical qualities but tolerance will increase & vary from specification to specification. Other specification apart from standard can be provided & customised as per customer's request & demand.

Straps for Hand Seal Use (Manual Strapping)
Our products can also be used for Hand Seal use (Manual Packing). Enquiry from Any organization using such strap/ application will be entertained, subject to bulk quantity.


Core Size Available
102mm ID X 165mm, 76mm ID X 165mm, 406mm ID X 165mm

PET Strap Specification


Product Code	Width in mm (± 0.50mm)	Thickness in mm (± 0.50)	Avg Break Load (In Kg) (± 5%)		Avg Length of Coil (In Mtr) (± 3%)	
	mm	mm	Plain	Embossed	Plain	Embossed
WIPT 907	9.00	0.70	200	170	2400	2580
WIPT 1206	12.00	0.60	280	250	2100	2250
WIPT 1207	12.00	0.70	320	290	1800	1930
WIPT 1506	15.00	0.60	400	350	1440	1550
WIPT 15576	15.50	0.76	450	400	1290	1380
WIPT 1508	15.00	0.80	470	420	1260	1350
WIPT 1609	16.00	0.90	550	500	1050	1130
WIPT 1601	16.00	1.00	600	550	950	1020
WIPT 1909	19.00	0.90	650	600	890	950
WIPT 1901	19.00	1.00	720	670	800	850
WIPT 19127	19.00	1.27	950	850	630	670
WIPT 25130	25.00	1.30	1150	-	470	-
WIPT 32130	32.00	1.30	1400	-	370	-

GINNING & BAILING PET STRAPS : (1) 360Gm / 15.5 X 0.76 (2) 380Gm / 16 X 0.80 (3) 400Gm / 16 X 0.80
All are available in 76" / 78" & 82" • **Paper Tube :** Available in 406 x 150mm, 406 x 165mm & 230 x 187mm.
• **Printing :** INKJET Printing • **Elongation :** 15 to 20% • **Coil Weight :** Standard Net Weight of coil is 20 kgs. and Jumbo Coil (more than 70kgs.) • Split Free, Unaffected by Sunlight Exposure, Resistance to Chemicals.
• Available for Manual, Pneumatic tool, Battery Operated tool, as well for Fully Automatic Machine Application
• Available colors are Green, Transparent, Blue, Golden Yellow, Orange, Black, White and Red.
ANY CUSTOMIZED DIMENSION OF STRAP IS AVAILABLE UPON CUSTOMER'S REQUEST.


PP Strap for Fully Automatic Machine




Most Precise winding for hassle-free operation



Gap free flat winding for smooth flow



Embossed design for better aesthetics and slip-free operation



WRELTT
Strapping Solutions

Manufacturer & Exporter :

WRELTT INDIA PVT. LTD. (Formerly known as Signor Polymers Pvt. Ltd.)

Phone : +91-2827-287938-39-40 | Web : www.wreltt.com

Email : sales@wreltt.com (For Domestics), export@wreltt.com (For Overseas)

G-1369-70, Lodhika G.I.D.C. Kishan Gate, Nr. Kishan Autoparts Pvt. Ltd., Kalawad Road,
Metoda - 360 021. Dist. Rajkot (Gujarat-India)