Tel：0510-83883573
E-mail：sales@plasticwraproll.com
http：//www.plasticwraproll.com　www.wxxingyang.com
Add：江苏省无锡市惠山区武玉路3号
No.3,Wuyu Road,Yuqi Town,Huishan District,Wuxi City
linkedin.com/company/sinyar-pack
facebook.com/Sinyar-Pack-102081925717270
instagram.com/sinyar_packing_film

CORPORATE BROCHURE



中国.江苏　CHINA. JIANGSU

公司简介 COMPANY PROFILE

江苏兴亚塑料科技有限公司成立于2017年，专业生产研发、销售新型绿色环保可持续包装、缠绕膜、保鲜膜、PE膜、农用膜等塑料包装产品。是一家专精特新，高新技术型企业，工厂坐落于江苏，占地15000平，拥有数十条自动化生产线，配备实验室和包装研发中心，全国多个生产基地，年产量15000吨，年产值1.5亿，产品远销欧美，日韩等全球30多个国家，具有一定知名度，长期供应于世界500强企业，所有证书齐全，且取得几十项专利。致力于为企业ESG可持续化发展助力。

Jiangsu Sinyar Plastic Technology Co., Ltd. was established in 2005, specializing in the production, development, and sales of new green sustainable packaging, stretch film, cling film, PE film, agricultural film, and other plastic packaging products.
The company is located in Wuxi, Jiangsu Province, near Shanghai, covering an area of 15,000 square meters. It has dozens of automated production lines and is equipped with laboratories and packaging research and development center. The company operates multiple production bases across China. With an annual output of 15,000 tons and an annual value of 150 million, our products are exported to more than 30 countries including Europe, America, Japan, South Korea,and others. The company enjoys a certain level of visibility and has been a long-term supplier to the world's top 500 enterprises. All necessary certificates are complete, and it holds dozens of patents. Committed to helping the sustainable development of enterprise ESG.

证书认证 CERTIFICATE AUTHENTICATION



纳米缠绕膜/彩色缠绕膜 03-04
Nano stretch film/colorful stretch film

手柄膜/小卷膜 05-06
Handle stretch film/Mini stretch film

机用缠绕膜/打孔膜 07-08
Machine-use stretch film/Breathable stretch film

PCR缠绕膜/可降解缠绕膜 09-10
PCR stretch film/Bio-degradable stretch film

牧草膜/捆草网 11-12
Silage film/Bale wrap net

覆顶膜/筒膜 13-14
Cover pallet film/Tubular film

方底袋/平口袋 15-16
Square bottom bag/Flat pocket

PVC保鲜膜/PE保鲜膜 17-18
PVC cling film/PE cling film

热缩膜/冷缩膜 19-20
Heat shrink film/Stretch hood film

BOPP透明胶带/BOPP印刷胶带 21-22
BOPP transparent tape/BOPP printing tape

美纹纸胶带/纳米胶带 23-24
Masking tape/Nano tape

布基胶带/牛皮纸胶带 25-26
Duct tape/Kraft tape

PET塑钢带/PP打包带 27-28
PET packing belt/PP packing tape

手用打包机器/机用打包机器 29-30
Hand packing machine/Machine packing machine

合作客户 COOPERATIVE CLIENTS

IKEA · SINOTRANS · KONE · Walmart · SHARP · Nestlé · Schindler · LogisALL Total Logistics Alliance LAC



PE缠绕膜

纳米缠绕膜

Nano Hand Stretch Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 采用全新PE原料，耐穿刺，不易撕裂，自粘性好
- 拉伸力300%-500%，大大降低打包成本，拉的长，省的多
- 透明度高，便于看到货物外包装，彩色亦可对货物进行分类，遮挡货物信息等
- 可定制功能型：印刷、防紫外线、防静电、防锈。

- Made from new PE material, highly puncture-resistant, and tear-resistant, with excellent self-adhesion.
- The tensile strength is 300%-500%, significantly reducing packaging costs. It can be stretched longer, even more usage.
- With high transparency, it is easy to see the outer packaging of the goods. We can sort the goods and block the information of the goods by using colorful stretch film.
- Customized functions: printing, anti-ultraviolet, anti-static, and rust prevention.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：蓝色、乳白色、红色、黄色、黑色等 Color: Blue, milky white, Red, Yellow, Black etc.
厚度：常规：18um-40um，纳米超薄：6um-16um Thickness: Regular:18um-40um Nano Ultra Thin:6um-16um
宽度：10-150cm均可定制，常规宽度为30cm/45cm/50cm Width: Customized from 10-150cm Regular width: 30, 45, 50cm
重量：2kg　3kg　4kg　5kg Weight: 2kg, 3kg, 4kg, 5kg



PE缠绕膜>手用膜

彩色缠绕膜

Colorful Stretch Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 在PE原料中加入一定比例色母料制造而成，各项性能指标参考手用缠绕膜
- 顺应市场需求，使用不同颜色的膜对货物进行打包堆放，区分货物，从而提升工作效率·外观更加整洁美观
- 可定制功能型：印刷、防紫外线、防静电、防锈等

- Made by adding a certain proportion of color masterbatch into PE raw material, Please refer to hand stretch film for various performance indicators.
- Conforms to the market demand，use films of different colors to pack and stack goods to distinguish goods, thereby improving work efficiency.
- Appearance is more neat and beautiful.
- Customized functions: printing, UV protection, anti-static, and rust prevention.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：蓝色、乳白色、红色、黄色、黑色等 Color: Blue, Milky White, Red, Yellow, Black etc.
厚度：常规：20um-40um，纳米超薄均可定制 Thickness: Regular:20um-40um Nano Ultra Thin can be customized
宽度：10-150cm均可定制，常规宽度为30cm/45cm/50cm Width: Customized from 10-150cm Regular width: 30, 45, 50cm
重量：2kg　3kg　4kg　5kg Weight: 2kg, 3kg, 4kg, 5kg

PE缠绕膜>手用膜

手柄膜

Handle Stretch film





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 由母卷翻卷而来，体积较小，适合缠绕膜打包小件货物
- 拉伸性、穿刺性与手用缠绕膜相同
- 根据使用需求，可定制带手柄和不带手柄两种
- 可定制功能型：印刷、防紫外线、防静电、防锈、等。

- It is formed from the jumbo roll, smaller in size, suitable for wrapping small goods.
- Same pulling and piercing properties as hand wrap film.
- Can be customized with or without handle according to the requirements.
- Customized functions: printing, UV protection, anti-static, and rust prevention.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：透明、蓝色、乳白色、红色、黄色、黑色等 Color: Transparent, Blue, Milky White, Red, Yellow, Black etc.
厚度：常规：18um-40um，纳米超薄：6um-16um Thickness: Regular:18um-40um Nano Ultra Thin:6um-16um
宽度：常规宽度为10cm-15cm Width: Regular width: 10cm-15cm
重量：0.5kg 0.8kg 1kg 1.5kg Weight: 0.5kg, 0.8kg, 1kg, 1.5kg

PE缠绕膜>手用膜

小卷膜

Mini Stretch film





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 由母卷翻卷而来，体积较小，适合缠绕膜打包小件货物
- 拉伸性、穿刺性与手用缠绕膜相同
- 适用于电线电缆、外卖、花卉、等各类小型产品打包
  可定制功能型：印刷、防紫外线、防静电、防锈、等。

- It is rolled from the jumbo roll, smaller in size, suitable for wrapping small goods.
- Same pulling and piercing properties as hand wrap film.
- Suitable for wire and cable, takeaway, flowers, and other types of small products packing
- Customized functions: printing, UV protection, anti-static, and rust prevention.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：透明、蓝色、乳白色、红色、黄色、黑色等 Color: Transparent, Blue, Milky White, Red, Yellow, Black etc.
厚度：常规：18um-40um，纳米超薄：6um-16um Thickness: Regular:18um-40um Nano Ultra Thin:6um-16um
宽度：5-10cm均可定制，常规宽度为5cm/10cm Width: Customized from 5-10cm Regular width: 5cm/10cm
重量：0.5kg 0.8kg Weight: 0.5kg, 0.8kg



PE缠绕膜

机用缠绕膜

Machine-use Stretch Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 全新PE料+茂金属原料，各方面性能均优于手用膜
- 提升打包效率，减少人工劳动力，为企业降本增效
- 拉升性能可达500%，拉的更长，省的更多
- 定制功能：印刷、防紫外线、防静电、防锈

- New PE material + metallocene raw materials, all aspects of performance are better than the hand film
- Enhance the packing efficiency, reduce manual labour, reduce costs and increase efficiency for enterprises.
- Stretching performance can reach 500%, pulling longer and saving more.
- Customized functions: printing, UV protection, anti-static, and rust prevention.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：乳白、蓝色、红色、黄色、黑色等 Color: Milky White,Blue, Red, Yellow, Black etc.
厚度：常规:18um-40um 纳米超薄:12um-17um Thickness: Regular:18um-40um Nano Ultra Thin:12um-17um
宽度：5-150cm,常规宽度45/50cm Width: Customized from 5-150cm Regular width: 45cm/50cm
重量：10kg -20kg，常规重量为15kg Weight: 10kg-20kg Regular:15kg



PE缠绕膜

打孔呼吸膜

Breathable Stretch Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 表面有渔网装的呼吸孔，加快空气流通
- 重量轻，弹性好，透气率80%，包装成本低
- 食品饮料、医药制品、农产品市场、花卉园艺市场等
- 市面常用的有手用预拉伸打孔呼吸膜和常规打孔呼吸膜

- Surface with breathing holes in fishing net to speed up air circulation
- Light weight, good elasticity, 80% air permeability, low packaging cost.
- Applies to:Food and beverages, pharmaceutical products, agricultural markets, flower and horticultural markets, etc.
- Commonly used in the market are pre-stretched perforated film for hand use and conventional perforated film.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：乳白色 黑色 红色 蓝色 支持定制其他颜色 Color: Milky White, Black, Red, Blue. Other colors can be customized
厚度：0.8S 1S 2.3S 支持定制其他厚度 Thickness: 8um 10um 23um Other thickness can be customized
宽度：42cm 50cm Width: 42cm 50cm
米数：常规是500m 1420m 支持定制其他米数 支持定制其他重量 Meter: Regular: 500m 1420m Other meter can be customized



新型环保膜

PCR缠绕膜

PCR Stretch Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 消费后回收 (PCR) 缠绕膜利用可重复使用的材料制造拉伸膜，减少了对化石燃料的需求。
- 消费后回收 (PCR) 缠绕膜是您企业的最佳可持续发展解决方案。
- 加入30% 的 PCR 母粒，高质量的研发，使其与普通缠绕膜具有相同的性能和质量。
  相较普通缠绕膜，颜色少许发灰，但使用以及性能不受影响。

- Post Consumer Recycling (PCR) Wrap Film reduces the need for fossil fuels by utilising reusable materials to manufacture stretch film.
- PCR Wrap Film is the perfect sustainable solution for your business.
- Incorporating 30% PCR masterbatch, high quality R&D gives it the same performance and quality as regular stretch film. The colour is a little greyish compared to ordinary stretch film, but the performance is not affected.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：透明色为主 支持定制其他颜色 Color: Transparent Other colors can be customized
厚度：0.6S 1S 1.5S 2S 3S 4S 支持定制其他厚度 Thickness: 6um 10um 15um 20um 30um 40um Other thickness can be customized
宽度：10-150cm均可定制，常规宽度为50cm Width: Customized from 10-150cm Regular width: 50cm
重量：2kg 3kg 4kg 5kg 支持定制其他重量 Weight: 2kg/3kg/4kg/5kg Other weight can be customized
PCR含量：30%，50%，70%，100% 可按需定制 PCR content: 30%, 50%, 70%, 100% can be customized on demand



新型环保膜

可降解缠绕膜

Biodegradable Stretch Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 以LLDPE为主原料在生产过程添加可降解甲壳质助剂生产而成
- 生物可降解，为改善环境发挥了积极的作用
- 可堆肥、环保性能强大，不会对土地跟空气造成污染，对人们的健康无害
- 外观透明、无毒、无味、安全性好；使用方便，效率高；
- 抗缓冲强度高；良好的回缩性；抗刺穿、抗撕裂性能好；纵横拉伸率可达400%以上

- LLDPE is used as the main raw material, and degradable chitosan additives are added during the production process.
- Biodegradable, it plays a positive role in improving the environment.
- Compostable, strong environmental protection performance, will not pollute the land and air, and is harmless to people's health.
- Appearance is transparent, non-toxic, odorless, and safe: easy to use and efficient;
- High buffer strength; good retraction; good puncture and tear resistance; longitudinal elongation can reach more than 400%

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

颜色：透明色为主 支持定制其他颜色 Color: mainly transparent color, support customization of other colors
厚度：0.6S 1S 1.5S 2S 3S 4S 支持定制其他厚度 Thickness:6um/10um/15um/20um/30um/40um support customization of other thicknesses
宽度：10-150cm均可定制，常规宽度为50cm Width: 10-150cm can be customized, the conventional width is 50cm
重量：2kg 3kg 4kg 5kg 支持定制其他重量 Weight: 2kg/3kg/4kg/5kg support customization of other weights

PE缠绕膜

牧草膜
Silage Film





使用场景
USAGE SCENARIO



产品介绍
PRODUCT INTRODUCTION

- 具有良好的气密性和防水性，有效包裹青贮饲料，防止氧气进入，延长青贮饲料的保鲜期，保持饲料的营养成分和品质。促进青贮饲料的发酵和储藏，提高饲料的品质和口感
- 抗UV+ 8-10%，可保护12-18个月

- With good airtightness and waterproofness, it effectively wraps silage, prevents oxygen from entering, prolongs the freshness period of silage and maintains the nutrients and quality of feed. Promote the fermentation and storage of silage, improve the quality and taste of feed
- Anti-UV+8-10%, can protect 12-18 months

产品规格
PRODUCT SPECIFICATIONS


规格均可按需定制
Specifications can be customized as needed

颜色：白色、青色、黑色、粉色等 Color: White, Cyan, Black, Pink etc.
厚度：25um-40um，常用厚度为：25um、30um、35um Thickness: 25um-40um Regular thickness: 25um 30um 35um
宽度：25cm 50cm 75cm Width: 25cm 50cm 75cm
重量：10kg 20kg 32kg 等 Weight: 10kg, 20kg, 32kg etc.



农业膜

捆草网
Bale Wrap Net



使用场景
USAGE SCENARIO



产品介绍
PRODUCT INTRODUCTION

- 使用高密度聚乙烯（HDPE），确保了耐用性和长期的外部使用
- 设计用于快速打包，显著减少工作时间和提高场地效率
- 材料可回收利用，支持环保持续性发展
- 提供个性化定制选项，满足不同农业需求和规格

- Use of high density polyethylene (HDPE) ensures durability and long-term external use
- Designed for quick baling, significantly reducing working time and improving site efficiency
- Materials are recyclable to support environmental sustainability
- Personalization options available to meet different agricultural needs and specifications

产品规格
PRODUCT SPECIFICATIONS

规格均可按需定制
Specifications can be customized as needed

宽度：从1m到1.7m不等，以适配不同直径的草捆机 Width: from 1m to 1.7m to suit different diameter of balers
长度：每卷长度通常在2000m至3000m之间，可根据具体需要选择 Length:The length of each roll is usually between 2000m and 3000m, which can be chosen according to specific needs.
颜色：常见的颜色有黑色、绿色和白色，可以根据喜好或用途选择 Colour: Black, green and white are the most common colours, which can be chosen according to preference or application.
材质：多数采用高密度聚乙烯（HDPE）或聚丙烯（PP），具有良好的强度和耐候性 Material: Most of them are made of HDPE (High Density Polyethylene) or PP (Polypropylene) with good strength and weather resistance.

PE膜

覆顶膜/顶底膜

Cover Pallet Film





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 用来覆盖在托盘货物顶上产品，也叫PE膜、覆膜、顶底膜
- 常规缠绕膜打包托盘无法覆盖到顶上，覆顶膜很好的解决了这个问题，给托盘带来了全方位的保护
- 颜色一般为透明色，厚度越厚，透明度越低，颜色越白

- It is used to cover the products on the top of the pallet goods, also called PE film, laminating film, top and bottom film,
- The conventional stretch film can not cover the pallet to the top, and the cover pallet film solves the problem very well, and brings all-round protection to the pallet.
- The colour is generally transparent, the thicker the thickness, the lower the transparency, the whiter the colour.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

定制产品，根据客需定制（可以订做彩色、印刷）

Customized products, made to order (can be customized with colour, printing)

PE膜

筒膜


Tubular Film





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 具有优良的耐腐蚀性和防渗透性能、用途广泛，提高包装效率，方便存储和运输
- 适用铜管、电缆、金属件等行业，也可根据不同的包装需求进行定制

- Excellent corrosion resistance and anti-penetration properties, wide range of uses, improve packaging efficiency, convenient storage and transport
- Suitable for copper tube, cable, metal parts and other industries, can also be customized according to different packaging needs

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

定制产品，根据客需定制（可以订做彩色、印刷）

Customized products, made to order (can be customized with colour, printing)

PE袋

方底袋

Square Bottom Bag





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 全新lldpe原料生产，是工业生产中最常用的包装袋之一
- 底部为方形，单面开口，可开口向下包裹物品，也可开口向上放置物品
- 通常用于存储和运输化学品，工艺原料，食品等产品
- 可定制印刷方底袋，彩色方底袋等

- New LLDPE raw material production, is one of the most commonly used in industrial production packaging bags
- Square bottom, one side opening, can be opened down to wrap items or opened up to place items.
- Typically used for storing and transporting chemicals, process materials, food products, etc.
- Custom printed square bottom bags, colourful square bottom bags, etc. are available.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

定制产品，根据客需定制（可以订做彩色、印刷）

Customized products, made to order (can be customized with colour, printing)

PE袋

平口袋


Flat Pocket





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 具有较好的机械强度，防潮，防水，防静电等性能
- 平口设计，易于使用，能够快速打开和关闭，操作简单方便
- 通常用于装在各种货物和物品，适用于食品，医疗，化工等各个领域
- 可定制印刷平口袋

- With good mechanical strength, moisture-proof, waterproof, anti-static and other properties
- Flat mouth design, easy to use, can be quickly opened and closed, simple and convenient operation.
- Usually used in various goods and articles, suitable for food, medical, chemical and other fields.
- Customized printing flat pocket is available

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

根据客户需求定制产品

Customized products, according to customer needs




PVC流延保鲜膜　PVC吹膜保鲜膜

保鲜膜

PVC保鲜膜

PVC Cling Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- PVC保鲜膜采用食品级材料制造，确保用于食品包装的安全性
- 具有良好的透明度，便于查看包装内部的食物状态
- 有效防尘、防潮，帮助食物保持原味，延长食物的保鲜期限。
- 不可用于高温和微波炉加热，适用于蔬菜、水等不需加热的、脂肪含量低的食物

- PVC cling film is made of food-grade materials to ensure the safety of food packaging.
- Good transparency, easy to see the state of the food inside the package.
- Effective dustproof, moisture-proof, help food maintain the original flavour, prolong the freshness period of the food
- Cannot be used for high temperature and microwave heating, suitable for vegetables, water and other food that does not need to be heated and has low fat content.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制
Specifications can be customized as needed

规格：20cm 25cm 35cm 40cm 45cm Specification:20cm 25cm35cm 40cm45cm
厚度和米数可按照需求定制 Thickness and meters can be customized upon request



保鲜膜

PE保鲜膜

PE Cling Film



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 由聚乙烯树脂制成，不含增塑剂等有害物质，安全可靠
- 能够紧密贴合食物，有效防止空气和水分进入，从而延长食物的保鲜期
- 具有透明度高、柔软耐用、防水防潮、抗菌防腐等特性
- 广泛应用于食品保鲜、包装和工业领域

- Made of polyethylene resin, no plasticiser and other harmful substances, safe and reliable.
- Can closely fit the food, effectively preventing the entry of air and moisture, thus prolonging the freshness of food
- High transparency, soft and durable, waterproof and moisture-proof, antibacterial and anticorrosive properties, etc.
- Widely used in food preservation, packaging and industrial fields.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制
Specifications can be customized as needed

颜色： 透明 Color: Transparent
厚度：8mic以上，可根据客需定制 Thickness: 8mm and above, customized to suit your needs
宽度：15cm以上，可根据客需定制 Width: Above 15cm, can be customized on request
重量：根据客需定制 Weight: can be customized on request

收缩膜

热缩膜

Heat Shrink Film





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 良好的防潮性，耐撕裂和可拉强度较大，柔韧性好，抗撞击，收缩率大。
- 有静电消除处理，不易染尘，可保持产品清洁
- 耐寒性特优，冬天或冷冻后，不发硬，不脆化，因此运输不易破裂
- 适用于酒类、易拉罐类、矿泉水类、各种饮料类、布匹等产品的整件集合包装

- Good moisture resistance, tear resistance and tensile strength, good flexibility, impact resistance, shrinkage.
- With static elimination treatment, not easily contaminated by dust, can keep the product clean
- Cold resistance is excellent, in winter or after freezing, not harden, not brittle, so it is not easy to rupture in transport.
- Suitable for the whole package of liquor, cans, mineral water, various beverages, cloth and other products.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

材质分为PE、POF、PVC、交联膜等，均按客需定制

The material is divided into PE, POF, PVC, cross-linked film, etc., all according to the customer's needs.

收缩膜

冷缩膜

Stretch Hood Film





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- PE聚乙烯材质、透明度高
- 优异的抗撕裂性和抗穿刺性
- 可以印刷和着色为不同的颜色，提供定制的摩擦级别、紫外线稳定性、抗静电性能、防雾性能等

- PE polyethylene material, high transparency
- Excellent tear and puncture resistance
- Can be printed and coloured in different colours, customized friction levels, UV stability, anti-static properties anti-fogging properties etc. available

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

规格：厚度一般是7-15丝，重量一般是100kg/300kg/500kg，

配套大型机器使用，定制产品。

Specification:Thickness is generally 70-150um, weight is generally 100kg/300kg/500kg, supporting the use of large machines, customized products.



胶带

BOPP透明胶带

BOPP Transparent Tape



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- Bopp透明胶带以Bopp双向拉伸聚丙烯薄膜为基材，经过加温均匀涂抹压敏胶乳液形成
  胶系分为水胶、油胶、热熔胶、橡胶
- 适用于轻包装、密封、捆扎、包裹、拼接等。广泛应用于各个行业

- Bopp transparent tape with Bopp bi-oriented polypropylene film as the substrate,
  after heating and evenly coated with pressure-sensitive adhesive emulsion to form the
  adhesive system is divided into water glue, oil glue, hot melt adhesive, rubber.
- Suitable for light packaging, sealing, bundling, wrapping, splicing and so on. Widely used
  in various industries

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：常见的宽度为48mm和60mm。适用于大多数封箱和包装需求 Width: Commonly available in widths of 48mm and 60mm, suitable for most sealing and packaging needs.
厚度：厚度通常在0.048mm到0.05mm之间，具体可定制 Thickness:Thicknesses typically range from 0.048mm to 0.05mm, customisable
长度：长度一般为50m和100m。较长的长度可以减少更换卷的频率，适合商业和工业用途。 Length:Lengths are typically 50m and 100m.Longer lengths reduce the frequency of roll changes and are suitable for both commercial and industrial use.



胶带

BOPP印刷胶带

BOPP Printing Tape



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- bopp印刷胶带以Bopp双向拉伸聚丙烯薄膜为基材，经过加温均匀涂抹压敏胶乳液 形成，
  后加以印刷
- 胶系分为水胶、油胶、热熔胶、橡胶
- 适用于轻包装、密封、捆扎、包裹、拼接等。广泛应用于各个行业

- Bopp printing tape to Bopp bi-directional polypropylene film as a substrate, after heating and
  uniformly coated with pressure-sensitive adhesive emulsion formation to be printed.
- The adhesive system is divided into water glue, oil glue, hot melt adhesive and rubber.
- Suitable for light packaging, sealing, bundling, wrapping, splicing and so on. Widely used in
  various industries

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：常见的宽度为48mm和60mm。适用于大多数封箱和包装需求 Width: Commonly available in widths of 48mm and 60mm, suitable for most sealing and packaging needs.
厚度：厚度通常在0.048mm到0.05mm之间，具体可定制 Thickness: Thicknesses typically range from 0.048mm to 0.05mm, customized
长度：长度一般为50m和100m。较长的长度可以减少更换卷的频率，适合商业和工业用途。 lengths: Typical lengths are 50m and 100m. longer lengths reduce the frequency of roll changes and are suitable for both commercial and industrial use.



胶带

美纹纸胶带

Masking Tape



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 采用优质的纸质材料和强力胶水制成，具有良好的耐用性和抗拉伸性
- 表面经过特殊处理，具有优美的纹理和光泽，外观漂亮，质感良好
- 不仅适用于一般包装封闭，还可用于手工制作、装饰、标记等多种用途，具有广泛的应用领域和多样化的功能，是一种实用性强的包装材料。

- Made of high quality paper material and strong glue, with good durability and stretch resistance
- The surface is specially treated with beautiful texture and gloss, beautiful appearance and good texture
- It is not only suitable for general packaging closure, but also can be used for handicraft, decoration, marking and many other purposes, with a wide range of applications and diversified functions, it is a practical packaging material.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：从1厘米到10厘米不等，常见的宽度有1.5厘米、2.5厘米、5厘米等。 Width: from 1cm to 10cm, common widths are 1.5cm, 2.5cm, 5cm, etc...
长度：从10米到100米不等，常见的长度有20米、50米、100米等。 Length: from 10 metres to 100 metres, common lengths are 20 metres, 50 metres, 100 metres, etc.
厚度：通常在0.1毫米到0.2毫米之间，不同厚度的胶带适用于不同的包装和封闭需求。 Thickness: usually between 0.1mm and 0.2mm, different thickness of tape for different packaging and closure needs
胶水类型：有水性胶水、热熔胶水等，根据具体的使用环境和要求选择合适的胶水类型。 Glue type: there are water-based glue, hot melt glue, etc., according to the specific use of the environment and requirements to choose the right type of glue.



胶带

纳米胶带

Nano Tape



使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 采用纳米技术制备，具有极强的粘合力，能够牢固粘合各种材料，包括金属、玻　璃、塑料、陶瓷等，不易脱落或松动
- 由于纳米胶带的特殊制备工艺和材料结构，使用后不会留下粘性物质或痕迹，保　持表面的干净整洁，适用于各种需要保持外观的场合。

- Prepared by nano-technology, it has strong adhesive force and can firmly bond various materials, including metal, glass, plastic, ceramics, etc., and is not easy to fall off or loosen.
- Due to the special preparation process and material structure of nano tape, it will not leave any sticky substances or traces after use, keeping the surface clean and tidy, and is suitable for a variety of occasions where the appearance needs to be maintained.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

纳米胶带的厚度通常在0.1毫米到0.2毫米之间，不同厚度的胶带适用于不同的粘合场景

根据用户的需求和具体的应用场景进行定制选择，以满足不同的粘合需求。。

The thickness of nano tapes is usually between 0.1 mm and 0.2 mm. Different thicknesses of tapes are suitable for different bonding scenarios. customized selection is made according to the user's needs and specific application scenarios to meet different bonding needs.

胶带

布基胶带

Duct tape





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 广泛应用于封箱、捆绑、维修、防水和一系列其他任务
- 抗撕裂性强，可以手撕，而且具有较高的耐候性和耐水性
- 适用于室内外的各种环境。此外，还能承受一定程度的温度变化和化学腐蚀，使其成为多种维修和专业作业的理想选择。

- Widely used for sealing, bundling, repairing, waterproofing and a range of other tasks
- Strong tear resistance, can be torn by hand, and has high weather and water resistance
- Suitable for a wide range of environments, both indoors and outdoors. In addition, they can withstand a degree of temperature change and chemical corrosion, making them ideal for a wide range of maintenance and specialized tasks.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：48mm（最常用），以及24mm、36mm、72mm等 Width:48mm (most commonly used), as well as 24mm, 72mm and other 36mm,
长度：10m、20m、30m、50m 等 Length: 10m, 20m, 30m, 50m, etc.
厚度：0.15mm到0.30mm之间 Thickness: from 0.15mm to 0.30mm
颜色：银灰色（俗称鸭银胶带），黑色、白色、红色、蓝色等多种颜色 Colour: Silver gray (commonly known as duck silver tape), black, white, red, blue and other colours.

胶带

牛皮纸胶带

Kraft Tape





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 广泛用于封箱、包装、重物捆绑、艺术品包装和其他需要环保型包装材料的场合
- 以牛皮纸为基材，搭配热熔胶或橡胶型粘合剂
- 因其出色的环保特性、可回收性和生物降解能力而受到广泛欢迎，特别适用于需要 可持续包装材料的行业。

- Widely used in box sealing, packaging, heavy weight bundling, artwork packaging and other occasions where environmentally friendly packaging materials are required.
- Kraft paper based with hot melt or rubber type adhesives
- Widely popular for its excellent environmental properties, recyclability and biodegradability, especially for industries requiring sustainable packaging materials.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：常规宽度48mm，24mm-72mm之间均可定制 Width: regular width 48mm, 24mm-72mm can be customized.
长度：50m，100m 等 Length: 50m, 100m, etc.
厚度：70克/平方米到135克/平方米之间 Thickness: between 70g/㎡ and 135g/㎡
粘性：常使用橡胶基或热熔胶粘合剂，根据使用的粘合剂类型，使其可以有不同的粘性级别 Adhesion:Rubber based or hot melt adhesives are often used, depending on the type of adhesive used it can have different levels of adhesion.

打包带

PET塑钢带

PET Packing Belt





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- PET塑钢带是一种由聚酯纤维经过拉伸、热塑而成的高强度包装材料
- 具有较高的拉伸强度和抗冲击性，有效固定和捆扎各种货物
- 相比金属钢带更轻便，易于搬运和使用，柔软度好，不会划伤或损坏包装物品，适　用于各种包装需求。

- PET plastic steel belt is a kind of high-strength packaging material made of polyester fibre through stretching and thermoplastic
- With high tensile strength and impact resistance, effectively fixing and bundling all kinds of goods
- It is more lightweight compared with metal steel belt, easy to handle and use, good softness, won't scratch or damage the packaged goods, suitable for a variety of packaging needs.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：通常在6毫米至32毫米之间，不同的带宽适用于不同尺寸和重量的包装物品。 Width:Usually between 6mm to 32mm for packaging items, Different thicknesses for different packaging needs and load carrying capacity
厚度：通常在0.5毫米至1.5毫米之间，不同厚度适用于不同的包装需求和承载能力。 Thickness: usually between 0.5mm and 1.5mm, different thicknesses apply to different packaging needs and carrying capacity
长度：可以根据客户需求定制，一般常见的长度有1000米、2000米等 Length: can be customized according to customer needs, generally common lengths of 1000m 2000m, etc.
强度等级：根据不同的包装要求,可以定制一般强度、高强度、超高强度等级 Strength level: according to different packaging requirements, can be customized to the general strength, high strength, ultra-high strength grade

打包带

PP打包带


PP Packaging Tape





使用场景

USAGE SCENARIO



产品介绍

PRODUCT INTRODUCTION

- 广泛用于封箱、包装、重物捆绑、艺术品包装和其他需要环保型包装材料的场合
- 以牛皮纸为基材，搭配热熔胶或橡胶型粘合剂
- 因其出色的环保特性、可回收性和生物降解能力而受到广泛欢迎，特别适用于需要　可持续包装材料的行业。

- Widely used in box sealing, packaging, heavy weight bundling, artwork packaging and other occasions where environmentally friendly packaging materials are required.
- Kraft paper based with hot melt or rubber type adhesives
- Widely popular for its excellent environmental properties, recyclability and biodegradability, especially for industries requiring sustainable packaging materials.

产品规格

PRODUCT SPECIFICATIONS

规格均可按需定制

Specifications can be customized as needed

宽度：通常在5毫米至19毫米之间，不同的带宽适用于不同尺寸和重量的包装物品。 Width:Usually between 5mm to 19mm for packaging items, Different thicknesses for different packaging needs and load carrying capacity
厚度：通常在0.4毫米至1.5毫米之间，不同厚度适用于不同的包装需求和承载能力。 Thickness: usually between 0.4mm and 1.5mm, different thicknesses apply to different packaging needs and carrying capacity
长度：通常在200米至3000米之间，常见的长度有1000米、2000米等。 Length: usually between 200m and 3000m, common lengths are 1000m, 2000m, etc.
强度等级：根据不同的包装要求,可以定制一般强度、高强度、超高强度等级 Strength level: according to different packaging requirements, can be customized to the general strength, high strength, ultra-high strength grade

手用打包机器
Hand Packing Machine










机用打包机器
Machine Packaging Machine

预拉伸缠绕机
Pre stretch winding machine

SAPPER-T1



控制系统画面（部分）
Control system screen (partial)





人工上断膜，光电测定货物高度，自动缠绕，托盘底部和顶部的缠绕圈数可在0到9之间选择，缠绕机具备软启动及软停止功能，配置快速换膜系统，转盘自动复位。
Manual film breakage, photoelectric measurement of cargo height, automatic winding, the number of winding turns at the bottom and top of the pallet can be selected between 0 and 9, the winding machine has soft start and soft stop functions, is equipped with a fast film replacement system, and the turntable automatically resets.

产品规格
PRODUCT SPECIFICATIONS

包装货物属性 Packaging goods attributes			设备参数 Equipment parameters		
最大(宽X高) Maximum (width x height)	1200*1200*2000	工作速度 Work speed	20-40托/小时 20-40 pallets/hour	转盘速度 Rotary speed	6-12rpm
最小(宽X高) Minimum (width x height)	500*500*600	功率 Power	1.32Kw	立柱速度 Column speed	4m/min
承重 Bearing	1500 kg	整机重量 Whole machine weight	450 Kg	机器噪声 Machine noise	< 85db（A）
包装高度规格 Packaging height specification	1.2000mm	2.2400mm	3.2600mm		

打包机器

机用打包机器
Machine Packaging Machine

自走式缠绕机
Self propelled winding machine



控制系统画面（部分）
Control system screen (partial)



自走式缠绕机通过绕货物托盘旋转并使用预拉伸膜架缠绕薄膜，实现从下至上的全面包装。其薄膜张力和速度可调，适用于重、大尺寸货物的包装，优势明显。该机器广泛应用于多个行业，节省成本，提升效率，保护货物，防尘防潮。

The self-propelled winding machine rotates around the cargo tray and uses a pre stretched film frame to wrap the film, achieving comprehensive packaging from bottom to top. Its film tension and speed are adjustable, suitable for packaging heavy and large-sized goods, with obvious advantages. This machine is widely used in multiple industries, saving costs, improving efficiency, protecting goods, and preventing dust and moisture.

产品规格
PRODUCT SPECIFICATIONS

主要技术参数 Main technical parameters	
托盘最小尺寸（LXW） Minimum size of tray (LxW)	600X600MM
最大缠绕高度 Maximum winding height	2000mm/2400mm 2600mm/2800mm
总重 Total weight	1500 kg
机器转速 Machine speed	35-75 m/min

膜 卷 Film roll	
膜卷最大外径 Maximum outer diameter of film roll	230mm
膜卷内径 Inner diameter of film roll	76mm
膜卷高度 Film roll height	500mm
薄膜厚度 film thickness	17-35μm
膜卷最大重量 Maximum weight of film roll	15-20KG