

strapex

INTUITIVE // INTELLIGENT // INNOVATIVE

BATTERY OPERATED STRAPPING TOOLS

STB71 / STB73 / STB75





Covers every application!

The **Strapex** new-generation design does what you do! Expertly crafted for use on any product and in any industry including timber, metal, plastic, concrete, and cardboard.

Strong enough to handle the toughest applications, with the precision to efficiently strap and secure soft fragile items.



Designed for one-handed use

Innovative design features a **premium BOSCH battery** installed as a counter-weight. This lends the device perfect weight distribution and allows it to be easily held with one hand.

One-touch strapping minimises user input effort and the need for readjustment of device grip.



Expertly crafted in EU to meet global standards

On-board smart-system keeps a detailed log all usage parameters which can be tracked for easy troubleshooting and error identification.

VARIABLE TENSION SPEED

Pressure-sensitive tension button grants you unmatched control of tension force while strapping.

Allows incremental tension speed adjustment to suit every job from small fragile packages to the heaviest applications.

LIGHTWEIGHT & PERFECT BALANCE

Ergonomic design to reduce operator fatigue and discomfort. Perfect weight distribution for one-handed use.

FAVOURITE PRESETS

Smart-save feature allows you to store your favourite strap function and settings, allows the user to quickly switch between your most common strapping applications.

SMART-TOUCH INTERFACE

New-generation Strapex range is the world's first strapping tool featuring full touchpad controls and smart colour indication. Always on display is real-time status of device parameters to offer complete, uncompressed navigation and control for every job.



STRAP ALIGNMENT GUIDE

Safety indicator detects strap position to indicate correct placement and positioning. This guarantees every application is error-free and precise, preventing damage to the strap or product surface.

EASY CLEANING

Integrated blow channel allows effortless cleaning of the tool without disassembly.

PROTECTIVE DESIGN

Robust housing survives up to 2-metre* drops, providing durability and extra security.

POWERED BY BOSCH

Best-in-class battery life with quick charge, Li-Ion technology to eliminate memory effect and CoolPack active temperature management ensuring more applications per battery cycle.

Strapex Model	 STB 71	 STB 73	 STB 75
Operation Mode	Auto/Semi/Manual	Auto/Semi/Manual	Auto/Semi/Manual
Tension Force Range	150 - 1200 N	400 - 2500 N	400 - 4500 N
Variable Tension Speed	0 - 290 mm/s	0 - 220 mm/s	0 - 120 mm/s
Weight (Inc. Battery)	3.6 kg	3.8 kg	4.3 kg
Dimensions	370 x 141 x 135 mm	370 x 141 x 135 mm	370 x 143 x 135 mm
Working Temperature	-10° to +40°	-10° to +40°	-10° to +40°
Cycles / Charge	up to 800	up to 800	up to 800
Battery	BOSCH Li-Ion 18V, 2.0Ah	BOSCH Li-Ion 18V, 2.0Ah	BOSCH Li-Ion 18V, 4.0Ah
Charging Time Battery	15-30 mins	15-30 mins	25-35 mins
Strap Type	PET + PP	PET + PP	PET + PP
Strap Width	9 - 13 mm	13 - 16 mm	16 - 19 mm
Strap Thickness	PET: 0.4 - 0.8 mm; PP: 0.5 - 0.8 mm	0.5 - 1.0 mm	0.8 - 1.3 mm
Motor technology	Single motor technology, brushless	Single motor technology, brushless	Single motor technology, brushless

*Tested in a controlled environment

Contents



Secure Packaging



Strapping Tool



Bosch Battery



Charger



Tools & Adjustment Kit



Operation Manual & Guide

Accessories



User-interface cover for additional protection in extreme environments.



Protection plate to resist scratching and damage on abrasive surfaces.



Suspension bow for precise stationary applications.

Recommended



Centaur polyester strapping 100% compatible for use with Strapex machinery. Manufacturer recommended for optimal performance and precision.



Strap Dispensers Efficiently stores, protects, and releases unused strapping as required.

See more at www.tigerpak.com.au

strapex

Tools, Servicing & Spare Parts available as a complete package.

Exclusive Distributor:


TigerPak

2 Holbeche Road,
Arndell Park NSW 2148

p. 1300 525 325

f. 1300 525 326

e. sales@tigerpak.com.au

www.tigerpak.com.au

