

PLA | 吸管 STRAW

·堆肥后降解为水和二氧化碳

·Degraded into H₂O & CO₂ after composting

·货架期约8-12个月

·Shelf life: 8-12 months

·适用温度: -20°C~75°C

·Applicable temperature: -20°C~75°C

·尺寸、颜色可定制

·Size and color can be customized

·可自定义印刷及包装

·Custom printing and packaging

直管 Straight Straw



Specification (mm)	Package	pcs/CTN	g/pcs	Carton size (cm)			CBM(m ³)	GW (kg)	CTN/20GP	CTN/40HQ
5*200	250pcs/pla bag	10000	0.58	47	28	48	0.063	6.30	410	1030
6*210	250pcs/pla bag	10000	0.63	50.5	42.5	45.5	0.098	6.80	250	660
7*210	250pcs/pla bag	10000	0.74	56	55	46	0.142	7.90	175	460
8*210	200pcs/pla bag	10000	0.9	73.5	46	46.5	0.157	9.50	160	410
10*210	100pcs/pla bag	10000	1.56	78	48	47	0.176	16.10	140	370

弯管 Bendy Straw



Specification (mm)	Package	pcs/CTN	g/pcs	Carton size (cm)			CBM(m ³)	GW (kg)	CTN/20GP	CTN/40HQ
5*210	250pcs/pla bag	10000	0.6	41.5	44.5	40	0.074	6.50	335	880
6*210	250pcs/pla bag	10000	0.77	54.5	42.5	46	0.107	8.20	235	610
7*210	250pcs/pla bag	10000	0.9	65	51	46	0.152	9.50	160	425
8*215	200pcs/pla bag	5000	1	52	36	45	0.084	5.50	295	770

尖管 Sharp Straw



Specification (mm)	Package	pcs/CTN	g/pcs	Carton size (cm)			CBM(m ³)	GW (kg)	CTN/20GP	CTN/40HQ
5*180	250pcs/pla bag	1000	0.6	42	32.5	42	0.057	1.10	435	1130
6*240	250pcs/pla bag	10000	1	48	42	50	0.101	10.50	250	645
12*210	100pcs/pla bag	5000	2.4	73	51	44	0.164	12.50	150	395
12*230	100pcs/Pla bag	5000	2.8	75	55	47	0.194	14.50	139	345

甘蔗浆吸管 Sugarcane Straw



Specification (mm)	Package	pcs/CTN	g/pcs	Carton size (cm)			CBM(m ³)	GW (kg)	CTN/20GP	CTN/40HQ
6*210	250pcs/pla bag	10000	0.75	52	43	45	0.101	8.00	250	640
7*210	250pcs/pla bag	10000	0.9	72	42	44	0.133	9.50	185	490
8*210	200pcs/pla bag	10000	1.18	73.5	46	46.5	0.157	12.30	160	410
12*210	100pcs/pla bag	5000	2.67	73	51	44	0.164	13.85	150	400



咖啡渣吸管 ▲
Coffee grounds straw

独立纸包装 ▼
Paper packaging



袋装 ▲
Bag package

盒装 ▼
Box-packed



PLA | 冷饮杯 COLD CUP

·堆肥后降解为水和二氧化碳

·Degraded into H₂O & CO₂ after composting

·货架期约12个月

·Shelf life: 12 months

·适用温度: -20°C~40°C

·Applicable temperature: -20°C~40°C

·常温干燥储存, 防高温暴晒

·Dry storage at room temperature, prevent high temperature exposure

·规格齐全, 自定义印刷

·Complete specifications, Custom printing



冷饮杯 PLA Cold Cup

Description	N.W.(g)	TΦ*BΦ *H(mm)	pcs/bag	bag/CTN	pcs/CTN	CTN(m3)	CTN Size (cm)			Carton N.W(kgs)	Carton G.W(kgs)	CTN/20GP
							L	W	H			
10oz/300ml clear cup	8	98/53/80	50	20	1000	0.0983	51	41	47	8	8.6	254
12oz/360ml clear cup	9	98/55/107	50	20	1000	0.0983	51	41	47	9.0	9.8	254
16oz/500ml clear cup	10	98/62/121	50	20	1000	0.0941	50.5	40.5	46	10.0	10.8	266
20oz/610ml clear cup	11.5	98/61/143	50	20	1000	0.1104	50.5	40.5	54	11.5	12.5	226
24oz/700ml clear cup	13	98/61/150	50	20	1000	0.124	55	42	54.5	12.5	13.2	208



杯盖 PLA Lid

Description	N.W.(g)	TΦ*BΦ *H(mm)	pcs/bag	bag/CTN	pcs/CTN	CTN(m3)	CTN Size (cm)			Carton N.W(kgs)	Carton G.W(kgs)	CTN/20GP
							L	W	H			
98mm flat lid	2.2	98	50	20	1000	0.0415	42	19	52	2.2	2.8	602
98mm dome lid	2.8	98	50	20	1000	0.0529	41.5	25	51	2.8	3.4	473




酱料杯 Sauce cup

Description	N.W.(g)	TΦ*BΦ *H(mm)	pcs/bag	bag/CTN	pcs/CTN	CTN(m3)	CTN Size (cm)			Carton N.W(kgs)	Carton G.W(kgs)	CTN/20GP
							L	W	H			
2oz	2	62/44/30	100	20	2000	0.037	44	32	26	2	2.7	700
4oz	3.5	70/52/47.4	100	20	2000	0.044	37	31	38	3.2	3.9	590



沙拉碗 Salad bowl

Description	N.W.(g)	TΦ*BΦ *H(mm)	pcs/bag	bag/CTN	pcs/CTN	CTN(m3)	CTN Size (cm)			Carton N.W(kgs)	Carton G.W(kgs)	CTN/20GP
							L	W	H			
16oz-117	13	117/90/74	50	10	500	0.078	49	26	61	6.5	7.2	333
24oz-117	16.5	117/90/107	50	10	500	0.096	50	25.5	75	8.25	9.05	270
32oz-185	18	185/89/70	50	10	500	0.197	98	41	49	9	9.7	131



全降解袋

Compostable Bag

·堆肥后降解为水和二氧化碳

·Degraded into H₂O & CO₂ after composting

·货架期约8-12个月

·Shelf life: 8-12 months

·常温干燥储存, 防高温暴晒

·Dry storage at room temperature, prevent high temperature exposure

·尺寸、颜色可定制

·Size and color can be customized

·可自定义印刷

·Custom printing

快递贴条袋 Courier Bag



Specification(mm)	Thickness	Package	pcs/ctn	g/pc	Carton Size(cm)	CBM(m3)	G.W(kg)	CTN/20GP
24.5cm width* 34cm length+5cm	60mic	50pcs/bundle	1000	13.3	27 27 22	0.01604	13.8	1090
31cm width*40.5cm length+4cm	60mic	50pcs/bundle	800	15.9	47 36 13	0.02200	16.4	910
A2: 42cm width* 60cm length+5cm	70mic	50pcs/bundle	200	46.70	33 22 14	0.01016	10.3	1460
A3: 30cm width* 42cm length+5cm	60mic	50pcs/bundle	500	20.30	24 30 13	0.00936	11.2	1340
A4: 21cm width* 30cm length+5cm	60mic	50pcs/bundle	800	10.40	18 21 21	0.00794	9.3	1610
A5: 15cm width* 21cm length+5cm	60mic	50pcs/bundle	1,000	5.37	16 28 13	0.00582	6.4	2340

背心提手袋 T-shirt Bag



Specification(mm)	Thickness	Package	pcs/ctn	g/pc	Carton Size(cm)	CBM(m3)	G.W(kg)
35cm length*(20cm width+7cm folding*2)	20mic	200pcs/dozen 7dozens/ctn	1400	8	38 23 14	0.12230	8
50cm length*(32cm width+7cm folding*2)	20mic	100pcs/dozen 8dozens/ctn	800	10	53 33 10	0.17490	8.3
60cm length*(40cm width+7cm folding*2)	20mic	100pcs/dozen 8dozens/ctn	800	15	44 34 12	0.17950	12.3

垃圾袋 Trash Bag



Specification(mm)	Thickness	Package	pcs/ctn	g/pc	Carton Size(cm)	CBM(m3)	G.W(kg)
43cm width*45cm length	18mic	30pcs/roll 20rolls/ctn	600	8.7	31 25.5 14	0.0111	6.4
60cm width*80cm length	20mic	12pcs/roll 20rolls/ctn	240	24	30.5 24.5 18.5	0.0128	7
80cm width*100cm length	25mic	10pcs/roll 20rolls/ctn	200	50	61.5 41.5 14	0.0357	11.2

果蔬保鲜袋 Fruit Bag



Specification(mm)	Thickness	Package	pcs/ctn	g/pc	Carton Size(cm)	CBM(m3)	G.W(kg)
20cm width*30cm length	18mic	50pcs/roll 25rolls/ctn	1000	2.74	20 27 15	0.00810	5
25cm width*35cm length	18mic	50pcs/roll 25rolls/ctn	1000	4	25 27 15	0.01013	7
30cm width*40cm length	18mic	50pcs/roll 25rolls/ctn	1000	5.48	30 27 15	0.01215	8.1

宠物袋 Pet Poop Bag



Specification(mm)	Thickness	Package	pcs/ctn	g/pc	Carton Size(cm)	CBM(m3)	G.W(kg)
23cm width*33cm length	18mic	8rolls/box 20boxes/ctn	2400	3.30	34 27 14.5	0.01377	9.1

拉链袋 Ziplock Bag



Specification(mm)	Thickness	Package	Carton Size(cm)	N.W(kg)	G.W(kg)
17*(23.8+1.2) cm	100mic	1500pcs/box	56 38 16	19	19.5

全降解膜 Compostable Film

- 堆肥后降解为水和二氧化碳
- 货架期约8-12个月
- 规格、厚度可定制
- 良好的拉伸性能
- Degraded into H₂O & CO₂ after composting
- Shelf life: 8-12 months
- Customizable width and thickness
- Good tensile properties

PLA保鲜膜 Cling wrap



家用保鲜膜 Household use

规格Specifications	30cm×30m
厚度Thickness	10mic
直径Diameter	30mm
包装Package	1rolls/box 20boxes/ctn
箱规Carton Size	32.5×24×20cm

商用保鲜膜 Commercial use

规格Specifications	45cm×500m
厚度Thickness	13mic
直径Diameter	50mm
包装Package	1rolls/box 2boxes/ctn
箱规Carton Size	50.5×27×15cm

机用保鲜膜 Machine use

规格Specifications	45cm×600m
厚度Thickness	13mic
直径Diameter	76mm
包装Package	2rolls/ctn
箱规Carton Size	46.5×29.5×16.5cm

PLA缠绕膜 Pallet wrap film



手持式 Handle use

规格Specifications	45cm×400m
厚度Thickness	20mic
直径Diameter	50mm
包装Package	4rolls/ctn
箱规Carton Size	25×25×47.5cm

机用式 Machine use

规格Specifications	50cm×1000m
厚度Thickness	23mic
直径Diameter	76mm
包装Package	1rolls/ctn
箱规Carton Size	21.5×21.5×53cm

PLA封口膜 Parafilm wrap

宽度Width	(Regular)130*115mm
厚度Thickness	(Regular)90mic
应用Application	PLA淋膜纸杯、PLA冷饮杯、覆膜甘蔗浆餐盒封口等
	PLA coated paper cups, PLA cold drink cups, coated sugarcane pulp lunch boxes with sealing, etc

全降解膜

Compostable Film

- 堆肥后降解为水和二氧化碳
- Degraded into H₂O & CO₂ after composting
- 货架期约8-12个月
- Shelf life: 8-12 months
- 规格、厚度可定制
- Customizable width and thickness
- 良好的拉伸性能
- Good tensile properties



PLA高透膜 Transparent film

宽度 Width 300-1200mm

厚度 Thickness 15-150mic

产品特点 Product Features

- 具有优异的热封性能和印刷性能
- 具有优异的透光率和光泽度、低雾度
- 碳排放比传统化石基塑料如PP, 减少约70%
- Has excellent heat sealing performance and printing performance
- Excellent light transmittance and illuminance, low haze
- Carbon emissions are reduced by about 70% compared with traditional chemical stone-plastic materials such as PP

应用领域 Application Fields

面包袋、纸浆餐盒覆膜、自封袋、窗口膜、鲜花包装等
Bread bags, pulp lunch boxes covered with film, self sealing bags, window film, flower packaging, etc

PLA复合膜 Composite film

宽度 Width 300-1200mm

厚度 Thickness 15-150mic

产品特点 Product Features

- 具有优异的热封性能和印刷性能
- 具有良好的透气性、亲肤性
- 符合EN13432和ASTM D6400等欧盟、美国生物降解标准
- Has excellent heat sealing performance and printing performance
- Has good air permeability and skin-friendly
- Comply with EU and US biodegradation standards such as EN13432 and ASTM D6400

应用领域 Application Fields

卫生底膜、纸尿裤复合膜、与纸浆、无纺布粘合类产品等
Used for hygienic bottom film, composite film for diapers, adhesive products with pulp and non-woven fabrics, etc.

全降解膜

Compostable Film

- 堆肥后降解为水和二氧化碳
- Degraded into H₂O & CO₂ after composting
- 货架期约8-12个月
- Shelf life: 8-12 months
- 规格、厚度可定制
- Customizable width and thickness
- 良好的拉伸性能
- Good tensile properties



PLA热收缩膜 Heat shrink film

宽度 Width 300-1200mm

厚度 Thickness 20-60mic

产品特点 Product Features

- 材料由脂肪族与芳香族共聚酯和聚乳酸材料共混改性而成,不含淀粉和传统聚烯烃材料
- 具有优异的力学强度、着色性、印刷性和阻隔性
- 符合EN13432和ASTM D6400等欧盟、美国生物降解标准
- The material is modified by blending aliphatic and aromatic copolyesters and polylactic acid materials, without starch and traditional polyolefin materials
- Has excellent mechanical strength, colorability, printability and barrier properties
- Complies with EU and US biodegradable standards such as EN13432 and ASTM D6400

应用领域 Application Fields

书刊、杂志等包装、食品、餐具、电子电器防护包装等
Used for books, magazines and other packaging, food, tableware, electronic and electrical protective packaging and other fields

PLA镀铝膜 Aluminized film

宽度 Width 300-1200mm

厚度 Thickness 15-25-40mic

产品特点 Product Features

- 光泽度强, 挺度好, 具有优良的抗张强度
- 具有优异的水汽及氧气阻隔性能优异的抗油/脂/酒精的性能
- 具有优异的扭结性能以及复合性能卓越等特点
- Has strong gloss and good stiffness, has excellent tensile strength
- Has excellent water vapor and oxygen barrier properties, excellent oil/fat/alcohol resistance
- Has the characteristics of excellent kink performance and excellent composite performance

应用领域 Application Fields

常规包装、复合, 涂布等工艺、扭结包装、纸板覆膜等
conventional packaging, compounding, coating and other processes, twisted packaging, cardboard lamination, etc.



CPLA | 刀叉勺 CUTLERY

·堆肥后降解为水和二氧化碳

·Degraded into H₂O & CO₂ after composting

·货架期约12个月

·Shelf life: 12 months

·材质耐高温可达100°C

·Temperature resistance up to 100°C

·食品可接触级

·Food contact level

·可自定义包装

·Custom packaging



6 " Cutlery

Name	Specification (mm;ml)	Package	g/pcs	Measurement Of Carton(cm)			CBM	Quantity for 40HQ(cartons)
6.0" knife	16.0cm (6.3")	100pcs*10bags	4.6	34	22	18	0.0135	5051
6.0"fork	15.8cm (6.2")	100pcs*10bags	4.3	35	24	19.5	0.0164	4151
6.0"spoon	15.2cm (6")	100pcs*10bags	4.1	33	22	21.5	0.0156	4356



6.5 " Cutlery

Name	Specification (mm;ml)	Package	g/pcs	Measurement Of Carton(cm)			CBM	Quantity for 40HQ(cartons)
6.5" knife	17.0cm (6.7")	100pcs*10bags	5	36.5	16	18.5	0.0108	6294
6.5"fork	16.2cm (6.4")	100pcs*10bags	5	35	17	21.5	0.0128	5316
6.5"spoon	15.4cm (6.1")	100pcs*10bags	5	32.5	19	21.5	0.0133	5122



7 " Cutlery

Name	Specification (mm;ml)	Package	g/pcs	Measurement Of Carton(cm)			CBM	Quantity for 40HQ(cartons)
7" knife	18.5cm (7.3")	50pcs*20bags	6	40	22.5	18.5	0.0167	4084
7" fork	18.0cm (7.1")	50pcs*20bags	5.5	38	23.5	20.5	0.0183	3715
7" spoon	17.0cm (6.7")	50pcs*20bags	5.5	33	24	25	0.0198	3434



7.5 " Cutlery

Name	Specification (mm;ml)	Package	g/pcs	Measurement Of Carton(cm)			CBM	Quantity for 40HQ(cartons)
7.5" knife	19.7cm (7.8")	100pcs*10bags	7.8	38	21.5	20	0.0163	4162
7.5"fork	19.4cm (7.6")	100pcs*10bags	8	38	21	23	0.0184	3705
7.5"spoon	18.3cm (7.2")	100pcs*10bags	8.2	38	20	25	0.0190	3579

