



**Guangdong TaiWei Packing Products Co.,Ltd.**  
**TaiWai(HK) Technology Co.,Ltd.**

Addr: Building E, Kadeer Ind Park, Yaojun,  
Hongmei, Dongguan, Guangdong, China.

Tel: 0086-769-81212151

Fax: 0086-769-81212156

E-mail: admin@tapeworld.cn

Web: www.tapeworld.cn



**Guangdong TaiWei Packing Products Co.,Ltd.**  
**TaiWai(HK) Technology Co.,Ltd.**

## ENTERPRISE INTRODUCTION

- 01 COMPANY PROFILE
- 03 TAPE WORLD, STICK THE WORLD
- 04 TAIWEI QUALITY CONTROL MANAGEMENT SYSTEM
- 05 QUALIFICATION CERTIFICATE

## BOPP TAPE SERIES

- 07 BOPP JUMBO ROLL
- 08 BOPP PACKING TAPE
- 09 BOPP SUPER CLEAR PACKING TAPE
- 10 BOPP CRYSTAL CLEAR PACKING TAPE
- 11 BOPP COLOR PACKING TAPE
- 12 PRINTED PACKING TAPE
- 13 BOPP LOW NOISE PACKING TAPE
- 14 BOPP RAINBOW SUPER CLEAR TAPE

## MASKING TAPE & WASHI TAPE (ACRYLIC WATER BASED GLUE)

- 16 PAINTER'S GOLDEN WASHI TAPE
- 17 PAINTER'S WASHI TAPE
- 18 DELICATE WASHI TAPE
- 19 PAINTER'S MASKING TAPE
- 20 PE CLOTH TAPE (STUCCO TAPE)
- 21 AUTOMOTIVE MASKING TAPE
- 22 AUTOMOTIVE WASHI TAPE
- 23 SEMI-CREPE PAPER AUTOMOTIVE MASKING TAPE
- 24 PRE-TAPED MASKING FILM
- 25 PRE-TAPED MASKING PAPER
- 26 CLOTH PRE-TAPED MASKING FILM

## STATIONERY TAPE SERIES

- 28 STATIONERY TAPE
- 29 SUPER MARKET SERIES

## SPECIALITY TAPE SERIES

- 32 GENERAL PURPOSE MASKING TAPE
- 33 CLOTH / DUCT TAPE
- 34 DOUBLE SIDED TISSUE TAPE
- 35 DOUBLE SIDED PE/EVA FOAM TAPE
- 36 DOUBLE SIDED CLOTH TAPE
- 37 DOUBLE SIDED OPP TAPE
- 38 DOUBLE SIDED PET TAPE
- 39 DOUBLE SIDED ACRYLIC TAPE
- 40 ALUMINUM FOIL TAPE
- 41 KRAFT PAPER TAPE
- 42 PVC WARNING TAPE
- 43 ANTI SLIP TAPE

SINCE  
2003



## COMPANY PROFILE

Guangdong TAIWEI Packing Products Co.,Ltd was founded in 2003 (formerly known as YONGHUI Tape Factory), with registered capital RMB10.88 million. We are a professional manufacturer on R&D, producing and exporting Bopp Packing Tape, Masking Tape, Washi Tape and pre taped masking film, which are widely used in Packaging Industry, Construction and Decoration Industry, Automotive spray painting Industry, etc. Our Monthly output value of BOPP reaches CNY 5 million, masking tape and washi paper reaches nearly CNY 3 million, and other speciality tapes reaches CNY1 million, such as double-sided tape, cloth tape, aluminum foil tape, etc.

TAIWEI is a well-equipped manufacturer, who posses the advanced automatic production lines and lab facilities, a number of senior technical and managerial staffs, specializing in adhesive researching, jumbo roll coating, printing, slitting and packing. We also have a dust-free workshop for producing exquisite products with ultra-high quality standard. All products comply with SGS, ROHS, EU environmental standards. Under the strict

quality control and ISO9001 management system, our quality control team inspect each production process carefully and comprehensively before delivery, which enhance the quality competitiveness on the global market, helps us to win high reputation from USA, Mexico, UK, Germany, Russia, Poland, Italy, Netherlands, Australia, Spain, Korea, Saudi Arabia, South Africa, Nigeria, etc.

TAIWEI focus on each detail, our dedication and craftsmanship provide a solid foundation for our production. We always believe in QUALITY FIRST. Our R&D team and senior technicians develop new products every month, we send new products and samples to all customers freely to develop the market jointly. Our sales team has many opportunities to participate in international exhibitions every year, to learn the international market directions, in order to provide you the professional and best services. We sincerely hope WIN-WIN for both of us through our friendly cooperation and joint efforts. Welcome to TAIWEI in Dongguan City, Guangdong, China.



## TAPE WORLD, STICK THE WORLD

### Product Development

Product development contribute to enterprise's sustainable development. With skilled craftsmen and advance production lines, we offer professional ODM/OEM service. Constant development of bespoke service suprice you.

### Quality and Environment


Our customers' trust in our products must be repaid with quality, This is the basic concept and guiding principle of our daily work and activities. Also we're serious about enviromental protection ensure materials used are environmentally friendly.

### Our Services

A brand new service model for your choise. We always by your side, aim at providing complete service, exceed your expectations and prevent any unexpectations.



## TAIWEI QUALITY CONTROL MANAGEMENT SYSTEM



# QUALIFICATION CERTIFICATE

Recognition from professional institutions reflects the company's years of intelligent dedication. After years of hard work and refinement, in the process of continuous innovation and expansion, we have received recognition from a large number of users and social rewards.



**质量管理体系认证证书**  
证书编号: 99231Q0655R05

兹证明  
**广东泰伟包装制品有限公司**  
统一社会信用代码: 91441906MA49543270  
注册地址: 东莞市长安镇乌沙村卡德乐创新产业园E栋2012室  
生产/经营地址: 东莞市长安镇乌沙村卡德乐创新产业园E栋2012室

质量管理体系符合  
**GB/T19001-2016/ISO9001:2015**  
认证范围  
胶带的生产

发证日期: 2021年09月02日 证书有效期至: 2024年09月01日



**CERTIFICATE OF QUALITY MANAGEMENT SYSTEM**  
Certificate No. 99231Q0655R05

This is to certify that  
**Guangdong Taiwei Packing Products Co., Ltd.**  
Unified social credit code: 91441906MA49543270  
Registration Address: Rm 2012, Building E,Kadee Ind Park, Yaogan, Hongmei, Dongguan, Guangdong, China  
Production/Business Address: Rm 2012, Building E,Kadee Ind Park, Yaogan, Hongmei, Dongguan, Guangdong, China

Which is in conformity with  
**GB/T19001-2016/ISO9001:2015**  
Scope of Certification  
Production of adhesive tape

Issue date: Sep 02, 2021 Term of validity: Sep 01, 2024



证书号第 6822607 号

**实用新型专利证书**

实用新型名称: 一种透明胶布

发明人: 周国平

专利号: 2017 2 0677993.5

专利申请日: 2017年06月12日

专利权人: 广东泰伟包装制品有限公司

授权公告日: 2018年01月05日

本实用新型经中华人民共和国专利局审查, 符合授予专利权, 确定授予专利权, 颁发本证书并登记簿予以公告。该专利权的保护期限为十年, 自申请日起算。专利权人应当缴纳年费以维持专利权的效力。未按规定缴纳年费的, 专利权自应当缴纳年费期满之日起终止。

专利权人依法对专利权进行法律处理, 专利权转移、质押、无效、终止、恢复和专利权人姓名或名称、国籍、地址变更等事项均应在专利登记簿上。

局长 申长雨

检测项目	检测方法	检测结果	判定	检测项目	检测方法	检测结果	判定
外观	目视	符合	合格	外观	目视	符合	合格
厚度	千分尺	0.15±0.02	合格	厚度	千分尺	0.15±0.02	合格
宽度	卡钳	48±0.5	合格	宽度	卡钳	48±0.5	合格
重量	电子秤	1.5±0.1	合格	重量	电子秤	1.5±0.1	合格
拉力	拉力计	15N	合格	拉力	拉力计	15N	合格
伸长率	拉力计	10%	合格	伸长率	拉力计	10%	合格
剥离力	剥离试验机	0.5N/25mm	合格	剥离力	剥离试验机	0.5N/25mm	合格
剪切力	剪切试验机	1.0N/25mm	合格	剪切力	剪切试验机	1.0N/25mm	合格
冲击强度	冲击试验机	10J/m	合格	冲击强度	冲击试验机	10J/m	合格
耐热性	烘箱	120℃/2h	合格	耐热性	烘箱	120℃/2h	合格
耐寒性	低温箱	-20℃/2h	合格	耐寒性	低温箱	-20℃/2h	合格
老化性能	老化箱	1000h	合格	老化性能	老化箱	1000h	合格
电性能	电性能测试仪	符合	合格	电性能	电性能测试仪	符合	合格
机械性能	机械性能测试仪	符合	合格	机械性能	机械性能测试仪	符合	合格
化学性能	化学性能测试仪	符合	合格	化学性能	化学性能测试仪	符合	合格
物理性能	物理性能测试仪	符合	合格	物理性能	物理性能测试仪	符合	合格
生物性能	生物性能测试仪	符合	合格	生物性能	生物性能测试仪	符合	合格
环境性能	环境性能测试仪	符合	合格	环境性能	环境性能测试仪	符合	合格
安全性能	安全性能测试仪	符合	合格	安全性能	安全性能测试仪	符合	合格
电磁兼容	电磁兼容测试仪	符合	合格	电磁兼容	电磁兼容测试仪	符合	合格
有害物质	有害物质测试仪	符合	合格	有害物质	有害物质测试仪	符合	合格
阻燃性能	阻燃性能测试仪	符合	合格	阻燃性能	阻燃性能测试仪	符合	合格
耐候性能	耐候性能测试仪	符合	合格	耐候性能	耐候性能测试仪	符合	合格
耐腐蚀性能	耐腐蚀性能测试仪	符合	合格	耐腐蚀性能	耐腐蚀性能测试仪	符合	合格
耐磨性能	耐磨性能测试仪	符合	合格	耐磨性能	耐磨性能测试仪	符合	合格
防静电性能	防静电性能测试仪	符合	合格	防静电性能	防静电性能测试仪	符合	合格
导电性能	导电性能测试仪	符合	合格	导电性能	导电性能测试仪	符合 </tr	

# BOPP TAPE Series



## BOPP JUMBO ROLL



### Features

- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Weather resistance
- ◆ Broad temperature range
- ◆ Printable

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	35mic - 65mic
Width	980/1270/1280/1600/1610/1620mm
Length	4000m,6000m,8000m
Color	Transparent,Brown,Coloured,Printed,Super Clear,etc.
Package	1 roll with standard export package

### Application

Mainly supply for slitting factory



## BOPP PACKING TAPE

Machine Tape  
Max length 3500m



WITH 1"/1.5"/2" CORE



### Features

- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Weather resistance
- ◆ Broad temperature range
- ◆ Printable

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	35mic - 65mic
Width	12/15/18/19/24/38/42/45/48/50/55/60/72/90/96/144/150/288mm
Length	10m - 3000m
Color	Transparent, Yellowish, Golden, Brown, etc.
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, auto-packing machine, gift wrapping, decoration bunding and strapping, steadying.



## BOPP SUPER CLEAR PACKING TAPE

Super clarity with attractive image design, upgrading product appearance. No bubbles, we can see logo on two sided of paper core clearly, which is a good way to advertise your brand.



### Features

- ◆ Super Transparent
- ◆ NO bubbles
- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Broad temperature range

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	40mic - 55mic
Width	12/15/18/19/24/45/48mm
Length	10m - 250m
Color	Super Clear Transparent
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, gift wrapping, decoration bunding and strapping, steadying.



## BOPP CRYSTAL CLEAR PACKING TAPE

Crystal clarity with attractive image design, upgrading product appearance.

No bubbles, tape looks shining, we can see logo on two sided of paper core clearly, which is a good way to advertise your brand.



### Features

- ◆ Crystal Transparent
- ◆ NO bubbles
- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Broad temperature range

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	40mic - 55mic
Width	12/15/18/19/24/45/48mm
Length	10m - 150m
Color	Crystal Clear Transparent
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, gift wrapping, decoration bunding and strapping, steadying.

## BOPP COLOR PACKING TAPE

Good helper to sort different packages or parcels.



### Features

- ◆ Attractive Color
- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Weather resistance
- ◆ Printable

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	45mic - 65mic
Width	12/15/18/19/24/38/42/45/48/50/55/60/72/90/96/144/150/288mm
Length	10m - 3000m
Color	Red, Green, Black, White, Blue, Yellow, Orange, or reference to Pantone #
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, gift wrapping, decoration bundling and strapping, steadying, marking, sorting.



## PRINTED PACKING TAPE

We can print company name, logo, contact info on it, which help you to advertise easily.

We can also print "FRAGILE" "WARNING" and other warning words to remind the carrier be careful when carrying.



### Features

- ◆ Advertising
- ◆ Max 4 colors printing
- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Weather resistance

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	45mic - 65mic
Width	12/15/18/19/24/38/42/45/48/50/55/60/72/90/96/144/150/288mm
Length	10m to 3000m
Color	Any color as base, offering 1-4 colors printed on tape
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, auto-packing machine, gift wrapping, decoration bundling and strapping, steadying, Various design for X'mas gift wrapping.





## BOPP LOW NOISE PACKING TAPE

When opening tape, there's no noise, It's a good helper to seal parcels in quiet place, such as office, home, etc.



### Features

- ◆ Low Noise
- ◆ No bubbles
- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Weather resistance

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	45mic 48mic 50mic
Width	45/48/72mm
Length	50m,66m,132m
Color	Transparent, Brown,Coloured,Printed
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, gift wrapping, decoration bunding and strapping, steadying.



## BOPP RAINBOW SUPER CLEAR TAPE

Brand new and high quality packing tape.



### Features

- ◆ Super Transparent
- ◆ NO bubbles
- ◆ Strong adhesion
- ◆ High tensile strength
- ◆ Broad temperature range

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	40mic - 55mic
Width	12/15/18/19/24/45/48mm
Length	10m - 150m
Color	Super Clear Transparent
Package	Tower pack, Flat pack, Individual shrink, Customized

### Application

Widely used in carton sealing, gift wrapping, decoration bunding and strapping, steadying.




# MASKING TAPE & WASHI TAPE (ACRYLIC WATER BASED GLUE)

## Series

Widely used in Building industry,  
Home decoration, Automotive spray field

## PAINTER'S GOLDEN WASHI TAPE

MODEL: TW-BW-G10



UV  
14 DAYS



FOR INDOOR  
& OUTDOOR

### Features

- ◆ Acrylic water based adhesive, to offer good and instant adhesion
- ◆ Mid tack, good holding power, lifting and curling resistance
- ◆ UV-resistant, peel off cleanly, no damage and residue
- ◆ Ultra-thin backing, a low paint ridge, smooth and straight paint lines
- ◆ Solvent and moisture resistant, to prevent paint bleed
- ◆ Waterproof, suitable for fast wet painting
- ◆ Ideal safe use on multi-surfaces







## PAINTER'S WASHI TAPE



### Features

- ◆ Acrylic water based adhesive, to offer good and instant adhesion
- ◆ Mid-high tack, good holding power, lifting and curling resistance
- ◆ UV-resistant, 30days removal, no damage and residue
- ◆ Ultra-thin backing, a low paint ridge, smooth and straight paint lines
- ◆ Solvent and moisture resistant, to prevent paint bleed
- ◆ Waterproof, suitable for fast wet painting
- ◆ Ideal safe use on multi-surfaces

### Color

MODEL NO.	COLOR	
TW-BW-Y12	YELLOW	
TW-BW-G12	GOLDEN	
TW-BW-AG12	GREEN	
TW-BW-B12	BLUE	



## DELICATE WASHI TAPE





LOW TACK




### Features

- ◆ Acrylic water based adhesive, good for instant adhesion
- ◆ Ultra-thin backing, smooth and straight paint lines
- ◆ Solvent and moisture resistant, no paint bleed
- ◆ 30days removal no damage and residue
- ◆ High tensile strength, waterproof
- ◆ Ideal for critical paint masking applications


### Color

MODEL NO.	COLOR	
TW-HW-PI26	PINK	
TW-HW-PU26	PURPLE	
TW-HW-R26	RED	
TW-HW-B26	BLUE	



## PAINTER'S MASKING TAPE




PROFESSIONAL GRADE




### Features

- ◆ Acrylic water based adhesive, good for instant adhesion
- ◆ Mid-high tack, lifting and curling resistance
- ◆ UV-resistant, 30days removal, no damage and residue
- ◆ Waterproof, suitable for fast wet painting
- ◆ Suitable for all kinds of paints
- ◆ Ideal safe use on multi-surfaces

### Color

MODEL NO.	COLOR	
TW-BM-B16	BLUE	
TW-BM-R16	RED	
TW-BM-G16	GREEN	




## PE CLOTH TAPE (STUCCO TAPE)



### Features

- ◆ UV resistant, 14 days outdoor and 30 days indoor
- ◆ Waterproof, moisture resistant, high temperature resistant
- ◆ Strong adhesion, good holding power
- ◆ Peel off cleanly, no damage and residue
- ◆ Easy tear by hand, easy unwind
- ◆ Ideal use for masking doors/window in stucco painting



## AUTOMOTIVE MASKING TAPE




### Features

- ◆ High temp. resistant 120°C
- ◆ High tensile strength and elongation
- ◆ Excellent holding power
- ◆ Don't break, work well in corners and irregular surfaces
- ◆ Removes cleanly 100% No residue
- ◆ Designed for use in the automotive industry (cars, trucks and other specialty vehicles) for general paint masking.

### Color

MODEL NO.	COLOR	
TW-CM-BR03	BROWN	
TW-CM-G03	GREEN	
TW-CM-B03	BLUE	
TW-CM-Y03	YELLOW	



## AUTOMOTIVE WASHI TAPE

MODEL: TW-CW-AG38

Rice paper coated with high quality water based acrylic glue. Designed for all general masking applications in the building industry and automotive industry.




### Features

- ◆ High temp. resistant 100°C
- ◆ Waterproof & Solvent formula resistant
- ◆ Straight edge, no bleed
- ◆ Stick well in place around corners and irregular surfaces
- ◆ Clean removal and no residue
- ◆ UV resistant 30days+

Total Thickness	110-120micron
Initial Tack	19#
Peeling Strength	3.6-3.7N/in
Holding power (hours)	> 10
Tensile Strength	105-110N/in
Elongation	5%
Temp. Resistance	100°C/ 1 hour
Color	Apple Green

### Application

It is mainly applicable to automotive general paint masking.



## SEMI-CREPE PAPER AUTOMOTIVE MASKING TAPE

MODEL: TW-CM-G12

It's a functional tape made of plain semi-crepe paper that has been impregnated and released, and then coated with environmentally friendly pressure-sensitive adhesive.



### Features

- ◆ High temp. resistant 120-150°C
- ◆ High tensile strength and elongation
- ◆ Straight edge, no bleed
- ◆ Good performance on all vehicle surfaces
- ◆ Waterproof & Solvent formula resistant
- ◆ Clean removal and no residue
- ◆ UV resistant 30days+

Total Thickness	145-155micron
Initial Tack	≥ 18#
Peeling Strength	≥4.5N/in
Holding power (hours)	≥ 8
Tensile Strength	≥ 20N/cm
Elongation	≥ 3%
Temp. Resistance	120°C/ 1 hour
Color	Green

### Application

Ideal for use on car, boat and plane.



## PRE-TAPED MASKING FILM



### Features


- ◆ Tape + film in one, quick unfold the film and shield various appliance
- ◆ Treated film attracts overspray & clings to any surface
- ◆ Excellent UV resistant & waterproof
- ◆ Clean removal and no residue
- ◆ Ideal for automotive applications, equipment & furniture coverage, and paint protection.

### Product size

- ◆ Width: 0.55/1.1/1.4/1.8/2.1/2.4/2.7/3m
- ◆ Length: 15-33m



## PRE-TAPED MASKING PAPER



### Features

- ◆ Fast and easy masking for large areas;
- ◆ Clean removal and no residue;
- ◆ High penetration resistance;
- ◆ Strong and non-absorbent, tear resistance to protect surfaces;
- ◆ Easy to apply, easy to tear by hand;
- ◆ Ideal for skirting boards, architraves, window door frames, light switches, autobody, automobile and vehicle surfaces.

### Product size

- ◆ Width: 15/18/30/45/60/90cm
- ◆ Length: 20-25m



## CLOTH PRE-TAPED MASKING FILM



### Features

- ◆ Good performance on rough or irregular surfaces
- ◆ Workable in diverse weather conditions
- ◆ Treated film attracts overspray & clings to any surface
- ◆ Clean removal and no residue
- ◆ Ideal for for masking floors, walls, windows and roofs when painting, indoor & outdoor.

### Product size

- ◆ Width: 0.55/1.1/1.4/1.8/2.7m
- ◆ Length: 20-33m



# STATIONERY TAPE

Series



## STATIONERY TAPE



It's an ideal choice for general sealing, light packing, gift wrapping, paper mending and fixing, temporary positioning, DIY gifts, jointing and splicing. Easy tear and Non easy tear for your choice. For invisible tape, it could be even surface writable.

Film	Bi-Oriented Polypropylene
Adhesive	Pressure Sensitive Acrylic Water Based
Thickness	35mic - 55mic
Width	12/15/18/19/22/24/25mm
Length	5m to 66m
Color	Transparent, Yellowish, Golden, Rainbow, Coloured, Printed
Package	Tower pack, Flat pack, Individual shrink, Customized
Core Size	1" Plastic core, 3" Paper core

### Application

Widely used in office, school and home





## SUPER MARKET SERIES



# SPECIALITY TAPE

Series

## GENERAL PURPOSE MASKING TAPE

Natural White / Natural Yellow




### Features

- ◆ Good covering and protective ability
- ◆ NO adhesive residue
- ◆ Good retract ability
- ◆ Remove easily
- ◆ Strong holding power
- ◆ Smooth trimmed edges

Carrier	Crepe Paper
Adhesive	Natural Rubber
Thickness	150mic
Width	6/12/15/18/19/24/25/36/38/45/48/50mm
Length	10m - 50m
Color	Natural white, Natural yellow, Red, Yellow, Blue, Green, Black, Purple
Package	Tower pack, Individual shrink, Spring shrink, Customized

### Application

Suitable for home decoration, woodwork, furniture in-door paint masking  
Holding, bunding, sealing  
Light duty packing  
Non-critical masking application



## CLOTH / DUCT TAPE




### Features

- ◆ Strong adhesion
- ◆ Humidity resistance
- ◆ Easy tear, convenient use
- ◆ Resistant to oil wax, anticorrosive

Carrier	Fiber Cloth
Adhesive	Hotmelt Based, Natural Rubber Based
Thickness	150, 180, 200, 210, 230, 250, 280mic
Mesh	27mesh, 35mesh, 50mesh, 70mesh
Width	24mm to 72mm
Length	10m - 50m
Color	Red, Black, Silver, Green, Blue, Brown, Pink, Yellow, etc.
Package	Vertical shrink, Individual shrink, Customized

### Application

Carpet jointing and fixing / Heavy duty packaging /  
Rubber and plastic pipe jointing / Book and file bundling  
Handle anti-slip



## DOUBLE SIDED TISSUE TAPE



### Features

- ◆ Easy tear by hands
- ◆ Double stick
- ◆ Convenient use
- ◆ Strong adhesion

Carrier	Tissue
Adhesive	Hotmelt Based, Water Based, Solvent Based
Release Paper	White, Yellow
Thickness	70mic 80mic 90mic
Width	6 mm to 50 mm
Length	10 m - 50m
Color	White
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used in decoration, postal service / Ideal for holding, joining of light weight items in office and home application / Solvent based is widely used in hook and shoe, computerized embroidery for long term mounting and fixing. / Industrial application, electronic, automotive and leather industry



## DOUBLE SIDED PE/EVA FOAM TAPE



### Features

- ◆ Double Sided stickiness
- ◆ Excellent mitigating vibration
- ◆ Aging resistance and safe in using
- ◆ Good crack resistance
- ◆ Strong adhesion

Carrier	EVA Foam, PE Foam
Adhesive	Hotmelt based, solvent based
Release Paper	White, Yellow, Red, Green
Thickness	1mm - 5mm
Width	12/15/18/19/24/25mm
Length	3m - 5m
Color	White Foam with White / Yellow / Red / Green Liner Black Foam with White / Yellow / Red / Green Liner
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used in home decoration, ceramic and glass protection / Mounting decorative objects in cars, machines and house / Suitable for irregular surface / Fixing permanently / Sticking heavy items



## DOUBLE SIDED CLOTH TAPE




### Features

- ◆ High adhesion
- ◆ Aging and temperature resistance
- ◆ Easy Tear
- ◆ Strong tensile strength
- ◆ Water Proof

Carrier	Cloth
Adhesive	Hotmelt based
Release Paper	White, Yellow
Thickness	300mic
Width	12/15/18/19/24/25/38/48mm
Length	10 - 50m
Color	Cloth with Yellow Liner
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used in carpet jointing and fixing, wall and home decoration Metal and other objects connection Binding, sealing and fixing



## DOUBLE SIDED OPP TAPE



### Features

- ◆ Excellent shearing resistance
- ◆ Good bonding effect to the materials
- ◆ Superior bond strength under high temperature


Carrier	OPP Film
Adhesive	Water Based, Solvent Based
Release Paper	White, Yellow
Thickness	80mic - 120mic
Width	12/15/18/20/24/30/36/45/48mm
Length	10m - 50m
Color	White, Yellow
Package	Vertical shrink, Individual shrink, Customized

### Application

#### Water Based D/S Opp Tape:

General purpose: Widely used in adhering posters, photos, public notes and envelopes

Solvent Based D/S Opp Tape: Suitable for electronic industry, shoes and leather industry, automotive industry



## DOUBLE SIDED PET TAPE




### Features

- ◆ Excellent shearing resistance
- ◆ Superior bond strength under high temperature
- ◆ Good bonding effect to the materials

Carrier	PET
Adhesive	Hotmelt Based, Solvent Based
Release Paper	White Yellow
Thickness	90mic - 120mic
Width	12/15/18/20/24/30/36/45/48mm
Length	10m - 50m
Color	White Yellow
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used in fixing mobile phone display, camera, automotive ABS plastic sheets, Fixing furniture decorative trims, modules, In electronic industry, shoes and leather industry, automotive industry



## DOUBLE SIDED ACRYLIC TAPE




### Features

- ◆ No residue
- ◆ Anti Vibration
- ◆ Moisture and ultraviolet resistance
- ◆ Water Proof
- ◆ Weather resistance

Carrier	VHB
Adhesive	Acrylic
Release Paper	Red, Transparent
Thickness	1mm - 3mm
Width	10mm - 48mm
Length	3m - 10m
Color	Transparent
Package	Individual shrink, Customized

### Application

Widely used in plastic, metal, glass or uneven surface  
Can be fixed to the object firmly  
Insulate moisture and dust, resist various chemicals and weather  
Reduce vibration and noise  
Applied in ultra-high or ultra-low temperature environment



## ALUMINUM FOIL TAPE



### Features

- ◆ Excellent resistance to UV light, moisture, dust, oil and chemical
- ◆ Fire proof, corrosion proof, water proof
- ◆ Non deteriorating
- ◆ Good for harsh, long-term outdoor use
- ◆ Anti abrasion and anti corrosion
- ◆ Good reflectance of heat and light

Carrier	Aluminum Foil
Adhesive	Hotmelt Based, Water Based, Solvent Based
Thickness	40mic , 55mic , 75mic
Width	30mm - 50mm
Length	10m - 50m
Color	Silver, Golden, Black
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used for wrapping air pipe, water pipe, oil pipe and steam pipe to protect the pipe from abrasion, corrosion and heat.  
Both Indoor and Outdoor applicable



## KRAFT PAPER TAPE



### Features

- ◆ High tack, high adhesion
- ◆ Noiseless, easy tear
- ◆ Environmental, recyclable
- ◆ Good holding power
- ◆ Printable


Carrier	Kraft Paper
Adhesive	Hot melt, Rubber
Thickness	140mic
Width	10mm - 48mm
Length	10m - 50m
Color	Brown
Package	Vertical shrink, Individual shrink, Customized

### Application

Sealing for light and medium carton  
Holding, Binding, Reinforcing  
Correcting shipping mark



## PVC WARNING TAPE




### Features

- ◆ Bright eye-catching color
- ◆ Weather resistance
- ◆ Anti abrasion and anti corrosion
- ◆ Excellent flexibility
- ◆ High visual identification
- ◆ Water proof

Carrier	Soft Polyvinyl Chloride(SPVC)
Adhesive	Rubber
Thickness	140mic - 160mic
Width	30mm - 50mm
Length	10m - 33m
Color	Single color, White/Red, Yellow/Black, White/Green
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used in hazard warning, section segregating, lane marking, color coding, labelling, sealing and identifying. Ideal marking material for ground, electrical post building, vehicle, construction and transportation.



## ANTI SLIP TAPE




### Features

- ◆ Anti Slipping
- ◆ Anti abrasion and anti corrosion
- ◆ No residue
- ◆ Durable
- ◆ Water proof

Carrier	PET Film
Adhesive	Acrylic Pressure sensitive Adhesive
Surface	Aluminum oxide
Thickness	100mic
Width	18mm, 19mm, 25mm, 48mm, 100mm
Length	5m - 50m
Color	as photo
Package	Vertical shrink, Individual shrink, Customized

### Application

Widely used in floor, ladder, stair treads, ramp ways, transportation, skateboard, scooter, bathroom, wherever a non skid surface is required . Both Indoor and Outdoor applicable



## SALES NETWORK

We rely on our continuously developing first-class technology and high-quality employees to create measurable performance growth for our customers. We make every effort to provide customers with the best support and strive to form a lasting and cooperative relationship with our business partners.



**After years of hard work,  
our products are distributed  
all over the world!**