




LOUIS ADHESIVE TAPES CO.,LTD.

PRESSURE SENSITIVE ADHESIVE TAPE FOR INDUSTRIAL & OFFICE APPLICATIONS



COMPANY PROFILE

Founded in 1973, Louis Adhesive Tapes was one of the first tape manufacturers in Thailand. We are now the largest producer of natural rubber adhesive Masking tape and OPP tape in Southeast Asia and the World's second largest producer of Cellulose tape. Servicing customers in over 30 countries and maintaining a workforce of more than 600 people. Our corporate offices are centrally located in Bangkok and we proudly comply with the international standards of ISO 9001.



INCORPORATED TECHNOLOGY



PAPER SATURATION



ADHESIVE COATING



CONVERTING



ADHESIVE PRODUCTION



PRINTING



SOLVENT DISTILLATION



QUALITY CONTROL



> PACKAGING

OPP Tape Rubber	3
OPP Tape Acrylic	4
Kraft Tape	5
Non-PE Kraft Tape	5
Printed OPP Tape	11



> STATIONERY

Cellulose Tape	1
Masking Tape	2
Cloth Tape	6
D/S Tissue Tape	7
D/S EVA White Foam Tape	7
Invisible Tape	8
OPP Stationery Tape	8
Sticker Label	8
Washi Tape	8



> HARDWARE

Masking Tape	2	PVC Floor Marking Tape	8
Cloth Tape	6	PE Warning Tape	8
D/S EVA White Foam Tape	7	Aluminium Foil Tape	8
D/S PE Black Foam Tape	7	PVC Insulating Tape	8
D/S Acrylic Tape	7		

INDEX

BEST CHOICE	Cellulose Tape	1
BEST CHOICE	Masking Tape	2
BEST CHOICE	OPP Tape Rubber	3
BEST CHOICE	OPP Tape Acrylic	4
	Kraft Paper Tape	5
	Cloth Tape	6
	Double Sided Tape	7
	Specialty Tape	8
	Printed Tape	11

CELLULOSE TAPE



BEST CHOICE



Easily Torn By Hand



Environmentally Friendly



Multi-Purpose

GENERAL PROPERTY

Backing: Cellophane Film
 Adhesive: Natural Rubber

FEATURE

- Highly transparent Cellulose film coated with a Natural Rubber adhesive
- Easily torn by hand
- Friendly to the environment

APPLICATION

- Great for sealing plastic or metal containers for protection from moisture
- Perfect for the Environmentally friendly office or warehouse
- Ideal for sealing, packing or mending



CODE	THICKNESS	GRADE
#110	46 um ± 10%	Stationery & General Purpose
#C258	48 um ± 10%	Packaging

STANDARD SIZING

CORE	◀	1 IN	3 IN		
WIDTH	◀	12 mm	18 mm	24 mm	48 mm
LENGTH	◀	2.7 M	9 M	33 M	66 M

Please contact your sales representative for other available sizes



POCKET SIZE ROLL



HANDROLL

GENERAL PROPERTY


Backing Crepe Paper
 Adhesive Natural Rubber

FEATURE

- Removes cleanly from most surfaces without leaving adhesive residue
- Specially formulated Natural Rubber adhesive
- Contours effortlessly for even the most demanding of tasks

APPLICATION

- The perfect choice for masking, sealing, labelling or bundling
- Suitable for a variety of painting applications
- Excellent for automotive spray painting



CODE	THICKNESS	TEMP REST	GRADE
#M355	130 um	100°C for 1hr	General Purpose
#M358	140 um	100°C for 1hr	Automotive
#M158	140 um	120°C for 1hr	Premium Automotive
#M267	150 um	120°C for 1hr	Industrial

STANDARD SIZING

CORE	◀ 1 1/4 IN	3 IN			
WIDTH	◀ 6 mm	9 mm	12 mm	18 mm	24 mm
		36 mm	48 mm	60 mm	72 mm
LENGTH	◀ 18 M	27 M	36 M	50 M	

OPP PACKAGING TAPE (RUBBER)

BEST CHOICE



Clear

Tan

Brown

HANDROLL



MACHINE ROLL



GENERAL PROPERTY

Backing	BOPP
Adhesive	Natural Rubber

FEATURE

- Suitable for a broad range of temperature environments
- Bonds with a wide variety of material types
- Aggressive Natural Rubber adhesive, a fast & permanent seal every time

APPLICATION

- Perfect for heavy duty cartons
- Great for coolrooms & cold storage
- The best choice for recycled cartons

CODE	THICKNESS	COLOR	
#323	43 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Tan
#325	45 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Tan
#328	48 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Brown
#340	62 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Brown
#300	48 ± 2 um	<input type="checkbox"/> Y <input type="checkbox"/> O <input type="checkbox"/> P <input type="checkbox"/> R <input type="checkbox"/> LG <input type="checkbox"/> LB <input type="checkbox"/> DB <input type="checkbox"/> PU <input type="checkbox"/> BL	

SIZING

CORE	◀	3 IN				
WIDTH	◀	24 mm	36 mm	48 mm	60 mm	72 mm
LENGTH	◀	40.5 M	45 M	50 M	75 M	90 M
		100 M	900 M	1000 M		



MACHINE ROLL



Clear

Tan

HANDROLL

GENERAL PROPERTY

Backing	BOPP
Adhesive	Acrylic Water

FEATURE

- Great economical option
- Highly resistant to UV light & aging
- Superior durability and longevity on surfaces such as metal and glass

APPLICATION

- Perfect for ecommerce packaging
- Suitable for light to medium weight cartons
- Good choice for sealing & holding materials requiring UV resistance

OPP PACKAGING TAPE (ACRYLIC)




CODE	THICKNESS	COLOR	
#430	41 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Tan
#440	43 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Tan
#450	47 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Tan
#460	50 ± 2 um	<input type="checkbox"/> Clear	<input type="checkbox"/> Tan
#400	47 ± 2 um	<input type="checkbox"/> Y <input type="checkbox"/> O <input type="checkbox"/> P <input type="checkbox"/> R <input type="checkbox"/> LG <input type="checkbox"/> LB <input type="checkbox"/> DB <input type="checkbox"/> PU <input type="checkbox"/> BL	

SIZING

CORE	◀	3 IN				
WIDTH	◀	24 mm	36 mm	48 mm	60 mm	72 mm
LENGTH	◀	40.5 M	45 M	50 M	75 M	90 M
		100 M	900 M	1000 M		

KRAFT PAPER TAPE



KRAFT TAPE
GENERAL PURPOSE

GENERAL PROPERTY

Backing	Kraft Paper
Adhesive	Natural Rubber

FEATURE

- Reliable Natural Rubber adhesive
- Premium grade Kraft paper
- Easily torn by hand & does not require a dispenser

APPLICATION

- Sealing medium to heavy duty cartons
- Silk screening & picture framing
- Suitable for coolroom & frozen food



CODE	THICKNESS	FINISH	GRADE
#K155	141 ± 10 um	Glossy	General Purpose

SIZING

CORE	▶	3 IN				
WIDTH	▶	24 mm	36 mm	48 mm	60 mm	72mm
LENGTH	▶	22.5 M	27 M	36 M		



GENERAL PROPERTY

Backing	Cloth
Adhesive	Natural Rubber

FEATURE

- Superior moisture & aging resistance
- Very strong and yet still easily torn by hand
- Aggressive Natural Rubber adhesive

APPLICATION

- General bundling, patching, repairing & mending
- Book binding & craft projects
- Suitable for heavy duty packaging


CODE	THICKNESS	COLOR															
#CL173	170 ± 10 um	(W)	(Y)		(R)	(LG)	(LB)	(DB)		(S)	(BL)						
#609	260 um	(W)	(Y)	(O)	(P)	(R)	(PU)	(LG)	(DG)	(LB)	(DB)	(BE)	(B)	(S)	(BL)		
#610	300 ± 10 um	(W)	(Y)	(O)	(P)	(R)	(PU)	(LG)	(DG)	(LB)	(DB)	(BE)	(B)	(S)	(BL)		

SIZING

CORE	▶	1 IN	3 IN	
WIDTH	▶	24 mm	36 mm	48 mm
LENGTH	▶	2.7 M	7.2 M	

DOUBLE SIDED TAPE

D/S TISSUE TAPE



Tissue Backing

- Adheres well to plastic, metal & paper
- Hand tearable & easy to apply
- Suitable for mending & fixing applications

- #7111 Rubber Solvent
- #7151 Acrylic Solvent
- #7161 Acrylic Water

W	mm	3	4	5	6	10	12	18	24	48
L	M	9 & 18								

D/S EVA WHITE FOAM TAPE



- Aggressive Natural Rubber adhesive
- Suitable for mounting light items, including mirrors & pictures
- High density foam with sound deadening properties

#7114

Also available in black color



Indoor Use Only

W	mm	21 & 24						
L	M	.45	.9	1	2.7	3	5	9

D/S TISSUE TAPE FOR GARMENT INDUSTRY

- Strong Natural Rubber adhesive that will stick multiple times
- Easily torn by hand
- Great for garment stitching & mending



W	mm	12	18
L	M	45	

#7121

D/S PE BLACK FOAM TAPE

- High strength PE foam with Acrylic Solvent Adhesive
- Excellent humidity & UV resistance
- Great for outdoor applications; including automotive



W	mm	12
L	M	10



Suitable Outdoor

#7253

D/S CARPET TAPE



Mesh Backing

- Durable cloth backing
- Natural Rubber adhesive
- Option for temporary or permanent installation

#7139

Permanent Seal

#7149

Temporary Seal

W	mm	12	18	24
L	M	15		

D/S ACRYLIC FOAM TAPE



- Outstanding performance outdoors
- Excellent humidity & UV resistance
- Perfect for automotive parts & repairs

#DA905



Extreme Outdoor



Moisture Resistance

W	mm	12
L	M	10

INVISIBLE TAPE



- Transforms to clear once tape is applied
- Effortlessly written on with pen, pencil or marker
- Suitable for use on documents, books, bank notes & photo

#IV855



Hangsell w/ Dispenser Paper Box

W	mm	18	
L	M	25	33

OPP BAG SEALING TAPE



- Natural Rubber adhesive
- Cost effective BOPP film
- Great for Supermarket or Bakery bag sealing

#300 ▶ ●●●●●●●○

W	mm	9
L	M	45

OPP STATIONERY TAPE

- Transparent BOPP film
- Available with either Natural Rubber or Acrylic adhesive
- Designed for home or office use



#310

W	mm	12	18	24
Rubber	L	M	40.5	

#410

W	mm	12	18	24
Acrylic	L	M	33 & 45	

WASHI TAPE

- Made from high quality Japanese rice paper
- Removes without leaving adhesive residue
- Suitable for even the most delicate masking jobs



#MW165

W	mm	18
L	M	18

STICKER LABEL




- Printable from a Laser or Inkjet printer
- Available in either Matte or Gloss
- Great for address labels, shipping labels & file folder labels

#ST825 #ST846
Matte Glossy

Size	A4
Sheet/Pck	50

SECURITY VOID TAPE



- Removal reveals the words "OPEN VOID"
- Strong PET film & acrylic adhesive
- Provides security for your parcels

#PT733 ▶ ●●

W	mm	12	18	24
L	M	20 & 50		

SPECIALTY TAPE

PVC FLOOR MARKING TAPE



- Made from strong & durable PVC film
- Waterproof & oil resistant
- Straightforward method of designating specific areas



#FM155 Rubber Solvent

W	mm	48	
L	M	4.5	27

ALUMINIUM FOIL TAPE



27 M 4.5 M

- Suitable for a wide range of temperatures
- Choice of Acrylic Water or Acrylic Solvent adhesives
- Great for refrigerator, air conditioner & water heater piping


#AL765 Acrylic Solvent

#AL865 Acrylic Water

W	mm	48	
L	M	4.5	27

PE WARNING TAPE

- Made from high quality PE film
- Available in the colours of red & white or yellow & black
- Essential for highlighting hazardous areas



#PE050

No Adhesive

W	mm	50 & 70	
L	M	200	500

PVC INSULATING TAPE

- Strong performance up to 80°C
- Resistant to 600 volts
- Perfect for general insulation applications



W	mm	19
L	M	10

#809

ANTI-STATIC TAPE



- Suppresses static during unwinding and removal
- Biodegradable Cellulose film & Natural Rubber adhesive
- Ideal for general applications in static sensitive areas

W	mm	12	18	24	48
L	M	66			

#102

Anti-Static

PET BLUE TAPE



- Strong holding power
- Removes without leaving residue
- Holds parts in place during transit – fridges, microwaves, printers

W	mm	48
L	M	50

#PT144

BIO-DEGRADABLE TAPE



- Premium grade Cellulose film, equals faster biodegradability
- Natural Rubber adhesive ensures a secure seal
- Perfect for the environmentally friendly office

W	mm	18
L	M	20

#C156



Bio-degradable Product

CARRY HANDLES

- Made from high strength Polyethylene Terephthalate (PET) film
- High performance Natural rubber adhesive
- Provides convenience when holding large or heavy items



#PT155P

Strap size
24mmx43cm



Reduce Plastic Bag by 98%

Based on weight of a large plastic bag 75g vs. Carry Handle 1.6g

Size	S	L
Pcs/Roll	25	200

PRE-LAMINATED CARRY HANDLES



- Strong Polyethylene Terephthalate (PET) film
- For use with automatic machines
- Provides convenience when carrying large or heavy items

W	mm	24
L	M	6,500

#PT155

Did you know?

We use 5 trillion plastic bags... per year! That's 160,000 a second!

And over 700 a year for every single person on the planet. We can do better than that.



source: unep.org

CUSTOM PRINTED TAPE

BOPP FILM ▶



FEATURE

- Customized printing to promote your brand or product
- Choice of either Natural Rubber or Acrylic adhesives
- Suitable for medium to heavy weight cartons

WASHI PAPER
(JAPANESE RICE
PAPER) ◀

▶ KRAFT PAPER



CODE	BACKING	ADHESIVE	COLOR	THICKNESS
#304	BOPP	Natural Rubber	Max 5 Color	48 um
#305	BOPP	Natural Rubber	Max 5 Color	62 um
#405	BOPP	Acrylic Water	Max 5 Color	47 um
#K165P	Kraft Paper	Natural Rubber	Max 5 Color	135 um
#MW165P	Washi Paper	Natural Rubber	Max 5 Color	80 um

Please contact your sales representative for other available sizes



High Quality Since 1973



www.louistapes.com



[@louistapes](https://www.facebook.com/louistapes)



[in Louis Tapes](https://www.linkedin.com/company/louis-tapes)

LOUIS ADHESIVE TAPES CO.,LTD.

1070 Soi Suanplu, South Sathorn Rd., Sathorn, Bangkok 10120 Thailand

Tel : 02-287-2100 (12 LINES), Fax : 02-287-1101, 02-287-4736

Email : export@louistapes.com Website : www.louistapes.com

