

Company Profile

Company Profile



Jiangsu Zhongtai Packaging Machinery Co., Ltd. is a research and development enterprise specializing in the production of daily chemical products, lubricating oil filling production lines, seasoning and wine filling production lines. The registered capital is 10 million yuan, covers an area of 13,000 square meters, and has an annual output value of 200 million yuan.

ZT-PACK focus on :

Bottle Unscramble – Filling – Capping – Induction Sealing – Labeling – Date Printer – Carton Packaging – Palletizer

Do for the Bottle /gallons Drum Filling machine production packing line


For agrochemicals , oil , food , lubricant oil ,Home care Cleaning, house holding products , personal care products ; Painting packing

The products are exported to more than 350 manufacturers in more than 30 countries all over the country and all over the world. They have a certain reputation and market at home and abroad, and are highly praised and favored by users.

Product Catalog


Product Catalog

- ◆ Edible oil packing machines ..... 1-2
- ◆ Lubricant oil packing machines ..... 3-4
- ◆ Home care products packing machines..... 5-6
- ◆ Personal care products packing machines... 7-8
- ◆ Bleach&toilet packing machines ..... 9-10
- ◆ Food bottling packing machines ..... 11-12
- ◆ Argo & chemical packing machines ..... 13-14
- ◆ 4-30L Drum packing machines ..... 15-16
- ◆ Sachet bag filling sealing machines ..... 17-18



Edible Oil Packing line

Edible Oil Packing Line



Machine list

 Bottle Unscrambler	 Linear Filling Machine	 Rotary Filling Capping Machine	 Capping Machine
 Aluminum Foil Sealing Machine	 Weight Checker	 Self-adhesive Labeling Machine	 Shrink Sleeve Labeling Machine
 Date Printer	 Wrapping Machine	 Carton Packing Machine	 Robotic Palletizer



Edible Oil Packing Line

- 1: Suitable for filling : Oil Kinds  
Edible Oil / Cooking Oil / Sunflower Oil / Olive Oil /  
Peanut Oil /Rapeseed Oil /Soybean Oil ...Etc kinds Products
- 2: Filling system :Piston Type / Flow Meter Type/Net Weight Type/ Rotary Type

Whole line capacity speed : (choose)


Filling range : 100mL–1000mL

Size	6-nozzle	8-nozzle	10-nozzle	12-nozzle	16-nozzle	32-nozzle
100ml	1800BPH	3000BPH	3500BPH	4300BPH	5000BPH	7750BPH
250ml	1600BPH	2800BPH	3200BPH	4000BPH	4700BPH	7500BPH
500ml	1500BPH	2500BPH	3000BPH	3600BPH	4500BPH	7250BPH
1000ml	1300BPH	2300BPH	2800BPH	3300BPH	4300BPH	7000BPH

Filling range : 0.5L–5L


Piston system	Linear piston system		Flow meter system		Tracking Piston Type		
	6-nozzle	8-nozzle	10-nozzle	12-nozzle	2-nozzle	3-nozzle	4-nozzle
0.5L	1500BPH	2500BPH	3200BPH	4200BPH	2200BPH	3500BPH	4500BPH
1L	1300BPH	2300BPH	3000BPH	4000BPH	1800BPH	2800BPH	3800BPH
4L	700BPH	1000BPH	1800BPH	2400BPH	1200BPH	2100BPH	2800BPH
5L	600BPH	900BPH	1500BPH	2200BPH	800BPH	1500BPH	2000BPH

Lubricant Oil Packing line



Lubricant Oil Packing line

Machine list



Bottle Unscrambler



Piston Filling Machine



Flow Meter Filling Machine



Net Weight Filling Machine



Capping Machine



Aluminum Foil Sealing Machine



Self-adhesive Labeling Machine



Shrink Sleeve Labeling Machine



Seamer



Date Printer



Carton Packing Machine



Robotic Palletizer



Lubricant Oil Packing line

- 1: Suitable For Filling : Oil Kinds  
Lubricant Oil / Car Oil / Motor Oil / Coolant liquid / Engine Oil /  
Brake Oil ...Etc kinds Products
- 2: Filling system :Piston Type / Flow Meter Type/ Net weight system/Tracking Piston Type

Whole line capacity speed : (choose)

Filling range : 100ml-1000ml

Size	6-nozzle	8-nozzle	10-nozzle	12-nozzle	16-nozzle
100ml	1800BPH	3000BPH	3500BPH	4300BPH	5000BPH
250ml	1600BPH	2800BPH	3200BPH	4000BPH	4700BPH
500ml	1500BPH	2500BPH	3000BPH	3600BPH	4500BPH
1000ml	1300BPH	2300BPH	2800BPH	3300BPH	4300BPH

Filling range : 0.5L-5L













Piston system	Piston system		Flow meter system		Tracking Piston Type		
	6-nozzle	8-nozzle	10-nozzle	12-nozzle	2-nozzle	3-nozzle	4-nozzle
0.5L	1500BPH	2500BPH	3200BPH	4200BPH	2200BPH	3500BPH	4500BPH
1L	1300BPH	2300BPH	3000BPH	4000BPH	1800BPH	2800BPH	3800BPH
4L	700BPH	1000BPH	1800BPH	2400BPH	1200BPH	2100BPH	2800BPH
5L	600BPH	900BPH	1500BPH	2200BPH	800BPH	1500BPH	2000BPH

Home Care Cleaning Products Packing Line



Home Care Cleaning Products Packing Line

Machine list

 CE SGS Bottle Unscrambler	 CE SGS Filling Machine	 CE SGS Tracking Capping Machine	 CE SGS Capping Machine
 CE SGS Aluminum Foil Sealing Machine	 CE SGS Weight Checker	 CE SGS Self-adhesive Labeling Machine	 CE SGS Shrink Sleeve Labeling Machine
 CE SGS Date Printer	 CE SGS Wrapping Machine	 CE SGS Carton Packing Machine	 CE SGS Robotic Palletizer



Home Care Cleaning Products Packing Line

- 1: Suitable For Filling : Liquid Soap / Laundry Liquid / Liquid Detergent / Dishwasher / Clothes Liquid/ Fabric Softener / Clothes Softener / Super Gel ... Etc home care products
- 2: Filling system : Piston Type / Gravity Time Control System / Tracking Piston Type

Whole line capacity speed : (choose)

Filling range : 50ml-1000ml

Size	6-nozzle	8-nozzle	10-nozzle	12-nozzle	16-nozzle
50ml	2000BPH	3200BPH	3600BPH	4500BPH	5200BPH
100ml	1800BPH	3000BPH	3500BPH	4300BPH	5000BPH
250ml	1600BPH	2800BPH	3200BPH	4000BPH	4700BPH
500ml	1500BPH	2500BPH	3000BPH	3600BPH	4500BPH
1000ml	1300BPH	2300BPH	2800BPH	3300BPH	4300BPH

Filling range : 0.5L-5L

Filling System	Linear piston system		Gravity Time Control System		Tracking Piston Type		
	6-nozzle	8-nozzle	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
Size	6-nozzle	8-nozzle	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
1L	1500BPH	2300BPH	1500BPH	1800BPH	1800BPH	2800BPH	4000BPH
5L	600BPH	800BPH	600BPH	800BPH	800BPH	1500BPH	2200BPH
Power	3kw	4kw	1kw	1kw	3.5kw	3.5kw	3.5kw
Accuracy	0.2%		1%		0.2%		
Air pressure	0.6Mpa--0.8Mpa						
Voltage	380V/50HZ,3 phase						

Personal Care Products Packing Line

Personal Care Products Packing Line



Machine list

 CE SGS Bottle Unscrambler	 CE SGS Piston Filling Machine	 CE SGS Gravity Filling Machine	 CE SGS Tracking Piston Filling Machine
 CE SGS Capping Machine	 CE SGS Self-adhesive Labeling Machine	 CE SGS Shrink Sleeve Labeling Machine	 CE SGS Date Printer
 CE SGS Wrapping Machine	 CE SGS Wrapping Machine	 CE SGS Carton Packing Machine	 CE SGS Robotic Palletizer



Personal Care Products Packing Line

- 1: Suitable For Filling : Shampoo / Shower Gel / Hair Conditioner / Hand Wash / Hand Sanitizer Gel/ body lotion / cream ...Etc personal care products
- 2: Filling system : Piston Type / Gravity Time Control System / Tracking Piston Type

Whole line capacity speed : (choose)

Filling range : 50ml-1000ml


Size	6-nozzle	8-nozzle	10-nozzle	12-nozzle	16-nozzle
50ml	2000BPH	3200BPH	3600BPH	4500BPH	5200BPH
100ml	1800BPH	3000BPH	3500BPH	4300BPH	5000BPH
250ml	1600BPH	2800BPH	3200BPH	4000BPH	4700BPH
500ml	1500BPH	2500BPH	3000BPH	3600BPH	4500BPH
1000ml	1300BPH	2300BPH	2800BPH	3300BPH	4300BPH

Filling range : 0. 5L-5L

Filling System	Piston system		Gravity Time Control System		Tracking Piston Type		
	6-nozzle	8-nozzle	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
Size	6-nozzle	8-nozzle	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
1L	1500BPH	2300BPH	1500BPH	1800BPH	1800BPH	2800BPH	4000BPH
5L	600BPH	800BPH	600BPH	800BPH	800BPH	1500BPH	2200BPH
Power	3kw	4kw	1kw	1kw	3.5kw	3.5kw	3.5kw
Accuracy	0.2%		1%		0.2%		
Air pressure	0.6Mpa--0.8Mpa						
Voltage	380V/50HZ,3 phase						

Bleach & Toilet Cleaner Packing Line

Bleach & Toilet Cleaner Packing Line



Machine list

 Round In-feeder	 Bottle Unscrambler	 Piston Filling Machine	 Filling Machine
 Capping Machine	 Aluminum Foil Sealing Machine	 Self-adhesive Labeling Machine	 Shrink Sleeve Labeling Machine
 OPP Labeling Machine	 Date Printer	 Carton Packing Machine	 Robotic Palletizer



Bleach & Toilet Cleaner Packing Line

Suitable For Filling : Bleach / Clorox / Toilet Cleaner / Flash / Acid / Chlorine / Sulfuric acid / 84 Disinfectant/ HCL...Etc Corrosive kinds Products


Whole line capacity speed : (choose)

Filling range : 50ml-5000ml

Model	ZGP-6G	ZGP-8G	ZGP-10G	ZGP-12G	ZGP-16G
Dimension	2000×710×2200mm (L×W×H)		2200×710×2200mm (L×W×H)		2300×710×2200mm (L×W×H)
Filling head	6	8	10	12	16
Capacity (500mL)	1500B/H	2000B/H	2500B/H	3000B/H	4000B/H
	Specifically affected by the material				
Power	1KW	1KW	1KW	1.5KW	1.5KW
Suitable bottle	Diameter:Φ40mm——Φ100mm Height:80mm——280mm				
Filling accurate	≤100ml:+ -1.5ml 100-500ml:+ -2ml 500-1000ml:+ -3ml				
Neck diameter	≤Φ10mm ( can be designed accordingly)				
Filling range	50ml——5000ml (From ZT-PACK)				
Filling System	Gravity Time Control				
Air pressure	0.6Mpa				
Power supply	220V ; 50HZ / 60HZ				

Food Bottling Packing Line

Food Bottling Packing Line



Machine list

 Bottle Indfeeder	 Bottle Washing Machine	 Servo Piston Filling Machine	 Gravity Filling Machine
 Cam Rotor Pump Filling Machine	 Capping Machine	 Vacuum Capping Machine	 Aluminum Foil Machine
 Self-adhesive Labeling Machine	 Shrink Sleeve Labeling Machine	 Wrapping	 Carton Packing Machine

Food Bottling Packing Line



- 1: Suitable For Filling : Ketchup, Tomato Paste , Garlic Sauce , Salad Dressing, Honey, Butter , Chocolate Jam, Fruit Jam Sauce , Chilli Sauce, BBQ Sauce, Penut butter/ Vinegar / Soy Sauce / Fish Oil / Flovor Water / Seasoning Liquids ...Etc food products
- 2: Filling system : Piston Type / Tracking Piston Type / Gravity Time Control System

Whole line capacity speed : (choose)

Filling range : 50ml-1000ml


Size	6-nozzle	8-nozzle	10-nozzle	12-nozzle	16-nozzle
50ml	2000BPH	3200BPH	3600BPH	4500BPH	5200BPH
100ml	1800BPH	3000BPH	3500BPH	4300BPH	5000BPH
250ml	1600BPH	2800BPH	3200BPH	4000BPH	4700BPH
500ml	1500BPH	2500BPH	3000BPH	3600BPH	4500BPH
1000ml	1300BPH	2300BPH	2800BPH	3300BPH	4300BPH

Filling range : 0.5L-5L

Filling System	Linear piston system		Gravity Time Control System		Tracking Piston Type		
	6-nozzle	8-nozzle	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
Size	6-nozzle	8-nozzle	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
1L	1500BPH	2300BPH	1500BPH	1800BPH	1800BPH	2800BPH	4000BPH
5L	600BPH	800BPH	600BPH	800BPH	800BPH	1500BPH	2200BPH
Power	3kw	4kw	1kw	1kw	3.5kw	3.5kw	3.5kw
Accuracy	0.2%		1%		0.2%		
Air pressure	0.6Mpa--0.8Mpa						
Voltage	380V/50HZ,3 phase						

Agro & chemical packing line

Agro & chemical packing line



Machine list



Bottle Unscrambler



50ml-1000ml Filling Machine



1L-5L Filling Machine



4L-30L Net Weight Filling Machine



Capping Machine



Aluminum Foil Sealing Machine



Self-adhesive Labeling Machine



Shrink Sleeve Labeling Machine



Weight Checker



Date Printer



Carton Packing Machine



Robotic Palletizer



Agro & chemical packing line

1: Suitable For Filling :

Pesticide , liquid fertilizer ,suspending agents, emulsifiable concentrates and water-soluble fertilizers, Acaricide,Fungicide,herbicide, insecticide, EC , SC , SL etc.

2: Filling system : Piston Type / Gravity Time Control System / Net Weight Type

Whole line capacity speed : (choose)

Filling range : 50ml-1000ml


Size	6-nozzle	8-nozzle	10-nozzle	12-nozzle	16-nozzle
50ml	2000BPH	3200BPH	3600BPH	4500BPH	5200BPH
100ml	1800BPH	3000BPH	3500BPH	4300BPH	5000BPH
250ml	1600BPH	2800BPH	3200BPH	4000BPH	4700BPH
500ml	1500BPH	2500BPH	3000BPH	3600BPH	4500BPH
1000ml	1300BPH	2300BPH	2800BPH	3300BPH	4300BPH

Filling range : 0.5L-5L

Filling System	Linear piston system		Tracking Piston Type		
Size	6-nozzle	8-nozzle	2-nozzle	3-nozzle	4-nozzle
1L	1500BPH	2300BPH	1800BPH	2800BPH	4000BPH
5L	600BPH	800BPH	800BPH	1500BPH	2200BPH
Power	3kw	4kw	3.5kw	3.5kw	3.5kw
Accuracy	0.2%		0.2%		
Air pressure	0.6Mpa--0.8Mpa				
Voltage	380V/50HZ,3 phase				



4-30L Drum Packing Line



4-30L Drum Packing Line

Machine list

 Filling Machine	 Capping Machine	 Inner Plug Capping Machine	 Aluminum Foil Sealing Machine
 Self-adhesive Labeling Machine	 Weight Checker	 Strapper	 Pallet Wrapping Machine
 Case Packer	 Tape Sealer	 Date Printer	 Palletizer



4-30L Drum Packing Line

- 1: Suitable For Filling : Lubricant Oil/Edible Oil/ Chemicals... Etc.
- 2: Filling system : Net weigh system  
Flow meter system  
Gravity Time Control System

Whole line capacity speed : (choose)

Filling range : 4-30L

Filling System	Net weigh system		Flow meter system	
	4-nozzle	6-nozzle	6-nozzle	8-nozzle
Size	4L	20L	30L	
4L	400BPH	600BPH	700BPH	800BPH
20L	220BPH	350BPH	400BPH	500BPH
30L	200BPH	300BPH	350BPH	420BPH
Power	1.5kw	2kw	2kw	2.5kw
Dimension	2535*1410*2085mm	3000*1700*2300mm	2200*1600*2400mm	2400*1600*2400mm
Accuracy	≤ ± 0.1%F.S		≤ ± 0.5%F.S	
Barrel neck diameter	≥ Ø40mm			
Suitable bottle	length:160-360mm width:100-300mm height:250-500mm			
Air pressure	0.6Mpa--0.8Mpa			
Voltage	220V; 50HZ ( custom-made )			

Sachet Bag Filling Sealing Machine

Sachet Bag Filling Sealing Machine



Machine list

 <p>DXD-110 Horizontal Bag Packing Machine (Powder, Liquid)</p>	 <p>DXD-130 Horizontal Bag Packing Machine ( weighing system )</p>	 <p>DXD-130B Horizontal Bag Packing Machine (Powder)</p>	 <p>DXD-180B Sachet Bag Packing Machine</p>
 <p>100g-1000g WDG Small Granulate Bag /Sachet Filling Sealing Machine</p>	 <p>1kg-5kg Bag/Sachet Packing Machine</p>	 <p>6kg-10kg Bag/Sachet Packing Machine</p>	 <p>10kg-30kg Bag /Sachet Packing Machine</p>

Application & Bag type

Pure aluminum film	OPP film	OPP+CPP film	PE
PE+PET	Aluminum laminated films	Application & Bag type	
Snack		Cereals & dry goods	
Hardware parts		Office Supplies & toys	
Back Sealing with Euro hole	Back Sealing with round hole	Pillow bag	Gusseted Bag
Gusseted Bag with Hole hanging			

Brief Introduction:  
Sachet Bag Filling Sealing Machine is suitable for automatically packaging powder, granule, liquid, paste, etc.

Whole line capacity speed : (choose)

Horizontal Sachet Filling Sealing Machine

Model	DXD-110	DXD-130	DXD-180
Filling volume	1-30g	5-100g	10-200g
Maximum bag size	110(W)×130(H)mm	140(W)×180(H)mm	Single bag: 180(W)×225(H)mm Double bag: 90(W)×125(H)mm
Minimum bag size	50(W)×50(H)mm	60(W)×70(H)mm	single bag:85(W)×100(H)mm double bag:60(W)×70(H)mm
Total power	3kw	3.5kw	4.5kw

Vertical Bag Packing Machine

Model	ZT-420	ZT-520	ZT-820
Bag type	Pillow type bag: Gus seted bag / Flat bottom bag(Option)		
Bag Length(single stroke)	20 to 280mm(0.8 to11")	50 to 340mm(2.0 to13.4")	50 to 460mm(1.9"to18")
Bag Width	40to200mm(1.6to7.9")	80to260mm(3.1to10.3")	80to350mm(3.1"to13.8")
Packing Weight	10g to 1000g	200g to 2000g	500g to 3500g
Reel Film Width	≤420mm(16.5")	≤540mm(21.2")	≤730mm(28.7")
Film thickness	0.04-012mm(40-120mic.)		
Voltage	AC220V/50Hz,1phase or Per customer specification		
Power Consumption	3KW		

Company Profile

Company Profile



After-Sales Support

1. Service of guaranteeing to keep the product: the product has one year's guarantee with it from the day of being tested and qualified. In the guarantee period, the product's damage is not man-made, free repair. (Note: the wearing parts is not in the guarantee period)
2. Debugging service: the supplier is responsible for dispatching persons to debug and train worker in situ. After qualifying, the demand writes up the acceptance report.
3. Training service: the supplier and the demand friendly cooperate. The supplier dispatches the technicians to assist installation, debugging, after qualifying and during trial running, train the related operational persons till they can normally use the product and the machine can normally run.
4. Lifelong service: after ending the guarantee period, we still offer the lifelong service, and provide preferentially paid wearing parts for you.
5. Parts' service: out of the guarantee period, we can provide in time the perfect parts service.
6. Acceptance delivering service: after the product is finished, per the user's need, the supplier notice the demand in advance to dispatch person going to supplier for acceptance, after qualifying to deliver.
7. Archive service: after carrying out the contract, the supplier is responsible for providing the product and its parts, operation sheet, conformity certificate, equipment's material report as well as the relevant information.

Certification

Certification

