

AUTOMATION MACHINERY MANUFACTURER

## CAPPING MACHINE WITH MOVABLE HEAD

# **CAPLINE DYNAMIC**



**Capline Dynamic** is fully automatic **continuous capping machine**. The containers are closed **while moving** in order to **avoid possible splashing of product**. Thanks to linear design of the machine no format parts for different sizes of containers are needed.

## **Basic configuration**

- Stainless steel machine frame with height adjustable legs
- Motorized stainless steel conveyor with adjustable speed
- Adjustable side belts to stabilize and guide the bottle while capping
- Rotary caps orientator on the top of the machine
- Cap chute with sensor for cap presence check
- Pick and Place device

### **Other options**

- Caps elevator with integraded hopper
- ATEX execution
- Chemical proof execution
- Remote acess
- Rejector for bottles without caps

#### **Process description**

- The container enters the machine on the conveyor belt. Inside the machine the container is stabilized and guided by two side belts. Caps are oriented in vertical caps feeder/orientator or in rotary caps orientator.
- Oriented caps pass through the caps chute to the pickup point, where they are taken by dynamic servodriven capping head.
- The capping head follows the movement of the containers and tightens the caps on requested torque during the container transport. Closed bottles leave the machine on downstream conveyor.









ALBERTINA Machinery s.r.o. Bedrnova 248/6, Prague 5, 150 00 Czech Republic info@albertina-machinery.com www.albertina-machinery.com



www.scaleuppartners.com.au

www.albertina-machinery.com

- Capping unit with movable axes that allows capping of the bottle while moving
- Sensor to detect bottle presence in the capping area
- Encoder system controlling bottle and canister speed
- Sensor to detect full downstream conveyor
- Control panel with touch screen
- Safety guards