

PL-10 STANDALONE TOP WIPE-ON LABELLER



PL-10 STANDALONE TOP WIPE-ON LABELLER

PRODUCT DESCRIPTION

Experienced unmatched efficiency with the PL-10 Label Applicator, designed for versatile top labelling on flat packages. This innovative machine applies labels seamlessly from a vertical position and comes with a fully mobile stand, allowing easy positioning on any conveyor or production line.

Equipped with a user-friendly PLC-based control panel, the PL-10 features a large and advanced touch screen that is intuitive and easy to navigate. Built-in instructions and troubleshooting capabilities minimise downtime during product changes, thanks to simple tool-free adjustments requiring minimal training.

The PL-10 standalone top and side applicator offer exceptional stability, ensuring consistent and precise label application across various production lines. It's efficiency shines through during product changes, thanks to straightforward tool-free adjustments. The labeller boasts a PLC-based personalised control panel with a user-friendly interface, making operation a breeze for anyone. The built-in instructions and trouble shooting feature reduce personnel training time and enhance overall production efficiency, delivering superior results for your labelled products.

ADDITIONAL INFORMATION

- 150mm label applicator.
- 2-phase micro stepping motor.
- 30 memory slots.
- Adjustable label position.
- Adjustable speed for printing.
- Batch counter.
- Built-in troubleshooting/operation manual.
- Can have a hot foil coder mounted to code labels prior to application.
- Control box has IP65 standard and CE.
- Delta color touch control screen.
- Features missing label auto stop system.
- Frame and main components are made of SUS#304 stainless steel and anodized aluminum alloy.
- Inbuilt label & batch counter.
- Japanese fiber optic infrared sensor.
- Label position set.
- Missing label auto stop system.
- Modular design for easy maintenance.
- Panasonic PLC control system.
- Problem showing and solution guarding.
- Screensaver.

PL-10 STANDALONE TOP WIPE-ON LABELLER

SPECIFICATIONS

Power Supply	240v & 10Amp
Label/Product Sensor	Photoelectric
Electrical Supply	230 VAC 50Hz Single Phase
Power Consumption	500 VA
Dispense Driver	Stepper Motor
Applicator Height	150 mm

Label Size	H:150 mm x L:300 mm Max.
Dispensing Speed	40 m/min. Max.
Label Roll Inner Core	Dia. 76mm
Dimension	1100mm (L) x 1314mm(W) x 1723 mm (H)
Net Weight	Approx. 75 Kgs