




Pouch Machines



Our versatile Pouch Machine range offers the perfect flexibility for pre-made pouches. Pouch presentation and food processing are of the utmost importance, and Leepack has engineered these robust machines for handling of sensitive food items through the use of advanced technology and manufactured integrations such as Herrmann Ultrasonics. With ultrasonics the *perfect* seal is achieved even through the toughest contaminants as well as inspects every pouch entering supply chains, within seconds. Achieving ultimate food safety without slowing down production.





Simplex Pouch Machine

The Simplex RT Series is Leepack's best-selling model that can be applied to any type of pouch and packed materials. Offering 8/10 intermittent rotary filling and sealing stations.

Model		RT-108	RT-110	RT-208	RT-210
Number of stations		8	10	8	10
Speed (PPM)		40-60	40-60	40-60	40-60
Pouch Size (mm)	Width:	150-300	100-240	200-380	150-300
	Length:	150-425	150-350	150-500	150-425



Dual Pouch Machine

The Dual RD Series handles 2 pouches simultaneously which makes it a perfect fit for industries requiring high capacity production under repetitive frequent changeover.

* Available in a quadruple system.



Model		RD-314	RD-316	RD-318	RD-320
Number of stations		7	8	9	10
Speed (PPM)		80-100	80-100	80-100	80-100
Pouch Size (mm)	Width:	100-270	100-230	100-180	100-160
	Length:	150-350	150-350	150-350	150-350



Side Gusset Pouch Machine



The Side Gusset RG Series has been specially designed to handle quad seal pouches which provides extra flat printing area as well as unit volume, enhancing the product's marketability and efficiency in the handling process.

Model	RG-108	
Number of stations	8	
Speed (PPM)	30-40	
Pouch Size (mm)	Width:	100-180
	Side Gusset Width:	20-40
	Length:	150-350



Vacuum Pouch Machine

The RV Vacuum Pouch Machine range offers the best solution for packaging requiring higher level of vacuum while maintaining high speed and proven performance during production. Intergrated with a rotary vacuum carousel minimal oxygen level is achieved, allowing for longer shelf life.

Model	RV-810	RV-812	RV-1012	RV-1212	
Number of stations	8	8	10	12	
Number of Vacuum Chambers	10	12	12	12	
Speed (PPM)	30-50	30-50	30-40	30-40	
Pouch Size (mm)	Width:	100-220	(S)100-120 (L) 100-170	(S)100-120 (L) 100-220	100-240
	Length:	Flat: -300 Standup: -270	(S) Flat: -230 Standup: -210 (M) Flat: -250 Standup: -230	(S) Flat: -230 Standup: -210 (L) Flat: -300 Standup: -270	100-280