



THE WORLD OF SCHÜTZ AUSTRALIA



Sustainable Packaging – our commitment since decades.

Established in the 1970s, today SCHÜTZ Australia is the leading supplier for sustainable packaging systems on the continent. The company manufactures and distributes SCHÜTZ ECOBULK/RECOBULK – the world's most successful IBC system that combines the benefits of one-way packaging with those of a closed-loop system.

Together with our range of plastic drums, which includes the global flagship F1 tight-head drum and the locally designed G2 drum, we provide our customers with highly efficient, reliable and eco-friendly packaging for applications in the fields of agricultural chemicals, industrial chemicals, lubricants, food, beverages, pharmaceuticals and many dangerous goods. Offering full system solutions, SCHÜTZ Australia takes care of the collection and ecological reconditioning of the emptied packaging within the scheme of the worldwide SCHÜTZ TICKET SERVICE.

With our nationwide production service network, complemented by our offices throughout Australia and Southeast Asia, we are present in the main industrial areas of the region – ready to offer reliable supply and speedy reaction times to our customers.

Being the first and only Australian producer of IBCs featuring inner bottles with up to six layers, SCHÜTZ Australia stands for state-of-the-art production technology and continuously invests into new facilities, machinery and equipment.





HEAD OFFICE
MELBOURNE

17 Burr Court,
Laverton North VIC 3026

Central-Phone: 03 9360 9291
Mail: salesau@schuetz.net



BRISBANE

23 Arthur Dixon Crt,
Yatala QLD 4207



PERTH

146 Cockburn Rd,
North Coogee WA 6163

SCHÜTZ ECOBULK – the IBC system for every requirement.

Efficient space utilisation and low weight combined with maximum safety and user friendliness – the benefits of the versatile SCHÜTZ IBC system make the ECOBULK/RECOBULK the perfect logistics tool.

BENEFIT FROM:

- speedy filling and discharge processes using conventional equipment
- ideal for use with automatic filling and transport systems
- large label plates for safety and fast, easy labelling
- simple discharge processes and very good evacuation of residues
- worldwide collection and reconditioning of packaging by SCHÜTZ
- perfect stackability and ideal suitability for high-bay storage systems
- static load up to 4 units high and dynamic load up to 2 units high
- no cost-intensive administration, tracking or return of empty packaging


1,000 litres capacity





EXPLOSION PROTECTION

Packaging types for use in ex-zones.



EVOH BARRIER

For particularly sensitive filling goods.



SCHÜTZ FOODCERT

The new food safety standard.

ECOBULK MX-EX ANTISTATIC

- suitability for filling products with a low flash point of $\leq 60^\circ \text{C}$
- suitability for use in areas with explosive gaseous or vaporous atmospheres
- no electrostatic charge during filling, emptying and transportation

ECOBULK MX-EV

- 6-layer inner bottle with integrated EVOH barrier
- reliable prevention of filling good permeation
- prevention of gases, such as oxygen, carbon dioxide and nitrogen, entering or escaping
- no permeation of flavours or odours
- barrier for oils and grease
- barrier preventing the diffusion of solvents

ECOBULK MX FC

- system certification according to FSSC 22000 (Food Safety System Certification, based on ISO 22000 in combination with ISO/TS 22002-4)
- contains FDA compliance of materials
- certification recognised by GFSI (Global Food Safety Initiative)
- halal and kosher certification



UV PROTECTION

3 x enhanced barrier against visible light.



EVOH + EX PROTECTION

No chance of permeation – even in ex-zones.



NON-DANGEROUS GOODS

For non-classified filling products.

ECOBULK MX WITH WHITE INNER BOTTLE

- efficient UV radiation barrier
- extended shelf life of packaged products (e.g. resins and additives)

ECOBULK MX-EX-EV ANTISTATIC

- 6-layer inner bottle with integrated EVOH barrier and antistatic outer layer
- combining the features of MX-EX and MX-EV

ECOBULK MX

- without UN certification
- most economical solution for non-hazardous filling goods

Plastic drums by SCHÜTZ – built to meet highest standards.

As a leading supplier of packaging systems, we consistently adapt our product range to meet the needs of our customers. SCHÜTZ Australia supplies both global standard drums as well as customised product solutions for regional requirements and specific applications.



SCHÜTZ F1 tight-head drums

The SCHÜTZ F1 tight-head drum is a true global player. It is produced at all SCHÜTZ sites on all continents to the same design and specifications. Its outstanding characteristics are high dimensional accuracy and exceptional overall performance.

- suitable for automatic filling lines thanks to precise bung calibration and optimised bottom plate
- optimised dimensions for transport in ISO containers
- excellent handling characteristics
- can be easily moved with all standard drum grippers
- best residual draining to less than 100 ml through both bung holes
- upper ring design guarantees best stackability and optimum protection of bungs and labels



SCHÜTZ AUTOMATIC LOCK

The innovative seal cap system with the AUTOMATIC LOCK originality seal protects your filling products from tampering or contamination. It is impossible to open the plug without destroying the seal cap. Suitable for manual and automatic fitting.

- suitable for both food grade and dangerous goods applications
- system consists of a red sealing cap and a corresponding plug with special latching hooks

Locally designed G2 drum

Fitted with a SCHÜTZ designed dry break valve and dip-tube to prevent exposure to the filling good, these drums are available as new for particularly sensitive applications or through a more economical washed system.

- a reusable drum specifically designed for the agricultural chemical industry
- suitable for dangerous goods applications
- stackable with existing market drums
 - UV additives to protect the drum from the harsh Australian sun
 - rated to hold liquids with a maximum specific gravity of 1.6 or up to 176 kg gross weight
 - excellent environmental stress crack resistance required for herbicides that contain aggressive surfactants



- typically filled to 110 liters with approval to hold and transport hazardous chemicals including:
 - Class 6 Toxic liquids
 - Class 8 Corrosive liquids
 - Class 9 Environmentally hazardous liquids

Thanks to further local investment in 2018, the G2 drum is now also available in the EVOH barrier technology, delivering to our customers consistent and reliable prevention of filling good permeation or diffusion.



Components and accessories for IBCs and drums – for more safety, efficiency and user-friendliness.

Whether you would like to protect your team against unwanted discharge, your filling goods from contamination, or to extract or stir your liquids in a safe and efficient manner, the innovative SCHÜTZ accessories help you to get the most out of your packaging.

SCHÜTZ dip-tube with dry-break valve

Our dry-break valve is the result of years of R&D in order to create a valve that is durable, cost effective and directly compatible to all dry break systems currently used by the Agricultural Chemical Industry.

The patented SCHÜTZ dry-break valve with dip-tube mechanism ensures maximum extraction of liquids from drums and IBCs. It also acts as a shock absorber between the base of the packaging and valve assembly – preventing potential valve failures when handling containers.




Dip-tube:

- cross linked polyethylene
- stainless steel fastener ring to valve prevents suction of air
- 1 inch inner diameter dip tube

Dry-break valve:

- glass filled nylon
- viton seal
- stainless steel compression spring

SCHÜTZ SAFEGUARD for IBC outlet valves



Comfortable opening and closing mechanism for repeated discharge. The user-friendly operation simplifies the fulfilment of regulations for the transportation of filled and emptied containers.

Instructions:

- 1. Push handle slightly and lift yellow clip completely**
- 2. Check if yellow clip is lifted completely**
- 3. Pull handle to open valve**

SCHÜTZ IMPELLER

Discover the new complete solution for maximum cleanliness, safety and economy for all products that need to be stirred or homogenized in the supply chain. The single-use system consists of an ECOBULK with an integrated SCHÜTZ Impeller.

- the IBC remains closed and sealed throughout the supply chain, even during stirring
- significantly reduced costs and effort compared to stainless steel agitators
- contamination risks are completely eliminated



Collection and reconditioning of IBCs and G2 drums.

You can request your collections online with the web form, our new mobile app, by e-mail or personally by phone – Contact us ticket.australia@schuetz.net or visit our websites www.schuetz.net/ticket and www.returnyourdrums.com.au for more information.

Order a
collection

1

As RECOBULK, the SCHÜTZ IBCs provide complete product safety again. The UN approval for the container is extended for a further five years. The G2 drums are ready for the next application as well.

5

New cycle

4

Washing & Reusing

The IBC steel components are thoroughly cleaned and repaired if necessary. The G2 drums are washed for reuse.

Replacing
components

3

For the IBC: all components that came into contact with the filling product – e.g. the inner bottle, screw caps and valves are replaced with new original components. For the washed G2 drums: replacement of all dip-tubes and valves where necessary.

SCHÜTZ

ECOBULK / REGOBULK

Benefit from our intelligent recycling system.



Your empty packaging gets collected


2

Collection will take place within a few days. We will get in touch if there are any questions or to arrange a collection time.



Each reconditioned SCHÜTZ IBC produces roughly
100 KG
less in carbon emissions than a new IBC.

By returning your empty IBCs and G2 drums through the SCHÜTZ TICKET SERVICE you are making an active contribution to lower costs, high quality standards, safe recycling material flows and improving the eco balance of packaging in your supply chain.



SCHÜTZ PACKAGING SYSTEMS

SCHÜTZ Australia Pty Ltd.
Head Office
17 Burr Court
AU-Laverton North VIC 3026
Phone (+61) 3 9360 9291
Fax (+61) 3 9360 9735
E-mail salesau@schuetz.net
www.schuetz.net/australia

AMERICAS

Headquarters USA
SCHÜTZ Container Systems, Inc.
200 Aspen Hill Road
US-North Branch, New Jersey 08876
Phone (+1) 908-526-6161

SCHÜTZ Container Systems, Inc.
1224 Bankhead Hwy
US-Winder, Georgia 30680
Phone (+1) 770-447-5287

SCHÜTZ Container Systems, Inc.
2105 South Wilkinson Way
US-Perrysburg, Ohio 43551
Phone (+1) 419-872-2477

SCHÜTZ Container Systems, Inc.
5000 Underwood
US-Pasadena, Texas 77507
Phone (+1) 281-474-5200

Cardinal Container Services, Inc.
138 Walser Road
US-Lexington, North Carolina 27293
Phone (+1) 336-249-6816

SCHÜTZ Container Systems, Inc.
2375 Reeves Road
US-Plainfield, Indiana 46168
Phone (+1) 317-839-7121

SCHÜTZ Container Systems, Inc.
13170 C Marlay Avenue
US-Fontana, California 92337
Phone (+1) 951-360-0260

SCHÜTZ Container Systems, Inc.
5500 Providence Hill Drive
US-St. Joseph, Missouri 64503
Phone (+1) 816-749-0940

SCHÜTZ VASITEX
Indústria de Embalagens S.A.
Viela Urga, 692
BR-Guarulhos – SP-07175-332
Phone (+55) 11-2436-3760

SCHÜTZ ELSA, S.A. de C.V.
Avenida Uno No. 12
Colonia Cartagena Parque Industrial
Tultitlán, Estado de México
MX-C.P. 54918
Phone (+52) 55 5888-0875

Industrias Termoplásticas
Argentinas S.A.
Ruta 5 Km. 75
AR-B6706 – Jáuregui (Buenos Aires)
Phone (+54) 2323-497-596

EMEA

Worldwide Headquarters
SCHÜTZ GmbH & Co. KGaA
Schützstraße 12
D-56242 Selters
Phone (+49) 2626-77-0

SCHÜTZ Ibérica, S.L.
Autovía A7, km 1148.4
Polígono Camí Mas de Ramon
ES-43480 Vila-seca (Tarragona)
Phone (+34) 977 39 10 23

SCHÜTZ Ibérica, S.L.
Calle Alonso Barba, 16
Parque empresarial La Garena
ES-28801 Alcalá de Henares (Madrid)
Phone (+34) 977 39 10 23

SCHÜTZ France SASU
Chemin du Buisson Gayet
FR-91460 Marcoussis
Phone (+33) 1-69 80 50 00

SCHÜTZ France SASU
9 rue Bénévint
ZI du Technopole
FR-42000 Saint-Étienne
Phone (+33) 4-77 10 16 00

SCHÜTZ (UK) Ltd.
Claylands Av. Dukeries Ind. Est.
GB-Worksop, Notts. S81 7BE
Phone (+44) 1909-47 88 63

SCHÜTZ (Ireland) Ltd.
Killala Business Park
Townamore
IE-Killala, Co. Mayo, F26XY18
Phone (+353) 96 330 44

SCHÜTZ (Italia) S.r.l.
Via San Zenone, 185
IT-25020 Dello (BS)
Phone (+39) 030-9 77 16 11

SCHÜTZ (Benelux) B.V.
Westelijke Randweg 23
Haven 0413
NL-4791 RT Klundert
Phone (+31) 168-33 46 00

SCHÜTZ Nordic AS
Norvald Strandsvei 131
NO-2212 Kongsvinger
Phone (+47) 62 82 27 50

SCHÜTZ Allemballage AB
Lagervägen 4
SE-136 50 Jordbro
Phone (+46) 8-500 128 08

SCHÜTZ Polska Sp. z o.o.
Ul. Al. Jana Pawła II 52
PL-44-240 Żory
Phone (+48) 32-723 32 50

Deren Ambalaj Sanayi ve Ticaret AŞ
Şifa Mah. Şekerpınar Cad. No: 27
TR-34950 Tuzla-Istanbul
Phone (+90) 216 423 55 55

Mobilak
N.A.M. Park
P.O.B 36
IL-8771001 Netivot
Phone (+972) 8-8521580

PARADIGM Packaging (Pty) Ltd.
6 Edison Road
Mariann Ridge Estate
ZA-Pinetown, 3610 Kwa-Zulu Natal
Phone (+27) 31 791 0365

ASIA-PACIFIC

SCHÜTZ Container Systems
(Shanghai) Co., Ltd.
No. 100 Pu Gong Road
Shanghai Chemical Industry Park
CN-Shanghai 201507
Phone (+86) 21-671 207 77

SCHÜTZ Container Systems
(Tianjin) Co., Ltd.
No. 11 Saida Century Avenue
Xiqing Economic
Development Area
CN-Tianjin 300385
Phone (+86) 22-58 33 51 08

SCHÜTZ Container Systems
(Foshan) Co., Ltd.
No.13 Yihe Road
Nanhai National Ecological
Industrial Park
Danzao Town, Nanhai District
CN-Foshan 528216
Phone (+86) 757-85 41 96 97

SCHÜTZ Container Systems Co., Ltd.
86-2 Soya
Hadano City
JP-Kanagawa Pref. 257-0031
Phone (+81) 463-82-6600

Clover Chemical Co., Ltd.
110, Gongdan 8-ro
Jillyang-eup
KR-Gyeongsan-si
Gyeongsangbuk-do 712-832
Phone (+82) 2 735 7575

SCHÜTZ Australia Pty Ltd.
152 Cockburn Road
AU-North Coogee WA 6163
Phone (+61) 3 9360 9291

SCHÜTZ Australia Pty Ltd.
23 Arthur Dixon Court
AU-Yatala QLD 4207
Phone (+61) 3 9360 9291

SCHÜTZ (Malaysia) Sdn Bhd
PT 27773 Jalan Nilam 3
Nilai Utama
MY-71800 Nilai, Negeri Sembilan
Phone (+60) 6 798 0899

SCHÜTZ Singapore Pte. Ltd.
Commercial Office – The Strategy
2 International Business Park
#03-37
S609930
Singapore
Phone (+65) 6456 0115

PT. SCHÜTZ Container Systems
Indonesia
Jl. Maligi VIII Lot.R-4
Kawasan Industri KIIC
Margakaya, Telukjambe Barat
ID-Karawang 41361
Phone (+62) 21 2961 8080

SCHÜTZ (Thailand) Ltd.
Hemaraj Eastern Seaboard
Industrial Estate
500/76, Moo 2, Tambol Tasit
TH-Amphur Pluakdaeng
Rayong, 21140
Phone (+66) 33 069 911 up to 5