

CAN YOU PRINT 0~75CM HEIGHT MATERIALS?

HOT

YES WE CAN!

- Ricoh gen5 print heads ensure fast printing
- 2 in 1 multi-function platforms
- Print size: left side 800*1000mm + right side 600*800mm
- Print height: left side 0~100mm + right side 0~750mm
- Right side equipped with 65cm height adjustable lifting platform

[Learn more...](#)



APEX DIGITAL UV PRINTER CATALOG

Desktop Epson DX5 UV Printer

- ◉ [UV4060 & UV6090](#) ----- Page2
- ◉ [N4060B & N6090B](#)----- Page3
- ◉ [UV6090B](#)----- Page4

Toshiba CE4 Large Format UV Printer

- ◉ [UV7110](#)----- Page5
- ◉ [UV1610 & UV2513](#)----- Page6
- ◉ [UV1610GM](#)----- Page7

Ricoh Gen5 Large Format UV Printer

- ◉ [RH1610 & RH2513](#)----- Page8
- ◉ [RH1610GM](#)----- Page9



APEX DIRECT TO GARMENT T-SHIRT PRINTER CATALOG

Desktop Epson DX5 T-shirt Printer

- ◉ [NDTG6090B](#)----- Page10
- ◉ [DTG6090](#)----- Page11
- ◉ [Spart Parts for UV Printer & DTG Printer](#)----- Page12



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

UV4060 & UV6090 Flatbed UV Printer Brochure

Machine Specification

Name	Digital UV Flatbed Printer UV4060	Digital UV Flatbed Printer UV6090
Model No.	UV4060	UV6090
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer	
Printer Head	1pc Epson DX5	
Max Print Size	16**24" (40x60cm)	24**35" (60x90cm)
Max Print Height	140mm	
Materials to Print	Mugs, Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather,etc	
Printing Method	Drop-on-demand Piezo Electric Inkjet	
Printing Direction	Smart Bi-directional Printing Mode	
Printing Speed	About 180seconds for 720*720dpi, with 400mm*600mm Size	
Printing Resolution	Standard Dpi: 720*1440dpi	
Printing Quality	True Photographic Quality	
Nozzle Number	180*8 (1440)	
Ink Colors	CMYKWWWWW	
Ink Type	UV Ink	
Ink System	CISS Built Inside With Ink Bottle	
Ink Supply	1000ml/Bottle	
Ink Consumption	720*720dpi, W=62ml/sqm, K/C/M/Y=15.5ml/sqm, 720*1080dpi, W=82.5ml/sqm, K/C/M/Y=20.6ml/sqm, 720*1440dpi, W=103ml/sqm, K/C/M/Y=25.8ml/sqm	
Height Adjustment	Automatic With Sensor.	
Media Feeding System	Manual	
Max Media Weight	25 KG	
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10	
Interface	3.0USB Port	
Software	SAi PhotoPrint DX	
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc	
Voltage	110V/ 220V	
Power Consumption	380W	
Working Environment	20-28 Degrees.	
Package Type	Wooden Case	
Machine Size	130*80*50cm	140*130*55cm
Net Weight	116.50KGS	145.50KGS
Gross Weight	203.00KGS	244.4KGS
Packing Size	146*103*94.5cm	156*146*87.5cm
Price Includes	Printer,Software, Inner six angle wrench, Small screwdriver, Ink absorption mat, USB cable, Syringes, Damper, User manual, Wiper, Wiper Blade, Mainboard fuse, Replace screws and nuts	

Image



Advantage



Features

1. Using EPSON DX5 Printer Head: High precision & Stability, Easy to maintain, Fast speed
2. Print Head Carriage Auto Height Detective: Protect well of the printer head
3. High Printing Accuracy: Can print human face.
4. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
5. Print KCMY+W at the same time.
6. Varnish Option is Available.
7. Universal printer: can print almost all flat items except textile,also cylinder bottles, cups etc.

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.



You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD


Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

N4060B & N6090B Flatbed UV Printer Brochure

Machine Specification	
Name	Digital UV Flatbed Printer N4060B Digital UV Flatbed Printer N6090B
Model No.	N4060B N6090B
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer
Printer Head	1pc Epson DX5
Max Print Size	16"*24" (40x60cm) 24"*35" (60x90cm)
Max Print Height	140mm
Materials to Print	Mugs, Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Smart Bi-directional Printing Mode
Printing Speed	About 180seconds for 720*720dpi, with 400mm*600mm Size
Printing Resolution	Standard Dpi: 720*1440dpi
Printing Quality	True Photographic Quality
Nozzle Number	180*8 (1440)
Ink Colors	CMYKWWWW/CMYKWWVV/CMYKCMYK
Ink Type	UV Ink
Ink System	CISS Built Inside With Ink Bottle
Ink Supply	1000ml/Bottle
Ink Consumption	720*720dpi, W=62ml/sqm, K/C/M/Y=15.5ml/sqm, 720*1080dpi, W=82.5ml/sqm, K/C/M/Y=20.6ml/sqm, 720*1440dpi, W=103ml/sqm, K/C/M/Y=25.8ml/sqm
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	25 KG
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	3.0USB Port
Software	SAi PhotoPrint DX
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	110V/ 220V
Power Consumption	380W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	162*95*72cm 162*141*70cm
Net Weight	162.00KGS 165.00KGS
Gross Weight	259.50KGS 290.00KGS
Packing Size	179*160*87.5cm 179*160*87.5cm
Price Includes	Printer, software, Inner six angle wrench, Small screwdriver, Ink absorption mat, USB cable, Syringes, Damper, User manual, Wiper, Wiper Blade, Mainboard fuse, Replace screws and nuts



Advantage



- Features**
- Using EPSON DX5 Printer Head: High precision & Stability, Easy to maintain, Fast speed
 - Print Head Carriage Auto Height Detective: Protect well of the printer head
 - High Printing Accuracy: Can print human face.
 - White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
 - Print KCMY+W at the same time.
 - Varnish Option is Available.
 - Universal Printer: can print almost all flat items except textile, also cylinder bottles, cups etc.
 - Anti-static Device: effectively eliminate the static electricity on the medium
 - Ink Suction Device: Can suction the flying ink, to prevent affecting printing results
 - Printer Head Heating Device: Work normally even in cold place.

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem

Lifetime online and phone support on machine maintenance.



You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

UV6090B (2*DX5) Flatbed UV Printer Brochure


Machine Specification

Name	Digital UV Flatbed Printer UV6090B
Model No.	UV6090B
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer
Printer Head	2pcs Epson DX5 Print Head
Max Print Size	24"*35" (60x90cm)
Max Print Height	140mm for glass platform, 110mm for vacuum platform
Materials to Print	Muges (White only or Color Only), Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc,
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Unidirectional Printing or Bi-directional Printing Mode
Printing Speed	60*90cm, 4pass+Bi direction+Color+Heavy, 6'26" 60*90cm, 8pass+Bi direction+Color+Heavy, 12'29" 60*90cm, 16pass+Bi direction+Color+Heavy, 24'42"
Printing Resolution	Standard Dpi: 720*1440dpi
Printing Quality	True Photographic Quality
Nozzle Number	180*8 (1440)
Ink Colors	KKCCMMYY+ 8"W / KKCCMMYY+KKCCMMYY KKCCMMYY+WWWWWWWV
Ink Type	UV Ink
Ink System	CiSS Built Inside With Ink Bottle
Ink Supply	1000ml/Bottle
Ink Consumption	720*1080dpi, W=160ml/sqm, K/C/M/Y=20ml/sqm, 720*1440dpi, W=200ml/sqm, K/C/M/Y=25ml/sqm, 720*2160dpi, W=290ml/sqm, K/C/M/Y=36ml/sqm
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	25 KG
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	3.0USB Port
Software	SAi PhotoPrint
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	110V/ 220V
Power Consumption	380W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	141*176*76cm
Net Weight	173.00KGS
Gross Weight	317.50KGS
Packing Size	195*160*93.5cm
Price Includes	Printer,software, Inner six angle wrench, Small screwdriver, Ink absorption mat, USB cable, Syringes, Damper, User manual, Wiper, Wiper Blade, Mainboard fuse, Replace screws and nuts

Image



Advantage



Features

1. Using 2pcs EPSON DX5 Printer Head: High precision & Stability, Easy to maintain, Faster speed
2. Print Head Carriage Auto Height Detective: Protect well of the printer head
3. High Printing Accuracy: Can print human face.
4. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
5. Print KCMY+W at the same time.
6. Varnish Option is Available.
7. Universal Printer: can print almost all flat items except textile;
8. Anti-static Device: effectively eliminate the static electricity on the medium
9. Ink Suction Device: Can suction the flying ink, to prevent affecting printing results
10. Printer Head Heating Device: Work normally even in cold place.

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.



You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

UV7110 Flatbed UV Printer Brochure


Machine Specification

Name	Digital UV Flatbed Printer UV7110
Model No.	UV7110
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer
Printer Head	Toshiba CE4
Print Head Quantity	3 or 4pcs optional
Max Print Size	28"×40" (71x100cm)
Max Print Height	100mm
Materials to Print	Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Unidirectional Printing or Bi-directional Printing Mode
Printing Speed	71*100cm, 6pass+Bi direction+Color+White+Type-Quality, 5'57" 71*100cm, 8pass+Bi direction+Color+White+Type-Quality, 7'42" 71*100cm, 12pass+Bi direction+Color+White+Type-Quality, 12'52"
Printing Resolution	Standard Dpi: 720*1440dpi
Printing Quality	True Photographic Quality
Nozzle Number	318*2 (636)
Ink Colors	CMYKWW or CMYKWV or CMYKWWLCLM
Ink Type	UV Ink
Ink System	CISS Built Inside With Ink Bottle
Ink Supply	1000ml/Bottle
Ink Consumption	300*900dpi, W=48ml/sqm, K/C/M/Y=8ml/sqm, 300*1200dpi, W=78ml/sqm, K/C/M/Y=13ml/sqm, 300*1800dpi, W=105ml/sqm, K/C/M/Y=17.5ml/sqm
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	30kg
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	3.0USB Port
Software	SAI PhotoPrint
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	110V/ 220V
Power Consumption	1600W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	185*160*141cm
Net Weight	503.70kg
Gross Weight	804.70KGS
Packing Size	203*178*163cm
Price Includes	

Image



COLOR SCHEMES



Toshiba CE4 Print Heads Arrangement (3-4pcs Heads Options)
 UV7110: Single Head Double Color

Print Heads Color	Print Heads Quantity	Color Arrangement	Print Area
2color+1white	3pcs	K C M Y W W	71*100cm
3color+1white	4pcs	K C M Y C M W W	71*100cm
2color+2white	4pcs	K C M Y W W W W	71*100cm
4color	4pcs	K K C C C C M Y Y Y	71*100cm
2color+1white+1varnish	4pcs	K C M Y W W V V	71*90cm(DZ7190)



Features

1. With 3-4pcs industrial Toshiba CE4 printer head: service time long around 2 years for normal use
2. Print Head Carriage Auto Height Detective: Protect well of the printer head
3. High Printing Accuracy: Can print human face.
4. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
5. Print KCMY+W at the same time.
6. Varnish Option is Available.
7. Universal Printer: can print almost all flat items except textile;
8. Anti-static Device: effectively eliminate the static electricity on the medium
9. With collision-avoidance system on the carriage head
10. With vacuum table, strong adsorption force, easy to feed

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.

You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

UV1610 & UV2513 Flatbed UV Printer Brochure

Machine Specification

Name	Digital UV Flatbed Printer UV1610	Digital UV Flatbed Printer UV2513
Model No.	UV1610	UV2513
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer	
Printer Head	Toshiba CE4	
Print Head Quantity	5-12pcs optional	
Max Print Size	160*100cm	250*130cm
Max Print Height	100mm	
Materials to Print	Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc	
Printing Method	Drop-on-demand Piezo Electric Inkjet	
Printing Direction	Unidirectional Printing or Bi-directional Printing Mode	
Printing Speed	1sqm, 4pass+Bi direction+Color+White+Quality, 4'5" 1sqm, 8pass+Bi direction+Color+White+Quality, 8'1" 1sqm, 12pass+Bi direction+Color+White+Quality, 12'7"	
Printing Resolution	Standard Dpi: 720*1440dpi	
Printing Quality	True Photographic Quality	
Nozzle Number	318*2 (636)	
Ink Colors	KCMYW / KCMYLcLm+W / KCMYLcLm+W+V	
Ink Type	UV Ink	
Ink System	CISS Built Inside With Ink Bottle	
Ink Supply	1000ml/Bottle	
Ink Consumption	300*1800dpi, W=42.5ml/sqm, K/C/M/Y=8.5ml/sqm, 300*2400dpi, W=52.5ml/sqm, K/C/M/Y=10.5ml/sqm, 300*3600dpi, W=77.5ml/sqm, K/C/M/Y=15.5ml/sqm	
Height Adjustment	Automatic With Sensor.	
Media Feeding System	Manual	
Max Media Weight	30kg	
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10	
Interface	3.0USB Port	
Software	SAI PhotoPrint DX	
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc	
Voltage	220V	
Power Consumption	1600W	
Working Environment	20-28 Degrees.	
Package Type	Wooden Case	
Machine Size	351*181*132cm	441*208*147cm
Net Weight	801.50KGS	1070.00KGS
Gross Weight	1232.50KGS	1650.00KGS
Packing Size	328*196*159cm	467*227*170cm

Image



COLOR SCHEMES



Toshiba CE4 Print Heads Arrangement (5-12pcs Heads Options) UV1610/UV2513: Single Head Single Color			
Print Heads Color	Print Heads Quantity	Color Arrangement	Print Area
4color+1white	5pcs	K C M Y W	160*100cm, 250*130cm
4color+1white+1varnish	6pcs	K C M Y W V	160*100cm, 250*130cm
6color+1white	7pcs	K C M Y Lc Lm W	160*100cm, 250*130cm
6color+1white+1varnish	8pcs	K C M Y Lc Lm W V	160*100cm, 250*130cm
4color+2white	6pcs	K C M Y W W	160*100cm, 250*130cm
6color+2white	8pcs	K C M Y Lc Lm W W	160*100cm, 250*130cm
4color+2white+2varnish	8pcs	K C M Y W W V V	160*100cm, 250*130cm
6color+2white+2varnish	10pcs	K C M Y Lc Lm W W V V	160*100cm, 250*130cm
4color*2+4white	12pcs	K K C C M M Y Y W W W W	160*100cm, 250*130cm

Features

1. With 5-12pcs industrial Toshiba CE4 printer head: service time long around 2 years for normal use
2. Print head carriage auto height detective, both side anti-collision system
3. Design of automatic locating device: convenient and efficient operate by single person
4. Imported slideway + High-precision lead screw + Double Y-axis servo motor
5. With vacuum table: strong adsorption force, easy to feed
6. 43 platform support points: make the pattern accuracy is the almost same when printing small products by Bi-direction mode
7. High power Anti-static Device: effectively eliminate the static electricity on the medium, eliminate the flying ink and unclear pattern caused by static electricity
8. Automatic flash spraying function of nozzle: In standby mode, the nozzle will automatically flash once every 2 hours to avoid nozzle drying
9. Secondary ink cartridge constant temperature heating function + white ink internal circulation function: avoid white ink precipitation, improve ink fluency and reduce plug probability
10. Print KCMY+W at the same time; Varnish option is available

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.



You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

UV1610GM Flatbed UV Printer Brochure

Machine Specification

Name	Digital UV Flatbed Printer UV1610GM
Model No.	UV1610GM
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer
Printer Head	Toshiba CE4 print head
Print Head Quantity	5-12pcs optional
Max Print Size	Left Side 800*1000mm/ Right Side 600*800mm (1600*1000mm in Total)
Max Print Height	Left side H100mm, Right side H100mm+H650mm Height Adjustable=H750mm
Multi-function Print Platform	2 IN 1 Multi-function Platform •Left Platform Equipped with Air Suction Device •Right Platform Equipped with 650mm Height Adjustable Lifting System
Materials to Print	Luggage, Table, Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Unidirectional Printing or Bi-directional Printing Mode
Printing Speed	1sqm, 4pass+Bi direction+Color+White+Quality, 4'5" 1sqm, 8pass+Bi direction+Color+White+Quality, 8'1" 1sqm, 12pass+Bi direction+Color+White+Quality, 12'7"
Printing Resolution	Standard Dpi: 720*1440dpi
Printing Quality	True Photographic Quality
Nozzle Number	318*2 (636)
Ink Colors	KCMYW / KCMYLcLm+W / KCMYLcLm+W+V
Ink Type	UV Ink
Ink System	CISS Built Inside With Ink Bottle
Ink Supply	1000ml/Bottle
Ink Consumption	300*1800dpi, W=42.5ml/sqm, K/C/M/Y=8.5ml/sqm, 300*2400dpi, W=52.5ml/sqm, K/C/M/Y=10.5ml/sqm, 300*3600dpi, W=77.5ml/sqm, K/C/M/Y=15.5ml/sqm
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	30kg
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	3.0USB Port
Software	SAi PhotoPrint
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	220V
Power Consumption	1600W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	313*181*143cm
Net Weight	1080.00KGS
Gross Weight	1480.00KGS
Packing Size	377*196*168cm

Image



Advantage

Left platform: Equipped with air suction device 0-100mm printing height Max. print volume: W800*L1000*H100mm

Right platform: Equipped with 0-650mm height adjustable lifting system Max. print volume: W600*L800*H750mm

TOSHIBA CE4 Print Head: High density nozzles, faster printing with high resolution

Easy Operation Control Panel: It is clear to use this printer without any confuse. Also all the button is installed with direction and different color label to show its functions.

COLOR SCHEMES



Features

1. Can print 0-75CM height materials
2. With 5-12pcs industrial Toshiba CE4 printer head: service time long around 2 years for normal use
3. Print head carriage auto height detective, both side anti-collision system
4. Design of automatic locating device: convenient and efficient operate by single person
5. Imported slideway + High-precision lead screw + Double Y-axis servo motor
6. With vacuum table: strong adsorption force, easy to feed
7. High power Anti-static Device: effectively eliminate the static electricity on the medium, eliminate the flying ink and unclear pattern caused by static electricity
8. Automatic flash spraying function of nozzle: In standby mode, the nozzle will automatically flash once every 2 hours to avoid nozzle drying
9. Secondary ink cartridge constant temperature heating function + white ink internal circulation function: avoid white ink precipitation, improve ink fluency and reduce plug probability
10. Print KCMY+W at the same time; Varnish option is available

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.

Toshiba CE4 Print Heads Arrangement (5-12pcs Heads Options)
 UV1610GM: Single Head Single Color

Color configuration	Print Heads Quantity	Color Arrangement	Print Area
4color+1white	5pcs	K C M Y W	160*100cm
4color+1white+1varnish	6pcs	K C M Y W V	160*100cm
6color+1white	7pcs	K C M Y Lc Lm W	160*100cm
6color+1white+1varnish	8pcs	K C M Y Lc Lm W V	160*100cm
4color+2white	6pcs	K C M Y W W	160*100cm
6color+2white	8pcs	K C M Y Lc Lm W W	160*100cm
4color+2white+2varnish	8pcs	K C M Y W W V V	160*100cm
6color+2white+2varnish	10pcs	K C M Y Lc Lm W W V V	160*100cm
4color*2+4white	12pcs	K K C C M M Y Y W W W W	160*100cm



You Got The BEST BEST BEST PRICE!

Contact us Now!

http://www.apex-jet.com



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

RH1610 & RH2513 Flatbed UV Printer Brochure

Machine Specification

Name	Digital UV Flatbed Printer RH1610	Digital UV Flatbed Printer RH2513
Model No.	RH1610	RH2513
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer	
Printer Head	Ricoh Gen5	
Print Head Quantity	3~6pcs optional	
Max Print Size	160*100cm	250*130cm
Max Print Height	100mm	
Materials to Print	Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc	
Printing Method	Drop-on-demand Piezo Electric Inkjet	
Printing Direction	Unidirectional Printing or Bi-directional Printing Mode	
Printing Speed	1sqm, 4pass+Bi direction+Color+White+++Heavy, 8'19" 1sqm, 8pass+Bi direction+Color+White+Quality, 16'36" 1sqm, 12pass+Bi direction+Color+White+Quality, 25'39"	
Printing Resolution	Standard Dpi: 720*1440dpi	
Printing Quality	True Photographic Quality	
Nozzle Number	1280	
Ink Colors	KCMYW / KCMYLcLm+W / KCMYLcLm+W+V	
Ink Type	UV Ink	
Ink System	CISS Built Inside With Ink Bottle	
Ink Supply	1000ml/Bottle	
Ink Consumption	720*900dpi, W=93ml/sqm, K/C/M/Y=15.5ml/sqm, 720*1200dpi, W=120ml/sqm, K/C/M/Y=20ml/sqm, 720*1800dpi, W=186ml/sqm, K/C/M/Y=31ml/sqm	
Height Adjustment	Automatic With Sensor.	
Media Feeding System	Manual	
Max Media Weight	30kg	
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10	
Interface	2.0USB Port	
Software	SAI PhotoPrint DX	
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc	
Voltage	220V	
Power Consumption	1600W	
Working Environment	20-28 Degrees.	
Package Type	Wooden Case	
Machine Size	351*181*132cm	441*208*147cm
Net Weight	1020.00KGS	1124.00KGS
Gross Weight	1450.00KGS	1705.00KGS
Packing Size	377*196*162cm	466*228*170cm

Image



COLOR SCHEMES



Ricoh Gen5 Print Heads Arrangement (3-6pcs Heads Options) RH1610/ RH1610GM/ RH2513: Single Head Double Color			
Print Heads Color	Print Heads Quantity	Color Arrangement	Print Area
2color+1white	3pcs	K C M Y W W	160*100cm, 250*130cm
3color+1white	4pcs	K C M Y Lc Lm W W	160*100cm, 250*130cm
2color+1white+1 varnish	4pcs	K C M Y Lc Lm W V V	160*100cm, 250*130cm
3color+1white+1 varnish	5pcs	K C M Y Lc Lm W W V V	160*100cm, 250*130cm
2color+2white	4pcs	K C M Y W W W W	160*100cm, 250*130cm
3color+2white	5pcs	K C M Y Lc Lm W W W W	160*100cm, 250*130cm
2color+2white+1 varnish	5pcs	K C M Y Lc Lm W W W V V	160*100cm, 250*130cm
3color+2white+1 varnish	6pcs	K C M Y Lc Lm W W W W V V	160*100cm, 250*130cm



Features

1. with 3-6pcs Ricoh Gen5 industrial heads: service time long around 2-3 years for normal use
2. Print head carriage auto height detective, both side anti-collision system
3. Design of automatic locating device: convenient and efficient operate by single person
4. Imported slideway + High-precision lead screw + Double Y-axis servo motor
5. With vacuum table: strong adsorption force, easy to feed
6. Higher Printing Accuracy: Jet force of Ricoh GEN5 printer head is better than Toshiba, there will be no printing affect even space between 3mm
7. Equipped with electrostatic air gun, infrared radiation and anti-collision device on the carriage
8. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
9. Printer head with inner heating temperature controller
10. Print KCMY+W at the same time; Varnish option is available

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.

You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

RH1610GM Flatbed UV Printer Brochure

Machine Specification	
Name	Digital UV Flatbed Printer RH1610GM
Model No.	RH1610GM
Machine Type	Automatic, Flatbed, UV LED Lamp, Digital Printer
Printer Head	Ricoh Gen5
Print Head Quantity	3~6pcs optional
Max Print Size	Left Side 800*1000mm/ Right Side 600*800mm (1600*1000mm in Total)
Max Print Height	Left side H100mm, Right side H100mm+H650mm Height Adjustable=H750mm
Multi-function Print Platform	2 IN 1 Multi-function Platform ·Left Platform Equipped with Air Suction Device ·Right Platform Equipped with 650mm Height Adjustable Lifting System
Materials to Print	Luggage, Table, Metal, Plastic, Glass, Wood, Ceramics, Acrylic, Leather, etc
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Unidirectional Printing or Bi-directional Printing Mode
Printing Speed	1sqm, 4pass+Bi direction+Color+White++Heavy, 8'19" 1sqm, 8pass+Bi direction+Color+White+Quality, 16'36" 1sqm, 12pass+Bi direction+Color+White+Quality, 25'39"
Printing Resolution	Standard Dpi: 720*1440dpi
Printing Quality	True Photographic Quality
Nozzle Number	1280
Ink Colors	KCMYW / KCMYLcLm+W / KCMYLcLm+W+V
Ink Type	UV Ink
Ink System	CISS Built Inside With Ink Bottle
Ink Supply	1000ml/Bottle
Ink Consumption	720*900dpi, W=93ml/sqm, K/C/M/Y=15.5ml/sqm, 720*1200dpi, W=120ml/sqm, K/C/M/Y=20ml/sqm, 720*1800dpi, W=186ml/sqm, K/C/M/Y=31ml/sqm
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	30kg
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	2.0USB Port
Software	SAi PhotoPrint
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	220V
Power Consumption	1600W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	313*181*143cm
Net Weight	1080.00KGS
Gross Weight	1480.00KGS
Packing Size	377*196*168cm
Features	
1. Can print 0-75CM height materials	
2. with 3-6pcs Ricoh Gen5 industrial heads: service time long around 2-3 years for normal use	
3. Print head carriage auto height detective, both side anti-collision system	
4. Design of automatic locating device: convenient and efficient operate by single person	
5. Imported slideway + High-precision lead screw + Double Y-axis servo motor	
6. With vacuum table: strong adsorption force, easy to feed	
7. Higher Printing Accuracy: Jet force of Ricoh GEN5 printer head is better than Toshiba, there will be no printing affect even space between 3mm	
8. Equipped with electrostatic air gun, infrared radiation and anti-collision device on the carriage	
9. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.	
10. Printer head with inner heating temperature controller	
11. Print KCMY+W at the same time; Varnish option is available	
Warranty	
One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem	
Lifetime online and phone support on machine maintenance.	



Advantage

Left platform:
 Equipped with air suction device
 0-100mm printing height
 Max. print volume: W800*L1000*H100mm

Right platform:
 Equipped with 0-650mm height adjustable lifting system
 Max. print volume: W600*L800*H750mm

Well Configured:
 Printer is equipped with electrostatic air gun, infrared radiation and anti-collision device on the carriage.

RICOH
 • Ricoh gen5 print heads ensure fast printing
 • In total 1000*1600mm size platform

COLOR SCHEMES



Ricoh Gen5 Print Heads Arrangement (3-6pcs Heads Options) RH1610/ RH1610GM/ RH2513: Single Head Double Color			
Print Heads Color	Print Heads Quantity	Color Arrangement	Print Area
2color+1white	3pcs	K C M Y W W	160*100cm, 250*130cm
3color+1white	4pcs	K C M Y C M W W	160*100cm, 250*130cm
2color+1white+1varnish	4pcs	K C M Y W W V	160*100cm, 250*130cm
3color+1white+1varnish	5pcs	K C M Y C M W W V	160*100cm, 250*130cm
2color+2white	4pcs	K C M Y W W W	160*100cm, 250*130cm
3color+2white	5pcs	K C M Y C M W W W	160*100cm, 250*130cm
2color+2white+1varnish	5pcs	K C M Y W W W V	160*100cm, 250*130cm
3color+2white+1varnish	6pcs	K C M Y C M W W W V	160*100cm, 250*130cm





MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

NDTG6090B (2*DX5) DTG Printer Brochure


Machine Specification

Name	Digital DTG Printer NDTG6090B
Model No.	NDTG6090B
Machine Type	Direct To Garment Flatbed Printer
Printer Head	2pcs Epson DX5 Print Head
Cloths Tray Option	2*524mm*408.9mm Cloths Tray (Or 4*408.9mm*236.5mm ClothsTray) (Or 2*408.9mm*236.5mm ClothsTray+1*524mm*408.9mm Tray)
Materials to Print	Light color & dark color textile, above 80% cotton
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Smart Bi-directional Printing & Unidirectional Printing
Printing Speed	A4,CMYK,Bi-direction,1'39" A4,CMYK+W,Bi-direction,2'19"
Printing Resolution	Max Dpi: 720*2880dpi 16pass
Max. Print Gap	4cm
Printing Quality	True Photographic Quality
Nozzle Number	180*8 (1440)
Ink Colors	KKCCMMYY+ WWWWWWWW
Ink Type	Textile Ink
Ink System	CISS Built Inside With Ink Bottle
Ink Supply	1000 ml/Bottle
Ink Consumption	30ml/SQM.
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	25 KG
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	3.0USB Port
Software	SAi PhotoPrint
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	110V/ 220V
Power Consumption	380W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	141*176*85cm
Net Weight	219.00KGS
Gross Weight	363.50KGS
Packing Size	195*160*93.5cm
Price Includes	Printer,Software, Inner six angle wrench, Small screwdriver, Ink absorption mat, USB cable, Syringes, Damper, User manual, Wiper, Wiper Blade, Mainboard fuse, Replace screws and nuts, Cloths trays

Image



Advantage



Features

1. Using 2pcs EPSON DX5 Printer Head: High precision & Stability, Easy to maintain, Faster speed
2. High Printing Accuracy
3. Different size cloths Tray Optional
4. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
5. Print KCMY+W at the same time.
6. Can print White or black T-shirts (black T-shirt need a pre-treatment solution before printing)
7. The color will keep for long time if washing the clothes in reverse

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.

You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



MICROTEC TECHNOLOGY COMPANY LTD

Mobile/WeChat/WhatsApp: +86-18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 Factory Add: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

DTG6090 DTG Printer Brochure

Machine Specification

Name	Digital DTG Printer DTG6090
Model No.	DTG6090
Machine Type	Direct To Garment Flatbed Printer
Printer Head	1pc Epson DX5 Print Head
Cloths Tray Option	2*510mm*375mm Cloths Tray (Or 4*408.9mm*236.5mm ClothsTray) (Or 2*408.9mm*236.5mm ClothsTray+1* 510mm*375mm Tray)
Materials to Print	Light color & dark color textile, above 80% cotton
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Smart Bi-directional Printing & Unidirectional Printing
Printing Speed	About 180seconds for 720*720dpi, 400mm*600mm size
Printing Resolution	Max Dpi: 720*2880dpi 16pass
Max. Print Gap	5cm
Printing Quality	True Photographic Quality
Nozzle Number	180*8 (1440)
Ink Colors	KKCCMMYY+ WWWWWWWW
Ink Type	Textile Ink
Ink System	CISS Built Inside With Ink Bottle
Ink Supply	1000 ml/Bottle
Ink Consumption	30ml/SQM.
Height Adjustment	Automatic With Sensor.
Media Feeding System	Manual
Max Media Weight	25 KG
Operating System	WINDOWS 7/WINDOWS 8/WINDOWS 10
Interface	3.0USB Port
Software	SAi PhotoPrint
Languages	Chinese/English/Spanish/French/Italian/Portuguese/German, etc
Voltage	110V/ 220V
Power Consumption	380W
Working Environment	20-28 Degrees.
Package Type	Wooden Case
Machine Size	140*130*55cm
Net Weight	167.50KGS
Gross Weight	266.40KGS
Packing Size	156*146*87.5cm
Price Includes	DTG6090 Printer,software, Inner six angle wrench, Small screwdriver, Ink absorption mat, USB cable, Syringes, Damper, User manual, Wiper, Wiper Blade, Mainboard fuse, Replace screws and nuts, 2*510mm*375mm Cloths tray(Or 4*408.9mm*236.5mm Cloths Tray)

Features

1. Using EPSON DX5 Printer Head: High precision & Stability, Easy to maintain, Fast speed
2. High Printing Accuracy
3. Different size cloths Tray Optional
4. White Ink Bottle with Stirring System: To prevent ink precipitation, won't damage the head.
5. Print KCMY+W at the same time.
6. Can print White or black T-shirts (black T-shirt need a pre-treatment solution before printing)
7. The color will keep for long time if washing the clothes in reverse

Warranty

One Year for entire machine except the printer head, and APEX has no responsibility for printer head if first using without problem
 Lifetime online and phone support on machine maintenance.

Image



Advantage



You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>



Microtec Technology Co.,Ltd

TEL: +86-755-28910897 Ext 8062 Mobile/WeChat/WhatsApp: +86 - 18938838784 Website: www.apex-jet.com Email: apex@apex-jet.com
 ADD: #83 Hengdong Road, Dongkeng Town, Dongguan, Guangdong, 523448, China

Spare parts Quotation

Accessories for 4060/6090 UV Printer



Cap Top USD10/pc Damper USD8/pc Ink Bottle with Stirrer USD23/pc Carriage USD30/pc Wiper USD10/pc Fuse USD0.5/pc Water Cooling System USD850/Set Vacuum Table USD890/Set (40x60cm)



CMYK UV Ink USD45/L White UV Ink USD50/L Universal Pre-treatment USD105/liter Pre-treatment for Metal USD45/L (for Glass USD50/L) Varnish Oil USD70/liter PhotoPrint DX Mini USD400/pc Vacuum Table USD1120/pc (60x90cm)


TRAYS for 4060/6090 UV Printer



Cylinder Object Tray USD400/pc Tray for Golf USD100/pc Tray for Baseball USD100/pc Tray for Hockey Puck USD100/pc Tray for Pen USD100/pc



Tray for Opener- L USD100/pc Tray for Opener- M USD100/pc Tray for Opener- S USD100/pc Tray for USB USD100/pc Tray for Opener-Card USD100/pc Tray for Nail Tool USD100/pc



Tray for Pencil USD100/pc Tray for Leather Packet USD100/pc Tray for Card Case USD100/pc Tray for Rectangle Poker Chip USD100/pc Tray for Poker Chip USD100/pc OEM Acrylic Tray USD200/pc

Accessories for 7110/1610/2513 UV Printer



Toshiba CMYK UV Ink USD67/liter Toshiba White UV Ink USD76/liter Pre-treatment USD105/liter Varnish Oil USD75/liter PhotoPrint DX PLUS USD600/pc

Accessories for DTG Printer



Cap Top USD10/pc Damper USD8/pc Ink Bottle with Stirrer USD23/pc Carriage USD30/pc Wiper USD10/pc Fuse USD0.5/pc Tray(510mm*375mm) USD250/Set Tray(408.9mm*236.5mm) USD150/Set



CMYK Ink USD45/liter Dupont White Ink USD215/liter Pre-treatment USD34/liter PhotoPrint DX Mini USD400/pc Max Hover Heat Press (40*50cm) USD355/Set Tray for shoe USD150/Set

You Got The BEST BEST BEST PRICE!

Contact us Now!

<http://www.apex-jet.com>