



#guandongitalia

MM21

MORE THAN DIGITAL

COLLECTION
SPRING UPDATE

Guandong
theSpecialitieSpecialist



Guandong

theSpecialitieSpecialist



GREEN PRODUCTS

Welcome to the MM21 Collection.

Get inspired!

Quality, Vision, Sustainability, Collaboration & Inspiration. Today, more than ever, we're able to combine all the **values** that feed our daily **passion** and this is something we wish to share with you.

Future is an Attitude: **we see beyond** what is in front of us.


In the MM21 Collection you will find products, which we refer to as '**solutions**'.

Guandong Italia has gained new certification and implemented a sustainability programme, as we consider this part of **innovation and progress**. Within our new collection, you can discover **ideas** borne from our beliefs in **Potential**. You can benefit from upgraded sales conditions, which we prefer to call **financial solutions**. There is also the possibility to customise our products, tailored to your needs, with the help of our newly established **G5 Factory**.

Guandong is more than just a print media supplier; we are **#theSpecialitieSpecialist**

A handwritten signature in white ink, reading 'Daniele Faoro'.

Daniele Faoro, Team Principal & CEO



INDEX

WINDOW

6-7

ONE WAY VISION | Classic Patterns and Special Designs
OPTIMAL OWV® | Certified for public transport
POLYESTER ONE WAY VISION and Laminations
CLING | Window decoration
DOTTY LINE | Glue dots, no bubbles!
GROUND FINISH and Self-adhesive Textile

NANO-TACK® TECHNOLOGY

8

WALLY with Nano-Dots | the real repositionable!
TWO-TACK® | the only double-sided tape with Nano-Dots
NANO-TACK® and OPTI-CLEAR

Floor Graphics

9

FLOOR GRAPHICS FILMS | Direct printing and lamination
adhesive films for floors, moquettes, asphalt and delicate
surfaces

TEXTILE

10-11

COTTON or POLYESTER TEXTILE
BACKLIT TEXTILES | Light box and frames
SPECIAL CANVAS and FLAG
NAOMI | Special ALL-IN-ONE textiles

PLASTIC COLLECTION

12

CARBON-BLOCK | new compound for banner and roll-up
MULTILAYER for Roll-up, hanging banner and display
POLYFLAT® Ultra Soft, Ultra Flat for Roll-up and display
VINYLJET 100% recycled and recyclable vinyl | For Roll-up, display and packaging
GREEN AREA | 100% PET for display

INTERCast BANNER

13

INTERCAST PREMIUM BANNER
BLOCKOUT BANNER
MESH COATED BANNER
FUSION LAMINATED BANNER
SPECIAL DESIGN BANNER

M MAGNETIC

14-15

INDUSTRY AND SPOT DÉCO COMMUNICATION
MAGNETIC ROLLS | White and Brown
MAGNETIC SHEETS Brown
MAGNETIC STRIPS with adhesive

INDEX



16-17

MAGNETIC & FERRO | panel and wall setup
MAGNETIC & FERRO rolls with adhesive
MAGNETIC SHEETS with adhesive + Ferro Paint
FERRO FILM | for printing and overlapping on MAGNETIC WALLS
MAGNET FILM | for printing and decoration on ferrous surfaces



18

THE SHEETS FOR DIGITAL LASER, FLATBED AND SCREEN
PRINTING (A3 PLUS)
WALLY, NANO-TACK® and DOTTY | Repositionable films
POLYESTER backlit and double-sided
MAGNET and FERRO film, PET or paper
TAP | Polyester textile with adhesive
REPOSITIONABLE WHITEBOARD for glass and walls



19

THE SHEETS FOR DIGITAL AND TRADITIONAL OFFSET,
FLATBED AND SCREEN (DIN-B2 50X70 and DIN-B1 100X70)
WALLY | White or clear repositionable film
MAGNET and FERRO FILM
NANO-TACK® technology, DOTTY PP and PVC
FLOOR GRAPHICS for direct printing



20

DRY ERASE WHITEBOARDS FOR ANY SURFACE
WALLY WHITEBOARD with Nano-Dots
MAGNETIC or FERROUS WHITEBOARD with adhesive
PROJECTABLE MAGNETIC WHITEBOARD with adhesive
REWRITABLE PET FILM for lamination



21

MULTI-FUNCTIONAL TOOLS AND TAPES
TWO TACK® TAPE, FOAM, KISS CUT and JELLY
OPTI-CLEAR TAPE with Nano-Tack® Technology
FORZA FASTENER, REVERSO, TRANSTAPE, PAPILLON,
PEEL-GRIP, CROCHET, Cutting tool



22

100% RECYCLED, 100% GREEN LIFE PRODUCTS
ARTISTIC | Havana natural finish
PURO | Superior white for high-spec decor
BANNER | Ultra-strong white/grey



22



23



WINDOW

PERFORATED VINYLS | ONE WAY VISION CLASSIC, SPECIAL DESIGN AND PVC FREE

Product	Colour	Product Code	Thickness (µm)	Width (m)	Length (m)	Perforation Ø (mm) & printable area	Printability
ONE WAY VISION Standard patterns							
SHOT LINE 2000	white/black	C-21-50F	140	1,06 - 1,37 1,52	50	1,60 / 60%	E
6000 UV	milk white/black	C-61-30C	180	1,06 - 1,37 1,52	30		E L U
		C-6137-50C		1,37	50		
7500	white/black	C-7137-50F	160	1,37	50	1,50 / 50%	E L
8020		C-8137-30C			30	1,50 / 80%	E L U
LONGLIFE 18660 (polymeric)	milk white/black	C-P-50C-46	180	1,07 - 1,37 1,52	50	1,60 / 60%	E L U
ONE WAY VISION Special Design							
CLEAR 5500 <i>inside application</i>	clear	C-5137-30C	140	1,37	30	1,50 / 70%	E L U
NIGHT&DAY 12000 (polymeric)		C-BL137-C	180		30/10		
NIGHT&DAY 12500 (monomeric)		C-BM137-30C	140		30		
OPTIMAL OWV® Certified for public transport							
OPTIMAL OWV® LONGLIFE (polymeric)	milk white/ black	C-OP137-50P	175	1,37	50	1,60 / 60%	E L U
OPTIMAL OWV® (monomeric)		C-OP137-M					
ONE WAY VISION IN PET For internal window images							
OWV 3715 PET NO GLUE	white/black	C-PET137	200	1,37	30/10	1,50 / 70%	E L U
OPTI-CLEAR with Nano-Tack® technology	ultra clear gloss PET	C-2TAPE135	180	1,35	30/10	COMBINE FOR REPOSITIONING: laminate permanent glue side with OWV 3715. Nano-Tack® side can be repositioned on the glass surface.	
LAMINATION FOR OWV FILM							
ANTI-GRAFFITI & REWRITABLE IN POLYESTER	ultra clear gloss	LAR-0350	38	1,07 - 1,27 1,37 - 1,52	50	PET rewritable film	
		LAR-0310-120		1,20	10		



Printability: **E** Eco-solvent **L** Latex **U** UV For lamination only



WINDOW

WINDOW & WALL DECORATION

Product	Colour	Product Code	Thickness (µm)	Width (m)	Length (m)	Features & Applications	Printability
CLING Window sign							
CLING STATIC SOFT VINYL	white gloss	CLING-W	180	1,07 - 1,37	30	for temporary applications for signage, POP notices, display and vehicle graphics	E L U
	clear gloss	CLING-T		1,07 - 1,37			
HIGH CLARITY	ultra clear gloss adhesive vinyl	HC- 0830	80	1,07 - 1,27 1,37 - 1,52			
Easy to apply, bubble-free, easy to remove							
DOTTY PVC	white matt	DOT-WM-S	100	1,07 - 1,37 - 1,52	50	easy to print/apply/remove, no bubbles	E L U
	white gloss	DOT-WG-S		1,07 - 1,37			
	clear gloss	DOT-CG-S		1,07 - 1,37			
DOTTY with REGENERATED PVC	white matt	DOT-WM-RC	100	1,07 - 1,37 - 1,52	50	easy to print, apply and remove, no bubbles, blended with regenerated PVC	E L U
	white gloss	DOT-WG-RC		1,07 - 1,37			
	clear gloss	DOT-CG-RC		1,07 - 1,37			
DOTTY PET	white matt	DOT-PETWM-13	115	1,37	50	no bubbles, no warping, no shrinkage	E L U
	clear gloss	DOT-PETCG-13					L U
GROUND FINISH Sandblast effect							
GLASS DECOR VINYL (monomeric)	sandblast effect	WS-1050	100	1,06 - 1,27	50	to create private areas	E L U
TEXTILE ADHESIVE POLYESTER for wall decoration							
ADHESIVE POLYESTER TEXTILE	white matt	TAP-1530	150	1,07	30	textile touch, more opacity, for wall covering and labels	E L U
		TAP-2730	270	1,07 - 1,37	30	thicker for more coverage	E L U

Download our smart tips for glass decoration!




Printability: **E** Eco-solvent **L** Latex **U** UV **E** Eco-solvent, test recommended



NANO-TACK®

TECHNOLOGY

Product	Colour	Product Code	Thickness (µm)	Width (m)	Length (m)	Applications	Printability
REPOSITIONABLE GRAPHICS WALLS AND WINDOWS							
WALLY with NANO-DOTS	transparent PET	WALLY-PETCG-13	140	1,37	50/10	for all kinds of flat surfaces (walls, glass, panels, furniture and metals)	E L U
	white PET	WALLY-PETWM-13					
	rewritable white gloss PET	WB-W12050-RE	150	1,20	50	for repositionable dry erase whiteboards on any flat surface (walls, glass, panels, furniture and metals)	not for printing (rewritable)
NANO-TACK®	ultra clear gloss PET	NANO-PET15-13	155	1,37	50/10	for flat and gloss surfaces (glass, furniture and metals)	E L U
	white PP	NANO-PP1750-13	175		50/10		
NANO-TACAR	white PET	NANO-PETWHT-21-13	150			ultra tack suitable for car bodies	
TWOTACK®	clear PET	TWOTACK-13-50	65	1,37	50	for quick application and repositioning of double-sided images, postcards, frames, small objects	
TWOTACK® TAPE		TWOTACK-12-10		1,20	10		
		TWOTACK-05-10		5 cm	10		
		TWOTACK-05-50			50		
TWOTACK® FOAM	PET clear + black FOAM	TWOTACK-0510-FM	865	5	10	for quick application and repositioning of double-sided images, postcards, frames small objects on uneven surfaces	☐
TWOTACK® Kiss-Cut		TWOTACK-0525-FM			25		
		TWOTACK-3550-FM		LABEL SIZE 35*50 mm - 700 labels			
		TWOTACK-3550-FM235		LABEL SIZE 35*50 mm - 235 labels			
TWOTACK® JELLY	clear	TWOTACK-02530-JL	1000	25 mm	3	glue-free, washable and reusable, high tack	
TWOTACK® OPTI-CLEAR	ultra clear gloss PET	C-2TAPE135	180	1,35	30/10	apply to the mounting object and apply the Nano-Dot adhesive side to the mounting surface	☐
		C-2TAPE-05-30		5 cm	30		



Printability: **E** Eco-solvent **L** Latex **U** UV ☐ For lamination only

Floor Graphics

COLLECTION



Product	Features	Product Code	Thickness (µm)	Width (m)	Length (m)	Applications	Printability
DIRECT PRINTING AND LAMINATION ADHESIVE FILMS FOR FLOORS, MOQUETTES, ASPHALT AND DELICATE SURFACES							
FLOOR PROTECTIVE LAYER	SMART anti-slip layer matt for lamination 	FG-2050R9	200	1,07 - 1,27	50	to give anti-slip properties to printed floor graphics	
	PROFESSIONAL anti-slip layer matt for lamination  	FG-2050		1,06 - 1,27 1,52			
REVITA TACK PURO 	REPOSITIONABLE printable layer, 100%green 	RE-TACK-PURO137-25	530	1,37	23	100% recyclable, bubble-free, removable, textile feel (also for walls)	
FLOOR GRAPHIC PRINT&GO DIN-4102-B1 	SHOP SIGN printable layer 	RS-1630-07	160	1,07	30	INDOOR APPLICATIONS for shopping centres, fairs, stations, airports	
		RS-16-12		1,27	30/10		
	CARPET FLOOR printable layer 	CF-32-12	320	1,27	30/10	for carpet decoration during exhibitions and trade shows	
	MAK FLOOR printable layer 	MAK-5530-07	550	1,07	30	INDOOR & OUTDOOR APPLICATIONS for pavements, reserved areas, wet floors and stairs	
MAK-55-12		1,27		30/10			




 Printability:
  Eco-solvent
  Latex
  UV
  For lamination only



TEXTILE

THE COMPLETE RANGE OF TEXTILE COTTON CANVAS & POLYESTER

Product	Finish	Product Code	Weight (g/m ²)	Width (m)	Length (m)	Features	Printability
COTTON CANVAS							
Super white COTTON	gloss	TCW-3618-G	360	1,07 - 1,37 1,52	18	high tensile strength, good dimensional stability	E L U
	matt	TCW-3618					
ART CANVAS Natural back	matt	TAN-3918	390	1,07 - 1,27 1,52		high resolution, good opacity, ideal for fine art	E L U D
POLYESTER CANVAS							
Super white POLYESTER	matt	TPW-1930	195	0,914-1,07 1,37-1,52	30	no curling, for Roll-up, X-banner and hanging banner	E L U D
	gloss	TPC-2330-G	230	1,07 - 1,37 1,52		high definition, high tensile strength, good dimensional stability	E L U
	matt	TPC-2330		1,07-1,27 1,37-1,52			
BACKLIT for light box frames & silicone edges							
POLYESTER BASIC Flag & Frame	matt	TFF-1230	120	1,07 - 1,37 1,60	30	for small and medium size light boxes, for drop flags	E L U
TEXON Vinyl-textile		TEXON-B19	190	1,07 - 1,37 1,60	50	for medium & large size light boxes (with or without silicone edges)	
LUMI Polyester Backlit		LUMI-1850-16	180	1,60	50		
POLYESTER FLAG							
POLYESTER FLAG + Oxy-Dry Liner	matt	TFX-1630	160	1,07 - 1,37	30	2-sides view	E L U



Printability: **E** Eco-solvent **L** Latex **U** UV **D** Dye Pigment, test recommended

TEXTILE

THE COMPLETE RANGE OF SPECIAL TEXTILE

Product	Finish	Product Code	Weight (g/m ²)	Width (m)	Length (m)	Features	Printability
SPECIAL CANVAS							
SELF-ADHESIVE POLYESTER	matt	TAP-1530-07	150	1,07	30	textile feel, increased opacity, for wall covering and labels	E L U
		TAP-2730	270	1,07 - 1,32		thicker for more coverage	
NAOMI - ALL-IN-ONE TEXTILES							
B1 FRONTLIT	matt	SN-FT230-16	230	1,60	50	high level opacity and lightweight for frames and modular structures	DS TS U L
B1 BACKLIT		SN-BT260	260	1,60 - 3,20		unrivalled light diffusion to enhance any image on frames and display	
B1 BLACK BACK		SN-BB260				total block-out performance for structures, frames and pop-ups	
B1 FLAG		SN-FG110-16	110	1,60		long-lasting and excellent tear resistance for automotive and retail	

WHAT'S INSIDE NAOMI?

All Naomi textiles are the first to be developed with PCT resin (Polycyclohexylenedimethylene terephthalate). PCT combines excellent chemical resistance, workability and dimensional stability compared to PBT - substitute of PET - and PET itself, thanks to its higher melting point, giving a major mechanical strength at high temperatures. Naomi textiles also feature better resistance to hydrolysis - the molecular scission obtained through the action of water. Compared to weaker substrates, such as PBT and PET, **Naomi textiles with PCT offer a breaking strength increased by 20%, plus an 18° C higher temperature resistance** (internal tests).



Scan and watch our preview of Naomi!




Printability: DS Direct Sublimation TS Transfer Sublimation E Eco-solvent L Latex U UV



PLASTIC

COLLECTION

Product	Finish	Product Code	Thickness (µm)	Width (m)	Length (m)	Printability
CARBON-BLOCK						
CARBON BLOCK FOR ROLL-UP	white/grey	CB-2750	270	0,914 - 1,07	50	E L U
MULTILAYER						
PVC + PET	white/white matt	PW-2250	220	0,914 - 1,06 1,27	50	E L U
	white/grey matt	PG-2250				
	DOUBLE-SIDED texturised/smooth	PW-2750	270	0,914 - 1,07		
BACKLIT PVC + PET	opal diffuser	BL-2250	220	1,27 - 1,52		E U
PVC + PET + PVC STRUCTURED (double-side printable)	white / black / white blackout	HNG-4830	480	0,914 - 1,07	30	E L U
PolyFLAT						
LIGHT STOP PVC + PET + PVC	white/grey	PGS-3230	320	0,914 - 1,07- 1,27 - 1,37-1,60	30	E L U
BACKLIT PVC + PET + PVC	opal diffuser	BLS-3350	330	1,07	50	
BLOCKOUT PVC + PET + PVC	white / black / white	BKS-3350		1,07 - 1,27		
VINYLJET 100% recycled and recyclable vinyl For Roll-up, display and packaging						
VINYLJET 	clear gloss	VJ-23CG-1330	230	1,37	30	E L U
		VJ-32CG-1330	320		30	
	white matt	VJ-23WM-1330	230		30	
		VJ-32WM-1330	320		30	
	opal diffuser/ matt back	PVC-BL-1350-32	320		50	E L U
	satin	VJ-27ST-1330	270		30	E L U
GREEN AREA - FULL PET						
PET - BACKLIT 	opal diffuser/ matt back	PY-BL2130	215	1,07 - 1,27 1,52	30	E L U
		PY-BL1830	180	1,07 - 1,27 1,52	30	E L U
		PY-BL1550-52UL	150	1,52	50	L U

B1

PVC FREE



Printability: **E** Eco-solvent **L** Latex **L** Latex, test recommended **U** UV



Product	Finish	Product Code	Weight (g/m ²)	Width (m)	Length (m)	Technical data	Tensile Strength (N/5 cm)	Printability
INTERCAST PREMIUM BANNER								
PREMIUM FRONTLIT	matt	CT-FL510	510	1,12 - 1,37 1,60	30	20* 20 1000 D* 1000 D	2200/1900	E L U
				3,20	50			
	matt (DIN4102-B1)	CT-FL510-B1		1,12 - 1,37 1,60	30	36* 36 250 D*250 D		
				3,20	50			
matt	CT-FL560	560	1,12 - 1,37 1,60	30	28* 28 500 D*500 D			
INTERCAST BLOCKOUT	matt	CT-BK440	440	1,12 - 1,37 1,60	30	36* 36 250 D*250 D	1800/1030	E L U
		CT-BK610	610			28* 28 500 D*500 D	1850/1350	
MESH COATED	matt - with liner (DIN4102-B1)	CT-MS300- FR	300	1,12 - 1,37 1,60	30	12* 12 1000 D* 1000 D	1250/1100	
FUSION LAMINATED BANNER								
FUSION FRONTLIT LAMINATED	matt HIGH SMOOTH (indoor)	BL-FLHS-440	440	1,12 - 1,37 1,60	30/50	18* 12 300 D*500 D	650/590	E L U
				1,12 - 1,37 1,60				
	matt CROSS- WIND (outdoor)	BL-FLCW-440		1,12 - 1,60	50	9* 9 1000 D*1000 D	1590/1260	



Download our smart tips for Mesh!



Printability: **E** Eco-solvent **L** Latex **U** UV



M MAGNETIC

WHITE & BROWN ROLLS

Product	Finish	Product Code	Thickness (µm)	Width (m)	Length (m)	Pull (g/cm ²)	Features	Printability
MAGNETIC ROLLS - WHITE & BROWN								
<p>MAGNET WHITE PET UTRA-FLAT</p>	matt	PETMG-30-WM	300	1070 - 1270 1370 - 1600	30	8 - 10		E L U SC
	matt	PETMG-UL-30-WM	300	1070 - 1370	30	8 - 10		for direct printing with UV and latex flatbed, eco-solvent and screen
<p>MAGNET WHITE PVC</p>	matt	MGD-40-WM	400	500 - 1020	15	15 - 18	for flatbed and screen for sign packaging & display	E L U SC
		MG-50-WM	500	615 - 1000		18 - 22		
		MG-6160-WM	600	615	28 - 30	U SC		
		MG-10060-WM	600	1000				
		MG-85-WM	850	615 - 1000				
ANTI-GRAFFITI & REWRITABLE LAMINATION FILM IN POLYESTER	ultra clear gloss	LAR-0350	38	1070 - 1270 1370 - 1520	50	-	to make all the surfaces rewritable	
		LAR-0310-12		1200				
<p>BROWN MAGNET FOR LAMINATION & MOUNTING</p>	matt	MG-1004020-BR	400	1000	20	18 - 22	to be laminated and mounted with any printed adhesive media	
		MG-5020-BR	500	615 - 1000		28 - 30		
		MG-75-BR	750		15	40 - 44		
		MG-61100-BR	1000	615		55 - 57		



Discover how to print **magnetics** with ease!

Printability:
 Eco-solvent
 Latex
 UV
 Screen
 For lamination only



M MAGNETIC

SHEETS & PROFILES



Product	Finish	Product Code	Thickness (µm)	Size (cm)	Sheets (per box)	Pull (g/cm ²)	Features	Printability
MAGNETIC SHEETS – for screen and lamination with offset and digital printed media								
BROWN MAGNETIC SHEETS	brown	MBR-3550-40	400	35 * 50 cm	50	18-22	to be laminated with any offset or digital printed media	
		MBR-5070-40		50 * 70 cm				
		MBR-4462-40		44 * 62 cm				

1 PRINT




2 LAMINATE



DONE!



Product	Finish	Product Code	Thickness (µm)	Width (mm)	Length (m)	Pull (g/cm ²)	Features	Printability
MAGNETIC STRIPS								
BROWN MAGNETIC STRIPS WITH ADHESIVE (FOR POP-UP STRUCTURES)*	matt	MG-PA1530	1500	12,7	30	70	A-Pole (white liner)	-
				25,4		140	B-Pole (red liner)	



- TIPS&TRICKS**
- 1. Pop-up structures are usually equipped with B-pole strips. To mount the media, use A-pole strips.
 - 2. All magnetic sheeting and strips are isotropic and flame retardant.



Printability: **E** Eco-solvent **L** Latex **U** UV **SC** Screen



MAGNET&FERRO FOR PANEL AND WALL SET-UP

HOW TO PREPARE THE WALL FOR MAGNETIC COMBINATIONS

Product	Finish	Product Code	Structure	Thickness (µm)	Width (mm)	Length (m)	Pull (g/cm ²)	Features	Printability
MAGNET AND FERRO SELF-ADHESIVE ROLLS For professional applications									
MAGNET ADHESIVE	matt	MGSA-6150-BR	MAGNET brown with adhesive	500	615	20	28-30	to receive printed Ferro Film	-
		MGSA-6015-BR			615 - 1020	15	34-36		
		MGSA-10260-WM	MAGNET white PVC with adhesive	600	1020		28-30		
FERRO ADHESIVE		MGSF-SA-10250-BR	FERRO brown with adhesive	500	1020	15	-	to receive printed Magnet Film	
		MGSF-SA-10260-WM	FERRO white PVC with adhesive	600					

1. We highly recommend to clean wall or panel surface carefully, to ensure the best performance of the self-adhesive backing.
2. The wall or panel surface must be completely dry.
3. Use of a heat gun is recommended in order to soften the compound, revive the glued backing and improve the overall adhesion of the film to the designated surface.

Product	Finish	Product Code	Structure	Thickness (µm)	Pull (g/cm ²)	Size (cm)	Sheets (per box)	Features
MAGNET SHEETS Self-adhesive, easy to apply								
SELF-ADHESIVE MAGNET SHEETS	brown	MGSA-30-FM	Magnet brown with foam adhesive	500	28-30	30*60	50	to easily install magnetic walls and display on irregular surfaces
						30*45	30	to be combined with Mr. Magnus Ferro on irregular surfaces
		MGSA-30-BR	Magnet brown with adhesive	600	34-36	30*60	50	to easily install magnetic walls and display
						30*45	30	to be combined with Mr. Magnus Ferro

Product	Finish	Product Code	Litre (l)	Weight (kg)	Features	
FERRO PAINT Magnetic receptive coating for walls and panels						
	FERRO PAINT	black matt	PAINTWALL-08	1 L / can	1,6	to receive printed magnetic film

WHERE TO USE:

Retail environments, classrooms, children's rooms, kindergartens, bedrooms, offices, recreation centres, museums, furniture surfaces, kitchens, bars and restaurants, etc.



PRODUCT FEATURES:


1. The ferro paint is not magnetic. It is magnetic receptive
2. 100% water based, easy to apply and easy to clean
3. Low odour, no VOC, non-toxic and lead free
4. Will not cause interference with electronic devices





Note:

The ferro paint, used as a primer, cannot hold heavy magnets. It is best suited to flexible magnets with a large contact surface, like magnetic cards and flat fridge magnets. Clean the can and application tools with water and store the paint at a temperature between 0°C and 50°C. Avoid direct sunlight.

THE RIGHT WAY TO CHANGE YOUR WALL DECORATION QUICKLY & EASILY

Product	Finish	Product Code	Structure	Thickness (µm)	Width (mm)	Length (m)	Features	Printability
FERRO FILM Rolls for Digital Printing and multiple overlapping								
FERRO FILM (ferrous) 	matt	PET-FSV20	white PET	200	1070 - 1270 1370 - 1620	30	to be printed and applied on magnetic surfaces (multiple overlapping) display and packaging	E L U
		PP-FSV24	white PP	240	1070 - 1370 1620	30		L U
		PPF-UL	white PP latex-UV		1370 - 1620	50		

Product	Finish	Product Code	Structure	Thickness (µm)	Width (mm)	Length (m)	Pull (g/cm ²)	Features	Printability
MAGNET FILM Rolls for Digital Printing and overlapping									
MAGNET FILM 	matt	PETMG-30-WM	MAGNET WHITE PET ultra FLAT	300	1070 - 1270 1370 - 1600	30	8 - 10	 to be applied on the Ferro Wall	E L U SC
		MGD-40-WM	Magnet WHITE PVC for Digital & Screen Printing	400	500 - 1020	15	15-18		L U SC
		MG-50-WM		500	615 - 1000	15	18-22	U SC	
		MG-60-WM		600	615 - 1000	10/15	28-30		



Find out how we produce Magnet & Ferro!



Printability: **E** Eco-solvent **L** Latex **U** UV **SC** Screen



Download our smart tips for Mr Magnus!



THE DIGITAL PRINTING SHEET | Laser, Desktop Flatbed and Screen



A3 PLUS RANGE

Product	Finish	Product Code	Thickness (µm)	Weight tot. (g/m²)	Sheets size(cm)	Sheets (per box)	Features	Printability
WALLY White with Nano-Dots	white matt PET	WALLY-WM-4632	190	215	A3 Plus 46x32	150 (5 boxes with 30 sheets each)	for removable graphics, postcards & posters, educational tools, advertising, no shrinking, high stability	
WALLY Clear with Nano-Dots	transparent PET	WALLY-CG-4632		235				
DOTTY White PET	white matt PET	DOT-PETWM-4632	160	210				
NANO-TACK [®] CLEAR	transparent PET	NANO-CG-4632	190	235				
NANO-TACar	white matt PET	NANOCAR-WHT-4632	210	255				for removable graphics on vehicles
PET BACKLIT	PET backlit matt/gloss back	PET-BL-4632	125	200			for backlit displays in real estate agencies, reception areas and vending machines	U
Double-sided WHITE PET	Double-sided white matt PET	PET-WW125-4632	125	200			for product descriptive bands	L
		PET-WW180-4632	180	260			for product tags and mini roll-ups	
Magnet White PET (Pull 8-10)	matt	PET-M-4632	300	725			for product tags and countertop roll-ups.	SC
FERRO PAPER		PAPER-F-4632	330	630			to be printed and applied on a magnetic wall	
FERRO White PET		PET-F-4632	300	650				
TAP Self-adhesive Polyester		TAP-WM27-4632	350	370	ideal for gadgets & giveaways, wall covering & advertising			
		TAP-WM27R9-4632			ideal for fashion design, floorgraphics, social distancing, wall decoration in prestige stores			
WALLY DRY ERASE WHITEBOARD Nano-Dots technology	rewritable white gloss PET	WB-4632-RE	200	225	ideal for offices and co-working spaces, easy to apply on glass and smooth surfaces, easy to remove	not for printing - for erasable markers		

COMBINABLE WITH U

Product	Finish	Product Code	Thickness (µm)	Size (cm)	Sheets (per box)	Pull (g/cm²)	Features
---------	--------	--------------	----------------	-----------	------------------	--------------	----------

MAGNET SHEETS WITH SELF-ADHESIVE | for Ferro Film

MAGNET brown with adhesive foam	brown	MGSA-3045-FM	500	30*45	30	28-30	to be combined with Mr Magnus Ferro on irregular surfaces / to give any print magnetic properties
MAGNET brown with adhesive		MGSA-3045-BR	600			34-36	to be combined with Mr Magnus Ferro / to give any print magnetic properties

CERTIFIED BY



TESTED ON



*Mr Magnus[®] Collection complies with the strictest European regulations in terms of safety, pollution and the environment.



Printability: **T** Toner **U** UV **L** Latex **SC** Screen

Watch our Mr Magnus sheets in action!



THE SHEET FOR **DIGITAL OFFSET** | Traditional Offset, Screen and Flatbed

Product	Finish	Product Code	Total Thickness (µm)	Frontal Thickness (µm)	Weight tot. (g/m²)	Sheets size (cm)	Sheets (per box)	Features	Printability
DIN-B2 (50x70 cm) e DIN-B1 (100x70 cm) RANGE									
NANO-TACK® PP White	matt	OD57-NTACKW-PP	240	190	195	50x70	200	ideal for gadgets and removable graphics, magnetic postcards & posters, educational tools, advertising.	OX OV L U SC
		OD10070-NTACKW-PP				100x70	125		
NANO-TACK® PET Clear	ultra clear gloss PET	OD57-NTACKC-PET	190	245		50x70	200		
		OD10070-NTACKC-PET				100x70	125		
WALLY White with Nano-Dots	white matt PET	OD57-WALLYW-PET	190	140	245	50x70	200		
		OD10070-WALLYW-PET				100x70	125		
WALLY Clear with Nano-Dots	clear gloss PET	OD57-WALLYC-PET				50x70	200		
DOTTY PP White air release glue dots	matt	OD57-DOTTYW-PP	170	100		130	50x70		
		OD10070-DOTTYW-PP			100x70		125		
DOTTY PVC White	white matt	OD10070-DOTTYW-PVC	240			260	100x70	125	OV L U SC
DOTTY PVC TRANSPARENT	transparent PVC	OD10070-DOTTYC-PVC	240		100	260	100x70	125	U SC
SHOP SIGN	matt	OD57-SHOPSIGN-R10	440	270	400	50x70	125	INDOOR APPLICATIONS on floors: shopping centres, fairs, stations, airports. OV L U SC	
Magnet PAPER (Pull 8-10)		OD57-MAGW-PAP	320	170	630	50x70	100	ideal for gadgets and removable graphics, magnetic postcards & posters, educational tools, advertising. OX OV L U SC	
FERRO VARNISH PAPER	matt	OD57-FERRO-PAP	180	110	320	50x70	200		
		OD10070-FERRO-PAP	440	270	400	100x70	75		
FERRO VARNISH PP		OD57-FERRO-PP	220	150	320	50x70	200		

COMBINABLE WITH

Product	Finish	Product Code	Thickness (µm)	Sheets size (cm)	Sheets (per box)	Pull (g/cm²)	Features
BROWN MAGNETIC SHEETS for lamination with offset printed media Self-adhesive Magnet - Not for print							
Brown magnetic SHEETS	matt	MBR-3550-40	400	35*50	50	18-22	for lamination only with any Digital printed media
		MBR-5070-40		50*70			
		MBR-4462-40		44*62			
MAGNET BROWN with adhesive foam	brown	MGSA-30-FM	500	30*60		28-30	to easily set up magnetic bases on uneven surfaces
MAGNET BROWN with adhesive		MGSA-30-BR	600		34-36	to easily set up magnetic bases	

IMPORTANT NOTICE:

- The picking of the sheet from the ream must happen in the presence of specific separators and of multiple ionised airflows which allow the sheet to be detached and then fed into the subsequent printing stations with ease. The resulting ionised air cushion generates an anti-static field able to neutralise static charges on synthetic sheets, simplifying both the printing and the stacking phase.
- The total thickness shown in the chart includes the layer, the glue and the liner (if present).

✓ All the above products are also available in sample box and bulk pallet.



Printability: Latex UV Screen Offset Oxidizing inks Offset UV inks Indigo - test recommended



MR BORDON

Watch the preview of Mr Bordon range!



THE DRY ERASE WHITEBOARD RANGE FOR ANY SURFACE

Product	Finish	Product Code	Thickness (µm)	Width (mm)	Length (m)	Features	Rewritable with
WALLY WHITEBOARD with Nano-Dots technology							
WALLY WHITEBOARD with Nano-Dots technology 	rewritable white gloss	WB-W12010-RE	200	1200	10	ideal for offices and co-working spaces, easy to apply on glass and smooth surfaces, easy to remove	 erasable markers
		WB-4632-RE		46x32 cm 150 sheets per box			
MAGNETIC WHITEBOARD Self-adhesive for wall application							
SELF-ADHESIVE MAGNETIC WHITEBOARD	rewritable white gloss	WB-M12010-RE	600	1200	10	ideal for schools, kindergartens and offices - pull 16-18 (g/cm ²)	 erasable markers
SELF-ADHESIVE MAGNETIC WHITEBOARD FOR PROJECTIONS	rewritable white matt for projections	WB-MM12010-RP				projectable magnetic film for dynamic business slideshows, speeches and lectures pull 16-18 (g/cm ²)	
FERROUS WHITEBOARD magnetic receptive							
SELF-ADHESIVE FERROUS WHITEBOARD	rewritable white gloss	WB-F12010-RE	600	1200	10	ideal to create ferrous rewritable whiteboards for schools, kindergartens, offices and hospitals	 erasable markers
ACCESSORIES							
ANTI-GRAFFITI & REWRITABLE IN POLYESTER 	ultra clear gloss	LAR-0310-120	38	1200	10	to make any surface rewritable	 erasable markers

OFFICES • CO-WORKING SPACES • EDUCATIONAL TOOLS • SEMINARS • SMART WORKING



TOOLS & Tapes



Product	Colour	Product Code	Thickness (µm)	Width (mm)	Length (m)	Piece/box	Applications
MULTI-FUNCTION TOOLS & TAPES							
TWO TACK® TAPE	transparent PET	TWOTACK-05-10	65	50	10	1	for quick application and repositioning of double-sided images, postcards, frames small objects
		TWOTACK-05-50			50		
TWO TACK® FOAM	transparent PET+ black FOAM	TWOTACK-0510-FM	865	50	10	1 box/ 235 labels	for quick application and repositioning of double-sided images, postcards, frames, small objects on uneven surfaces
		TWOTACK-0525-FM			25		
TWO TACK® kiss cut	transparent PET+ black FOAM	TWOTACK-3550-FM235	865	60	LABEL 35*50 mm	1 box/ 235 labels	for quick application and repositioning of double-sided images, postcards, frames, small objects on uneven surfaces
		TWOTACK-3550-FM				1 box/ 700 labels	
TWO TACK® JELLY	clear	TWOTACK-02530-JL	1000	25	3	1	glue-free, washable and reusable, high tack. Rapid application of double-sided images, postcards, pictures and small objects on uneven surfaces.
TWO TACK® OPTI-CLEAR	PET transparent clear effect	C-2TAPE-05-30	180	50	30	1	lamine the permanent glue side on the print / apply the Nano-Dots side on the glass
FORZA FASTENER	black	FZ-FASTENER-255	4,7 mm	25	5	1	high-performance, double-sided adhesive foam hook & loop fastening system
REVERSO	black STRAP	REVBLOCK-2020-25	1350	20	20 cm	25 pc each	reusable fastening clamps
		REVBLOCK-2020-100				100 pc each	
	black TAPE	REVTAPE-BLACK-1325	13	25	1	reusable fixing tapes with customisable length	
		REVTAPE-BLACK-2025	20		1		
TRANSTAPE 130	trasparent	TRANSTAPE-130-2550	130	25	50	1	double-sided permanent acrylic transfer adhesive for banner joining
PAPILLON	white polyester	PAPILLON-0704	-	70*40mm		100 pc each	adhesive eyelet for banners
CUTTING TOOL	-	CUTTING-TOOL8	-	Ø 8mm hole		1	cutting tool to be used in combination with PAPILLON
PEEL-GRIP	black	PEELGRIP-4025	130	-	LABEL 40*25 mm	500 pc each	adhesive tabs for easy removal of protective liners
		PEELGRIP-2018			LABEL 20*18 mm	1000 pc each	
CROCHET	white	CROCHET-1925GD  other formats available on request	650 my per label	-	LABEL 19*25 mm	700 pc each	"hook & loop" fixing system in easy labels

TWO TACK®

FORZA FASTENER

PEEL-GRIP

CROCHET




PAPILLON

REVERSO - BLACK STRAP

TRANSTAPE

TWO TACK® JELLY





AREvita®

Watch Revita-Tack Puro clip!



Product	Finish	Product Code	Weight (g/m²)	Width (m)	Length (m)	Applications	Printability
100% RECYCLED, 100% RECYCLABLE, 100% GREENLIFE PRODUCTS							
ARTISTIC	havana	RE-ART137-30	330	1,37	30	natural fibres, for multi-purpose and wall decoration	L U D
PURO	white	RE-PURO-30	210	1,07 1,37 1,60		polyester 100% recycled & recyclable for multi-purpose and wall decoration	E L U D TS
REVITA TACK PURO	fabric effect	RE-TACK-PURO137-25	530	1,37	23	100% recyclable, bubble-free, removable, textile feel (also for walls)	E L U D
BANNER	matt / grey back	RE-BANN112-50	170	1,12	50	PE - Polyethylene high tear resistance, for outdoor	U



Guandong and AREvita support 4Ocean in its efforts for **conservation** and the **clean-up** of the world's **oceans** and **seas**.

🔥 Printability: D Dye Pigment, test recommended TS Transfer Sublimation L Latex U UV E Eco-solvent



TAILOR-MADE SERVICE

- 1 CUSTOMISATION
- 2 KISS CUTTING
- 3 TAPE LAMINATION
- 4 PUNCHING
- 5 ASSEMBLING



JUST FOR YOU

HOW IT WORKS

- 1 Designate a Guandong product
- 2 Select the service
- 3 Get in touch with our Customer Care
- 4 Obtain your TAILOR-MADE product!



Know everything about our financial solutions!



FINANCIAL SOLUTIONS FOR YOU



Take advantage of the **Trust Card!**



TrustCard

Card value options: € 500, € 1000 or € 2000.

Available in unlimited quantities.

You can pay for them by bank transfer or credit card.

Have a look at the chart below to find out the **value of the goods** that you will be entitled to purchase, as well as ***free direct shipments** (see rules below) which are directly related to the size of the cards you choose.

SIZE (€)	VALUE OF GOODS (€)	FREE SHIPMENTS*
2000	2300	2
1000	1100	1
500	550	-

*valid for orders and deliveries confirmed by 31st December 2021 (excluding rolls wider than 2.20m)

5% FINANCIAL DISCOUNT

Do you want to pay up front?

You can get an **immediate 5% discount** through your trusted Guandong distributor.

5% DISCOUNT CREDIT CARD

Do you want to pay up front by credit card?

You can obtain an **immediate 5% discount** through your trusted Guandong distributor.

(the card is charged, on average, after around 30 days)


RESCHEDULING 6 INSTALMENTS

Do you want to split your order into 6 installments starting from the subsequent month?

We will divide up the amount into **6 monthly instalments at most** with an increase of 1%, first instalment 30 days after the order. Get additional details from your trusted Guandong Distributor.

General conditions: all values are net of transport and allowances. Not valid for special conditions or against promotional items. Valid at any Guandong distributor participating in the initiative and subject to prior credit assessment. Conditions are subject to change without prior warning.

PROMOTIONAL VIDEOS & TUTORIALS



Official YouTube channel **Guandong Italia Srl**



FOCUS ON MATERIALS



TUTORIALS



PRESENTATIONS



"A coffee break with Guandong" Webinar

40+ hours of free educational training with our experts **#TheSpecialitieSpecialist**



GUANDONG APP

Become the **Specialist**
of **Visual Communication!**



This is the app we created to **grow your business**, wherever you are: our **catalogues**, our out-of-the-box **solutions**, our **news** to always stay updated, our bespoke **services** and even our supportive **team** are always available at your fingertips!



Scan, download and **#BeTheSpecialist** 



 App Store



 Google Play

when _____

who _____

what _____



#guandongitalia



IDEAS AND PROJECTS

PROJECT:

MATERIALS AND SOLUTIONS:

QUESTIONS FOR #TheSpecialitieSpecialist



PROJECT:

MATERIALS AND SOLUTIONS:


QUESTIONS FOR #TheSpecialitieSpecialist



Guandong
theSpecialitieSpecialist



Part of ELVI HOLDING

 **GUANDONG HQ - Milan - Italy**
S.S. 415 Pauledse Km 10
20049 Caleppio di Settala

Shanghai Branch Office
Decor Lab *Creative Centre* - Milan
NOD Maker Space - Bucharest



+39 02 89785988



info@guandong.eu



www.guandong.eu

follow us on   

Download Guandong app



#guandongitalia

Partners & Membership:

