



MIX & MATCH LED SIGNS

A to Z

# MIX & MATCH LED SIGNS

## A to Z

### What is mix and match LED signs?

We developed series of molds of alphabetic letters from A-Z both capital and lowercase, numeric 0-9, bunch of symbols like “@”, “#”, “&” etc., and all of them are LED lighted from within. Above all, you can free match whatever signs or words you wanted.


### Where our mix and match LED signs apply to?

Exhibition booth, supermarket, mall, shops, schools, government buildings, hospitals, conference, party, and to be used as service recognition, display props, advertising signage, shop front, price tag, brand reminder, counter display, backdrop display, window display, outdoor display, removable display.....



## What are our advantages compared to custom signs?

- Ready-made and quick delivery;
- Multiple DIY installation choice: hang from ceiling, install to wall or furniture, stand on counter or in window, removable magnetic system, etc.;
- Wide range of applications;
- Outdoor and indoor solutions;
- Multiple color choice: white, red, blue, green, yellow, orange and pink etc.;
- Multiple size choice: from H20mm to H500mm, etc.;
- Multiple safety regulation compliance like CE, UL, RoHS, FCC, BIS, etc.
- Above all, we have huge cost advantage compare to other manufacturers all over the world




### ■ Installation choice 1: Trapezoid counter display

Optional Size: W450 / W550 / W650 / W750 / W850 / W950 mm

DC Output: DC12V

Optional Color: 




### ■ Installation choice 2: Oval counter display

Optional Size: W450 / W550 / W650 / W750 / W850 / W950 mm

DC Output: DC12V

Optional Color: 




### ■ Installation choice 3: Magnetic counter display

Optional Size: H20mm

DC Output: DC12V

Optional Color: 






#### ■ Installation choice 4: Suspension installation

Optional Size: W950 / W1150 / W1350 mm

DC Output: DC12V

Optional Color: 




■ Installation choice 5: Shelf/shopfront installation

Optional Size: W950 / W1150 / W1350 mm

DC Output: DC12V

Optional Color: 



■ Installation choice 6: Board display with magnetic and trolley system

Optional Size: H1800 mm

DC Output: DC12V

Optional Color:







■ Installation choice 7: New suspension system

Optional Size: 300 \* 600~900 mm

DC Output: DC12V

Optional Color: Fonts:           

LED Light Frame : 




■ Installation choice 8: Board display with magnetic system

Optional Size: H300 mm

DC Output: DC12V

Optional Color:           




■ Installation choice 9: Ground free-standing display

Optional Size: H350 mm

DC Output: DC12V

Optional Color: 





## ■ Installation choice 9: Wall installation

Optional Size: H300 x n mm

DC Output: DC12V

LED Letter Optional Color:



Optional fonts:

1.Arial  
AaBbCcDdEeFfGgHhIiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz & 0123456789.....

2.Gulim  
ABCDEFGHIJKLMNopQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz & 0123456789 .....

more...

Size (Height): mm

H20	H30	H40	H50
H75	H100	H125	H150
H175	H200	H300	H400
H500	more...		




Optional color:

10000 K White	4511 TF Pink	4506 TF Red	4504 TF Chrome Yellow	4543 TF Pumpkin Orange	4507 TF Light Green	4533 TF Meadow Green
		more...				
4531 TF Aqua	4518 TF Reflex Blue					







Special film patterns

net patterns	3635-0171 3M Semi-transparent black




Color Film

Materials and tooling inside our package:  
1.color films;  
2.plastic spade

<p>User's manual</p>  <p>Step 1: remove the protection from the film</p>	 <p>Step 2: mix water and dishwashing liquid (20:1), and sprinkle it to both channel letter and film</p>
 <p>Step 3: Stick the channel letter to the film</p>	 <p>Step 4: turnover</p>
 <p>Step 5: Use the plastic spade to remove air bubbles (pressing from middle to edges)</p>	 <p>Step 6: Remove the extra parts of the film carefully by utility knife</p>

AC/DC Adapter

MODEL : abc-1201000-D  
INPUT : 100-240 V ~ 50/60 Hz 2.5A  
OUTPUT : 12V  $\overline{\text{---}}$  10A  $\ominus\text{---}\oplus$



User's manual

Step 1: remove the plastic cover

Step 2: Insert the channel letters into the track one by one

Step 3: Insert the power cable into the track (becarefull don not mistake the positive and negative);

Step 4: Fixing the plastic cover back

Step 5: Connect the cable to adaptor



Please use adaptor already complied with local regulations to avoid injury.

Optional Silver Stickers


A B C D E F G H I J K L M N O P Q R

S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9


@ / % . , ' ? ! \* - < > → ↵ 📍 ✉ 🌐 📞 ✓




User's manual




Step 1: clean and dry the aluminum base



Step 2: Take off the silver letters;



Step 3: Stick the letters to the base;



Step 4: remove the protection


# Contact

 (86)755-29885829

 (86)755-29885819

 [info@abcmix.com](mailto:info@abcmix.com)

 [www.abcmix.com](http://www.abcmix.com)

 Bld 5, Alley 2, Rd. Jia Zi Tang,  
Jia Zi Tang Community,  
Feng Huang Str., Guangming  
District, Shenzhen, PRC.