

PRODUCT SELECTOR


A-Z DIRECTORY

MARWOOD
NON-MECHANICAL PLANT HIRE, SALES & SERVICE

WELCOME

MARWOOD PRODUCT SELECTOR

The Marwood Product Selector has been specifically designed to help you get the most out from our brochures. All Marwood products have been broken down into four main categories: Goods Handling & Forklift Equipment, Crane Accessories, Groundworks & General Plant, Roads & Fencing.



Please ring your local depot for a full brochure pack.

If you are new to Marwood Group Ltd then let me explain that we have over 30 years experience in our chosen field of the Hire and Sale of Non-mechanical Contractors plant.

With our unrivalled knowledge and commitment to carry nationally the very best quality stocks of equipment, I am sure you will find our service second to none.

Being quality assured to ISO 9001: 2008 and having gained Achilles Building Confidence, Link-up and UVDB Accreditations, hopefully shows our commitment to delivering a very high quality service at all levels.

Our brochures are designed to be highly informative and help you make the right decisions to fulfil any Non-mechanical plant requirements that you may have. All our operatives are highly trained and versed in our product ranges and we can even help you source those plant items that we do not cover in our standard range.

We aim to take the stress out of sourcing the right equipment for your contract, hopefully these brochures together with our website can help you find not only the right equipment but the right service to deliver to you peace of mind.

Jeff Gold - Sales Director

MARWOOD PRODUCT SELECTOR

The products and services we offer and detail in this brochure are designed to bring real benefits to you. Every item of plant is carefully chosen for its quality and suitability to make a genuine contribution towards more efficient and safer working. As a specialist plant company we can concentrate and focus on our range whilst offering you our expertise and unrivalled resources. From our regional depot network we can offer you the first class, reliable and competitively priced service you need. Visit www.marwoodgroup.co.uk for the latest news and views from the Marwood website.

TO OPEN AN ACCOUNT

Opening a credit account couldn't be easier. Simply download a credit account application form from our website or request an application form from one of our depots or area representatives. Your credit account could be open on the same day as application.*

**Subject to credit status*

NON-ACCOUNT CUSTOMERS

If you cannot open or do not wish to open a credit account then Marwood Group Ltd can offer a Cash Hire** or Cash Sale transaction. We take most credit cards; accept bank transfers, cheques and cash however in most instances we will request cleared funds before delivery of any goods.

*** Cash Hires are subject to deposits payable before the commencement of hire*

ELECTRONIC INVOICING

In an effort to help reduce customers administration costs, Marwood Group Ltd can offer credit account customers the benefit of Electronic (Paperless) Invoicing. Please contact one of our depots or your Marwood Group Ltd area representative to help set up this cost saving advantage.

Full details can be found on our website www.marwoodgroup.co.uk

Marwood Group Limited has a policy of continuous improvement and reserves the right to change product specifications and prices without prior notice. E. & O.E. Where required, plant is supplied with a current test and inspection certificate. All plant fully conforms to Health and Safety regulations.

Marwood reserve the right to change specifications without notice. All weights and dimensions quoted are nominal.

© Marwood Group Ltd 2017

Acrow Props

An economic and popular method of supporting load bearing structures in the building and construction industry. Ideally suited to all kinds of building and repair works. Available sizes: 0-4.

Alite Box

Designed for utility, drainage, gas and communication contracts. The Alite Box is an easy to use, portable light trench work system suitable for trench widths 700mm to 1700mm and depths up to 1200mm. Alite Box meets all the safety requirements of the latest British and European standards BS EN 13331.1, 2.2002 and BS EN 13374:2013



Alsipercha System

The Alsipercha System provides total safety when placing decking panels, edge protection, slab edges, stop ends and generally all situations that may arise during form working processes, where there is risk of a fall from height. Can also be used to prevent falls when unloading vehicles.

Arrestor Bed Fall Protection System


Designed for use inside buildings during construction where the air bags will be enclosed by walls or partitions. Reduces the fall potential of operatives working at height providing a cushioned landing.

Bag Lifter

The 4-point crucifix bag lifter has been designed to lift and transport sand / stone bags safely and securely.

Baulk Timber

Used for such tasks as traffic demarcation and protection around the base of scaffolding, Baulk Timber comes in random lengths. Whilst every effort is made to supply a customers exact requirements, when timber is being hired it may be necessary to amend the order according to lengths available.



Block Grab

Specifically designed for the gripping and transportation of vertically steel strapped packs of paver blocks, kerb stones and wall blocks. Available opening width from 600mm - 1100mm & 700mm - 1200mm. A box type net is supplied as standard with all hire fleet block grabs.



Block Grab Fork Lift Adaptor

Replaces lifting eye on block grab. Fits over forks and is positioned at centre of fork load point (normally 500mm - 600mm).

Boat Skip

Used for general site clearance or muck removal. The main advantage of this type of skip is the comparatively low loading height compared with a conventional muck skip. Available sizes: 500ltr - 4000ltr.

Bottom Discharge Skip

Designed to save time and improve safety. Suitable for most forklifts and ideal for use on construction sites without crane facility. When fitted with castors these units become a practical way of removing site waste from the inside of buildings etc. Available sizes: 1000ltr - 1500ltr.



Cargo Nets (Sale Only)

We are able to supply a wide range of Cargo/Lifting nets. All nets are fully tested and supplied with the correct certification. These nets are particularly suitable for moving lightweight bulk items such as insulation materials. Available sizes: 1.5m x 1.5m, 3.0m x 3.0m, 5.0m x 5.0m & 3.0m x 3.0m (45mm mesh)

Chemical Store & Flame Store

Safe and secure heavy duty storage for chemicals and dangerous substances. Fitted with 2 Chubb dead locks. Available sizes: 5 x 4 x 3 & 4 x 3 x 2.

Column Skip

Column skips are designed to allow concrete to be poured into columns or shuttering with narrow or difficult access and discharged at low level, reducing the risk of aggregate separation. Available sizes: 500ltr - 2000ltr. Optional Extra: 2.5mtr & 5mtr Rubber Hose & Clamp (Sale Only).



Column Skip Hose (Sale Only)

8 / 200mm inside diameter heavy duty rubber discharge hose c/w clip for use with column skips etc. Available in 2.5m and 5m length.

Concrete Barrier System

The 3.5m Spengler Concrete Crash Barrier System is a system with a H1 impact level and W7 working width which has been tested in accordance with DIN EN 1317-2. It has also been tested by MIRA UK to containment levels N1 and N2 and working width W3 and W5 respectively. The system is used as a free standing and permanent system without any backing. Dimensions: 3500mm (L) x 610mm (W) x 810mm (H).

Concrete Security Barrier (Sale Only)

Constructed with pre-cast grooves on the bottom of the structure enabling easy handling using a forklift. These Concrete Safety Barriers are ideal for many uses including temporary road blocks, channelling traffic and earth retention. Barriers can be painted or warning signs attached. Dimensions: 2500mm (L) x 810mm (H) x 610mm (W) & 3000mm (L) x 1000mm (H) 670mm (W).

Cone Flow Skip

General purpose skips with small shutter opening and low loading height. When in use, the skip will hang at an angle of between 30-40 degrees. This offset can be useful when pouring in areas with difficult access. Fitted with a gear shutter and two operating wheels for a controlled pour. Available sizes: 500ltr - 1000ltr.



Cone Bar (New Product)

Retractable cone bars easily installed on a range of safety cones to create a solid pedestrian barrier. Used in construction sites, pedestrian areas and parking spaces. Can also be used for crowd containment at public and sports events. Two sizes available.



Concrete Safety Barrier (V28)

Manufactured from high quality reinforced concrete and conforms to all current highway works regulations. Used to create a safe working zone between live traffic lanes and maintenance operatives or plant. Intermediate: 800mm (H) x 450mm (W) x 3000mm (L) & Terminator: 150mm/800mm x 450mm (W) x 3000mm (L).

Continental Separator & Hurdle (Sale Only)

Can be filled with either water or ballast with easy to assemble jigsaw fixing. Lightweight for easy transportation and positioning yet sturdy enough for use in permanent situations. The 1m Continental Separators can form a round-about with a diameter of 4.5m upwards. Also available is the Continental Hurdle, which when used with the 1m Continental separator, height increases from 600mm to 1000mm.



Available sizes: 1000mm (L) x 600mm (H) x 370mm (W) & 2000mm (L) x 800mm (H) x 450mm (W)

Crane Forks

For use with lifting appliances for the safe movement of pre-wrapped or palletised bricks / blocks. Adjustable forks to suit pack or pallet opening. Unit is self-levelling due to the double barrel spring action. A box type safety net is supplied with all hire fleet crane forks.



Davit Arm Recovery System

A simple, robust, demountable steel cantilevered lifting beam system designed to be fitted to box systems (manhole & trench) and steel piles (including larger trench sheets) to support the fall arrest and rescue recovery winch. Two types available.

Delta Bloc

Ideal for temporary or permanent protection of construction site work areas. Designed and tested to BS EN 1317-1&2: 1998, this traffic barrier system provides protection to containment level N2. Dimensions: Intermediate 4000mm (L) X 800mm (H) 600mm (W) & Taper 4000mm (L) 170mm-800mm (H) 300mm-600mm (W)



Delta Bloc Grab

A purpose designed twin scissor grab suitable for handling Delta Blocs®. This versatile unit is also suitable for handling a wide range of other longer concrete products or panels. Two types available.

Diamond Barrier (Sale Only)

One piece pedestrian barrier, feet can be rotated 90 degrees to allow for easy stacking and storage. Dimensions: 2000mm (L) x 1000mm (H).



Drip Trays (Sale Only)

A full range of spill and drip trays manufactured from 100% polyethylene are available for use with chemicals and oils.

Drop Chain

Drop chain increases the movement and ease of operation of kerb stone and paving products whilst offering increased safety for head protection and reduces manual lifting risks. Ideal for use with all kerb stone lifters, concrete skips, lifting grabs etc. Available sizes: 1mtr, 1.5mtr & 2mtr.

Edge Protection

Marwood's Edge Protection is a lightweight steel barrier system designed to provide perimeter edge protection to any excavation. Available in a variety of sizes with fixed clamps allowing it to be used in conjunction with the other Marwood trench & manhole boxes.

Ekki Mats/Pipeline Mats

These mats are suitable for rubber tyred vehicles and can be used to support evenly distributed weights of up to 21 tonne for 3metres and 35 tonne for 5metres depending on ground conditions. Available sizes: 3m x 1m x 70mm, 5m x 1m x 70mm, 5m x 1m x 150mm and 6m x 1m x 200mm.

Europakones (Sale Only)

Tough, durable, flexible and come fitted with a prismatic sleeve manufactured to the relevant BS and EN standards, other sleeves are available on request. Supplied in two sizes.



Ex Hire Stock (Sale Only)

All come with the issue of a certificate on full completion of works carried out, for further details including price & availability contact your local depot.

Excavator/Crane Mats - Light & Heavy Duty

Used to provide access for both rubber tyred and tracked vehicles to areas with difficult ground conditions. They are also used to reduce axle weight pressures and reduce the risk of damage where access is required over underground services. Available sizes: 6m x 1m x 300mm & 6m x 1m x 200 & 5m x 1m x 150mm..

Extending Jib

Converts a standard forklift to give a single point lift allowing loads to be lifted from otherwise inaccessible areas. Adjustable length jib and multiple hook attachment points, supplied with swivel hook and a maximum 1500kg WLL subject to stability and capacity of fork truck being used.



Extension Forks

A fast efficient way of handling lightweight loads in bulk. Extensions are 1800mm long and are designed to slide over a standard 100mm wide fork.



Forklift Concrete Skip

Full size aperture for easy loading and can be discharged by the machine operator without dismounting. Available as 400/500L capacity.

Forklift Crane Hook

Fits over forks and is locked in place by two retaining pins located behind the heel of the forks. When correctly positioned this gives a 600mm/470mm load centre. Available as 2.5 & 4 tonne capacity.

Forklift Muck Skip

Saves time and improves safety. Suitable for most forklifts and ideal for use on sites without craneage facility. Available sizes: 500ltr - 1500ltr. Castor wheels are optional extras.



Forklift Platforms

When used with a fork lift truck, these units provide a safe working environment for personnel who have the need to work at height. Available as One Man and Two Man Forklift Platforms. Dimensions: 600mm (W) x 1920mm (H) x 920mm (D) & 1220mm (W) x 1930mm (H) x 754mm (D).

Frost Blanket (Sale Only)

Provides protection to your winter poured concrete. Made from closed cell expanded polyethylene foam, these blankets are hardwearing and reusable.

Gas Bottle Carrier

A safe method of transporting gas bottles on site and comes with lifting eye and top mounted fork channels. Dimensions: 1950mm (H) x 960mm (W) x 635mm (D).

Gas Bottle Storage Cage

Gas cages are an ideal form of on-site secure storage for bottled gas. Supplied ready assembled or flat packed. Standard sizes: 2000mm x 2000mm x 2000mm, 2000mm x 2000mm x 1000mm & 1000mm x 1000mm x 1000mm. Other sizes available upon request.

Gas Bottle Trolley

A safe method for transporting gas bottles on site, either by lifting eye or by the fork mounted channels located on the bottom. Dimensions: 1040mm (D) x 595mm (W) x 1925mm (H).



Geared Rollover Skip

Initially designed for pouring walls but can be used in any situation where the skip access needs to be tight to scaffold. Especially useful when low loading aperture is required. Fitted with a geared shutter and twin operating wheels for controlled discharge. Available sizes: 500ltr - 2000ltr.

Geared Twin Flow Skip

A versatile general purpose skip which can be used in either bottom or side discharge configuration. This skip has the added advantage of a gear operated clam shell type shutter. Available sizes: 1000ltr - 2000ltr.

Goal Post

A lightweight GRP (non-conductive) telescopic red and white post which conforms in full to the "GS6 avoidance of danger from overhead electric power lines". The system is easily transported to and around site. Assembly to full carriageway clearance height can be achieved in minutes by one person. Telescopic Cross Bar/Bunting (Sale Only).



Goods Carrying Cages 1.5T & 3T

A secure method of transporting equipment and materials to and from high level or across site using a crane or a forklift. Two sizes available: 1330mm (H) x 1639mm (L) x 1390mm (W) & 1229mm (H) x 2630mm (L) x 1390mm (W)

Grit/Salt Bins (Sale Only)


Essential equipment in inclement weather, our Grit / Salt Bins are highly visible, extremely durable and completely rot proof. Optional Extras: Snow Shovel & Bags of Salt/Grit (Sale Only).

Kassel/Offset Kerb Lifter

Designed to enable Kassel type kerbs to be lifted into position maintaining a level lift. Also suitable for other products where an offset lifting position is required to maintain balance. 2 types available, FTZ-BB: 50mm-460mm (Opening Width) x 290mm (Height) x 420mm (Gripping Length) & FTZ-Uni15: 50mm-775mm (Opening Width) x 255mm (Height) x 420mm (Gripping Length).

Kerb Cone

The innovative design of the Kerb Cone combines a traffic cone and a traffic kerb into one unit. Ideal for use as a vehicle or pedestrian separation system, it can equally be utilised for traffic management purposes. Dimensions: 1000mm (L) x 750mm (H) x 320mm (W).



Kerb Hopper - Heavy Duty (Sale Only)

Lightweight and highly portable ramp unrivalled in safety and usability. Designed for kerb and ridge access, its non-slip surface remains highly effective even in adverse weather conditions. As an option can be fitted with patented solar Lumi® Technology that starts automatically in low light conditions with no batteries to change. Dimensions: 1050mm x 680mm x 90mm.

Kerb Lifter – TSV/TSZ

Suitable for a wide range of steps, kerb stones L-stones and blocks. With spring loaded bolt adjusters for ease of opening width adjustment. TSV dimensions: 50mm - 500mm (Opening Width) x 110mm (Height) x 200mm (Gripper Length) TSZ dimensions: 50mm - 570mm (Opening Width) x 180mm (Inside Height) x 350mm (Gripper Length)



Kerb Stone Clamp (Sale Only)

Designed for the handling of kerb stones and features a lifting eye for attaching to a crane, along with handles for optimal guidance. The Kerb Stone Clamp has an automatic release for the fully automatic switch over from "full" to "empty".

Ladder Access Platform

Marwood's Trench & Manhole Access Platform is a simple, robust ladder access platform for use with excavation support systems. The system can be quickly and effectively clamped to steel box systems providing a safe access platform for entry to the excavation via a pole ladder/ stairways with suitable support.



Lanyard 1.3m

A simple webbing restraint lanyard. Comes with karabiner at each end and is suitable for use when working below a height of 5 metres. Typically used with access or forklift work platforms. Should be used to connect the operative's harness to a suitable anchorage point.

Lifting Chain Slings

Manufactured from grade 80 alloy steel and fitted with safety hooks. Multiple leg chain slings are fitted with shorteners. Available as 1, 2 & 4leg.

Lightweight Road Plate

Lightweight modular road plate system with anti-slip surface, each section is suitable for a 2 man lift. Capable of safely supporting a single wheel load of 6000kg at 700mm trench width. End sections available upon request. Dimensions: 1500mm x 500mm x 75mm



Low Profile Jib - 3000kg (Sale Only)

Converts a standard forklift to give a single point lift and allows loads to be lifted from otherwise inaccessible areas. Easier transport of long loads. Adjustable length jib and multiple hook attachment points.

Man Cages

The safest method of transporting personnel to or from any high or low level work situation. All cages are supplied panelled to half height, this allows work to be safely carried out with minimal obstruction. Available as 1, 2 & 4 person capacity.



Manhole Box

Light manhole box for handling by small sized excavators. Simplified struts make for easy assembly and these boxes allow rapid construction of manhole excavations in depths up to 4metres in suitable soils. Available in 2.5m and 3m widths.

Manhole Lifting Pins (Sale Only)

Used in conjunction with a set of lifting chains, they offer a safe, simple and speedy way of lifting manhole pipes. Available diameter sizes: 25mm, 35mm & 38mm

Manhole Shuttering

Marwood supplies a series of 3 panel types that combine quickly and easily to create a shutter for pouring a concrete surround for pre-cast manhole rings. Internal ring diameters ranging from 675mm - 2700mm. Available in two heights: 900mm & 1800mm.

Manual Raise Arm Barrier (Sale Only)

A low maintenance cost effective barrier system that controls access to an unauthorised area, each barrier unit can be custom designed to suit your company corporate colours.

Marwood Steel Plate Lifter

The Marwood Plate Lifter makes lifting and handling road plates safer and easier. The plate lifter is inserted into the centre of the plate and locked into place. A drop chain can then be attached and the plate is ready to lift.



MarroBar® Traffic Barrier System

A capable barrier system that on impact will bring an errant vehicle to a controlled stop. Designed to offer maximum safety, MARROBAR® is one of the quickest deployable barrier systems on the market and with up to 200 metres per load it offers savings on labour and transport. Tested and approved by TRL to BS EN 1317-N1 50mph test. Dimensions: 2000mm (L) x 800mm (H) x 500mm (W).

Marro Pave (Sale Only)

Paving system enables a fast and efficient implementation of ground reinforcement and stabilisation. The cellular design of the grids allows the dispersion of excess rain or flood water which makes it ideal for integration with Sustainable Urban Drainage Systems (SUDS) and in areas prone to flooding or with water dispersion problems.

MaxiTrack Mat (New Product)

The MaxiTrack Mat is an innovative approach to temporary ground protection. The lightweight 40kg mats can be handled by two workers without the need for specialist lifting equipment or expensive crane hire. The mats are extremely heavy duty and incredibly strong, able to support huge loads up to 130 tonnes (Uniform Distributed Load). Dimensions: 1900mm x 1000mm x 32mm & 1800mm x 900mm x 23mm.



Mortar Box 169ltr (Sale Only)

Forkliftable mortar tub Ideal for storage. Made from 100% recycled LLDPE. Safe, durable & rigid. Available in black as standard. Dimensions: 900mm (L) x 550mm (H) x 620mm (W).

Mortar Tubs 250ltr

Available in Forkliftable and Crane Lifiable versions. Designed to be stackable for space saving on sites. Made from high quality grade LLDPE, our tubs are very hard wearing, incorporating smooth seam finishing for easy cleaning and a fully moulded rim leaving a very user friendly mortar tub. Two types available.



Mortar Skip 350ltr

Fully welded construction, manufactured from 3mm steel plate with reinforced top edges. Fitted with forklift channels and 4 tested lifting lugs for multi-purpose application. Dimensions: 1275mm (L) x 970mm (W) x 520mm (H).

Mould Oil (Sale Only)

The use of Mould Oil is strongly recommended to reduce concrete contamination. This product is available in 5ltr containers.

Muck Tipping Skip

Normally used for muck removal or general site rubbish clearance. Once the bale support fingers are disengaged the skip becomes self tipping. These skips are normally fitted with additional security locking pins to the bale support fingers. Available sizes from 100ltr - 2000ltr.



Outrigger Crane Pads (Sale Only)

Used for supporting the outriggers of cranes and access machines, improving stability whilst protecting the ground underneath. Different sizes available, square or round.

Pallet Lifter

Ideal for loading and unloading vehicles with wooden pallets, with easy set up and no additional tools required. Dimensions: 2800mm (L) x 1040mm (W) x 80mm (H).

Passerelle

Ideal for covering trenches as a foot bridge, comes with anti-slip surface & high toe board for safer protection. Available in 2m, 4m, & 6m lengths.



Pedestrian Gate

With safety in mind it is imperative that when designing your site, that you include pedestrian gates to allow access for site personnel. Pedestrian Gates can also be used with Traffic Barrier & RB Barrier Systems.

Pedestrian Fencing Barrier

Suitable for use as a means of directing pedestrian traffic to or from a specific area, or separating pedestrians from traffic or areas of possible danger. Can also be used as a temporary barrier. Available as 2500mm (L) x 1100mm (H) & 2300mm (L) x 1100mm (H).

Pedestrian Walk - Thru Barrier

Ideal for identifying pedestrian crossing points. It is also ideal for ticket checkpoints when used within an event environment.

Dimensions: 2478mm (W) x 2135mm (H).



Pedestrian Walkway Mat

A simple, hardwearing, non-slip and fully interlocking temporary walkway mat system for both internal and external use. The mats are easy to manhandle, cheap to transport, no fixings required and no holes or trip hazards present making it suitable for all kinds of footwear. Could even be used for animal walkways, paddocks, farm yards, etc. Dimensions: 1200mm (L) x 700mm (W) x 20mm (H).

Plastic Log Pile (Sale Only)

A tubular design with wood composite fascia, the Plastic Log Pile delivers all the benefits of a 'hard' engineering solution with a 'soft' engineering appearance. The plastic log pile can be installed as a simple pile on its own or in conjunction with timber stakes or steel tubes thus increasing its bending moment.

Plastic Piling Pan & Pile Trench Sheets (Sale Only)

Similar in appearance to some steel sheet piles, the plastic piling pan trench sheet is extremely versatile and easy to install. The use of plastic pan & piling may also provide a low cost alternative to steel piling in many temporary works situations met during civil engineering construction of bridges, tunnels, drainage systems, manholes, etc. Available sizes from 1mtr-6mtr.




Plate Lifting Clamp

Used in pairs these clamps are ideal for handling and moving steel plate material in the horizontal position.



Refurbishment

Marwood Group Ltd are pleased to offer a thorough examination programme that includes support, inspection, refurbishment and testing in our specialised workshops to ensure the on going reliability and compliance of your equipment, with the issue of a certificate on full completion of works carried out.

ASK YOUR LOCAL DEPOT FOR DETAILS.



Before



After

Roadmaster Cone Sign

Ideal for utility companies where a fast installation is required. A flat profile allows for easy storage and transportation. All signs conform to Chapter 8 regulation using reflective material compliant with BS and EN standards.

Road Plates - Airside Steel

Our Airside specific Anti-Skid Steel Road Plates are designed to meet the demanding best practices and safe working protocols in operation whilst airside at airports. Dimensions: 3m x 1.5m x 25mm.

Road Crossing Plate


Flat steel plates supplied complete with lifting eyes cut into two corners. Various sizes available.

Road Crossing Plate - Non-Slip

Flat steel plates supplied with non-slip surface and bauxite chippings covering. Their installation must not present a hazard to pedestrians, cyclists or motorcyclists. Dimensions: 2.5m x 1.25m x 20mm.

Road Plate - Anti-Skid

Comes with the new 'Flight Deck Technology' and Anti-skid paint system. Ideal for all highway, runway and pedestrian uses. Fitted with a central lifting point and lifted using a Marwood Plate Lifter, making the plate safer to handle and manoeuvre. Dimensions: 2.4m x 1.25m x 19mm



Road Forms - Rigid & Flexible

A simple form of shuttering which is normally used for concrete slabs or floors. Each unit is 3m long and can be supplied in various heights to suit the thickness of slab. The forms can also be connected using the integral joiners provided to obtain the required length. The forms are located by steel stakes, once positioned a wedge located in the stake housing is driven home and locked.

Roadwork Signs (Sale Only)

A comprehensive range of road signs and ancillary equipment for both standard applications and motorway use. All equipment comply with Chapter 8 requirements.



Rock Salt (Sale Only)

Melts ice and snow fast. Ideal for car parks and haulage yards. Can also be used on driveways, roads, paths, patios, walkways, steps & stairways.

Rubbish Chute (Sale Only)


Ideal way of transferring debris and rubble from the various levels of any building or structure to a builders skip. Two sizes available.

Safety Harness

All harnesses are manufactured from polyester webbing and fitted with plated forged steel attachments.

Safety Hose Ramp

Solid reinforced rubber units used to protect hoses, electrical cables or pipe work. Stepped construction for safe use and flexible base apron for maximum grip. Suitable for use with most HGV vehicles. Dimensions: 830mm (L) x 300mm (W) x 90mm (H).



Safety Nets (Sale Only)

Safety nets can be installed to keep fall distances to an absolute minimum, providing greater protection for the faller and a reduction of load on the structure.

Salt Spreader (Sale Only)

The salt spreader is ideal for use on footpaths, small car parks and school grounds where larger apparatus cannot be used effectively. Dimensions 810mm (H) x 530mm (W). Capacity 36kg.

Self Tipping Muck Skip

The safer option to the standard muck tipping skip used for muck removal or general site rubbish clearance. With a specially designed locking system, this removes the requirement for any third party participation when emptying the skip. Available sizes: 100ltr, 200ltr & 500ltr.

Self Weighted Traffic Separator

Ideal for short term use where water filled separators could be an issue due to icy weather conditions or no water supply. Has a unique turning feature that allows the barriers to rotate through 45 degrees to easily block off areas. Made from recycled PVC LLDPE. No need to water or sand fill. Dimensions: 1000mm (L) x 600mm (H) x 300mm (W).

Scissor Gate (New Product)

Used to cordon off areas quickly and with ease to protect site personnel and the public from potential dangers. It has a robust design and multiple scissor gates can be securely joined together by bolts, chains or using the gate link.



SignaRoad Access Mat (New Product)

A dual-sided mat that features a vehicular traction surface on one side and a pedestrian traction surface on the other. Designed to create a medium-duty temporary roadway or pedestrian access way quickly and easily. Dimensions: 2.08m x 3m x 63.5mm



Sleepers

All sleepers are of sound quality for various uses within the construction industry. They are creosoted and must be handled with gloves. Approx dimensions: 2500/2600mm x 225/250mm x 125/150mm.

Snow Plough

The fork mounted snow plough attachment is very useful when clearing freshly fallen or compacted snow. It easily clears vehicle & pedestrian access in car parks, access roads and service areas.

Snow Shovel (Sale Only)

The snow shovel is lightweight, robust and comes complete with a 48" metal shaft with ergonomically designed handle. The tough plastic blade is reinforced with an aluminium strip to maximise longevity.

Speed Reduction Ramp

Ideal method of protecting a temporary cable, hose or reducing traffic speed. Should be laid as alternate black and yellow sections and bolted down. Dimensions: 500mm x 500mm x 70/75mm.

Spill Kits (Sale Only)

We can supply a range of spill kits for emergency response to oil, chemical and general fluid spills around the workplace, on land and water as required.

Stacca Barrier System - MK1 & MK2

Offers incredible strength and durability. Barrier to barrier connection is quick and easy allowing for angular movement in plan and elevation. Manufactured from virgin PE polymer offering superb quality at a low cost. Dimensions: 1000mm (H) x 2000mm (W) x 50mm (D).

Stacca Barrier - Rail

Lightweight barrier to provide protection to pedestrians from low speed traffic and dangerous work areas. This blow moulded H.D.P.E. traffic barrier offers superb quality at low life cost. Dimensions: 1000mm (H) x 2000mm (W) x 50mm (D).



Stairways

Marwood's Stairways offer safe work access for a number of problem situations including civil engineering projects, between floors on RC frame contracts or on motorway and railway embankments. Available from 3 - 18 step units.

Stake Extractor

For use when striking road forms from cured concrete. Can be used with all popular sizes of stakes. Simple lever action minimises any potential damage to stakes.

Stone Magnet

A powerful cordless vacuum lifting device for laying dense stone and concrete slabs & blocks. Self-contained unit powered by a long lasting rechargeable 12v battery.



Storage Cage

Flat packed storage cage can be erected in minutes. The galvanised unit is a one piece unit that can be stacked flat and is also forkliftable. Designed for storing gas cylinders and expensive site equipment. Dimensions: 1200mm (W) x 1200mm (D) x 1800mm (H).

Stop/Go Lollipop (Sale Only)

Ideal for traffic flow situations, the sign is extremely long lasting and is shatter, rust, rot and water proof. An excellent alternative to the traditional metal/wooden pole types.

Stretcher Cage

A safe, secure method for transporting immobilised injured personnel with an attendant from any high structure or deep excavation.

Dimensions: 2225mm (H) x 2585mm (L) x 962mm (W)



Tool Boxes

Heavy duty chest type toolboxes, available in two popular standard sizes complete with one piece lift up lid and fitted with 2 integral Chubb locks. Available sizes: 1220mm (L) x 900mm (H) x 600mm (W) & 1550mm (L) x 1250mm (H) x 750mm (W).

Traffic Barrier System

Tested to current European standards the Traffic Barrier System is suitable for use on low speed highways where vehicle speeds are restricted to 30mph. Each unit links together via vertical pins. The various top sections can be added as specific jobs demand. Adjustable corner units enable the system to rotate up to 90°.

Dimensions: 1500mm x 500mm x 420mm.

Traffic Blocks


A heavy duty rubber block constructed in 1 metre red or white sections. When linked form a 300mm x 300mm barrier. Easily handled and can be laid to form curves if required. An ideal alternative to traditional baulk timbers as lane markings.

Trailer Mat

A cost effective fall arrest system designed to mitigate the effects of falling from vehicles and trailers. The inflatable air bags are all connected to each other by simple push fit connectors and can all be secured to the vehicle by straps. Suitable for use on trailers up to 60 feet in length.

TrakMats®

TrakMats® are a ground cover mat solution for accessing construction and event sites with rubber-tyred vehicles up to 60 tonnes. Flexible and robust, TrakMats® are the world's leading engineered ground cover mat for moving vehicles, operated equipment and site personnel over soft or sensitive ground and flooring. Dimensions: 2440mm x 1130mm x 13mm, single/double sided.



Trench Box

A fast, safe method of providing trench safety up to a depth of 4 metres in suitable ground. 3 sizes of struts available giving an internal width from 600mm to 2000mm.



Trench Sheets

Standard lap trench sheets with a working width of 330mm, supplied in a wide range of lengths. Primary use is for ground support and trench work. Available sizes: 2mtr - 5mtr (5.5mtr & 6mtr are Sale Only).

Trench Sheet Driver and Driving Cap

The Trench Sheet Driver is used in conjunction with the driving cap which allows the use of standard breakers for driving trench sheets into the ground. The Driving Cap is correctly shaped to fit the profile of the trench sheet as this will minimise any possible damage to the end of the sheet.

Trench Sheet Extractors (Standard & Quick Release)

Locates over the end of the trench sheet and is secured by a pin through the pre-drilled hole in the sheet allowing for a safe trench sheet withdrawal.

Trench Struts

Used to aid light weight excavation supports such as our Trench Sheets. Available sizes from 0 - 3.

Turtle Gate (New Product)

Retractable gates for crowd control requirements in all types of location. Turtle Gates are unique and attractive yet affordable solution to security control issues for both foot and street traffic. One person can move and deploy the gate or multiple gates to easily define the barricaded area. All systems include alligator lock and rubber wheel to wheel lock. Two sizes available.



TVCB Lifter

The special design of the lifter ensures a tight and safe connection to the anchor embedded in the concrete barrier so that it cannot spontaneously disengage whilst the system is under load at any orientation. When the lift is complete and the load released, the lifter is quickly and simply disengaged from the anchor.



Twin Flow Skip

A versatile general purpose skip which can be used for bottom discharge applications or by lowering the attached chute can be used as a side discharge skip. Available sizes: 250ltr – 2000ltr.

Utility Separator (New Product)

This small barrier is ideal for rapid deployment with 44 in a forklift pack. Can be water filled with 12ltrs of water but can also be used without. Ideal for pedestrian and crowd safety demarcation.

Utility Plate (Sale Only)

Designed to provide a temporary safe means of access to domestic and retail premises during periods when works are carried out on footpaths. Dimensions: 1080mm x 1080mm x 35mm. Also see Lightweight Plastic Road Plate, Safe Cover Plate, Plastic Road Plate and Road Crossing Plate.

Union Barrier (Sale Only)

The Union Barrier is a 2m x 1m one piece injection moulded barrier ideal for pedestrian or crowd safety demarcation. Lightweight for easy handling yet extremely robust, the Union Barrier offers a perfect alternative to traditional post & plank systems. Dimensions: 2000mm (L) x 1000mm (H).

Universal Road Separator

Available in 1m and 2m lengths, the Universal Road Separator stacks to minimise transport and storage costs, made from UV stabilised LLDPE, this water fill unit is a must for all contractors. Available as 1000mm (L) x 615mm (H) x 3700mm (W) & 2000mm (L) x 800mm (H) x 520mm (W). Optional Extras: Fence Panels.



Utopian Kerb

Our Utopian Kerb provides a cost effective ballast or water fill kerb. Ideal for short term traffic projects to keep traffic flowing in high density urban areas. Dimensions: 1000mm (L) x 600mm (H) x 450mm (W) & 1000mm (L) x 400mm (H) 320mm (W).

V Sign (Sale Only)

A lightweight and versatile answer to Chapter 8 signage requirements as well as an environmentally friendly alternative to the more traditional metal plate and frames. Available in three sizes offering four face configurations, it can be further personalised to suit your individual branding requirements.



Vacuum Lifter

A powerful hand operated vacuum lifting device for laying granite or concrete paving products. Powered by a rechargeable 12v battery.

Vee™ Interlocking Concrete Block

A versatile product that will excel in the most demanding of applications and can be used for security purposes. The blocks interlock with each other using a unique 'V' system along the base, sides and top giving incredible strength and stability.

Dimensions: 1830mm (L) X 610mm (W) x 610mm (H). Other sizes available upon request.



Vehicle Gate

The vehicle gate is fitted into joining holes of the Traffic Barrier & MarroBar systems then bolted to one side making it a hinge section. Siteguard fence panels can be placed on both sides of the Mass Barrier and secured with the safety plate clamps.



Vertical Plate Clamp

Designed to lift and turn over plates in one smooth operation. Available with either hook ring for use with sling hook, or with integral short chain sling for direct fitting onto a crane hook.

Webbing Slings & Shackles (Sale Only)

Webbing Slings are kind to equipment and do not scratch / damage polished, painted or delicate surfaces. Depending on your application, both flat slings and round slings can be used as a straight lift, choked lift, basket hitch and two or four legged Slings. Web Sling Shackles are designed to connect synthetic web slings and synthetic round slings to eyebolts, pad eyes and lifting lugs.

Wonderbarrow (Sale Only)

Manufactured from recycled plastic and with no metal parts making it completely safe for use in areas where conductivity may be an issue. The Wonder Barrow has a 3cuft capacity fitted with a 16" pneumatic wheel and is fully weather resistant easily outlasting ordinary metal barrows



Wonder Wall (New Product)

Robust barrier system, gives stability in high winds without the need for extra ballast. It creates a safer working environment when deployed near road sides or excavations. Can be moved with ease by one person and via forklift truck when the bases are stacked. Dimensions: 1000mm (H) x 1140mm (W) x 500mm (Base Depth).



Zebra Crossing Mat (Sale Only)

Designed for use as temporary pedestrian crossing, providing safety and clear directions. Its flexible, fast and easy to install with the added advantage of high visibility. Can also be used on construction sites or other places of work used by pedestrians.



MARWOOD NATIONWIDE DEPOTS

London (Head Office)	020 7540 2500
Aberdeen	01224 723803
Barking (London)	020 7474 0330
Birmingham	01384 240330
Bristol	0117 972 8641
East Kilbride	01355 208608
Fareham	01329 284747
Leeds	01132 380300
Manchester	0161 876 7832
Medway	01634 297797
Middlesbrough	01642 459300
Newbury	01635 866707
Northampton	01604 756180
Norwich	01603 488478
Nottingham	01159 304334
Peterborough	01733 311444
Plymouth	01752 973590
Wales	01656 657013



Railtec Engineering
(Fabrications)
Part of Marwood Group Ltd
01226 384207



Europolite (Moulded
Plastic Manufactures)
Part of Marwood Group Ltd
01623 528 760



f MarwoodGroupLtd

t @MarwoodGroupLtd

MARWOOD GROUP LTD

Marwood Group Ltd,
72 Roding Road, Beckton, London E6 6JG
T: 020 7540 2500 F: 020 7540 2520
www.marwoodgroup.co.uk

DELIVERING HIRE STANDARDS NATIONWIDE